23/05/2019 Revision 1

Downloaded <u>www.npwoolley.com</u>



| Class | Drawing number | Title   | PROV Series          |
|-------|----------------|---|----------------------|
| K     | 1              | General Arrangement   |                      |
| K     | 2              | Frames  | Series 262 - Unit 8  |
| KN    | 3              | Slide bars, bracket, etc  | Series 262 - Unit 8  |
| K     | 4              | Drag box and intermediate buffer                                  | Series 262 - Unit 8  |
| K     | 5E .0 to .3    | Axlebox (collarless axles)  | Series 262 - Unit 8  |
| DKN   | 5F .0 to .8    | Horn block, wedge, & stay   |                      |
| KN    | 8              | Cylinders   | Series 262 - Unit 8  |
| KN    | 8A .0 to .4    | Cylinder bush   | Series 262 - Unit 8  |
| KN    |                | Piston valve liner  |                      |
| KN    | 9              | Cylinder cover & cast steel piston                                | Series 262 - Unit 8  |
| KN    | 10             | Cylinders & steam chest covers & valve spindle dummy cover & bush | Series 262 - Unit 8  |
| KN    | 11             | Cylinder cover castings & tail rod cover                          | Series 262 - Unit 8  |
| K     |                | Valve spindle guide   |                      |
| KN    | 14             | Piston rod metallic packing                                       | Series 262 - Unit 8  |
| KN    | 15             | Piston rod  | Series 262 - Unit 8  |
| K     | 16             | Exhaust pipe, blast pipe and top                                  | Series 262 - Unit 8  |
| K     |                | Exhaust pipe (plan view)  |                      |
| K     |                | Exhaust pipe (section)  |                      |
| KN    | 17             | Crosshead   | Series 262 - Unit 8  |
| KN    | 18             | Connecting rod  | Series 262 - Unit 8  |
| KN    | 19             | Coupling rods   | Series 262 - Unit 8  |
| K     | 20             | Valve gear arrangement and details of link brackets               | Series 262 - Unit 8  |
| KN    | 21             | Valve gear details  | Series 262 - Unit 8  |
| KN    | 21A            | Link trunnion plate   | Series 262 - Unit 8  |
| KN    | 22             | Diagram of Walchaert valve gear                                   |                      |
| K     | 23             | Reversing arrangement and details                                 | Series 262 - Unit 8  |
| KN    | 25             | Springs & details   | Series 262 - Unit 8  |
| K     | 25A .0 to .6   | Spring arrangement & details                                      | Series 262 - Unit 8  |
| K     | 27             | Boiler  | Series 262 - Unit 8  |
| K     | 27A            | Boiler (all steel)  | Series 262 - Unit 8  |
| K     | 27A .1         | Firebox (all steel boiler)  | Series 262 - Unit 8  |
| K     | 27A .2 to .8   | Boiler details (all steel boiler)                                 | Series 262 - Unit 8  |
| K     | 27A .9 to .12  | Boiler details  | Series 262 - Unit 8  |
| K     | 28             | Tube plates   | Series 262 - Unit 8  |
| K     | 30             | Firebox   | Series 262 - Unit 8  |
| K     | 30A            | Firebox (all steel boiler)  | Series 262 - Unit 8  |
| K     | 30A .1 to .14  | Boiler details (all steel boiler)                                 | Series 262 - Unit 8  |
| K     | 31             | Firebox bottom ring   | Series 262 - Unit 8  |
| K     | 31A            | Firebox bottom ring (steel firebox)                               | Series 262 - Unit 8  |
| K     | 32             | Boiler steady bracket, hand hole & stays                          | Series 262 - Unit 8  |
| K     | 34             | Expansion angle & bracket, seating, stays, etc                    | Series 262 - Unit 8  |
| K     | 35 & .1 & .2   | Boiler details  | Series 262 - Unit 8  |
| K     | 36             | Arrangement of boiler mountings                                   | Series 262 - Unit 9  |
| K     | 36B            | Arrangement of boiler mountings                                   | Series 262 - Unit 9  |
| KN    | 37A            | Seating for Westinghouse steam valve                              | Series 262 - Unit 9  |
| K     | 39             | Regulator valve, steam pipe, handle etc                           | Series 262 - Unit 9  |
| K     | 42             | Arrangement of ashpan   | Series 262 - Unit 9  |
| K     | 42A            | Ashpan arrangement  | Series 262 - Unit 9  |
| K     | 42A .1 & .2    | Ashpan details  | Series 262 - Unit 9  |
| K     | 43             | Drop grate details  | Series 262 - Unit 9  |
| K     | 43A .0 to .5A  | Table grates  | Series 262 - Unit 9  |
| K     | 43A .6 to .13  | Table grates  | Series 262 - Unit 9  |
| K     | 44             | Ashpan details  | Series 262 - Unit 9  |
| K     | 44A .0 to .4   | Alteration to ashpan door frames                                  | Series 262 - Unit 9  |
| K     | 44B .0 to .7   | Alteration to ashpan front & damper                               | Series 262 - Unit 9  |
| K     | 47C            | Smokebox arrangement  | Series 262 - Unit 9  |
| K     | 47C .1 to .6   | Smokebox drialigement Smokebox details                            | Series 262 - Unit 9  |
| K     | 47C .7 to .26  | Smokebox details  | Series 262 - Unit 9  |
| K     | 47C .27 to .51 | Smokebox details  | Series 262 - Unit 9  |
| K     | 47C .52 to .54 | Smokebox details Smokebox details                                 | Series 262 - Unit 9  |
| K     | 47C .55 to .63 | Smokebox details - false bottom                                   | Series 262 - Unit 9  |
| 13    | [+/C.33 tO.03  | Sillokebox details - laise bottom                                 | Jeries 202 - Utill 9 |

www.npwoolley.com

23/05/2019 Revision 1

Downloaded <u>www.npwoolley.com</u>



| Class | Drawing number | Title   | PROV Series          |
|-------|----------------|---|----------------------|
| KN    | 48             | Smokebox details  | Series 262 - Unit 9  |
| K     | 49             | Smokebox steam pipes etc (1 of 2)                           | Series 262 - Unit 9  |
| K     | 49             | Smokebox steam pipes etc (2 of 2)                           | Series 262 - Unit 9  |
| K     | 49A .1 & .2    | Steam pipes   | Series 262 - Unit 9  |
| KN    | 50A            | Chimney   | Series 262 - Unit 9  |
| KN    |                | Chimney (bucket type), door, wheel, dart                    |                      |
| K     | 51             | Spark arresters   | Series 262 - Unit 9  |
| K     | 52             | Steam collector   | Series 262 - Unit 9  |
| K     | 55             | Awning (cab)  | Series 262 - Unit 9  |
| K     | 55 .1 to .5    | Filler plate  | Series 262 - Unit 9  |
| K     | 55 C 55 C      | Alteration to awning  | Series 262 - Unit 9  |
| K     | 56             | Awning (cab) details  | Series 262 - Unit 9  |
| K     | 58             | Footplates  | Series 262 - Unit 9  |
| K     | 59             | Cleading  | Series 262 - Unit 9  |
| K     | 59A            | Asbestos mattress boiler lagging                            | Series 262 - Unit 9  |
| K     | 59B            | Asbestos mattress boiler lagging                            | Series 262 - Unit 9  |
| K     | 59C .0         | Cleading (steel firebox)                                    | Series 262 - Unit 9  |
|       | 59C .0 .21     |   | Series 262 - Unit 9  |
| K     | 59C .1 to .21  | Cleading details (steel firebox)                            | Series 262 - Unit 9  |
|       |                | Cleading copper firebox                                     |                      |
| K     | 60             | Cleading details (1 of 2)                                   | Series 262 - Unit 9  |
|       |                | Cleading details (2 of 2)                                   | Series 262 - Unit 9  |
| CKNX  | 61             | Pony truck & details  |                      |
| CKNX  | 62             | Pony truck equalising beam etc                              |                      |
| CKNX  | 63             | Pony truck axlebox & horn blocks                            | s : 252 H !! 40      |
| K     | 64             | Frame stay castings   | Series 262 - Unit 10 |
| CKNX  | 65             | Pony truck wheel & axle                                     |                      |
| CKNX  | 65A            | Pony truck wheel centre                                     |                      |
| KN    | 66             | Wheels & axles (leading, intermediate, driving & trailing)  | Series 262 - Unit 10 |
| KN    | 66 .1 & .2     | Tyre retaining ring, Boxpok wheel centre                    | Series 262 - Unit 10 |
| K     | 66 .3          | Driving crankpin  | Series 262 - Unit 10 |
| KN    | 66A            | Wheel centres (leading, intermediate, driving & trailing)   | Series 262 - Unit 10 |
| K     | SK-5           | Knuckle pin (VR drg 5748.25)                                |                      |
| K     | SK-6           | Knuckle eye bush (VR drg 5748.5)                            |                      |
| K     | 69             | Tender underframe & details                                 | Series 262 - Unit 10 |
| K     | 74             | Class number and rating plates                              | Series 262 - Unit 10 |
| KN    | 75             | Toolbox etc   | Series 262 - Unit 10 |
| К     | 81             | Brake & sand arrangement                                    | Series 262 - Unit 10 |
| KN    | 82             | Sandbox & details   | Series 262 - Unit 10 |
| K     | 82A .1         | Sand box details  | Series 262 - Unit 10 |
| K     | 83             | Clips, brackets, etc (1 of 2)                               | Series 262 - Unit 10 |
| K     | 83             | Clips, brackets, etc (2 of 2)                               | Series 262 - Unit 10 |
| K     | 84             | Lubricator & release cock arrangement                       | Series 262 - Unit 10 |
| K     | 84A            | Wakefield lubricator, release cock, & sand gear arrangement | Series 262 - Unit 10 |
| K     | 84A .1 to .15  | Sand & lubricator details                                   | Series 262 - Unit 10 |
| K     | 84A .16 & .17  | Lubrication details   | Series 262 - Unit 10 |
| K     | 84B            | Silvertown lubricator arrangement                           | Series 262 - Unit 10 |
| K     | 84B .1 to .12  | Silvertown lubricator details                               | Series 262 - Unit 10 |
| K     | 84C            | Nathan lubricator arrangement                               | Series 262 - Unit 10 |
| KN    | 86             | Brake reservoir & details (1 of 2)                          | Series 262 - Unit 10 |
| KN    | 86             | Brake reservoir & details (2 of 2)                          | Series 262 - Unit 10 |
| K     | 87             | Pipe arrangement  | Series 262 - Unit 10 |
| K     | 87A            | Brake pipe arrangement (A6ET equipment)                     | Series 262 - Unit 10 |
| K     | 87A .1 to .20  | Brake details (A6ET equipment)                              | Series 262 - Unit 10 |
| K     | 87A .21 to .25 | Brake details (A6ET equipment)                              | Series 262 - Unit 10 |
| K     | 87A .27 to .31 | Injector pipes arrangement & details                        | Series 262 - Unit 10 |
| К     | 87A .32 to .34 | Blowoff pipe & details                                      | Series 262 - Unit 10 |
| K     | 87A .35 & .36  | Alterations to brake pedestal cover                         | Series 262 - Unit 10 |
| K     | 87B            | Application of M-3 feed valve                               | Series 262 - Unit 10 |
| K     | 88             | Brake shaft   | Series 262 - Unit 10 |
|       |                |   |                      |
| K     | 89             | Brake shaft bracket, column & silencer                      | Series 262 - Unit 10 |

www.npwoolley.com Page 2 of 4

23/05/2019 Revision 1

Downloaded <u>www.npwoolley.com</u>



| Class  | Drawing number  | Title  | PROV Series          |
|--------|-----------------|--|----------------------|
| K      | 91              | Brake rods   | Series 262 - Unit 10 |
| К      | 95              | Wood platform  | Series 262 - Unit 10 |
| К      | 95B             | Cab platform and flap plate  | Series 262 - Unit 10 |
| К      | 98              | Arrangement & details of speed recorder gear                       | Series 262 - Unit 10 |
| K      | 98B & .1 to .3  | Speed recorder arrangement & details                               | Series 262 - Unit 10 |
| K      | 99              | Method of fixing copper flue tubes & tools                         | Series 262 - Unit 10 |
| KN     | 106A            | Flange lubricator  | Series 262 - Unit 11 |
| KN     | 106B            | Flange lubricator oil container - alteration to suit tail trimming | Series 262 - Unit 11 |
| K      | 1005            | Indicating gear  | Series 262 - Unit 11 |
| K      | 111             |  | Series 262 - Unit 11 |
|        |                 | Arrangement of shaker grate & draught excluder                     | 11 11 1              |
| K      | 112             | Shaker grate details   | Series 262 - Unit 11 |
| K      | 4403            | Boiler & firebox flanging dies                                     | Series 262 - Unit 11 |
| K      | 5153 .1 to .5   | Amended ashpan door operating gear                                 | Series 262 - Unit 11 |
| KN     | 5204 .0 & .1    | Headstock etc for automatic coupler                                | Series 262 - Unit 11 |
| K      | 5308            | Stainless steel expansion stay for trial purposes                  | Series 262 - Unit 11 |
| K      | 5476            | Method of replacing solid ring with flanged firehole               | Series 262 - Unit 11 |
| KN     | 5572A .0 to .5  | Flange lubricator  | Series 262 - Unit 11 |
| KN     | 5601 .0 to .4   | Brake gear & sand pipe   | Series 262 - Unit 11 |
| К      | 5601A .0 to .2  | Sand pipe arrangement & details                                    | Series 262 - Unit 11 |
| К      | 5644            | Arrangement of ashpan sprinker & overflow check valve              | Series 262 - Unit 11 |
| K      | 5688 .0 to.5    | Electric light arrangement & details                               | Series 262 - Unit 11 |
| К      | 5688 .6 to .10  | Alteration to electric light conduit                               | Series 262 - Unit 11 |
| К      | SK-3            | Turbo pipe nipple  |                      |
| DK     | 5697B           | Tender tank  |                      |
| DK     | 5697B .1 to .13 | Tender tank details  |                      |
| KN     | 5706 .1 & .2    | Back grid door of spark arrester blanked                           | Series 262 - Unit 11 |
| DKN    | 5709 .0 to .9   | Safety valve   |                      |
| KN     | 5897 .0 to .3   | Solid big end pin feed lubrication                                 | Series 262 - Unit 11 |
| K      | 6020 .1 to .18  | Headstock & gusset stays (1 of 2)                                  | Series 262 - Unit 11 |
| K      | 6020 .1 to .18  | Headstock & gusset stays (2 of 2)                                  | Series 262 - Unit 11 |
| K      | 6021 & .1 to .6 | Pony truck frame stay  | Series 262 - Unit 11 |
| K      | 6022 & .1 to .2 | Trailing frame stay  | Series 262 - Unit 11 |
| K      | 6027 .1 to .15  | Deflector plate arrangement & details                              | Series 262 - Unit 11 |
| L L    | 6044            | Staff exchanger  |                      |
| K K    |                 | 9  | Series 262 - Unit 11 |
| K      | 6044 .1 to .7   | Staff exchanger details  | Series 262 - Unit 11 |
| K      | 8967 .0 to .4   | Flanging dies steel firebox tube plate                             | Series 262 - Unit 11 |
| K      | 8968 .0 to .4   | Flanging dies steel  | Series 262 - Unit 11 |
| K      | 9039 .1 to .4   | Firebox flexible stays location & finished length                  | Series 262 - Unit 11 |
| K      | 9424            | Coal sprinkler   | Series 262 - Unit 11 |
| K      | 9475            | Cab operated blow off cock (standard type)                         | Series 262 - Unit 11 |
| K      | 9475 .1 to .3   | Cab operated blow off cock details (standard type)                 | Series 262 - Unit 11 |
| K      | 9870            | Cleading & handrails   | Series 262 - Unit 11 |
| K      | 9870 .1 to .10  | Cleading & handrails   | Series 262 - Unit 11 |
| K      | 9870 .11 to .24 | Cleading & handrails   | Series 262 - Unit 11 |
| К      | 9870 .25 to .44 | Cleading & handrails   | Series 262 - Unit 11 |
| K      | 9871            | Boiler studs & tapped holes (1 of 2)                               | Series 262 - Unit 11 |
| К      | 9871            | Boiler studs & tapped holes (2 of 2)                               | Series 262 - Unit 11 |
| К      | 10132           | Outside reinforcing patch for leading barrel at washout seating    | Series 262 - Unit 11 |
| К      | 10292           | Bye pass steam supply  | Series 262 - Unit 11 |
| KN     | 52510           | Boxpok main driving wheel center                                   | Series 262 - Unit 11 |
| KN     | 52511           | Boxpok intermediate driving wheel center                           | Series 262 - Unit 11 |
| KN     | 52512           | Boxpok leading & trailing driving wheel center                     | Series 262 - Unit 11 |
| N (SG) | 12              | Blow off separator   |                      |
| CKNX   |                 | Lattice cowcatcher   |                      |
| CKNX   |                 | Lattice cowcatcher front elevation                                 |                      |
| CKNX   |                 | Lattice cowcatcher from elevation                                  |                      |
| DD     | 68              | Tender tank  |                      |
| DD     | L148.12         | Tender   |                      |
|        |                 |  |                      |
| DD     | L335.11         | Tender tank  |                      |
| DD     | L370.11         | Tender tank  |                      |
| DD     | L351.11         | Tender bogie & details   |                      |

www.npwoolley.com Page 3 of 4

23/05/2019 Revision 1

Downloaded <u>www.npwoolley.com</u>



| Class | Drawing number | Title                                       | PROV Series |
|-------|----------------|---|-------------|
| DD    | L139.12        | Self trimming tender tank                   |             |
| DK    |                | Tender tank (riveted with bunker extension) |             |

www.npwoolley.com Page 4 of 4