Tippecanoe County Soil & Water Conservation District

2022 Native Plant Sale



Use this document to learn more about the species we have available, including those in mixes.



Flowers

2022 Native Plant Sale

Nodding Wild Onion

Allium cernuum

Communities: Dry Woods, Mesic

Prairie, Mesic Savanna

Sun: sun to part shade

Height: 1 - 2 ft.

Color: pink

Flower Season: July - August

Notes: Delicate pink to white flowers that tend to "nod" atop of grass-like foliage. Due to it's small stature, it does well interplanted with other flowers and grasses. Drought-tolerant.





Columbine

Aquilegia canadensis

Communities: Dry Woods, Dry Savanna

Sun: part shade to shade

Height: 2-3 ft.

Color: red

Flower Season: May – June

Notes: Performs best in partial shade in well-drained soils. Provides early season nectar source for hummingbirds and other pollinators. Excellent for woodland gardens. Spreads by self-seeding. Host plant for the Columbine Duskywing butterfly.





Marsh Milkweed

Asclepias incarnata

Communities: Bioretention, Sedge Meadow,

Wet Prairie

Sun: sun

Height: 3-4 ft.

Color: pink

Flower Season: July - August

Notes: Thrives in wet areas, but will also grow in moist garden soil. Fragrant flowers attract pollinators, and is a host plant for Monarch butterfly caterpillars. Also known as Swamp or Rose Milkweed.





Sullivant's Milkweed

Asclepias sullivantii

Communities: Mesic Prairie, Wet Mesic

Prairie

Sun: sun

Height: 3 - 4 ft.

Color: pink

Flower Season: July - August

Notes: Also called Prairie Milkweed. Similar look to Common Milkweed, but less aggressive. Deep taproot makes it drought tolerant. Host plant for Monarch butterfly.





Whorled Milkweed

Asclepias verticillata

Communities: Mesic Prairie, Dry Prairie,

Savanna

Sun: sun

Height: 2 ft.

Color: white

Flower Season: July - September

Notes: Attracts a variety of pollinators and is a host plant for the Monarch butterfly. Named for whorled leaf arrangement. Spreads by rhizomes.





Blue False Indigo

Baptisia australis

Communities: Wet Mesic Prairie


Sun: sun to part sun

Height: 2 - 4 ft.

Color: blue

Flower Season: May - June

Notes: Spikes of beautiful blue flowers appear above blue-green foliage. Later in the season, large dark seed pods make an interesting addition to dried arrangements. Mature plants are shrub-like, reaching 3 - 4 foot high with an equal spread.





Lance-Leaf Coreopsis

Coreopsis lanceolata

Communities: Dry Prairie

Sun: sun

Height: 1 - 2 ft.

Color: yellow

Flower Season: May - June

Notes: Drought-tolerant. Deadheading spent flowers encourages additional blooms. Self seeds. Also called Tickseed.





Purple Prairie Clover

Dalea purpureum

Communities: Dry Prairie, Mesic Prairie

Sun: sun

Height: 1 -2 ft

Color: purple

Flower Season: July - August

Notes: Fixes Nitrogen in the soil. Requires excellent drainage. Drought tolerant. Large taproot. Attracts a variety of native pollinators.





Purple Coneflower

Echinacea purpurea

Communities: Mesic Prairie, Mesic Savanna, Dry Woods, Bioretention

Sun: sun to part sun

Height: 3 - 4 ft.

Color: pink/purple

Flower Season: June - Aug

Notes: Tolerant of many site conditions. Does well as a cut flower. Attracts pollinators. Eastern Goldfinches eat seeds.





Spotted Joe Pye Weed

Eutrochium maculatum

Communities: Bioretention, Sedge Meadow

Sun: sun

Height: 4 - 6 ft.

Color: pink

Flower Season: August - September

Notes: Spreads more in full sun conditions. Attracts a variety of pollinators. Requires moist soils and can tolerate wet sites. Named for purple spots along the stem.





Queen of the Prairie

Filipendula rubra

Communities: Bioretention, Sedge

Meadow

Sun: part shade to sun

Height: 4 - 7 ft.

Color: pink

Flower Season: June - July

Notes: Showy pink blooms atop unusal foliage. Fragrant flowers. Not drought tolerant. Requires moist to wet soils.





Wild Geranium

Geranium maculatum

Communities: Mesic Woods

Sun: part sun to shade

Height: 1 ft.

Color: pink

Flower Season: April – May

Notes: Mounded form. Spreads by rhizomes.

Excellent for woodland gardens.





Western Sunflower

Helianthus occidentalis

Communities: Mesic Prairie, Dry Prairie

Sun: sun

Height: 2 - 3 ft.

Color: yellow

Flower Season: August – September

Notes: Tolerates variety of soils, except heavy clay. Drought tolerant. Spreads by rhizomes to form colonies. Spreads less aggressively that other sunflower species. Seeds are food source for a variety of wildlife.





Blue Flag Iris

Iris virginica shrevei

Communities: Sedge Meadow, Bioretention

Sun: sun to part sun

Height: 2 - 3 ft.

Color: Blue

Flower Season: May - Jun

Notes: Prefers slightly acidic soil. Fragrant

flowers. Grows best in moist soil.





Dense Blazing Star

Liatris spicata

Communities: Mesic Prairie, Wet Mesic Prairie, Sedge Meadow, Bioretention

Sun: sun

Height: 3 - 5 ft.

Color: Purple

Flower Season: July- August

Notes: Attracts pollinators. Does well as a

cut flower in arrangements.





Cardinal Flower

Lobelia cardinalis

Communities: Bioretention, Sedge Meadow,

Wet Woods

Sun: sun to shade

Height: 1 - 3 ft.

Color: red

Flower Season: August - September

Notes: Attracts hummingbirds and other

pollinators. Requires moist soil.





Great Blue Lobelia

Lobelia siphilitica

Communities: Wet Woods, Sedge

Meadow, Bioretention

Sun: sun to shade

Height: 1 - 3 ft.

Color: blue

Flower Season: August - September

Notes: Requires moist soil. Attracts

pollinators.





Bergamot

Monarda fistulosa

Communities: Mesic Prairie

Sun: part shade to sun

Height: 2 - 4 ft.

Color: lavender

Flower Season: July - August

Notes: Also known as Beebalm. Very attractive to a variety of pollinators.





Prairie Sundrops

Oenothera pilosella

Communities: Mesic Prairie, Wet Mesic Prairie

Sun: sun

Height: 1 ft.

Color: yellow

Flower Season: June – July

Notes: Develops quickly in spring and flowers readily. Becomes dormant later in year. Can spread aggressively, but shallow-rooted.





Roundleaf Ragwort

Packera obovata

Communities: Dry Woods, Mesic Woods

Sun: part shade to sun

Height: 1 ft

Color: yellow

Flower Season: April - May

Notes: Also known as Roundleaf Groundsel. Blooms for several weeks. Provides early season nectar for pollinators. Can spread by stolons to form colonies. Semi-evergreen foliage acts as a groundcover.





Hairy Penstemon

Penstemon hirsutus

Communities: Dry Prairie, Dry Savanna,

Mesic Prairie, Mesic Savanna

Sun: Sun to part sun

Height: 1-2 ft

Color: Pink/Purple

Flower Season: May - June

Notes: Named for hairy stem. Attracts native pollinators, like bees and hummingbirds. Shade tolerant. Prefers medium to dry soils.





Woodland Phlox

Phlox divaricata

Communities: Mesic to dry woods

Sun: part shade to shade

Height: 1 ft.

Color: light purple

Flower Season: April - May

Notes: Fragrant flowers attract butterflies, including swallowtails. Blooms range from very light blue to violet. Spreads by rhizomes. Excellent for a woodland garden.





Common Mountain Mint

Pycnanthemum virginianum

Communities: Bioretention, Mesic Prairie, Sedge Meadow, Wet Prairie

Sun: sun

Height: 1 - 3 ft.

Color: white

Flower Season: July - August

Notes: Very attractive to pollinators. Fragrant minty aroma. Can spread to form colonies. Long bloom period.





Showy Black-Eyed Susan

Rudbeckia fulgida speciosa

Communities: Bioretention, Sedge Meadow,

Wet Mesic Prairie

Sun: sun

Height: 2-3 ft.

Color: yellow

Flower Season: August- September

Notes: Also known as Orange Coneflower. Good cut flower. Spreads by rhizomes and forms clumps.





Royal Catchfly

Silene regia

Communities: Mesic Prairie

Sun: part shade to sun

Height: 2 - 4 ft.

Color: red

Flower Season: July -August

Notes: Attracts hummingbirds, black swallowtails and other pollinators. Requires well-drained soils.





Blue-Stemmed Goldenrod

Solidago caesia

Communities: Dry Woods, Mesic Woods

Sun: shade to part sun

Height: 1-2 ft.

Color: yellow

Flower Season: September - October

Notes: Arching blue/purple stems with many small, yellow flowers. Benefits native pollinators. Clump-forming and doesn't spread aggressively.





Showy Goldenrod

Solidago speciosa

Communities: Dry Prairie, Dry Savanna, Mesic Prairie, Mesic Savanna, Sedge Meadow

Sun: sun to part sun

Height: 1 - 3 ft

Color: yellow

Flower Season: September - October

Notes: Sometimes incorrectly blamed for seasonal allergies (which are actually caused by wind-born pollen from ragweed). Excellent late season food source for pollinators. Spreads by rhizomes.





Sky Blue Aster

Symphyotrichum oolentangiense

Communities: Dry Prairie, Mesic Prairie, Mesic Savanna

Sun: sun to part sun

Height: 1-2 ft.

Color: light blue

Flower Season: September – early October

Notes: Tolerates a variety of soils types with good drainage. Drought tolerant. Good late season food source for pollinators.





Blue Vervain

Verbena hastata

Communities: Sedge Meadow

Sun: sun

Height: 3 - 5 ft.

Color: blue

Flower Season: July - September

Notes: Also called Swamp Verbena. Tiny blue/purple flowers bloom from the bottom up on candelabra-like spikes. Short-lived, but reseeds well. Prefers moist to wet sites.





Culver's Root

Veronicastrum virginicum

Communities: Bioretention, Wet Mesic

Prairie, Mesic Prairie

Sun: sun to part sun

Height: 3 - 6 ft.

Color: white

Flower Season: July - August

Notes: Beneficial for pollinators. With it's candelabra-like flowers, it makes a great accent plant in a flower bed.





Golden Alexanders

Zizia aurea

Communities: Sedge Meadow, Wet Mesic Prairie, Mesic Prairie, Bioretention

Sun: sun to part sun

Height: 2 -3 ft

Color: Yellow

Flower Season: May

Notes: Host plant for Black Swallowtail butterfly. Self seeds. Excellent early season food source for pollinators.







Grasses & Sedges

2022 Native Plant Sale

Prairie Oval Sedge

Carex bicknellii

Communities: Dry Prairie, Mesic Prairie

Sun: sun

Height: 1-3 ft.

Flower Season: May

Notes: Grows in a variety of soils.
Forms clumps. Wispy foliage. Tolerates fire, drought and some shade. Foliage may go dormant in mid-summer. Also known as Copper-Shouldered Oval Sedge for the copper-colored seed heads.





Straight-Styled Wood Sedge

Carex radiata

Communities: Wet Mesic Woods,

Mesic Woods

Sun: shade

Height: 1 ft.

Flower Season: April - May

Notes: Can be used as clumping

ground cover or border.





Little Bluestem

Schizachyrium scoparium

Communities: Bioretention, Dry Prairie, Dry Savanna, Mesic Prairie,

Mesic Savanna

Sun: sun

Height: 2 - 3 ft.

Flower Season: Aug - Sep

Notes: Tolerates a variety of conditions. Bronze-orange fall color. Larval host for several species of skipper butterflies.



Indian Grass

Sorghastrum nutans

Communities: Dry Prairie, Mesic

Prairie

Sun: sun

Height: 4 - 6 ft

Flower Season: Aug - Sept

Notes: Vigorous bunch grass that tolerates a variety of soils. Bluishgreen foliage that turns orange-yellow in fall. Golden brown seedhead. Can be used as native substitute for ornamental grasses, like *Miscanthus*.





Prairie Dropseed

Sporobolus heterolepis

Communities: Bioretention, Dry

Prairie, Mesic Prairie

Sun: sun

Height: 1 - 3 ft.

Flower Season: Jul - Sep

Notes: Drought tolerant. Slow to establish. Fall color is tan/bronze.





Pollinator Mix

2022 Po	ollinator Mix							
	(Full sun, moist to dry conditions)							
		April	May	June	July	August	September	October
3	Purple Coneflower							
3	Bergamot							
5	Hairy Penstemon							
3	Common Mountain Mint							
5	Royal Catchfly							
3	Showy Goldenrod							
3	Sky-Blue Aster							
3	Golden Alexanders							
3	Little Bluestem				_			
3	Prairie Dropseed							
34								

Purple Coneflower

Echinacea purpurea

Communities: Mesic Prairie, Mesic Savanna, Dry Woods, Bioretention

Sun: sun to part sun

Height: 3 - 4 ft.

Color: pink/purple

Flower Season: June - Aug

Notes: Tolerant of many site conditions. Does well as a cut flower. Attracts pollinators. Eastern Goldfinches eat seeds.





Bergamot

Monarda fistulosa

Communities: Mesic Prairie

Sun: part shade to sun

Height: 2 - 4 ft.

Color: lavender

Flower Season: July - August

Notes: Also known as Beebalm. Very attractive to a variety of pollinators.





Hairy Penstemon

Penstemon hirsutus

Communities: Dry Prairie, Dry Savanna,

Mesic Prairie, Mesic Savanna

Sun: Sun to part sun

Height: 1-2 ft

Color: Pink/Purple

Flower Season: May - June

Notes: Named for hairy stem. Attracts native pollinators, like bees and hummingbirds. Shade tolerant. Prefers medium to dry soils.





Common Mountain Mint

Pycnanthemum virginianum

Communities: Bioretention, Mesic Prairie, Sedge Meadow, Wet Prairie

Sun: sun

Height: 1 - 2 ft.

Color: white

Flower Season: July - August

Notes: Attracts pollinators. Fragrant minty aroma. Can spread to form colonies. Long bloom period.





Royal Catchfly

Silene regia

Communities: Mesic Prairie

Sun: part shade to sun

Height: 2 - 4 ft.

Color: red

Flower Season: July -August

Notes: Attracts hummingbirds, black swallowtails and other pollinators. Requires well-drained soils.





Showy Goldenrod

Solidago speciosa

Communities: Dry Prairie, Dry Savanna, Mesic Prairie, Mesic Savanna, Sedge Meadow

Sun: sun to part sun

Height: 1 - 3 ft

Color: yellow

Flower Season: September - October

Notes: Sometimes incorrectly blamed for seasonal allergies (which are actually caused by wind-born pollen from ragweed). Excellent late season food source for pollinators. Spreads by rhizomes.





Sky Blue Aster

Symphyotrichum oolentangiense

Communities: Dry Prairie, Mesic Prairie, Mesic Savanna

Sun: sun to part sun

Height: 1-2 ft.

Color: light blue

Flower Season: September – early October

Notes: Tolerates a variety of soils types with good drainage. Drought tolerant. Good late season food source for pollinators.





Golden Alexanders

Zizia aurea

Communities: Sedge Meadow, Wet Mesic Prairie, Mesic Prairie, Bioretention

Sun: Sun to part sun

Height: 2 -3 ft

Color: Yellow

Flower Season: May

Notes: Host plant for Black Swallowtail butterfly. Self seeds. Excellent early season food source for pollinators.





Little Bluestem

Schizachyrium scoparium

Communities: Bioretention, Dry Prairie, Dry Savanna, Mesic Prairie, Mesic Savanna

Sun: sun

Height: 2 - 3 ft.

Flower Season: Aug - Sep

Notes: Tolerates are variety of conditions. Bronze-orange fall color. Larval host for several species of skipper butterflies.



Prairie Dropseed

Sporobolus heterolepis

Communities: Bioretention, Dry

Prairie, Mesic Prairie

Sun: sun

Height: 1 - 3 ft.

Flower Season: Jul - Sep

Notes: Drought tolerant. Slow to establish. Fall color is tan/bronze.





Raingarden Mix

2022 Ra	2022 Rain Garden Mix									
	(Full sun, tolerant of fluctating w	etness)								
		April	May	June	July	August	September	October		
3	Marsh Milkweed									
3	Purple Coneflower									
3	Blue Flag Iris									
3	Dense Blazing Star									
5	Cardinal Flower									
3	Riddell's Goldenrod									
3	New England Aster									
3	Golden Alexanders									
5	Fox Sedge									
3	Little Bluestem									
34										

Marsh Milkweed

Asclepias incarnata

Communities: Bioretention, Sedge Meadow,

Wet Prairie

Sun: sun

Height: 3-4 ft.

Color: pink

Flower Season: July - August

Notes: Thrives in wet areas, but will also grow in moist garden soil. Fragrant flowers attract pollinators, and is a host plant for Monarch butterfly caterpillars. Also known as Swamp or Rose Milkweed.





Purple Coneflower

Echinacea purpurea

Communities: Mesic Prairie, Mesic Savanna, Dry Woods, Bioretention

Sun: sun to part sun

Height: 3 - 4 ft.

Color: pink/purple

Flower Season: June - Aug

Notes: Tolerant of many site conditions. Does well as a cut flower. Attracts pollinators. Eastern Goldfinches eat seeds.





Blue Flag Iris

Iris virginica shrevei

Communities: Sedge Meadow, Bioretention

Sun: sun to part sun

Height: 2 - 3 ft.

Color: Blue

Flower Season: May - Jun

Notes: Prefers slightly acidic soil. Fragrant

flowers. Grows best in moist soil.





Dense Blazing Star

Liatris spicata

Communities: Mesic Prairie, Wet Mesic Prairie, Sedge Meadow, Bioretention

Sun: sun

Height: 3 - 5 ft.

Color: Purple

Flower Season: July- August

Notes: Attracts pollinators. Does well as a

cut flower in arrangements.





Cardinal Flower

Lobelia cardinalis

Communities: Bioretention, Sedge Meadow,

Wet Woods

Sun: sun to shade

Height: 1 - 3 ft.

Color: red

Flower Season: August - September

Notes: Attracts hummingbirds and other

pollinators. Requires moist soil.





Riddell's Goldenrod

Solidago riddellii

Communities: Bioretention, Sedge

Meadow, Wet Mesic Prairie

Sun: sun

Height: 2-4 ft

Color: yellow

Flower Season: September - October

Notes: Important late-season source of

pollen and nectar for pollinators.





New England Aster

Symphyotrichum novae-angliae

Communities: Bioretention, Mesic Prairie, Sedge Meadow, Wet Mesic Prairie, Wet Prairie

Sun: sun

Height: 3 - 5 ft.

Color: purple

Flower Season: September - October

Notes: Stems can be pinched back before mid-July to create a shorter, more compact shape. Attracts pollinators and is a good fall nectar source.





Golden Alexanders

Zizia aurea

Communities: Sedge Meadow, Wet Mesic Prairie, Mesic Prairie, Bioretention

Sun: Sun part sun

Height: 2 -3 ft

Color: Yellow

Flower Season: May

Notes: Host plant for Black Swallowtail butterfly. Self seeds. Excellent early season food source for pollinators.





Fox Sedge

Carex vulpinoidea

Communities: Bioretention, Sedge

Meadow, Wet Mesic Prairie

Sun: part sun to sun

Height: 2 - 3 ft.

Flower Season: May - June

Notes: Grows well in a variety of conditions, including clay soils. Forms clumps 2 – 3 feet wide. Can spread to form colonies.





Little Bluestem

Schizachyrium scoparium

Communities: Bioretention, Dry Prairie, Dry Savanna, Mesic Prairie, Mesic Savanna

Sun: sun

Height: 2 - 3 ft.

Flower Season: Aug - Sep

Notes: Tolerates are variety of conditions. Bronze-orange fall color. Larval host for several species of skipper butterflies.



Woodland Mix

2022 W	2022 Woodland Mix									
	(Dappled shade, moist conditio	ns)								
		April	May	June	July	August	September	October		
5	Columbine						_			
3	Sweet Joe Pye Weed			_						
3	Wild Geranium					_				
3	Great Blue Lobelia									
3	Round-leaf Ragwort									
3	Woodland Phlox									
3	Blue-stemmed Goldenrod									
3	Heart-Leaved Blue Wood Aster			_						
5	Straight-Styled Wood Sedge									
3	Bottlebrush Grass									
34	Total Plants									

Columbine

Aquilegia canadensis

Communities: Dry Woods, Dry Savanna

Sun: part shade to shade

Height: 2-3 ft.

Color: red

Flower Season: May – June

Notes: Performs best in partial shade in well-drained soils. Provides early season nectar source for hummingbirds and other pollinators. Excellent for woodland gardens. Spreads by self-seeding. Host plant for the Columbine Duskywing butterfly.





Sweet Joe Pye Weed

Eutrochium purpureum

Communities: Mesic woods

Sun: part shade to shade

Height: 4 -6 ft.

Color: pink

Flower Season: July - Aug

Notes: Vanilla-scented flowers. Benefits native

pollinators.



Wild Geranium

Geranium maculatum

Communities: Mesic Woods

Sun: part sun to shade

Height: 1 ft.

Color: pink

Flower Season: April – May

Notes: Mounded form. Spreads by rhizomes.

Excellent for woodland gardens.





Great Blue Lobelia

Lobelia siphilitica

Communities: Wet Woods, Sedge

Meadow, Bioretention

Sun: sun to shade

Height: 1 - 3 ft.

Color: blue

Flower Season: August - September

Notes: Requires moist soil. Attracts

pollinators.





Roundleaf Ragwort

Packera obovata

Communities: Dry Woods, Mesic Woods

Sun: part shade to sun

Height: 1 ft

Color: yellow

Flower Season: April - May

Notes: Also known as Roundleaf Groundsel. Blooms for several weeks. Provides early season nectar for pollinators. Can spread by stolons to form colonies. Semi-evergreen foliage acts as a groundcover.





Woodland Phlox

Phlox divaricata

Communities: Mesic woods

Sun: part shade to shade

Height: 1 ft.

Color: light purple

Flower Season: April - May

Notes: Fragrant flowers attract butterflies, including swallowtails.





Blue-Stemmed Goldenrod

Solidago caesia

Communities: Dry Woods, Mesic Woods

Sun: shade to part sun

Height: 1-2 ft.

Color: yellow

Flower Season: September - October

Notes: Arching blue/purple stems with many small, yellow flowers. Benefits native pollinators. Clump-forming and doesn't spread aggressively.





Heart-Leaved Wood Aster

Syphyotrichum cordifolium

Communities: Mesic to Dry Woods

Sun: part sun to shade

Height: 1 - 3 ft.

Color: Light blue

Flower Season: September - October

Notes: Good late season nectar source for pollinators. Does best in part sun but can tolerate sun and shade. Can self seed to form clumps. Tolerant of Black Walnut.





Straight-Styled Wood Sedge

Carex radiata

Communities: Wet Mesic Woods,

Mesic Woods

Sun: shade

Height: 1 ft.

Flower Season: April - May

Notes: Can be used as clumping

ground cover or border.





Bottlebrush Grass

Elymus hystrix

Communities: Mesic to Dry Woods

Sun: part sun to shade

Height: 3-5 ft.

Flower Season: June - August

Notes: Cool season grass with attractive seed head shaped like a bottle brush. Prefers dappled shade but will tolerate denser shade. Tolerant of Black Walnut. Reseeds, but doesn't spread aggressively. Great accent plant for woodland garden.



