



2218 Railroad Avenue
Redding, California 96001

voice 530.243.7234
fax 530.243.7494

3860 Morrow Lane, Suite F
Chico, California 95928

voice 530.894.8966
fax 530.894.5143

Paid \$96.00 online on 10/1/22
w/ Breese Debit card.

Transaction #
6237445



Invoice

Basic Laboratory is now part of Pace Analytical Services LLC!

Invoice To

BREESE II WATER SYSTEM
AUTUMN WALKER
209 GURNSEY DRIVE
RED BLUFF, CA 96080

Invoice Number 2208217-28

Invoice Date 08/15/22

Customer ID # 28-100059

Terms Due Upon Receipt

Project DRINKING WATER MONITORING
Project Number

PO Number

Bid / Contract DISCOUNTED PRICING - 20%

Samples Received 08/12/22
Submitted By AUTUMN WALKER
BREESE II WATER SYSTEM
Work Order(s) 22H0757

NEW! Remit To Pace Analytical Services LLC
Post Office Box 684056
Chicago IL 60695-4056
530-243-7234 x219 or x203
accounting@basiclab.com

Quantity	Matrix	Analysis/Description	Unit Cost	Extended Cost
Pace Analytical Services LLC - Redding CA				
1	Drinking Water	Sampling Fee - Route (Redding) [1 day]	\$50.00	\$50.00
1	Drinking Water	Total Coliform & E.coli by Colilert-18 SM 9223B [1 day]	\$38.40	\$38.40
Additional Items				
1		Economic Price Adjustment		\$7.60
Invoice Total				\$96.00



2218 Railroad Avenue
Redding, California 96001

voice 530.243.7234
fax 530.243.7494

3860 Morrow Lane, Suite F
Chico, California 95926

voice 530.894.8966
fax 530.894.5143

Analytical Report

Report To: BREESE II WATER SYSTEM
209 GURNSEY DRIVE
RED BLUFF, CA 96080
Attention: AUTUMN WALKER
Project: DRINKING WATER MONITORING

Lab No: 22H0757
Reported: 08/15/22
Phone: (530) 527-0170

Included in this report are laboratory results for work order 22H0757, received on 08/12/22. All analyses were performed in strict adherence to our established Quality Manual. Any qualifications or abnormalities are listed in the Notes and Definitions and/or the Case Narrative section of this report. The project Chain of Custody and laboratory sample receipt record are included as attachments to this report.

System Name: BREESE SUBDIVISION 2
System Number: CA5200008

Sampled By: Tony Casados
Employed By: BASIC LABORATORY, INC

Sample Results

Sample ID: 120 GURNSEY DRIVE (22H0757-01)
Sample Type: Routine
Source Name:
Sampled: 08/12/22 08:30
Received: 08/12/22 13:29
Receipt Temp (c): 8.2
Chlorine (mg/l): 1.51

Analyte	Units	Results	Qualifier	Method	Analyzed	Prepared	Batch / Analyst
Total Coliforms	Present/Absent	Absent		SM 9223 B Coli-18	08/13/22 10:01	08/12/22 16:01	B2H1258 / EDM
E. Coli	*	Absent		*	*	*	*

Approved By

I certify that these results meet the requirements of the applicable accreditation standard, and were performed in compliance with the stated analytical methods unless otherwise noted in the qualifications or Case Narrative section of this report.

Approved By: Nikki Aceituno
Nikki Aceituno, Microbiologist
Pace Analytical Services LLC - Redding CA
California ELAP Cert #1677

cc: Tehama County Environmental Health

The data included in this report relate only to the specific items as received. Interpretation and use of the information included in this report is the sole responsibility of the client. This report may not be reproduced except in full.

BASIC LABORATORY, INC. - CHAIN OF CUSTODY (FOR DRINKING WATER - MICROBIOLOGY)

2218 Railroad Avenue, Redding, CA 96001 (530) 243-7234 FAX (530) 243-7484
 3850 Morrow Lane, Suite F Chico, CA 95928 (530) 894-8668 FAX: (530) 894-5143

CLIENT NAME

BREESE II WATER SYSTEM

MAILING ADDRESS

PO BOX 9062
 RED BLUFF, CA 96080

VOICE TO

SAME

SPECIAL INSTRUCTIONS / POB

CC REPORTS TO MIKE BUTLER

Contact for positive results:

Name: MIKE BUTLER

Phone: 530-680-7079

All contact for positive results

Name:

Phone:

Weekend contact for positive results:

Name: MIKE BUTLER

Phone: 530-680-7079

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION

SHELBY CARVER - Walker

PHONE

530-527-0170

EMAIL

breesewater@gmail.com

REGULATORY AGENCY

Tehama Co Environmental Health

PROJECT / PO #

REPORT TO

NAME / ATTENTION



SAMPLE RECEIPT CHECKLIST

WO NUMBER 22H0757

SHIPPING INFORMATION	
Walk-In	☐
Courier	☐
FedEx	☐
UPS	☐
Other	☒
Cooler Present? Yes ☒ No ☐	

Samples Received By: BH Date: 8.12.22Samples received on ice? Yes ☒ No ☐Samples received the same day collected? Yes ☒ No ☐Ice type? ☐ Wet ☒ Blue ☐ Other _____

SAMPLE TEMPERATURES AT RECEIPT

Therm. ID (Circle one): Therm-36 Therm-37 Therm-59 Other: _____

Sample ID	Corr Temp (°C)	Sample ID	Corr Temp (°C)	Sample ID	Corr Temp (°C)	Sample ID	Corr Temp (°C)
-01	8.2	-06		-11		-16	
-02		-07		-12		-17	
-03		-08		-13		-18	
-04		-09		-14		-19	
-05		-10		-15		-20	

SAMPLE CONDITION AND PROCESSING

Samples Processed and Labeled By: BH Date: 8.12.22Custody seals present? Yes ☐ No ☐ NA ☒Samples in proper containers? Yes ☒ No ☐ NA ☐Sample containers damaged? Yes ☐ No ☒ NA ☐Sufficient sample volume for indicated tests? Yes ☒ No ☐ NA ☐Samples received within holding times? Yes ☒ No ☐ NA ☐Are VOA vials free of headspace? Yes ☐ No ☐ NA ☒Dechlor. agent labels present (i.e., collert, TTHMs)? Yes ☒ No ☐ NA ☐SAMPLE PRESERVATION NA ☒Preserved in the field? Yes ☐ No ☐ NA ☐Preserved in the lab? Yes ☐ No ☐ NA ☐

Lab Preservation Date & Time _____

☐ H2SO4 (ID _____)☐ HNO3 (ID _____)☐ NaOH (ID _____)☐ Other (ID _____)☐ Other (ID _____)☐ Other (ID _____)

H2SO4 preserved samples confirmed to pH <2 (i.e., E350.1, SM5220, SM5310)?

HNO3 preserved samples confirmed to pH <2 (i.e., E200.7, E200.8, 6010)?

NaOH preserved samples confirmed to pH >10 (cyanide) or >9 (sulfide)?

Hexavalent Chromium (DW) preserved samples confirmed to pH >8 & Chlorine <0.1 mg/l?

Hexavalent Chromium (W) preserved samples confirmed to pH 9.3 - 9.7?

Are proper preservation labels present?

Yes No NA

☐ ☐ ☐☐ ☐ ☐☐ ☐ ☐☐ ☐ ☐☐ ☐ ☐☐ ☐ ☐

By: _____ Meter ID: _____

Preservation checked at Lab? Date & Time _____ Test Strip (ID _____)

Preservation and Preservation Checks performed by: _____

COMMENTS, DISCREPANCIES, ANOMALIES
