

garcorpinternational.com email:garcorp17@aol.com Washington office: (202) 922-0018

- **08** Armored Equipment
- 14 Holsters/Covers
- **22** Ballistic Helmets
- 27 Ballistic Shields
- **33** Riot Gear
- 41 Tactical Accesories
- 65 Protection Accesories

Table of

contents

- **78** Shooting Range
- **75** Heliport
- 77 Press / Media

A proudly Mexican company that, in response to the growing needs in the fight against crime in our country and around the world, has become the top choice for providing security equipment several military and law enforcement agencies.






CERTIFIED ARMORED VEST MODELS

Model	Product Brand	Cerrii Carlon	rranty ears)
MAR-2001	Marric	NIJ STD 2005 Interim Requierements	7
MAR-008	Marric	NIJ STD 0101.04	7
Aztec	Giramsa	NIJ STD 0101.06 NIJ MARK Authorized	7
Panther	Giramsa	NIJ STD 0101.06 NIJ MARK Authorized	8
Jaguar Spike Class	Giramsa 2	NIJ STD 0101.06 NIJ STD 0115.00 NIJ MARK Authorized	7
PE3-01	Giramsa	NIJ STD 0101.06 NIJ MARK Authorized	7
PC4-01	Giramsa	NIJ STD 0101.06 NIJ MARK Authorized	7
PC4-02	Giramsa	NIJ STD 0101.06 NIJ MARK Authorized	10

INTERNATIONAL CERTIFICATIONS

We are the first company in our field to obtain ISO 9001:2008 certification issued by IQS Corporations, which reaffirms our commitment to offering products of the highest quality. We are also certified with ISO 9001:2015. Our armored garments hold valid certifications for ballistic resistance, under the following standards from the United States National Institute of Justice:

- ✓ NIJ STD 0101.04 and NIJ 2005 Interim Requirement
- ✓ NIJ STD 0101.06 NIJ MARK Authorized
- → NIJ STD 0115.00 Anti-stab and Anti-cut
- Test: NIJ STD 0106.01 Bulletproof Helmets
- Test: NIJ STD 0108.01 Bulletproof Shields



Protection Vest

- With over 20 years experience and a \$20,000,000.00 liability insurance policy, we are a leading Latin American company.
- We offer more than 15 models. certified by the United States National Institute of Justice. making us the number one choice in the region.
- Our quality is nationally and internationally recognized with ISO 9001:2015 accreditation.
- We provide the highest market guarantees for the performance of our products, ranging from 5 to 10 years for ballistic materials.
- We offer the best prices in the market. The materials we use in our armor are state-of-the-art and provide the highest safety margins.

- Designs that adapt to your needs.
- → All our models feature an "an trauma" system that reduces impact and prevents injuries from bullet strikes.
- → Our ceramic plates are the only ones certified with the shrapnel retention system.
- → We have the largest stocks in the market to provide you with the best delivery times.
- highly have trained personnel to offer you the best technical and after-sales service.

BODY ARMOR Levels

NIJ STD 0101.06 (*) NIJ STD 0101.04 NLI MARK Authorized

l evel II-A CH2ABALS



9mm FMJ RN 8.0 gr .373 m/s 0.40 mm S&W FMJ: 11.7 G. 180 gr.352 m/s

Level II MAR-2001



9mm FMJ RN 8.0 g. 124gr 398 m/s 0.357 MAG JSP 10.2 g. 158 gr. 436 m/s

Level III-A

MAR-004 GIR-01 MAR-005 GIR-03

MAR-005-A Aztec

MAR-006 MAR-008

Jaguar Panther



(*) 9mm FMJ RN 124 gr. 8.0 g. 436 m/s 0.357 SIG FMJ FN 125 gr. 8.1 g. 448 m/s 0.44 Magnum SJHP 240 gr. 15.6 g. 436 m/s

Level III

MAR P3-1 PE3-01



7.62 mm FMJ (US Military M-80 Designation) 9.6 g. 148 gr. 847 m/s

Level IV

MAR P4-1

PC4-01

PC4-02



0.30 Caliber M2 AP 10.8 g. 166 gr. 878 m/s

Spike Class II

NIJ STD 0115.00

GIR-03

Jaguar (EDGE II BLADE II)



It stops sharp tips with an impact energy of E1 33 Joules and E2 50 Joules.

NIJ STD 0101.06 NIJ MARK Authorized

CERTIFICATION


- ► The durability of the panels is accredited by providing flexibility through the "tumbling" wear test.
- ► All our vests have certification from C1 to C5.


- ► The rigid plates (Level III and IU plates) undergo a drop test for impact resistance and are exposed to a temperature of 90°C.
- ► All vests are audited by INTERTEK TESTING SERVICE.

► They stop the calibers mentioned in the standard, as well as any impacts from calibers equivalent to or lower

than those mentioned in the list.

- ► The labels have passed durability tests on the ballistic garments.
- ► The panels have passed immersion in water according to NIJ STD 0101.06 standard.
 NIJ MARK Authorized.





AZTECPanel With DELTA cover

- The ballistic panels are made from unidirectional aramid fibers.
- Innovative anti-trauma system composed of low-density foam and unidirectional aramid fibers with a synergistic design to reduce and stabilize trauma caused by projectiles.
- The anti-trauma system is soft and lightweight, with no rigid film.

Protection level	Model AZTEC	Certification NIJ STD 0101.06 NIJ MARK Authorize
Certification size		Warranty 7 years
Drilling depth 0.357	Drilling depth MAG 44	Colors
0%	1.51%	



PANTHER Panel with TACTICAL cover

Protection level	Model PANTHER	Certification NIJ STD 0101.06 NIJ MARK Authorizad
Certification size		Warranty
C1 - C5		8 years
Drilling depth 0.357 0%		Colors

Manufactured using Ultra High-Density Polyethylene fibers, cutting-edge unidirectional laminates, with an encapsulated anti-trauma system that reduces rigidity when separated from the ballistic panel.

ADVANTAGES

- * 15% lighter
- * 50% thinner
- * 1 year more warranty
- * Better V50 performance
- * More flexible
- * The best bulletproof vest on the market.









JAGUAR with Subsemun cover PANEL

Level of protection III-A, Spike II Edge Blade II	Model JAGUAR	Certification NJ STD 0115.00 NJ STD 0101.06 NJ MARK Autorizado
Certification size		Warranty 7 years
Drilling depth 0.357 0%	Drilling depth MAG 44 0.14%	Colors

The ballistic panels are manufactured using state-of-the-art unidirectional aramid fibers combined with woven aramid fibers coated with carbon silicate.

They feature an integrated anti-trauma system that not only provides protection against impacts but also mitigates the trauma caused by ballistic impact.



- Vest with triple protection (Level III-A Spike II and Antinavajas, Edge Blade II)
- Flexible and ergonomic design.
- Anti-trauma system that reduces the trauma caused by projectile impacts to almost zero.

BALLISTIC PLATE

- Ballistic plate that features a triple anti-trauma system for standalone use (Stand Alone).
- This plate is highly recommended for public safety personnel in tactical situations or special forces, as it provides protection against long firearms.

Level of protection	Model PE3-01	Certification NIJ STD 0101.06 NIJ MARK Autorizado
Dimensions 10"x12" S	Tested Stand Alone	Warranty 7 years
Ballistic material		Colors
Basic polyethylene		

Triple anti-trauma system



Provides protection against long firearms.

Stand Alone System



WATER BRE







11

Holsters/Cove

BALLISTIC PLATE


CUSTOM DESIGN

VFSTS

- Effective Shrapnel Protection System.
- An innovative system that protects the plate from fractures in case of accidental drops.
- Spaced anti-trauma system that reduces energy tension upon contact.
- Made with 500-denier Cordura Nylon lining for maximum strength and protection.
- The highest ballistic resistance limit in the world, verified by a laboratory.
- Protects against shots at the edge of the plate.

The lining is made of 500-denier Cordura nylon, ensuring maximum protection.












Plate Carrier VEST



Sport





WATER

13

TACTICAL

Use

sites

Notes

External use. Special Forces and Tactical Ideal

Groups. Protection

Front, back, sides (with shoulder option). Made of 100% Nylon fabric.

Plate Internal, for inserting Level III carrier or IV plates of 10"x12" in the

front and back.

Molle System. System 2 on the shoulders using

6 adjustment fabric extensions with confasteners, 2 on the sides us a removable belt made of the same fabric with contact fasteners, 2 internal

adjustments (belt-type) with elastics and contact

fasteners.

Sizes S, M, L, and XL.

> This design is recommended for continuous and rugged

use.

Note: It can be manufactured with a fabric different composition.

Colors







Use External

Ideal Special Forces and Tactical

Groups.

Protection Front, back, sides, shoulders,

groin, and neck.

100% Nylon fabric. Made of

Plate carrier Internal, for inserting Level III

or IV plates of 10"x12" in the

front and back.

Molle System. System

■ 6 adjustment 2 on the shoulders using fabric extensions with contact sites

fasteners. 2 on the sides using a removable belt made of the same fabric with contact

fasteners, 2 internal

adjustments (belt-type) with elastics and contact fasteners.

S, M, L, and XL. Sizes

Notes This design is recommended

for continuous and rugged

use..

Note: It can be manufactured with a different fabric composition.































External use

100% Nylon.

Molle System.

elastics.

automotive-grade

S, M, L, and XL.

continuous and rugged use.

Special Forces

Front and back.

10"x12" in the front and back.

Use

Ideal Protection

Made of Plate Carrier

System

Adjustment sites

Sizes

Notes

Colors





EXECUTIVE

Use

Internal use.

Ideal

Guards, Public and Private

Security Personnel.

Protection Made of

Front, back, and sides.

Fabric: 65% Polvester / 35%

Cotton.

Adiustment sites

2 on the shoulders with automotive-grade tape and contact fasteners, 2 on the sides with elastic and contact fasteners.

Sizes

Notes

S, M, L, and XL.

This design allows it to fit snugly against the body and not be visible.

Note: It can be manufactured with a different fabric composition.

Colors






















TENSILE STRENGTH

RESISTANT

RESISTANT



DUAL-PURPOSE

Use

Ideal

Protection Made of

Plate Carrier

Sizes Regulations External.

Coast Guard

Front, back, sides, and shoulders 100% Nylon with reflective strips. Internal, for inserting Level III or IV plates of 10"x12". Front-back.

S. M. L. and XL.

Complies with the NOM-006-SCT-2006 standard regarding buoyancy and has ballistic certification according to the International NIJ STD 0101.06 standard.

ACKET

Use External.

Bodyguards. Ideal

Protection Front and Back.

Made of Leather or Gabardine. ■ Ballistic Panels

They are directly inserted

into the garment.

Adjustments Zipper.

Sizes

S, M, L, and XL.

Note: It can be manufactured with a different fabric composition.

20



T-SHIRT

FEMORAL

Protection

Use Ideal Protection Made of Set Point Sizes Notes

Internal
Officials and Executives
Back and chest
Nylon 50% / Lycra 50% One
on the side with zipper
S, M, L and XL
This design allows it to fit to
body and not be visible

This garment has been developed to protect one of the most vulnerable areas of the body (the femoral artery).

This design allows it to fit to the body and not be visible

Made of polyester/lycra, to wear under pants, comfortable and washable at home.

Colors

Colors












RESISTANT



Ballistic Helmet

Fast

Ballistic Helmet Polyethylene


The inside of the helmet contains cushioning pads.

The helmet is designed to carry accessories and facilitates the fuctions of the warfighter, such as vision equipment, night light, lamps, laser pointer communication

Protection level	Model Fast	Test NIJ STD 0106.01
Size 1-size fits all	Weight 1.500 Kg [+/-100gr]	Warranty 5 years
Ballistic Material Ballistic Kevlar		Colors

Ideal for special forces - PASGT (Personal Armored Protection System for Ground Troops).

A harness system was developed to provide comfort and balance to the user, thus reducing fatigue. It has an adjustable suspension with chinstrap and textile protection, to adjust to the size.







23

Ballistic Helmet

Kevlar

Protection level Model Model III-A **PASGT** NIJ STD 0106.01 Size Weight Warranty 1.500 Kg **Unique size** 5 vears (+/-100grl

Ballistic Material

Ballistic Keylar


Colors

fatigue from use.

Complies with US Army V-50 1600 ft/sec test and NIJ STD 0106.01 standards.

> It has front protection and covers the ears completely. Protection area: 0.14 m².

With case





Helmet Specifications

Protection level	Model PASGT	Test NIJ STD 0106.01
Size Unique Size	Weight 1.600 Kg I+/-100grl	Warranty 5 years
Ballistic Material Ballistic Polyethylene		Colors

Mask Specifications

Protection level	Model Careta	Test NIJ STD 0108.01
Size Unique size	Weight 1.650 Kg I+/-100grl	Warranty 5 years
Ballistic Materia Polycarbonat Mask		Colors

with mask

Ballistic Helmet

Design for public security in tactical operations or special forces.

> The mask is made of polycarbonate. complies with III-A protection level according to NIJ STD 0108.01 standard;

2 cm thick, covers 36 cm wide and 14 cm high; It does not distort images. 95% visibility.



Polycarbonate






BALLISTIC SHIELD

Level of protection Model Tested III-A DIAMANTE NIJ STD 0108.01 Weight Warranty Dimensions 12.800 Kg [+/-100gr] 60x90 5 years Colors Ballistic Material **Aramid Fibers**

- Level III-A. Protects against 9mm and 44 magnum caliber threats according to NIJ STD 0108.01 standards.
- Dimensions: 90 cm high with a 41 cm lower base. 60 cm upper base. Armored peephole with 10x25cm level III-A protection.
- Flat design to provide rigidity, with rounded comers. Handles for ambidextrous use. Frame covered in elastomer injection.

Note: It can be manufactured in different sizes and curved design





BALLISTIC SHIELD

- Level III, protects against 0.223 and 762x51 mm caliber threats according to the NLLSTD 0108.01 standard.
- high-density ballistic Made polyethylene, with black textile cover.
- Designed for use in special operations and high-risk entry teams, provides the maximum protection.
- Frame covered with elastomer injection and ambidextrous handle (up to three handles). Easy transportation - includes a harness as support.







Note: It can be manufactured in other sizes and curved design

Level III BALLISTIC SHIELD **Curved with LED Light**



120×60	flat	29×12
100×60	flat	20×10
90×50	curved	23×6.5
Size	Туре	Peephole(cm)
Sizo	Typo	December 1 (con)

(*) Shields can be manufactured in different dimensions Colors (



BALLISTIC SHIELD M.R.A.P.S

Mobile Rifle Armor Protective Shield






- Made of armored material.
- Neck strap to be transported.
- Impressions: "Police" "SSP", etc.
- Left-handed option.

Protection level	Model M.R.A.P.S.	Test NIJ STD 0108.01
Coverage area	Weight	Warranty
.40 m	8.750 kg	5 years
	(+/-100gr)	Colors
Ballistic Material		
Aramid Fibers		

Level III-A

PATROL

POLICIA



Protection level	Model Patrol Bat	Test NIJ STD 0108.01
Coverage area 5-6 ft²	Weight 6.900	Warranty 5 years
Ballistic Material Aramid Fibers	i+/-100grl	Colors



- Level III-A protection.
- V50 fragment. 1,900 ft/s for 9 g lead projectiles, made of aramid fibers
- Case with 8 automotive-type strap handles for transportation, includes 40 cm diameter ring.
- Dimensions: 160 cm long 160 cm wide.
- Lined in 500 denier nylon
- Includes backpack for transportation.





RIOTGear SPIA

The equipment protects the body from blows and impacts caused by objects and offers maximum mobility of its kind. The joints are free for movement and its ergonomic design adapts perfectly to the body.

All the equipment's armor is made of 3 mm thick PET for better impact absorption, properly articulated for greater mobility.

A high-density polyurethane foam is used in three-layer format (polyurethane, PET, polyurethane) which minimizes the effects of impacts. It comes with a polyester cover and breathable polyester thermal mesh. he foamed material has a ventilation system through perforations.

III-A ballistic protection panels can be inserted.



The gear is composed of:



RIOT SHIELD

- Made of polycarbonate with "Police" label.
- Adaptable handle.Size options:
- Traditional: 90×50 cm





RIOT HELMET

RIOT HELMET - BUBBLE

Made of high-resistance polycarbonate, the material provides unique resistance to all types of forceful blows. Airtight closures on the upper part prevent the entry of flammable or corrosive liquids to the user's face. Additionally, neck protection.

Hermetic Closure Comfortable and easy to clean. Neck protection *Chin adjustment to prevent mobility

37

Outer shell made of injected high-density ABS plastic, very resistant to impacts, 4 +1mm thick.

Horizontally it has 3 breathing holes on the back. 12.5 mm external diameter internal mesh.

38

Spherical mask design allows use in conjunction with gas masks without skimping on resistance since its thickness is 5 mm, in addition to having a superior packaging that prevents liquid leak.


It comes with 3 breathing holes with internal mesh.

RIOT FOREARM SHIELD

Anti-splinter mask made of 4mm thick polycarbonate, with self-adjustable ring to be placed on the PASGT ballistic helmet.

39

Recommended for tactical and army groups.








- The shield is made of a high-strength aluminum alloy. On the front it is equipped with a spike anti-grip system, to prevent it from being stripped in case of disturbance.
- Attachment to break glass, crystals or windows on one of its edges
- Measurement of 45x 10 cm.
- A BLUE and RED warning light can be attached to one end of the shield.













ALGIUGALES AREAS A

Tactical Accesories

GLOVES

SHORT - RIOT GLOVES

- Made of Leather with Kevlar, protection against cuts and fire.
- Its elastic cuff keeps it fixed and free of foreign objects. Resists abrasion.
- Non-slip material in the palm of the hand for better grip when using weapons and tools



- Made of leather with flesh.
- Non-slip on the palm.
- Sizes S, M, L and XL.



ELBOW PADS

Made of high-density nylon pads, with rivets, Cordura fabric cover, non-slip plastic shell, with double velcro bra and wide adjustment triangles with elastic straps.

One size fits all.

Colors

KNEE PADS

Made of high-density nylon pads, with rivets, fabric cover, cordura, non-slip plastic surface with double velcro fastener, adjustment triangle, reinforced with double foam to improve its impact absorption.







KNEE PADS

Tactical knee pads made of neoprene fabric, self-adjustable, in black, with shells made of thermoplastic rubber, which provides comfort to the user.



BALACLAVA

TACTICAL V EST for accesories

Made in: Anti-flame material One size fits all



Brand

LEATHER Boots

Swat type boots, with ergonomic design. The construction of the boot offers unmatched lightness and impact attenuating heel.

Non-slip and anti-tear (rough use)

Made of 100% nvlon fabric, it has the following

Accessories: Pistol magazine, Rifle magazine, Cheek pad for 12 gauge shotgun cartridges. Flashlight. Handcuffs. Gloves. Grenades. Smoke canisters, Tear gas, GPScompass, Hidden pockets for maps and/or blueprints. On the shoulder it has a System Non-slip, supports long weapons, can be used over a







Damascus

Tactical Uniform

Ideal for public security elements, intervention groups and special forces.

Composed of camisole and pants made of highresistance RIPSTOP fabric

to tear (65% polyester-35% cotton), with Teflon for greater durability.

Camisole front, back.

Pants with five-lock waistband, elastic on the sides for a better fit.

Sizes S, M, L and XL.







TONFA-CANES

"Kendo" Type Cane

Made of polycarbonate, 36" long.



Made of 24" long polycarbonate.

26" RETRACTABLE CANE

Made of carbon Steel 26" long (extended). Includes the cane holder.

21" RETRACTABLE CANE

Made of stainless Steel, 21 inches long (extended).

Chrome finish, with non-slip rubber handle for better user comfort.

Closed cane measurement: 8" (20 cm).





SIDE LEG Cover







Made of black nylon fabric, reinforced seams, includes strap to secure the belt, 2 straps to hold the leg firmly. It can be a gun holster with a magazine holder or a revolver holster.



FABRIC Findings

Made of black canvas or polyester, with a plastic core, adjustable with velcro and plastic buckle (SAMS), with safety at the ends.

It is offered with various accessories that can be sold together or separately: Holster for pistol or revolver • Magazine holder


Cheek pad
Gas holder
Tonfa holder
Tolete holder
Handcuff holder
Key holder
Lamp holder
Radio holder
Knife holder

We can also design any other accessory that can be used on the belt.



LEATHER Findings

Color: black. Metal buckle, with 7 accessories and sash. (Offered with the same accessories as the fabric findings.)



HANDCUFFS

51

Tactical Accesories

CHILI-BASED DEVICE

GAS Mask

HINGE HANDCUFF

Made of carbon steel with a nickelplated finish, with double insurance, weight 300 g, with a 15-point zipper and three high-strength links. Includes two standard opening keys.

CHAIN HANDCUFF

Made of carbon steel with a nickel-plated finish, with double insurance. Weight 320g, with 21-point, three-link heavy-duty zipper. Includes standard opening



With trigger type trigger or twostep trigger, made from 100% OC, oleoresin capsicum.
Capacity: 135gr. High resistance calcium polycarbonate product, anti-fog at low temperature, low leakage coefficient, wide field of vision, easy to use and remove, adjustable, offering safety and comfort. The filter with quality activated carbon (catalyst) and high-efficiency felt filter that offers the best protection against various smoke tonics, smog, gas mixtures, germs, radioactive dust and particle loid gas.

FASTENING STRAP

Made of high resistance nylon. To be used in both hands.

LEG SHACKLE

Made of carbon steel with satin nickel-plated finish, weight: 580 gr, with double insurance, includes two standard opening keys.





It is the practical solution to keep your items always hydrated.

It offers an economical design • Storage container is flexible allowing the mobility of the user, as it is carried on the back • Dispensing the moisturizer through a tube that is directed to the mouth, allows hands-free drinking.

Multipurpose BACKPACK

Made of nylon • Different designs





INTERVENTION

METALLIC BATTERING RAM

30 inches (76 cm), ideal for Wood and metal door opening, it comes with 2 handles, for one or two users, 4" diameter. The extensión is able to open

5.5" long and 1.7" diameter metal doors. Made of carboon Steel. 100% mexican product

CUTTING PLIERS

Steel-lock breaking.
Advanced polymer handles and light weight.
Dimensions: 24" (60 cm), cutting opening 3/8", weight: 5.25 pounds (3.5 kg)

INTERVENTION MALLET

Ideal tool for hitting rigid surfaces. It has a 35" long and 5" diameter wooden handle.



WINDOW-OPENING HOOKS

73" Halligan type tool (Disassembled: 30") for multiple uses. Ideal for the opening of doors and Windows. Made of carbon Steel, it guarantees its quality and functionality

IRONWORK WINDOWOPENING HOOKS

Halligan type tool set, consisting of two independent pliers. The first is 35" long and 3.5" diameter. The second one is 24" long and 2.5" diameter.

Ideal for door and Windows opening. Made of carbon Steel, it guarantees its functionality

VEHICLE Inspection Mirror

Designed to have a control of vehicle entry in parking areas and to detect potential hidden dangerous objects. 30cm concave mirror.



LAMPS

DETECTOR

SPOT LIGHTLAMP

Rechargeable LED Lamp. More luminous energy with less charge. The parabolic reflector is computer-designed to focus the light beam to

5-LED LAMP

Manufactured in black anodized aluminum with a non-slip grip handle, with a total power of 15W, it achieves lighting comparable to a spotlight and is five times brighter than a regular lamp.

Flashing Code: high intensity, low intensity, SOS, blinding light flashing.

1-LED Lamp

Ultra Bright 1 LED 3W Lamp, Rechargeable LED Lamp, tactical type for police or military use, ultra-bright, made of anodized aluminum in black with a non-slip handle.

Dimensions: length 16.3cm, head diameter 33mm, weighing 100g.

METAL DETECTOR

Sword-like, portable, high capacity for detecting weapons and metals in general, with audible and vibrating signals, and auto sensitivity adjustment.

Includes:

*110 VAC Charger.

> *Rechargeable 9 VDC Battery.









Class 3R Laser, made from high-quality aerospace-grade aluminum for precision and high-end anodized finish for increased durability. Ambidextrous button, includes a remote pressure switch (hands-free).

Complies with all international safety requirements and with the SWOT analysis of the United States, 50 meters range. Includes rail for tactical helmet or weapon.

HELMET-MOUNTED VIDEO CAMERA

High-resolution 4K Ultra HD video camera. Protected with a polycarbonate case, it can capture video, photos, and audio. It comes with various storage capacities and includes a helmet mount.

Night Vision

2nd generation

1X zoom, optional 3X, 5X, and 10X lens available, with a focus range from 0.25 meters to infinity.

Interchangeable brow and inter-pads for comfortable harness attachment to the head.

Transportation case and shoulder strap included. Daylight filter protects the objective lens from excessive light.

Batteries: one 3V lithium CR123a and one 15V AA type, providing up to 60 hours of use.



First response

Ground Officer

Basic First Response Kit for Ground Officer Includes:

Yellow tape to delimit access with the legend "Police Line Do Not Cross" (300 meters)

Orange markers (package of 20 pieces)

Yellow markers (package of 20 pieces)

Fluorescent orange marking paint, 400ml

Reflective chalk

White chalk (package of 3 pieces)

Green flag-type marker (20)

White flag-type marker (20)

Red flag-type marker (20)

Blue flag-type marker (20)

Yellow flag-type marker (20)

Package of 10 LED signal lights

Notebook

Black ink pen

Transport case

Format block

Silent lamp

Primer kit

First response

Patrol

Basic First Responder Kit for Patrol

Yellow tape to delimit access with the legend "Police Line Do Not Cross" (300 meters)

Fluorescent chalk (package of 3 pieces)

White chalk (package of 3 pieces)

Roll of yellow flagging tape (4 pieces)

Orange flag-type marker (20)

Yellow flag-type marker (20)

Notebook

Black ink pen

Plastic protective cover for the notebook

Yellow markers from 1 to 50

Transport case

Format block and Silent lamp

Note: The kits can be customized.




36

14

KIT PATR

CAMERA

Dust and water-resistant, 120 angle view. Resolution above



Light Baton

For road use, with constant light and intermittent flashing, 21" long and a diameter of 5 cm in the tube. (Batteries Not Included).

Traffic cones and Tambourines

Cone made of high-visibility orange PVC with a black base. Measures 91 cm, 71 cm, and 45 cm. Optionally, it can include reflective material.



GPS-1700

No matter how far away you are from your workplace, Globalstar will be with you. digital providing voice and data communication services almost worldwide. using Code Division Multiple Access (CDMA) technology in combination constellation of 40 Low Earth Orbit (LEO) satellites.

Benefits:

*Compact size.

*Excellent Voice Fidelity Without


Tracking.

*Photosensitive that screen brightens or darkens according to the environment.

- *Long-lasting battery.
- *Ergonomic design.
- *Backlit keypad.



It delivers data at a speed of 9.6 kbps and also provides location services with your latitude and longitude from your Globalstar phone.



Reflective Jacket

Material: 150D Oxford with water repellent coating.

Color: Reflective yellow.

Features: LED circuit, lithium battery, 5-hour charging time, 4

flash modes.

LEDReflecting vest

- Made of PVC mesh material.

Protection

- Features two parallel 2-inch micro-prismatic reflective tapes at the front and a Vshaped pattern at the back.

- Internal LED lights with 20,000 mcd luminosity.
- LEDs have different flashing patterns.



Protection

Reflecting


Vest

Standard Road Safety Vest, made of PVC mesh fabric, features elastic adjustments on the sides and 4 lemon-silver reflective tapes measuring 30 cm, vertically placed, with a polypropylene bias on the contour and a front closure. One size fits all. Available in fluorescent orange and lemon-yellow colors.



High visibility safety vest made of fabric (ANSI class, class E). Made of high visibility polyester fabric with two horizontal reflective silver heat-fused stripes.

One size fits all.



Motorcyclist

Protective armor for impact absorption and articulation for greater user mobility.

Protection areas for the chest, arms,

Mesh to keep the user cool.

spine, hips, knees, and instep.

Fittings with accessory holders.

Ask about the variety of helmets.











RAINSUITS

RAINSUITSHooder jacket and pants


Made of polyester fabric with PVC backing, with or without silver reflectors, consisting of: Hooded jacket that can be stored in the collar, front zipper, patch pockets at the front, elastic cuffs.

Pants with elastic waist and snap buttons at the ankles. The equipment is available in the following colors: ANSI Yellow, Class E; Navy Blue; Fluorescent Lemon Yellow, ANSI, Class E.



2-PIECEMade of PVC with polyester textile support, consisting of Pants and Jacket, the latter can have an integrated hood and drawstring (two piece equipment).

and drawstring (two-piece equipment), or a detachable hood and drawstring (three-piece equipment). The pants can be bib-type or with support at the waist





Protection



sleeve YPE

Integrated Hood Drawstring. Made of PVC fabric with 100% polyester textile backing, the hood's connection to the back is sealed at its joints to prevent water infiltration.

Dimensions: 120×200 cm, 120×220

cm

Colors









or 2" Reflective Tape and/or Screen Printing option

TRENCH COAT Type

Trench Coat with Integrated Hood, made of PVC with 100% polyester textile backing, doublesealed at its joints using highfrequency machines. side openings in the form of pockets or side bags.

Sizes: XS, S, M, L, XL, XXL

Colors









1" or 2" Reflective Tape and/or Screen Printing option



SHOOTING RANGE

Level III-A shooting range, ideal for live-fire training with a duty weapon.

- The car is autonomous with computer-controlled remote control.
- It includes magnetic sensors for positioning, as well as thermomagnetic protections for the motor.
- It has LED lighting for nighttime practice. Control of distance and target display time.
- Color screen with LED backlight, Touch Screen in manual and automatic mode.

Acoustic panels for noise absorption on the floor and walls.

Shields and bullet traps on partitions.

Floor with stripes to reference distances.

More than 10 pre-programmed sequences. Air injection and extraction system.

Compliant with UL-752 and NORMA 0108.01 standards.

Acoustic panels

AUTOMATIC SC-01



They can be manufactured for Long Weapons (Level III or IV).

