

18 Months to 18 Years

Vaccine and other immunizing agents	18 mos	19-23 mos	2-3 yrs	4-6 yrs	7-10 yrs	11-12 yrs	13-15 yrs	16 yrs	17-18 yrs
Respiratory syncytial virus ⓘ (RSV-mAb [Nirsevimab])	1 dose (8 through 19 months), See Notes								
Hepatitis B ⓘ (HepB)	← 3 rd dose →								
Rotavirus ⓘ (RV) RV1 (2-dose series); RV5 (3-dose series)									
Diphtheria, tetanus, & acellular pertussis ⓘ (DTaP: <7 yrs)	← 4 th dose →			5 th dose					
Haemophilus influenzae type b ⓘ (Hib)									
Pneumococcal conjugate ⓘ (PCV15, PCV20)									
Inactivated poliovirus (IPV) ⓘ	← 3 rd dose →			4 th dose					See Notes
COVID-19 ⓘ (1vCOV-mRNA, 1vCOV-aPS)	1 or more doses of 2024–2025 vaccine (See Notes)								
Influenza (IIIV3, cIIIV3) ⓘ	1 or 2 doses annually					1 dose annually			
Influenza (LAIV3) ⓘ				1 or 2 doses annually		1 dose annually			
Measles, mumps, rubella ⓘ (MMR)				2 nd dose					
Varicella ⓘ (VAR)				2 nd dose					
Hepatitis A ⓘ (HepA)	← 2-dose series, See Notes →								
Tetanus, diphtheria, & acellular pertussis ⓘ (Tdap: ≥7 yrs)						1 dose			
Human papillomavirus ⓘ (HPV)						See Notes			
Meningococcal ⓘ (MenACWY-CRM ≥2 mos, MenACWY-TT ≥2years)	See Notes					1 st dose		2 nd dose	
Meningococcal B ⓘ (MenB-4C, MenB-FHbp)						See Notes			
Respiratory syncytial virus vaccine ⓘ (RSV [Abrysvo])						Seasonal administration during pregnancy, See Notes			
Dengue ⓘ (DEN4CYD: 9–16 yrs)						Seropositive in endemic dengue areas (See Notes)			
Mpox ⓘ									