

AQUASCAPE

POOL TECHNOLOGIES

AQST-FB Series Variable Speed Pumps



*Strong
Suction*

*Quiet
Performance*

*Powerful
Motor*

*Huge Filter
Basket*

*Energy
Savings*

*Four Speed
Settings*



Save Money on Your Electricity Bill

A variable speed pump costs more, but will be a better long-term investment vs single speed pumps. Single-speed pumps only run at one constant high speed, but variable-speed pumps are able to change the RPMs {revolutions per minute} of the motor. User can adjust the speed and running time according to the actual situation, which can save you money in the long term.

EASY TO USE

The timer feature enables users to choose from 4 distinct speeds and a fully customizable timer to perfectly fit their needs. Incorporate our AAP (Automation Adapter Panel) to integrate with various automation systems.

● Adjust Speed

● Set the most convenient start time

● Set the running time from 2 hours to 24 hours a day.

● Connect to various automation systems.





High Efficiency

Energy Savings up to 80% versus traditional pumps

Technical Specifications

- Innovative diffuser and high-efficiency impeller maximize water flow and energy efficiency while minimizing noise and operating costs
- All components molded of corrosion-proof reinforced thermoplastic for extra durability and long life
- Permanent magnet, totally enclosed fan-cooled (TEFC) motor provides maximum energy efficiency and long-lasting performance
- See-through/easy removal lid makes inspection fast and easy-engineered polymer remains clear and strong.
- Massive strainer basket for ease of maintenance
- Carbon to ceramic sealing surfaces
- Stainless steel shaft



Variable-Seed Pump													
Model No.	Voltage (V)	Frequency (Hz)	Current (A)	THP	HHP	WEF	Max Flow GPM (l/min)	Pipe size	Power plug/cord	RS485 Connector	Warranty	Carton Size	G.W (Kg)
FB2010VS	230	50/60	5.5	1.5	0.77	8.7	103 (390)	2"	N	N	1 Year	65.5x26.5x34 CM	14.3
FB2010CVS	230		7							Y			
FB2015VS	230		8	1.7	1.05	8.3	121 (460)	2"		N		65.5x26.5x34 CM	14.7
FB2015CVS	230		10							Y			
FB2020VS	230		5.5	2	1.18	8.4	132 (500)	2"		N		65.5x26.5x34 CM	15
FB2020CVS	230		7							Y			
FB2030VS	230		8	3	1.33	7.5	145 (550)	2"		N		65.5x26.5x34 CM	15.8
FB2030CVS	230		10							Y			