

Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

Name & Address of The Customer		Report No.	UES/TR/23-24/03897		
To,		Lab Ref No.	UES/23-24/AAQM/0	07454-07455	
Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		Date of Sampling	26/07/2023		
		Date of Receipt	27/07/2023		
		Date of Report	31/07/2023		
		Date of Analysis	Start:27/07/2023	End:31/07/2023	
		DETAILS			
Monitoring For	Ambient Air Quality Monitoring				
Sampling Location	Near Main Gate Area Near Store Area				
Customer Ref. No. & Date	4232200409, Dated: 25.07.2023				
Duration Of Sampling	As per CPCB norms	As per CPCB norms			
Sample Collected By	Laboratory Chemist				
Sampling Procedure	As Per Method Reference				
Sample Quantity/Packing	Filter Paper (PM ₁₀): 1X1 No., Filter Paper SO ₂ : 30mlX1 No. PVC Bottle, NO ₂ : 30mlX	(PM _{2.5}): 1X1 No. 1 NO. PVC Bottle,			

Test Method for Ambient Air Quality Monitoring					
Parameter Method Reference					
Particulate Matter size less than 10 microns (PM10)	IS:5182:(Part-23):2006 &CPCB Guidelines VolI				
Particulate Matter size less than 2.5 microns (PM _{2.5})	IS:5182:(Part-24):2019 &CPCB Guidelines VolI				
Sulphur Dioxide (SO ₂)	IS:5182:(Part-2):2001, RA 2006 &CPCB Guidelines VolI				
Nitrogen Dioxide (NO ₂)	IS:5182:(Part-6):2006 & CPCB Guidelines VolI				

TEST REPORT							
NAAQM Results							
Parameter	Unit	Standard	Near Main Gate Area	Near Store Area			
PM ₁₀	μg/m³	100	69	71			
PM _{2.5}	μg/m ³	60	30	34			
SO ₂	μg/m³	80	16	17			
NO ₂	μg/m³	80	23	22			
CO	mg/m ³	4.0	0.5	0.4			

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

> The use of the report for publication, arbitration or as legal dispute is forbidden.

> Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.

This is for information as the party has asked for above test(s) only.

31/07/23

REVIEWED BY

TROLYTICAL OF THE PROPERTY OF

For ULTIMATE ENVIROLYTICAL SOLUTIONS

AUTHORIZED SIGNATORY

End of the test report-



Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

To, Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		REPORT NO.	UES/TR/23-24/03898			
		LAB REF NO.	UES/23-24/W/07456			
		DATE OF SAMPLING	26/07/2023			
		DATE OF RECEIPT	27/07/2023			
		DATE OF REPORT	31/07/2023			
		DATE OF ANALYSIS	START: 27/07/2023	END: 31/07/2023		
	SAME	PLE DETAILS				
ORDER /REFERENCE:	4232200409, DATED: 25.07.20	023				
CUSTMER SAMPLE ID / SAMPLING LOCATION	NEW POND	NEW POND				
SAMPLE TYPE	SURFACE WATER					
SAMPLE COLLECTED BY	LABORATORY CHEMIST					
PACKING OF SAMPLE	3 L X 1 NO. PVC CAN, 1 L X 1 NO. GLASS BOTTLE					
SAMPLING PROCEDURE	ROCEDURE IS:3025(PART I):1987 RA 2003; APHA 22ND ED.2012, 1060-B, 1-39					

	TEST REPORT							
Sr. No.	Parameter	Unit	Method Reference	Limits as per IS 10500 : 2012	Result			
1	Colour	Hazen	IS:3025:(Part-4)	5 (max)	5.0			
2	Turbidity	NTU	IS 3025:(Part-10)	1.0 (max)	3.32			
3	pH	-	IS:3025:(Part-11)	6.5 To 8.5	7.81			
4	Residual Chlorine	mg/Lit	IS 3025(part-26)	0.2 (max)	N.D.			
5	Total Dissolved Solids	mg/Lit	IS 3025:(Part-16)	500 (max)	132.23			
6	Alkalinity Total (as CaCO ₃)	mg/Lit	IS 3025:(Part-23)	200 (max)	72.0			
7	Total Hardness (as CaCO ₃)	mg/Lit	IS 3025:(Part-21)	200 (max)	90.0			
8	Calcium (as Ca)	mg/Lit	IS 3025:(Part-40)	75 (max)	28.86			
9	Magnesium (as Mg)	mg/Lit	IS 3025:(Part-46)	30 (max)	4.37			
10	Chloride (as Cl)	mg/Lit	IS 3025:(Part-32)	250 (max)	12.99			
11	Sulphate (as SO ₄)	mg/Lit	IS 3025:(Part-24)	200 (max)	16.36			
12	Nitrate (NO ₃)	mg/Lit	IS 3025(part-34)	45 (max)	7.41			
13	Boron (as B)	mg/Lit	IS 3025(part-57)	0.5 (max)	N.D.			
14	Iron (as Fe)	mg/Lit	IS 3025(part-53)	0.3 (max)	N.D.			
15	Fluoride (as F)	mg/Lit	IS 3025(part-60)	1.0 (max)	N.D.			
16	Manganese (as Mn)	mg/Lit	IS 3025(part-59)	0.1 (max)	N.D.			
17	Lead (as Pb)	mg/Lit	IS 3025(part-47)	0.01 (max)	N.D.			
18	Zinc (as Zn)	mg/Lit	IS 3025(part-49)	5.0 (max)	N.D.			
19	Copper (as Cu)	mg/Lit	IS 3025(part-42)	0.05 (max)	N.D.			
20	Aluminium (as Al)	mg/Lit	IS 3025(part-55)	0.03 (max)	N.D.			
21	Mercury (as Hg)	mg/Lit	IS 3025(part-48)	0.001(max)	N.D.			
22	Arsenic (as As)	mg/Lit	IS 3025(part-37)	0.01 (max)	N.D.			
23	Selenium (as Se)	mg/Lit	IS 3025(part-56)	0.1 (max)	N.D.			
24	Chromium (as Cr)	mg/Lit	Annex J of IS:13428	0.001(max)	N.D.			
25	Sulphide (as S)	mg/Lit	APHA 22 nd Ed.2012,4500 ^{-S} -C,4- 175 & F 4-178	0.01 (max)	N.D.			
26	Cyanide (as CN)	mg/Lit	IS 3025(part-27)	0.05 (max)	N.D.			
27	Anionic Detergent (as MBAS)	mg/Lit	Annex K of IS:13428	0.02 (max)	N.D.			
28	Phenolic Compound (as C ₆ H ₅ OH)	mg/Lit	IS 3025(part-43)	0.001(max)	N.D.			
29	Poly-nuclear Aromatic Hydrocarbon (PAH)	μg/Lit	APHA 22 nd Ed.2012,6440-6-93	0.0001(max)	N.D.			

AN ISO: 9001:2015 / ISO: 14001:2015 / ISO 45001:2018 CERTIFIED LABORATORY



Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

REPORT NO. - 03898

	TEST REPORT						
Sr. No.	Parameter	Unit	Method Reference	Limits as per IS 10500 : 2012	Result		
30	Mineral Oil	mg/Lit	IS:3025 (part- 39):1991, RA 2003, Ed. 2.1	0.05 (max)	N.D.		
Micr	obial Parameter						
1	Total Coliform	MPN/ 100 ML	IS: 1622:1981:RA:2019	Shall not be detectable in any 100 ml sample	27.0		
2	E – Coli	MPN/ 100 ML	IS: 1622:1981:RA:2019	Shall not be detectable in any 100 ml sample	6.0		

Note: mg/lit.: milligram per liter.

REMARKS: N.D.- NOT DETECTED

Terms & conditions

The report for publication, arbitration or as the legal dispu<mark>te is forbid</mark>den.
Test sample will be retained for 15 days after issue of test report unless otherwise agreed with the customer.
This is for information as the party has asked for the above test(s) only

For ULTIMATE ENVIROLYTICAL SOLUTIONS

Excu-31/07/23 REVIEWED BY

AUTHORIZED SIGNATORY

End of the test report.....



Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

To, Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		REPORT NO. LAB REF NO. DATE OF REPORT DATE OF SAMPLING	UES/TR/23-24/03899 UES/23-24/N/07457-07458 29/07/2023 26/07/2023
	SAMPLE	DETAILS	and the farmer of the same
Monitoring For	Noise Level Monitoring	ī	
Customer Ref. No. & Date	4232200409, Dated: 25.	.07.2023	
Sampling Location	1. Near Main Gate 2. Near Store Are		
Sample Collected By	Laboratory Chemist		
Sampling Procedure	Manufacturer's Instruc	ction	

TEST REPORT					
	RESULT		LIMIT (INDUSTRIAL ZONE)		
LOCATION	UNIT	DAY TIME	NIGHT TIME	DAY TIME	NIGHT TIME
Near Main Gate Area	dB(A)	57.6	41.8	75	70
Near Store Area	dB(A)	53.1	39.6	75	70

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- > The use of the report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 15days after issue of test report unless otherwise agreed with customer.

> This is for information as the party has asked for above test(s) only.

SOUTH ATE AND TO SOUTH A SOUTH

ForULTIMATE ENVIROLYTICAL SOLUTIONS

AUTHORIZED SIGNATORY

REVIEWED BY -----End of the test report----



Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

Name & Address Of The Customer	Name & Address Of The Customer		UES/TR/23-24/0390	0 .	
To, Crest Steel And Power Private Limited		LAB REF NO. UES/23-24/FE/074		59	
		DATE OF SAMPLING	26/07/2023		
Village: Joratarai,		DATE OF RECEIPT	27/07/2023		
Post – Mangatta		DATE OF REPORT	31/07/2023		
Rajnandgaon 491441		DATE OF ANALYSIS	START:27/07/2023	END:31/07/2023	
A second control of Court of Second control of Second con	SAN	MPLE DETAILS			
Monitoring For	Fugitive Emiss	ion			
Customer Ref. No.	4232200409, Da	ted: 25.07.2023			
Sampling Location	Near Boiler Ar	ea			
Duration Of Sampling	8 Hours				
Sample Collected by	Laboratory Che	mist			
Sampling Procedure	As Per Method Reference				
Sample Quantity/Packing	GMF Filter Pap	er (8 X 10 Inch):	: 1x1 No.		

TEST REPORT					
Locations	Unit	Suspended Particulate Matter (SPM)	Limit as per Moef& CC Notification	Method Reference	
Near Boiler Area	μg/m³	784	2000	EPA Method IO-2.1	

REMARKS:N.D.- NOT DETECTED

Terms & conditions

> The report for publication, arbitration or as legal dispute is forbidden.

> Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.

This is for information as the party has asked for above test(s) only.

COLYTICAL COLUMN TO THE PROPERTY OF THE PROPER

For ULTIMATE ENVIROLYTICAL SOLUTIONS

AUTHORIZED SIGNATORY

Subhajee

REVIEWED BY

31/07/23

-End of the test report-



Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

To, Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		REPORT NO	UES/TR/23-24/03902		
		LAB REF NO	UES/23-24/ST/07	7461	
		DATE OF SAMPLING	26/07/2023		
		DATE OF RECEIPT	IPT 27/07/2023		
		DATE OF REPORT	31/07/2023		
		DATE OF ANALYSIS	START: 27/07/2023	END: 31/07/2023	
	SAME	PLE DETAILS			
MONITORING FOR	STACK EMISSION MONITORING				
SAMPLING LOCATION	STACK NO 1 (WHRB+AFBC)				
SAMPLE COLLECTED BY	LABORATORY CHEMIST		-		
SAMPLING PROCEDURE IS 11255 PART 1,2:1985 REAFFIRMED 2009; PART 3:2008, PART 7:2005 REAFFIRMED 201 5182 (PART 10) :2003				AFFIRMED 2012, IS	
SAMPLE QUANTITY/PACKING	The state of the s	THIMBLE: 1 X 1 NO., SO2: 30 ML X 1 NO. PVC BOTTLE, NOX: 25 ML X 1 NO. PVC BOTTLE, RUBBER BLADDER: 1 X 1 NO., HG: 500ML X 1 NO. GLASS BOTTLE & 500ML X 3 NO. PVC			

TEST REPORT						
Stack details						
STACK IDENTITY	12 T	STACK NO.	- 1 (WHRB+	AFBC)		
STACK ATTACHED TO	ESP					
MATERIAL OF CONSTRUCTION		11172	RCC	Link		
STACK HEIGHT ABOVE GROUND LEVEL (MTR.)	. 11		75			
STACK DIAMETER	' - <u> </u>		3.5			
STACK SHAPE AT TOP	CIRCULAR					
TYPE OF FUEL COAL						
Parameter	Unit	Result	Limit	Method Reference		
FLUE GAS TEMPERATURE	°C	91.1	-	IS 11255 (Part 3):2008		
FLUE GAS VELOCITY	M/s	6.89	-	IS 11255 (Part 3):2008		
TOTAL GAS QUANTITY	Nm³/h	195219.4	-	IS 11255 (Part 3):2008		
TOTAL PARTICULATE MATTER (TPM)	mg/Nm ³	42.4	50	IS 11255 (Part 1):1985, RA 2003		
SULPHUR DIOXIDE (SO₂)	mg/Nm³	204.6	600	IS 11255 (Part 2):1985, RA 2003		
OXIDES OF NITROGEN (NO _x)	mg/Nm ³	121.8	300	IS 11255 (Part 7):2005, RA 2012		
CARBON MONOXIDE (CO)	mg/Nm ³	0.1	-	IS 13270 RA 2019		

REMARKS: :N.D.: NOT DETECTED

Terms & conditions

> The report for publication, arbitration or as legal dispute is forbidden.

> Test sample will be retained for 07 days after issue of test report unless otherwise agreed with customer.

This is for information as the party has asked for above test(s) only

31/07/23

REVIEWED BY



For ULTIMATE ENVIROLYTICAL SOLUTIONS

AUTHORIZED SIGNATORY

-End of the test report.....



Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

To, Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		REPORT NO LAB REF NO DATE OF SAMPLING	UES/TR/23-24/03903 UES/23-24/ST/07462 26/07/2023 27/07/2023 31/07/2023		
		DATE OF RECEIPT DATE OF REPORT			
		DATE OF ANALYSIS	START: 27/07/2023	END: 31/07/2023	
	SAME	LE DETAILS			
MONITORING FOR	STACK EMISSION MONITORING				

	SAMPLE DETAILS
MONITORING FOR	STACK EMISSION MONITORING
SAMPLING LOCATION	STACK NO - 2 (WHRB)
SAMPLE COLLECTED BY	LABORATORY CHEMIST
SAMPLING PROCEDURE	IS 11255 PART 1,2:1985 REAFFIRMED 2009; PART 3:2008, PART 7:2005 REAFFIRMED 2012, IS 5182 (PART 10) :2003
SAMPLE QUANTITY/PACKING	THIMBLE: 1 X 1 NO., SO2: 30 ML X 1 NO. PVC BOTTLE, NOX: 25 ML X 1 NO. PVC BOTTLE, RUBBER BLADDER: 1 X 1 NO., HG: 500ML X 1 NO. GLASS BOTTLE & 500ML X 3 NO. PVC BOTTLE.

TEST REPORT					
Stack details					
STACK IDENTITY		STACK	NO - 2 (WHR	B)	
STACK ATTACHED TO			ESP		
MATERIAL OF CONSTRUCTION			RCC		
STACK HEIGHT ABOVE GROUND LEVEL (MTR.)			65		
STACK DIAMETER			2.13		
STACK SHAPE AT TOP	CIRCULAR				
TYPE OF FUEL	COAL				
Parameter	Unit	Result	Limit	Method Reference	
FLUE GAS TEMPERATURE	°C	93.4	-	IS 11255 (Part 3):2008	
FLUE GAS VELOCITY	M/s	7.18		IS 11255 (Part 3):2008	
TOTAL GAS QUANTITY	Nm ³ /h	74871.5	-	IS 11255 (Part 3):2008	
TOTAL PARTICULATE MATTER (TPM)	mg/Nm ³	38.9	50	IS 11255 (Part 1):1985, RA 2003	
SULPHUR DIOXIDE (SO ₂)	mg/Nm³	172.4	600	IS 11255 (Part 2):1985, RA 2003	
OXIDES OF NITROGEN (NO _X)	mg/Nm ³	116.8	300	IS 11255 (Part 7):2005, RA 2012	
CARBON MONOXIDE (CO)	mg/Nm ³	0.1	-	IS 13270 RA 2019	

REMARKS: :N.D.: NOT DETECTED

Terms & conditions

- > The report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 07 days after issue of test report unless otherwise agreed with customer.

This is for information as the party has asked for above test(s) only

31/07/23 REVIEWED BY A COLUMN WILL SA COLU

For ULTIMATE ENVIROLYTICAL SOLUTIONS

AUTHORIZED SIGNATORY

AN ISO: 9001:2015 7150: 14001:2575 9150 450000010 CERTIFIED LABORATORY



Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

Name & Address Of The Customer To, Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		Report No Lab. Ref. No. Date of Sampling Date of Receipt Date of Report Date of Analysis	UES/TR/23-24/03901 UES/23-24/W/07460 26/07/2023 27/07/2023 31/07/2023 Start: 27/07/2023 End: 31/07/20		
Another Schule Company Wilders Company Manager		SAMPLE DETAILS			CONTRACTOR OF THE PROPERTY OF
Customer Sample ID	SMS Area Effluent Water	Customer Ref. No. & Date		4232200409, Dated: 25.07.2023	
Sample Type	Effluent Water	Sample Condition At Recei		t Ok	
Packing of Sample	Jerry Cane (3 ltr.*1) Glass bottle (1 ltr.*1)	Sample Collected By		Laboratory Chemist	
Other Details	Sealed	Quantity Received		Approx. 5Ltr.	

TEST REPORT						
SR. NO.	PARAMETER	UNIT	METHOD OF TEST	LIMITS AS PER CONSENT	RESULT	
1	pH Value at 25.2°C	_	IS:3025:(Part-11): 1983, RA 2012	5.5 To 9.0	7.09	
2	Total Suspended Solid	mg/L	IS:3025:(Part-17): 1984, RA 2012	100	53.0	
3	Chemical Oxygen Demand	mg/L	IS:3025:(Part-58):2006, RA 2012	250	100.0	
4	Bio-chemical Oxygen Demand at 27°C for three day	mg/L	IS:3025:(Part-44):1993 RA 2014	30	18.8	
5	Oil & Grease	mg/L	IS:3025:(Part-39):1986	10	Absent	

Note:mg/lit.: milligram per liter. N.D.: Not Detected.

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- > The use of the report for publication, arbitration or as a legal dispute is forbidden.
- > Test sample will be retained for 15 days after issue of test report unless otherwise agreed with the customer.

> This is for information as the party has asked for the above test(s) only.

31/07/23

REVIEWED BY



For ULTIMATE ENVIROLYTICAL SOLUTIONS

Subhaject

AUTHORIZED SIGNATORY

-End of the test report-