

Email: uespllab@gmail.com, ultimatenviro@gmail.com

Name & Address of The Customer To, Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta		Report No. Lab Ref No. Date of Sampling Date of Receipt	UESPL/TR/24-25/05 UESPL/24-25/AAQN 10/03/2025 11/03/2025	
		Date of Report	15/03/2025	
Rajnandgaon 4914	141	Date of Analysis	Start:11/03/2025	End:15/03/2025
	SAMPLI	E DETALS		
Monitoring For	Ambient Air Quality Monitoring			
Sampling Location	 Near Stores Yard Area Near Lab Area 			
Customer Ref. No. & Date	4232200698, Dated: 29.03.2024			
Duration Of Sampling	As per CPCB norms			
Sample Collected By Laboratory Chemist				
Sampling Procedure As Per Method Reference				
Sample Quantity/Packing Filter Paper (PM ₁₀): 1X1 No., Filter Paper (PM _{2.5}): 1X1 No. SO ₂ : 30mlX1 No. PVC Bottle, NO ₂ : 30mlX1 NO. PVC Bottle.				

Test Method for Ambient Air Quality Monitoring						
Parameter Method Reference						
Particulate Matter size less than 10 microns (PM ₁₀)	IS:5182(Part-23):2006 RA 2022					
Particulate Matter size less than 2.5 microns (PM _{2.5})	IS:5182(Part-24):2019					
Sulphur Dioxide (SO ₂)	IS:5182(Part-2/Sec.1):2001 RA 2023					
Nitrogen Dioxide (NO ₂)	IS:5182(Part-6):2006 RA 2022					
Carbon Monoxide (CO)*	IS:5182(Part-10)					

	TEST REPORT							
Parameter	Unit	NAAQM	Resu	ılts				
raiametei	Oilit	Standard	Near Store Yard Area	Near LabArea				
PM ₁₀	μg/m³	100	75.46	72.38				
PM _{2.5}	μg/m³	60	33.90	30.44				
SO ₂	μg/m³	80	28.02	24.67				
NO ₂	μg/m³	80	32.34	30.86				
СО	mg/m³	4.0	0.74	0.66				

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- > The use of the report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- > This is for information as the party has asked for above test(s) only.

For ULTIMATE ENVIROLYTICAL SOLUTIONS PVT LTD

AUTHORIZED SIGNATORY

AN ISO: 9001:2015 / ISO: 14001:2015 / ISO 45001:2018 CERTIFIED LABORATORY

-End of the test report---



Email: uespllab@gmail.com, ultimatenviro@gmail.com

omer	Report No.	UESPL/TR/24-25/05	510			
To, Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		UESPL/24-25/W/010522				
		10/03/2025				
		11/03/2025				
		15/03/2025				
		Start:11/03/2025	End:15/03/2025			
SAMPLE DETAILS						
4232200698, Dated: 29.03.2024						
New pond						
Surface Water						
Laboratory Chemist						
acking of Sample 3 L X 1 No. PVC Can, 1 L X 1 No. Glass Bottle						
Sampling Procedure As Per Standard Method - UESPL/File/SW/01						
	Power Private Limited ai, 11441 SAME 4232200698, Dated: 29.03.2024 New pond Surface Water Laboratory Chemist	Power Private Limited ai, Date of Sampling Date of Receipt Date of Report Date of Analysis SAMPLE DETAILS 4232200698, Dated: 29.03.2024 New pond Surface Water Laboratory Chemist	Lab Ref No. UESPL/24-25/W/010 Date of Sampling 10/03/2025 Date of Receipt 11/03/2025 Date of Report 15/03/2025 Date of Analysis Start:11/03/2025 SAMPLE DETAILS 4232200698, Dated: 29.03.2024 New pond Surface Water Laboratory Chemist			

TEST REPORT							
Sr. No.	Parameter	Unit	Method Reference	Limits as per IS 10500 : 2012	Result		
1	Colour	Hazen	IS:3025(Part-4):2021	5 (max)	10		
2	Turbidity	NTU	IS:3025(Part-10):2023	1.0 (max)	1.30		
3	pH	-	IS:3025(Part-11):2022	6.5 To 8.5	7.43		
4	Residual Chlorine	mg/L	IS 3025(Part-26):2021	0.2 (max)	N.D.		
5	Total Dissolved Solids	mg/L	IS:3025(Part-16):2023	500 (max)	193		
6	Alkalinity Total (as CaCO ₃)	mg/L	IS:3025(Part-23):2023	200 (max)	84		
7	Total Hardness (as CaCO ₃)	mg/L	IS:3025(Part-21):2009 RA 2019	200 (max)	126		
8	Calcium (as Ca)	mg/L	IS:3025(Part-40):1991 RA 2019	75 (max)	28.85		
9	Magnesium (as Mg)	mg/L	APHA 24 th Ed.2023,3500- Mg-B, 274	30 (max)	13.60		
10	Chloride (as Cl)	mg/L	IS:3025(Part-32):1988 RA 2019	250 (max)	18.99		
11	Sulphate (as SO ₄)	mg/L	IS:3025(Part-24/Sec.1): 2022	200 (max)	16.12		
12	Nitrate (NO ₃)	mg/L	APHA 24th Ed.2023,4500- NO3-B, 434-435	45 (max)	3.86		
13	Boron (as B)	mg/L	IS:3025(Part-57)	0.5 (max)	N.D.		
14	Iron (as Fe)	mg/L	IS:3025(Part-53):2003 RA 2019	0.3 (max)	N.D.		
15	Fluoride (as F)	mg/L	IS:3025(Part-60):2008 RA 2019	1.0 (max)	N.D.		
16	Manganese (as Mn)	mg/L	USEPA - SW - 846 : Method -7000B	0.1 (max)	N.D.		
17	Lead (as Pb)	mg/L	IS:3025(Part-47):1994 RA 2019	0.01 (max)	N.D.		
18	Zinc (as Zn)	mg/L	IS:3025(Part-49):1994 RA 2019	5.0 (max) .	N.D.		
19	Copper (as Cu)	mg/L	IS:3025(Part-42):1992 RA 2019	0.05 (max)	N.D.		
20	Aluminium (as Al)	mg/L	IS:3025(Part-55):2003, RA 2019	0.03 (max)	N.D.		
21	Mercury (as Hg)	mg/L	IS:3025(Part-48):1994 RA 2019	0.001(max)	N.D.		
22	Arsenic (as As)	mg/L	IS:3025(Part-37):2022	0.01 (max)	N.D.		



Email: uespllab@gmail.com, ultimatenviro@gmail.com

REPOR	REPORT NO 05510							
		TI	EST REPORT					
Sr. No.	Parameter	Unit	Method Reference	Limits as per IS 10500 : 2012	Result			
23	Selenium (as Se)	mg/L	IS:3025(Part-56)	0.1 (max)	N.D.			
24	Chromium (as Cr)	mg/L	IS:3025(Part-52):2003 RA 2019	0.001(max)	N.D.			
25	Sulphide (as S)	mg/L	IS:3025(Part-29)	0.01 (max)	N.D.			
26	Cyanide (as CN)	mg/L	IS:3025(Part-27)	0.05 (max)	N.D.			
27	Anionic Detergent (as MBAS)	mg/L	APHA 24 th Ed.2023, 5540– MBAS-C, 585	0.02 (max)	N.D.			
28	Phenolic Compound (as C ₆ H ₅ OH)	mg/L	IS:3025(Part-43)	0.001(max)	N.D.			
29	Poly-nuclear Aromatic Hydrocarbon (PAH)	μg/L	APHA 24 th Ed. 6440-PAH- B, 703	0.0001(max)	N.D.			
30	Mineral Oil	mg/L	IS:3025(Part-39):1991, RA 2003, Ed. 2.1	0.05 (max)	N.D.			
Micr	obial Parameter							
1	Total Coliform	MPN/ 100 ML	IS:1622:1981:RA: 2019	Shall not be detectable in any 100 ml sample	80			
2	E – Coli	MPN/ 100 ML	IS:1 <mark>6</mark> 22:1981:RA: 2019	Shall not be detectable in any 100 ml sample	22			

Terms & conditions

Note: mg/lit.: milligram per liter. REMARKS: N.D.- NOT DETECTED

> The report for publication, arbitration or as the legal dispute is forbidden.

> Test sample will be retained for 15 days after issue of test report unless otherwise agreed with the customers.

This is for information as the party has asked for the above test(s) only

For ULTIMATE ENVIROLYTICAL SOLUTIONS PVT LTD

AUTHORIZED SIGNATORY

REVIEWED BY End of the test report.....

AN ISO: 9001:2015 / ISO: 14001:2015 / ISO 45001:2018 CERTIFIED LABORATORY



Email: uespllab@gmail.com, ultimatenviro@gmail.com

Name & Address Of The Custo	omer	Report No	UESP	L/TR/24-25/0551	1
To,		Lab. Ref. No.	Ref. No. UESPL/24-25/W/010523		
Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		Date of Sampling	Sampling 10/03/2025		
		Date of Receipt	11/03	11/03/2025 15/03/2025 Start:11/03/2025 End:15/03/2025	
		Date of Report	15/03		
		Date of Analysis	Start:		
		SAMPLE DETAILS			
Customer Sample ID	Near SMS	Customer Ref. No. &	Date	4232200698, D	ated: 29.03.2024
Sample Type	Effluent Water	Sample Condition At	Receipt	Ok	
Packing of Sample	Jerry Cane (3 ltr.*1) Glass bottle (1 ltr.*1)	Sample Collected By	Sample Collected By		emist
Other Details	Sealed	Quantity Received		Approx. 5Ltr.	

TEST REPORT							
SR. NO.	PARAMETER	UNIT	METHOD OF TEST	LIMITS AS PER CONSENT	RESULT		
1	pH Value at 25.2°C	-	IS:3025 (Part-11) - 2022	5.5 To 9.0	8.41		
2	Total Suspended Solid	mg/L	IS:3025 (Part-17) - 2022	100	3.6		
3	Chemical Oxygen Demand	mg/L	IS:3025 (Part-58) - 2023	250	50		
4	Bio-chemical Oxygen Demand at 27°C for three day	mg/L	IS:3025 (Part-44) - 2023	30	9.8		
5	Oil & Grease	mg/L	IS:3025 (Part-39) - 2021	10	Absent		

Note:mg/lit.: milligram per liter. N.D.: Not Detected.

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- > The use of the report for publication, arbitration or as alegal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with the customer.

This is for information as the party has asked for the above test(s) only.

For ULTIMATE ENVIROLYTICAL SOLUTIONS PVT LTD

AUTHORIZED SIGNATORY

REVIEWED BY End of the test report-----

AN ISO: 9001:2015 / ISO: 14001:2015 / ISO 45001:2018 CERTIFIED LABORATORY



Email: uespllab@gmail.com, ultimatenviro@gmail.com

Name & Address Of The Customer		REPORT NO.	UESPL/TR/24-25/05512		
Crest Steel And Powe	r Private Limited	LAB REF NO.	UESPL/24-25/N/010524-010525		
Village: Joratarai, Post – Mangatta		DATE OF REPORT	15/03/2025		
Rajnandgaon 491441		DATE OF SAMPLING	10/03/2025		
	SAMPL	E DETAILS			
Monitoring For	Noise Level Monitoring				
Customer Ref. No. & Date	4232200698, Dated: 29.0	3.2024			
Sampling Location	 Near Stores Yar Near Lab Area 	d Area			
Sample Collected By	Laboratory Chemist				
Sampling Procedure	Manufacturer's Instruction				

TEST REPORT						
		RESULT LIMIT (INC			USTRIAL ZONE)	
LOCATION	UNIT	DAY TIME	NIGHT TIME	DAY TIME	NIGHT TIME	
Near Stores Yard Area	dB(A)	72.6	58.2	75	70	
Near Lab Area	dB(A)	70.2	56.1	75		

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- > The use of the report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 15days after issue of test report unless otherwise agreed with customer.

This is for information as the party has asked for above test(s) only.

REVIEWED BY

For ULTIMATE ENVIROLYTICAL SOLUTIONS PVT LTD

AUTHORIZED SIGNATORY

-----End of the test report-----End of the test

AN ISO: 9001:2015 / ISO: 14001:2015 / ISO 45001:2018 CERTIFIED LABORATORY



Email: uespllab@gmail.com, ultimatenviro@gmail.com

Name & Address Of The Customer		Report No.	UESPL/TR/24-25/055	13		
To,		Lab Ref No.	UESPL/24-25/FE/010526			
Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		Date of Sampling	10/03/2025			
		Date of Receipt	11/03/2025			
		Date of Report	15/03/2025			
		Date of Analysis	Start:11/03/2025	End:15/03/2025		
	SA	MPLE DETAILS				
Monitoring For	Fugitive Emission	Fugitive Emission				
Customer Ref. No.	4232200698, Dated:	29.03.2024				
Sampling Location	Near DM Plant Area					
Duration Of Sampling	8 Hours					
Sample Collected by	Laboratory Chemist					
Sampling Procedure	As Per Method Reference					
Sample Quantity/Packing	GMF Filter Paper (8 X 10 Inch): 1x1 No.					

TEST REPORT						
Locations	Unit	Suspended Particulate Matter (SPM)	Limit as per MOEF&CC Notification	Method Reference		
Near DM Plant Area	μg/m³	1254	2000	EPA Method IO-2.1		

REMARKS:N.D.- NOT DETECTED

Terms & conditions

- > The report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.

This is for information as the party has asked for above test(s) only.

GAR RING

REVIEWED BY

For ULTIMATE ENVIROLYTICAL SOLUTIONS PVT LTD

AUTHORIZED SIGNATORY

-End of the test report-



Email: uespllab@gmail.com, ultimatenviro@gmail.com

Name & Address Of The Customer To, Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		Report No	UESPL/TR/24-25/05514 UESPL/24-25/ST/010527 10/03/2025 11/03/2025 15/03/2025		
		Lab Ref No			
		Date of Sampling			
		Date of Receipt			
		Date of Report			
		Date of Analysis	Start:11/03/2025	End:15/03/2025	
	SAMI	LE DETAILS			
Monitoring For	Stack Emission Monitoring				
Sampling Location	Stack No 1 (WHRB+AFBC)				
Sample Collected By	Laboratory Chemist				
Sampling Procedure	IS 11255 Part 1,2:1985 Reaffirmed 2009; Part 3:2008, Part 7:2005 Reaffirmed 2012, IS 5182 (Part 10) :2003				
Sample Quantity/Packing	Thimble: 1 X 1 No., SO ₂ : 30 ml X 1 No. PVC Bottle, NO _X : 25 ml X 1 No. PVC Bottle, Rubber Bladder: 1 X 1 No., Hg: 500ml X 1 No. Glass Bottle & 500ml X 3 No. PVC Bottle.				

TEST REPORT					
Stack details					
Stack Identity	STACK NO 1 (WHRB+AFBC)				
Stack Attached To	ESP				
Material of Construction	RCC				
Stack Height Above Ground Level (Mtr.)	75				
Stack Diameter	3.5				
Stack Shape At Top	CIRCULAR				
Type Of Fuel	COAL				
Parameter	Unit	Result	Limit	Method Reference	
Flue Gas Temperature	°C	68.5	-	IS:11255:(Part-3):2008	
Flue Gas Velocity	M/s	8.38	-	IS:11255:(Part-3):2008	
Total Gas Quantity	Nm³/h	253149.9	-	IS:11255:(Part-3):2008	
Total Particulate Matter (TPM)	mg/Nm³	33.46	50	IS:11255:(Part-1):1985 RA 2019	
Sulphur Dioxide (SO ₂)	mg/Nm³	220.0	600	IS:11255:(Part-2):1985 RA 2019	
Oxides of Nitrogen (NO _x)	mg/Nm³	176.4	300	IS:11255:(Part-7):2005 RA 2022	
Carbon Monoxide (CO)	mg/Nm ³	0.31	-	IS 13270 RA 2019	

REMARKS: : N.D.: NOT DETECTED

Terms & conditions

- > The report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 07 days after issue of test report unless otherwise agreed with customer.
- > This is for information as the party has asked for above test(s) only.

(3/3/3)

REVIEWED BY

TICAL SOLUTIONS OF THE PROPERTY AND ADDRESS OF THE PROPERTY OF

For ULTIMATE ENVIROLYTICAL SOLUTIONS PVT LTD

AUTHORIZED SIGNATORY

AN ISO: 9001:2015 / ISO: 14001:2015 / ISO 45001:2018 CERTIFIED LABORATORY

End of the test report......



Email: uespllab@gmail.com, ultimatenviro@gmail.com

Name & Address Of The Customer To, Crest Steel And Power Private Limited Village: Joratarai, Post – Mangatta Rajnandgaon 491441		Report No	UESPL/TR/24-25/05515		
		Lab Ref No	UESPL/24-25/ST/010528 10/03/2025 11/03/2025		
		Date of Sampling			
		Date of Receipt			
		Date of Report	15/03/2025		
		Date of Analysis	Start:11/03/2025	End:15/03/2025	
	SAMI	PLE DETAILS		The state of the s	
Monitoring For	Stack Emission Monitoring				
Sampling Location	STACK NO - 2 (WHRB)				
Sample Collected By	laboratory Chemist				
Sampling Procedure	IS 11255 Part 1,2:1985 Reaffirmed 2009; Part 3:2008, Part 7:2005 Reaffirmed 2012, IS 5182 (Part 10) :2003				
Sample Quantity/Packing	Thimble: 1 X 1 No., SO ₂ : 30 ml X 1 No. PVC Bottle, NO _X : 25 ml X 1 No. PVC Bottle, Rubber Bladder: 1 X 1 No., Hg: 500ml X 1 No. Glass Bottle & 500ml X 3 No. PVC Bottle.				

TEST REPORT					
Stack details					
Stack Identity	STACK NO - 2 (WHRB)				
Stack Attached To	ESP				
Material of Construction	RCC				
Stack Height Above Ground Level (Mtr.)	65				
Stack Diameter	2.13				
Stack Shape At Top	CIRCULAR				
Type Of Fuel	COAL				
Parameter	Unit	Result	Limit	Method Reference	
Flue Gas Temperature	°C	134.0	- 1	IS:11255:(Part-3):2008	
Flue Gas Velocity	M/s	11.15	- 1	IS:11255:(Part-3):2008	
Total Gas Quantity	Nm³/h	104671.4	-	IS:11255:(Part-3):2008	
Total Particulate Matter (TPM)	mg/Nm³	40.28	50	IS:11255:(Part-1):1985 RA 2019	
Sulphur Dioxide (SO ₂)	mg/Nm³	324.4	600	IS:11255:(Part-2):1985 RA 2019	
Oxides of Nitrogen (NO _x)	mg/Nm³	205.7	300	IS:11255:(Part-7):2005 RA 2022	
Carbon Monoxide (CO)	mg/Nm ³	0.37		IS 13270 RA 2019	

REMARKS: :N.D.: NOT DETECTED

Terms & conditions

- > The report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 07 days after issue of test report unless otherwise agreed with customer.

> This is for information as the party has asked for above test(s) only.

REVIEWED BY

For ULTIMATE ENVIROLYTICAL SOLUTIONS PVT LTD

AUTHORIZED SIGNATORY

-End of the test report.....