

**Certificate of Analysis**

Pierce Chemical Co. LLC

Item Number	Lot Number	Item Description		
CRD-KRT-XTR	CRD-KRT-XTR-24250	Brown Powder		
Test	Specification	Result	Pass/Fail	Test Method
Total Alkaloids	10-20% wt.	17.1% wt.	Pass	Acid/Base Titration - Bromothymol Blue
PHS				
Lead (Pb)	< 1 PPM	0 PPM	Pass	Complexometric Titration
Arsenic (As)	< 1 PPM	0 PPM	Pass	Iodometric (Redox) Titration
Cadmium (Cd)	< 1 PPM	0 PPM	Pass	Complexometric Titration
Mercury (Hg)	< 1 PPM	0 PPM	Pass	Complexometric Titration
PHS Microbial				
Total Aerobic Microbial Count	Absent	Absent	Pass	Agar plate test – 37C/24h
Yeasts and Molds	Absent	Absent	Pass	Agar plate test – 37C/24h
Salmonella species	Absent	Absent	Pass	Agar plate test – 37C/24h
Escherichia coli (E. coli)	Absent	Absent	Pass	Agar plate test – 37C/24h

APPEARANCE: Brown Powder**EXPIRATION DATE:** 07-SEP-2025**DATE OF MANUFACTURE:** 06-SEP-2024



Certificate of Analysis

Pierce Chemical Co. LLC

Authorized by:

Name: Matthew Pierce MSP, MSFT

Title: Laboratory Director

Date: September , 7th, 2024
