

Bicycle Tubes

Stroller inner tube, road bike inner tube, fat tire inner tube, E-bike inner tube



No	Size		Width (mm)
1	10×1.75		43
2	12-1/2×1.75×2-1/4	47-203	43
3	12 1/2×21/4	57/62-203	50
4	14×1-3/8	32/37-288/298	37
5	14×1.75/2.125	47/57-254/263	43
6	14×2.125	57-254	50
7	16×1-3/8	32/37-340/349	37
8	16×1.75/2.125	47/57-305	43
9	16×2.125	57-305	50
10	16×2.50	64-305	60
11	16×3.0	70/76-305	78
12	18×1-3/8	32/37-387/400	37
13	18×1.75/2.125	47/57-355	43
14	18×2.125	57-355	50
15	18×2.50	64-355	60
16	20×1	23-451	24
17	20×1-3/8	32/37-438/451	37
18	20×1.25/1.50	32/40-406	33
19	20×1.50/1.75	40/47-406	37
20	20×1.75/2.125	47/57-406	43
21	20×2.125	57-406	50
22	20×2.3	57/62-406	56
23	20×3.0	70/76-406	76
24	20×4.0	98-406	98
25	22×1-3/8	32/37-489/501	37
26	22×1.75	47/57-456	43
27	24×1	23-540	24
28	24×1-3/8	32/37-540/541	37
29	24×1.25/1.50	32/40-507	33
30	24×1.50/1.75	40/47-507	37

No	Size		Width (mm)
31	24×1.75/2.125	47/57-507	43
32	24×2.125	57-507	50
33	24×4.0	98-507	98
34	26×1	23-559/571	24
35	26×13/8	32/37-584/590	37
36	26×1.25/1.50	32/40-507	33
37	26×1.50/1.75	40/47-559/584	37
38	26×1.75/2.125	47/57-559/584	43
39	26×2.125	57-559/584	50
40	26×2-1/2	64-559	65
41	26×4.0	98-559	98
42	27×11/4	28/37-609/642	30
43	27×13/8	37-630	37
44	27.5×1.75-2.125	47/57-584	43
45	27.5×2.125	57-584	50
46	700×18/25C	18/23-622/630	22/24
47	700×28/35C	32/35-622/630	33
48	700×35/43C	35/44-622/630	37
49	28×13/8	32/37-622/630	37
50	28×11/2	47-630	43
51	29×1.75/2.125	47/57-630	43
52	29×2.125	57-635	50



TUBE VALVE

	A/V
	A/V-35mm
	A/V-40mm
	A/V-48mm
	A/V-60mm

	D/V
	D/V-28mm
	D/V-35mm
	D/V-40mm

	E/V
	E/V-28mm
	E/V-35mm
	E/V-40mm

	F/V
	F/V-33mm
	F/V-36mm
	F/V-40mm
	F/V-48mm
	F/V-60mm
	F/V-80mm

	I/V
	I/V-28mm
	IV-32mm
	IV-35mm
	IV-40mm
	IV-48mm

	TR4A
	TR4A-33mm
	TR4A-40mm

Bicycle Tubes-- puncture resistant tubes

These are no ordinary bicycle tubes! With self-sealing fluid inside.



PUNCTURE RESISTANT TUBE (Self-sealing)

The bicycle puncture resistant tube is also made of butyl rubber but with self-sealing fluid inside.

The self-sealing fluid seals holes up to 3mm. It will apply you to use for up to 24 hours before the inner tube needs to be replaced.



Bicycle Tubeless Valve

Aluminium alloy made.Universal round rubber base with O-ring for seal.



Motorcycle Tubes

Made from high-grade, heavy duty premium rubber.




Tubeless Valve	FR14-(36--40) L-AI
	FR14-(44--48) L-AI
	FR14-(50--60) L-AI
	FR14-80L-AI
	FR14-(100-120) L-AI



No	Size	Weight(g)	Width (mm)	Valve stem
1	21/4-16	220	56	TR4
2	21/4-17	230	56	TR4
3	21/4-18	250	56	TR4
4	2.25/2.50-17	289.56	66	TR4
5	2.25/2.50-18	310	66	TR4
6	2.25/2.50-19	335	66	TR4
7	2.50/2.75-10	225	72	TR87
8	2.50/2.75-12	265	72	TR87
9	2.50/2.75-14	300	72	TR4
10	2.50/2.75-16	330	72	TR4
11	2.50/2.75-17	350	72	TR4
12	2.50/2.75-18	370	72	TR4
13	2.75/3.00-10	280	81	TR87
14	2.75/3.00-14	350	81	TR4
15	2.75/3.00-16	400	81	TR4
16	2.75/3.00-17	420	81	TR4
17	2.75/3.00-18	440	81	TR4
18	2.75/3.00-19	460	81	TR4
19	2.75/3.00-21	500	81	TR4
20	3.00/3.25-10	310	89	TR87
21	3.00/3.25-16	445	89	TR4
22	3.00/3.25-17	460	89	TR4
23	3.00/3.25-18	480	89	TR4
24	3.00/3.25-19	500	89	TR4
25	3.00/3.25-21	520	89	TR4
26	3.25/3.50-8	320	97	TR4
27	3.25/3.50-10	350	97	TR4
28	3.25/3.50-16	460	97	TR4
29	3.25/3.50-17	480	97	TR4
30	3.50/4.00-8	320	97/103	TR13
31	3.50/4.00-8	320	97/103	TR87
32	3.50/4.10-10	350	97/103	TR13
33	3.50/4.10-10	350	97/103	TR87
34	4.00-12	480	102	TR13
35	4.00-13	510	102	TR4
36	3.50/4.10-16	580	102	TR4
37	3.50/4.10-17	600	102	TR4
38	3.50/4.10-18	630	102	TR4
39	3.50/4.10-19	660	102	TR4

No	Size	Weight(g)	Width (mm)	Valve stem
40	3.75-19	660	106	TR4
41	4.00/4.50-10	460	112	TR13
42	4.00/4.50-12	520	112	TR13
43	4.00/4.50-15	595	112	TR4
44	4.00/4.50-17	675	112	TR4
45	4.00/4.50-18	710	112	TR4
46	4.00/4.50-19	780	112	TR4
47	4.50/5.00-12	545	118	TR4
48	4.50/5.00-16	690	118	TR4
49	4.50/5.00-17	730	118	TR4
50	6.00-12	800	130	TR4



Picture of valve



JS87



TR4



TR13

Thickened Motorcycle Inner Tube

Provides enhanced anti-puncture function.



No	Inner tube specification	Thickness (mm)	Weight(g)	Width(mm)
1	2.25/2.50-14 Tr4	2.5	580	72
2	2.25/2.50-17 Tr4	2.5	630	66
3	2.25/2.50-19 Tr4	2.5	700	66
4	2.75/3.00-21 Tr4	2.5	850	81
5	3.25/3.50-12 Tr4	2.5	650	97
6	3.25/3.50-14 Tr4	2.5	750	97
7	3.25/3.50-16 Tr4	2.5	850	97
8	3.25/3.50-19 Tr4	2.5	1000	97
9	4.25/4.50-18 Tr4	2.5	950	112
10	4.25/4.50-19 Tr4	2.5	1050	112
11	2.50/2.75-10 Js87	3	550	76
12	3.00/3.25-12 Tr4	3	640	89
13	2.25/2.50-14 Tr4	3	690	76
14	3.25/3.50-14 Tr4	3	730	81
15	3.25/3.50-16 Tr4	3	830	81
16	2.25/2.50-17 Tr4	3	830	81
17	3.25/3.50-18 Tr4	3	1160	97
18	4.10-18 Tr4	3	1190	102
19	4.25/4.50-18 Tr4	3	1310	112
20	2.75/3.00-19 Tr4	3	970	81
21	3.25/3.50-19 Tr4	3	1175	97
22	4.25/4.50-19 Tr4	3	1380	112
23	2.75/3.00-21 Tr4	3	1060	81
24	4.00/4.10-19 Tr4	3	1225	102
25	3.00/3.25-21 Tr4	3	1175	89
26	2.75/3.00-21 Tr4	4	1300	81
27	3.25/3.50-16 Tr4	4	1200	97
28	3.25/3.50-18 Tr4	4	1350	97
29	4.25/4.50-18 Tr4	4	1600	112
30	4.25/4.50-19 Tr4	4	1700	112
31	4.50/5.10-18 Tr4	4	1700	118
32	3.00/3.25-12 Tr4	4	932	89
33	2.25/2.50-14 Tr4	4	898	76
34	3.25/3.50-14 Tr4	4	1080	81
35	2.25/2.50-17 Tr4	4	1103	72
36	2.75/3.00-19 Tr4	4	1280	81
37	3.25/3.50-19 Tr4	4	1548	98
38	3.00/3.25-21 TR4	4	1538	89

Truck Tubes

PCR tubes, OTR tubes, AGR tubes, TBR tubes,
LTR Tubes, ATV tubes, IND tubes,



No	Size	VALVE
1	4.00-7	TR13
2	400-8	TR13
3	500-8	TR13
4	18×7-8	TR218A
5	700/600-9	TR45A
6	4.00-10	TR13
7	135-10	TR13
8	5.00-10	TR13
9	650-10	TR45A
10	450R12	TR13
11	600/650R12	TR13
12	700-12	TR75A
13	155/165R13	TR13
14	185R13	TR13
15	450/500R14	TR13
16	165/175R14	TR13
17	185R14	TR13
18	5.00-15	TR13
19	175/185R15	TR13
20	700-15	TR13/TR15
21	700-15	TR75A
22	750-15	TR15
23	750-15	TR75A
24	28×9-15	TR77
25	825R15	TR77A
26	10.00-15.3	TR13
27	10.5-15.3	TR13
28	11.5-15.3	TR13
29	4.00-16	TR218A
30	6.00-16	TR218A
31	650R16	TR13
32	650R16	TR75A
33	700R16	TR15
34	700R16	TR75A
35	10.5/65-16	TR15

No	Size	VALVE
36	750R16	TR13/TR15
37	750R16	TR77A
38	750R16	V3027/V30218
39	825R16	TR75A
40	900R16	V3027
41	9.5/9.00-16	TR218A
42	1200/1000/1100-16	TR218A
43	12.00-16	TR218A
44	16/70-16	TR218A
45	14/90-16	TR218A
46	20.5/70R16	TR218A
47	700R20	TR75A
48	750R20	TR77A
49	825R20	TR75A
50	825R20	V3045/V3065
51	8.3/9.5-20	TR13
52	900R20	TR175A
53	900R20	V3045/V3065
54	1000R20	TR78A
55	1000R20	V3045/V3065
56	1100R20	TR78A
57	1100R20	V3045/V3065
58	1200R20	TR179A
59	1200R20	V3045/V3065
60	1400R20	V3065
61	1400R20	TR179A
62	16.00-20	TR218A
63	16.00-21	TR218A
64	8.3-22	TR13
65	1100R22	TR78A
66	1100R22	V3045/V3065
67	8.3/9.5-24	TR13
68	11.2/12.4-24	TR13
69	12.4/13.6-24	TR13
70	1200R24	TR179A
71	1400R24	TR179A
72	13.6/14.9-24	TR13
73	16/70-24	TR218A
74	1300R25	TR179A
75	1400R25	TR179A
76	16.00-25	TR218A
77	17.5-25	TR218A
78	18.00-25	TR218A
79	20.5-25/1800-25	TR218A

No	Size	VALVE
80	23.1/18-26/23.5-25	TR218A
81	13.6-20	TR218A
82	16.00/15.00-24	TR218A
83	19.5L-24	TR218A
84	12-16.5	TR218A
85	5.50-17	TR218A
86	8.5-17.5	TR13
87	4.00/4.50-18	TR218A
88	7.50-18(6.50-19)	TR218A
89	12.5/13.0/45-18	TR218A
90	12.5/80-18	TR218A
91	16/70-18	TR218A
92	4.50-19	TR218A
93	26.5-25	TR218A
94	11.2/12.4-26	TR218A
95	14.9/16.9-26	TR13
96	16.9/18.4-26	TR13
97	23.1-26	TR218A
98	9.5-28	TR13
99	11.2/12.4-28	TR13
100	12.4/13.6-28	TR13
101	13.6/14.9-28	TR13
102	14.9-16.9-28	TR218A
103	6.00-29	TR218A
104	13.6/14.9-30	TR218A
105	16.9/18.4-30	TR218A
106	21.00-30	TR218A
107	23.1-30	TR218A
108	9.5-32	TR13
109	11-32	TR13
110	24.5-32	TR218A
111	30.5L-32	TR218A
112	16.9/18.4-34	TR218A
113	23.1-34	TR218A
114	14.9/13.6-36	TR218A
115	11.2/12.4-38	TR13
116	13.6/14.9-38	TR13
117	18.4/16.9-38	TR218A
118	20.8-38	TR218A
119	8.3-42	TR13
120	18.4/19.5-42	TR13
121	9.5-44	TR13
122	12.4/14.9-48	TR13
123	12.4-54	TR13

No	Size	VALVE
124	550/60-22.5 600/50-22.5	TR218A
125	16.9/18.4-46 20.8-46	TR218A
126	700/45-22.5	TR218A
127	18.00-33	TRJ1175C
128	18.4/20.8-42 520/85R42	TR218A
129	600/55-26.5	TR218A
130	28L-26	TR218A
131	26.5-25	TRJ1175C
132	28.1-26	TR218A
133	710/70-38	TR218A
134	30.5-32	TR218A
135	29.5-25	TRJ1175C
136	29.5-35	TRJ1175C



Flap

Protects inner tubes from wear and tear



No	Size	Minimum wight (g)
1	5.00-8	300
2	6.00-9.21*8-9	350
3	18X7-8	550
4	7.00-12	700
5	6.50-10	750
6	2*9-10	750
7	700/750-15	960
8	6.50-15	960
9	6.50-16	1090
10	7.00-16	1270
11	7.50-16	1310
12	300-15	1330
13	8.15/8.25-15	1330
14	28X9-15	1330
15	750/825R16	1350
16	750/825R20	1800
17	6.50/7.00/7.50-20	1870
18	900/1000R20	2350
19	1100/1200R20	2900
20	1200R24	3000
21	13.00/14.00R20	3500
22	425/85R21	3500
23	13.00/14.00R24/25	3500
24	16.00R20	4350
25	17.5R25	5350
26	16.00R25	5680
27	1300x530x533	6500
28	18.00R25	7650
29	20.5R25	7650
30	23.5R25	9320
31	26.5R25/29.5R25	10900



Sports Tubes--snow tubes and swimming tubes

Cost-effective entertainment. The best outdoor sports. Great for the whole family.



Material	Size	Inner Tube	Packing	Weight/CTN (kg)
Plastic+400D Oxford Fabric	70cm(28")	175/185-14	70*70*18cm(5pcs/CTN)	18
	80cm(32")	750-16	80*80*18cm(5pcs/CTN)	23
	90cm(36")	825-20	90*90*18cm(5pcs/CTN)	33
	100cm(40")	1000-20	100*100*10cm(5pcs/CTN)	32
	120cm(48")	1120-24	120*120*20cm(5pcs/CTN)	48
PVC	90cm(36")	750-20	50*35*10cm(1pcs/CTN)	5.5
	100cm(40")	1000-20	55*35*10cm(1pcs/CTN)	6.5
	110cm(44")	1200-20	55*35*10cm (1pcs/CTN)	7

Snow tube



Swimming tube



Picture of valve



Why do you choose butyl tube

No odor, glossy surface, anti - aging

butyl rubber



Which bottom do you like

Hard Bottom

Thicker bottom, resistant to low temperature



PVC Bottom

The bottom can be folded to save sea freight



Secure Oxford Cloth

Strong and durable, using high-quality materials, thick processing, more convenient and durable



Safety Bandage

Ski laps with net loop rope, reduce cushion flying, comfortable and durable, easy to clear snow



Tow Rope

Double-row sutures, with soft snap ring, a high factor of safety, enhanced tensile strength



DETAILS

SNOW TUBE

