



VIONEK

Product Catalogue

www.vionek.tech

Internationally Certified Laser Safety Goggles

Trusted by doctors, dentists, cosmetic clinics, and industry worldwide.

Visible Spectrum

VIONEK

Visible lasers operate within the wavelength range of 400 to 700 nm and play an important role in a large range of applications.

FW-138mm
TL 140mm
FH 48mm



Argon Laser Eyewear 190 - 400 5+
DI8 Frame#43. 800 - 830 5+
VLT: 69% 805 - 825 7+

FW 157mm
TL 143mm
FH 43mm



Blue Laser Eyewear 190-400 5+
CC1#56 405-445 3+
Wraparound VLT- 49% 532 3+ | 520 2+

FW-138mm
TL- 143mm
FH-43mm



Green Laser Eyewear 190-400 5+ | 532 3+
YGN# 43 808-850 4+ | >850-1075 5+
Fitover, VLT- 33% 910-980 6+ | >980-1070 7+

FW-151mm
TL- 130mm
FH- 44mm



Red Laser Eyewear 610-664 1+ | 665-<670 2+
DI6#45 670-690 3+ | >690-698 2+
wraparound, VLT 35% 735-789 1+ | 790-<808 2+
808-1050 3+ | >1050-1080 2+

FW-138 mm
TL- 140 mm
FH- 48mm



Dye laser eyewear 190-400 5+
DYE#43 576-600 5+
VLT- 15% 582-598 6+
585-595 7+

FW-143mm
TL-133mm
FH-43mm



KTP Laser eyewear 190-534 7+
DBY#43 850-925 5+
VLT - 35% >925-1070 6+
960-1064 7+

FW 130mm
TL 146mm
FH 37mm



Ruby Laser Eyewear 630-711 5+ | 648-708 6+
CT2#41 651-704 7+ | 654-699 8+
Paediatric(M), VLT-20% 712-713 4+ | 714-717 3+

FW- 150mm
FH 85mm



HeNe Laser Eyewear 190 - 400 5+
RB3#60 630 - 665 1.5+
Goggle, VLT- 56% 680 - 710 5+
685 - 705 6+

FW -146mm
TL 156 mm
FH 44mm



Vbeam Laser Eyewear 592-597 5+
CYD#53 1064 5+
VLT- 20%

Infrared Spectrum

Infrared lasers emit wavelengths from 700 nm to 1 mm.

Q-Switch Laser Eyewear 190-534 7+ | 850-925 5+
DBY#45 VLT 35% >925-1070 6+ | 960-1064 7+



Alexandrite Laser Eyewear 190-435 5+ | 650-680 1+
>680-720 2+ | 730-1085 5+
CYN#39 VLT- 36% 745-765 6+ | 750-760 7+
1063-1065 7+



Nd:YAG Laser Eyewear 850-2800 3+ | 900-2600 4+
FG1 #37 VLT- 75% 950-1010 5+ >1010-1500 7+
>1500-2350 5+ | >2800-10600 5+



Ho:YAG laser eyewear 850-2800 3+ | 900-2600 4+
FG1#37 VLT- 75% 950-1010 5+ | >1010-1500 7+
>1500-2350 5+ | >2800-10600 5+



Er:YAG laser Eyewear 190-400 5+ | 1450-1650 2+
HOY#45 VLT- 41% >1650-1775 3+ | >1775-3000 4+
1980-2550 5+ | 5200-11000 5+
9000-10600 6+



Diode laser Eyewear 765-1080 3+
DD2# 53 VLT 56% 780-855 + 950-1070 4+
795-835 + 980-1050 5+



Disk Laser Eyewear 850-2800 3+ | 900-2600 4+
FG1# 49 VLT 75% 950-1010 5+ | >1010-1500 7+
>1500-2350 5+ | >2800-10600 5+



Fiber laser Eyewear 190-400 5+ | 808-840 4+
YG3# 45 VLT 59% >840-950 5+ | >950-1080 7+
>1080-1090 5+



CO2 laser eyewear 190-398 7+
EC2 # 43 VLT 93% 9000-11000 7+



Ultrafast/Femtosecond Lasers

VIONEK

Ti: Sapphire lasers - 180-400 5+ | 720-770 4+
Tunable lasers 730-767 5+ | 960-1067 4+
SMI#43 VLT 51% 990-1040 5+



FW-138 mm
TL 140mm
FH 48mm

Tunable laser eyewear 190-400 5+ | 808-840 4+
YG3#39 VLT 59% >840-950 5+ | >950-1080 7+
>1080-1090 5+



FW 148 mm
TL 144 mm
FH 49 mm

Near Infrared(NIR) lasers 850-2800 3+ | TM900-2600 4+
FGI#53 VLT 75% 950-1010 5+ | >1010-1500 7+
>1500-2350 5+ | >2800-10600 5+



FW 146 mm
TL 156 mm
FH 44 mm

Patient Protection

Stainless Steel Patient Protection
with 2 pair silicone comfort rings, 4 head straps

IShield
190-10600nm OD 7+




IShield X
190-10600nm OD7+



LASER WINDOWS

Our selection of acrylic and polycarbonate Laser Window filters ideal for larger surfaces is available in stock at **24" x 36"**, with an option to order sizes as large as **36" x 48"** for select filters.

We offer special and precision cuts with tight tolerances.




ARW 140 Acrylic filter
VLT- 41% 190-515 OD 7+
516-525 OD 6+
526-532 OD 5+
533-535 OD 4+
10600 OD 5



ECWP125 Polycarbonate Filter
190-360 OD 5+
VLT 90% 9000-11000 OD 5+



KRW125 Acrylic filter
190-580 OD 5+
VLT 7% 9000-11000 OD 5+



Acrylic filter
YLW125 190-260 OD 4+
>260-300 OD 3+
VLT 78% >300-325 OD 4+
>325-450 OD 5+
9000-11000 OD 5+



Acrylic filter
YDW 15 190-375 OD 5+
VLT 42% 760-1070 OD 5+
1064 OD 6+
10600 OD 5+

VIONEK

Flat Lenses

100 x 200 x 3mm polycarbonate filter Flat Lenses

Custom cuts available.

CE certified



2PLW 190-1800nm
VLT 32%



60W
VLT 45%
190-400 5+
>400-535 2+

Dermatology/Aesthetics



FW 142 mm TL 140mm FH 44mm

3PL#36
aesthetics
Medical,
Flashlamp/IPL,
Non-Coherent
VLT 11%
190-1800nm



FW 138mm TL 140mm FH 48mm

2PL#43
aesthetics
purpose
Medical,
Flashlamp/IPL,
Non-Coherent
VLT 32%
190-1800nm

Thank you!

Why choose VIONEK

- Internationally Certified. Simplified. Delivered
- Laser Eye Protection with Global Standards & Local Support.
- OD Rating- Upto OD7+ for ultimate protection
- Wavelength-specific filtering - 190nm-11,000nm
- CE Marked EN 207/208, ANSI Z136.1 Compliant
- After-sales help
- Expert laser consultation

How to Order

Visit Our Website

Scan WhatsApp for Best Pricing



Vionek.tech

Book your Eyewear today! www.vionek.tech
All goggles are custom made to order



contact us

EMAIL

info@vionek.tech
sales@vionek.tech

WEBSITE

www.vionek.tech

PHONE

+91-8329301526

ADDRESS

Balewadi, Pune, Maharashtra.



VIONEK

Protecting Eyes Ensuring Safety