

# BPLED - LED BACK-LIT PANEL

| Name  | Size | Wattage      | Dim  | Driver      | Color Temp. | Lumen           | Backup         |
|-------|------|--------------|------|-------------|-------------|-----------------|----------------|
| BPLED | 1x2  | 15/19/24/29W | /D10 | /U:120-347V | /35:3500K   | Blank: Standard | Blank: None    |
|       | 1x2  | 24/29/32/39W |      |             | /40:4000K   | HL: Premium     | /EM: Emergency |
|       | 2x2  | 15/19/24/29W |      |             | /50:5000K   |                 | Battery        |
|       | 2x2  | 24/29/32/39W |      |             |             |                 | Backup         |
|       | 2x4  | 15/19/24/29W |      |             |             |                 |                |
|       | 2x4  | 29/34/39/49W |      |             |             |                 |                |
|       | 2x4  | 30/40/50/60W |      |             |             |                 |                |
|       | 2x4  | 40/50/60/70W |      |             |             |                 |                |

Example: BPLED-2x4-49/D10/U/40/EM  
2x4 49W 120-347V 4000K Standard with EM

# BLED - LED TROFFER

| Name  | Size | Wattage      | Dim  | Driver      | Color Temp. | Lumen           | Backup             |
|-------|------|--------------|------|-------------|-------------|-----------------|--------------------|
| BLEDT | 1x2  | 15/19/24/29W | /D10 | /U:120-347V | /35:3500K   | Blank: Standard | Blank: None        |
|       | 1x2  | 19/24/32/39W |      |             | /40:4000K   | HL: Premium     | /EM: Emergency     |
|       | 2x2  | 15/19/24/29W |      |             | /50:5000K   |                 | Battery Backup     |
|       | 2x2  | 19/24/32/39W |      |             |             |                 | /MS: Motion Sensor |
|       | 2x4  | 19/24/32/39W |      |             |             |                 |                    |
|       | 2x4  | 29/34/39/49W |      |             |             |                 |                    |
|       | 2x4  | 30/40/50/60W |      |             |             |                 |                    |

Example: BLED-2x2-29/D10/U/40/EM  
2x2 29W 120-347V 4000K Standard with EM

# ELHB - LED LINEAR HIGHBAY

| Name | Size  | Wattage      | Dim  | Driver      | Color Temp. | Cover Lens          | Backup             |
|------|-------|--------------|------|-------------|-------------|---------------------|--------------------|
| ELHB | 2"    | 70/90/110W   | /D10 | /U:120-347V | /35:3500K   | Blank: Frosted lens | Blank: None        |
|      | 2"    | 100/125/150W |      |             | /40:4000K   | CL: Clear Lens      | /EM: Emergency     |
|      | 2"    | 110/135/160W |      |             | /50:5000K   |                     | Battery Backup     |
|      | 2x1.5 | 180/200/220W |      |             |             |                     | /MS: Motion Sensor |
|      | 4"    | 180/200/220W |      |             |             |                     |                    |
|      | 4"    | 220/260/300W |      |             |             |                     |                    |
|      | 4"    | 150/240/320W |      |             |             |                     |                    |
|      | 4"    | 240/280/320W |      |             |             |                     |                    |
|      | 4x1.5 | 360/400/440W |      |             |             |                     |                    |

Example: ELHB-2-90/D10/U/40/EM  
2FT 90W 120-347V 4000K Standard with EM

# MLSN - LED STRIP LIGHTS

| Name | Size | Wattage      | Dim  | Driver      | Color Temp. | Lumen           | Backup             |
|------|------|--------------|------|-------------|-------------|-----------------|--------------------|
| MLSN | 2"   | 20/24/28W    | /D10 | /U:120-347V | /35:3500K   | Blank: Standard | Blank: None        |
|      | 4"   | 22/28/36/44W |      |             | /40:4000K   | HL: Premium     | /EM: Emergency     |
|      | 8"   | 44/58/68W    |      |             | /50:5000K   |                 | Battery Backup     |
|      | 8"   | 48/68/90W    |      |             |             |                 | /MS: Motion Sensor |

Example: MLSN-2-28/D10/U/40/EM  
2FT 28W 120-347V 4000K Standard with EM

# LWP - LED WRAPROUND

| Name | Size | Wattage      | Dim  | Driver      | Color Temp. | Lumen           | Backup             |
|------|------|--------------|------|-------------|-------------|-----------------|--------------------|
| LWP  | 2"   | 20/24/28W    | /D10 | /U:120-347V | /35:3500K   | Blank: Standard | Blank: None        |
|      | 4"   | 22/28/34/44W |      |             | /40:4000K   | HL: Premium     | /EM: Emergency     |
|      |      |              |      |             | /50:5000K   |                 | Battery Backup     |
|      |      |              |      |             |             |                 | /MS: Motion Sensor |

Example: LWP-2-28/D10/U/40/EM  
2FT 28W 120-347V 4000K Standard with EM

# LVP - LED VAPORTIGHT

| Name | Size | Wattage   | Dim  | Driver      | Color Temp. | Backup             |
|------|------|-----------|------|-------------|-------------|--------------------|
| LWP  | 2"   | 20/25/30W | /D10 | /U:120-347V | /35:3500K   | Blank: None        |
|      | 4"   | 25/35/50W |      |             | /40:4000K   | /EM: Emergency     |
|      | 4"   | 40/50/60W |      |             | /50:5000K   | Battery Backup     |
|      | 8"   | 60/75/90W |      |             |             | /MS: Motion Sensor |

Example: LVP-2-28/D10/U/40/EM  
2FT 25W 120-347V 4000K Standard with EM