# 2026

LIST PRICE GUIDE




**AMERICAN MADE** ★ **AMERICAN OWNED**

# MAZE NAILS

Building America one NAIL at a time

# W. H. MAZE COMPANY CELEBRATES 178 YEARS OF SERVING THE BUILDING INDUSTRY

When it comes to running not just a family business, but a family-oriented business, Maze Nails in Peru, Illinois is second to none – and it's been that way for 178 years now.

Founded in1848 by Irish immigrant Samuel Nesbitt Maze, Maze Nails began out of a need for a better solution.

*"My great-great-grandfather came to America in 1836 and started working as a masonry contractor,"* said Roelif Loveland, President of Maze Nails. *"When the Illinois and Michigan Canal opened up and gave a direct route to Chicago from Peru, he opened Maze Lumber right along the river so that he could sell brick and lumber to local residents."*

Samuel had a small barge (named "The Elk") built for the lumberyard – and used it to take the 100-mile long trip to and from Chicago. The trip up was with his barge full of local farmers' grain for the commodity markets – and the backhaul was a bargeload of white pine lumber for his little yard.

In the late 1800's, Maze Lumber was selling market-standard nails with their lumber. But when customers came back complaining that the nails were rusting and the cedar shingle roofs of their homes were blowing off, Samuel's son Walter purchased a single nail machine and the yard began making their own. Instead of making them out of steel, which quickly rusted, Walter used pure zinc for the nails. The LaSalle Peru area was a huge smelter of zinc at the time (since they had lots of coal needed for the process) so accessing the raw zinc for the nails was easy. The result was rust-proof nails that dependably kept Maze Lumber's cedar shingles on the roofs of their customers' homes.



A LOOK AT MAZE NAILS IN THE "OLD DAYS"

AND TODAY!



It wasn't long before the nails made at Maze Lumber became known to other local lumberyards – and they asked Maze to sell them some of their production. And so the small, used nail machine purchased for a part-time solution started running full-time. And soon, more machines were added.

There was a small problem, though. Because Maze Lumber was situated so close to the Illinois River, any time the river rose and water came into the plant, production of nails had to be shut down. So, in 1922, the third-generation Maze boys – Hamilton and James – purchased an empty plot of land on higher ground, and Maze Nails was born.

*"We started very small and built from there,"* Roelif said. *"We had just a handful of employees at the time, and made only one or two types of nails."*

Things have changed since then – the company now employs over 80 people and makes over 2,800 types of nails, claiming the title of America's Premier Specialty Nail Maker.

*"We are basically the last man standing in the specialty nail business,"* Roelif said. *"Many other companies thought they could compete by matching the import prices, which was their downfall. You have to drive your business with the quality of your products, speedy delivery times, and with a good variety."*

And though much has changed in the scope of nail making, the business has stayed within the community and in the family. Roelif works alongside two of his three sons, three nephews and several cousins. He is the fifth generation to own and operate the Maze operation – and the sixth generation is soon to take over.

*"One way or another, we're going to continue making our nails in the state of Illinois,"* Roelif said.

It's this kind of attitude that has kept Maze Nails around for so long... a genuine excitement about the products Maze Nails produces and the top notch people hired to help make and sell them.

# ORDERING INFORMATION

## How to Place Orders

**E-mail to:** orders@mazenails.com

**Call:** 800-435-5949

**Fax to:** 815-223-7585

**Address:** 100 Church St., P.O. Box 449, Peru, IL 61354

**Top-notch lumberyards, home centers and hardware stores nationwide insist on stocking and promoting quality Maze Nails. Please support those retailers – and let them know that it *PAYS TO STOCK MAZE*.**

Payment terms: 1%-10; net 30 days except for credit card payments. No COD shipments. Prices subject to change without notice.

## Broken Carton Shipments

An extra **$10.00** will be charged whenever a standard carton of any type packing must be broken open before shipment. Does not apply to Painted Stainless Steel and Aluminum Trim Nails on page 23.

## Backorder Policy

We strive to ship every order promptly and complete. However, with the customer's prior approval, we will ship all available and backorder the balance for shipment when available. The customer is responsible for all freight charges if the backorder quantity does not meet prepaid freight minimums.

## Returned Goods

Full cartons of Maze Nails still offered in our current catalog may be returned for credit only – but not without prior authorization. A 30% restocking charge applies. However, **additional restocking charges may apply** after receipt and inspection of nails at our Peru, IL warehouse. Maze Nails, at their discretion, may opt not to accept a return of nails. Credit is based on original purchase price and subject to our count. **Painted nails** are handled on a special basis and may not be accepted for return. **No credit will be issued for field-destroyed or "buy-back" nails.**

## Painting Extra

Applicable to most nails in this catalog. Prices subject to change without notice.

**MINIMUM PAINTED NAIL ORDER - 200 POUNDS OF A SIZE AND COLOR AND PACKAGING & 50 POUND INCREMENTS BEYOND.**
*However, some sizes and colors of Split-Less® Nails, Rubber Washer Nails and Trim Nails are kept in stock. Call for availability.*

| PAINTED NAIL PRICING GUIDE | |
|---|---|
| ***For bulk, hand-driven nails:*** | ***For collated stick & coil nails:*** |
| 50# boxes - Add $ 41.20 | Add $35.02 per carton |
| 25# boxes - Add $ 20.60 | |
| 5# boxes - Add $ 4.12 | |
| 1# boxes - Add $ 0.85 | |

***HAMMER CAPS** - Offered to reduce chipping on painted nails during application. Packaged two caps per peg-holed bag. Twenty-five bags in a master carton. May also be ordered in individual packs. Will fit 16 or 20 oz. round hammers. List price is $8.00 per bag.*








## Color Matched Nails save BIG $$$ in time and labor on prestained and prefinished jobs!

**Maze Nails has over 200 colors available.**

***Here are the 101 most popular colors***



***REMEMBER TO USE HAMMER CAPS WHEN HAND DRIVING PAINTED NAILS!***
***For paint pricing, see above.***




***NOTE:** Actual paint colors may vary from the representations on this chart. For stainless steel trim nail info see page 23.*

# NAIL INDEX

## MAZE NAIL COLOR REFERENCE KEY

(Easy color reference to help you find the "right nail" for your building projects!)

- COLLATED NAILS
- SIDING NAILS
- DECK, GUTTER & TRIM NAILS
- ROOFING NAILS
- SPECIALTY NAILS

### COLLATED PAPER TAPE NAILS


Clipped Head 33° ..... 11


### COLLATED 20° STICK NAILS


Composite Decking Nails - Stainless Steel 304 & 316 ..... 7
Composite Decking Nails - *STORMGUARD®* ..... 7
Fiber Cement Siding Nails - Hot-Dipped ..... 9
Fiber Cement Siding Nails - Stainless Steel 304 ..... 9
Fiber Cement Siding Nails - Stainless Steel 316 ..... 9
Framing Nails - Bright ..... 7
Post & Timber Frame ..... 10
PTL® Decking Nails - Hot-Dipped ..... 7, 10
PTL® Decking Nails - Stainless Steel 304 ..... 7
PTL® Decking Nails - Stainless Steel 316 ..... 7
Wood Siding Nails - Hot-Dipped ..... 8
Wood Siding Nails - Stainless Steel 304 ..... 8
Wood Siding Nails - Stainless Steel 316 ..... 8


### COIL-ATED® 15° COIL NAILS


Siding Nails ..... 13
Cedar & Redwood Split-Less® Siding Nails ..... 11
Cedar Shake Nails ..... 13
Fiber Cement Siding Nails - Hot-Dipped ..... 12, 13, 14
Fiber Cement Siding Nails - Stainless Steel 304 ..... 13
PVC Molding & Trim Nails - Stainless Steel 304 ..... 12
Roofing Nails - Electro-Galvanized ..... 14
Roofing Nails - Stainless Steel 304 ..... 14
Roofing Nails - Stainless Steel 316 ..... 14
Roofing Nails - *STORMGUARD®* ..... 14
Slim-Jim® Wood Siding Nails - Stainless Steel ..... 12


### COIL-ATED® 0° COIL NAILS


Aluminum Fencing Nails ..... 15
Bright Nails ..... 15
Decking Nails ..... 15
Fiber Cement Siding ..... 15


### FOR SIDING


Aluminum and Steel - Hot-Dipped ..... 17
Aluminum Nails for Siding ..... 17, 18
Box Nails for Wood, Engineered Wood Siding & Trim ..... 17
Cedar Shake Siding ..... 16
Coil-ated® Nails in Coils ..... 11-14
Collated 20° Stick - Hot-Dipped ..... 8, 9
Collated 20° Stick - Stainless Steel 304 & 316 ..... 8, 9
Engineered Wood ..... 17, 18, 19
Fiber Cement - Hot-Dipped ..... 18, 19
Hammer Caps (for painted nails) ..... 3
Original Small Head Siding Nails ..... 18
Slim-Jim® Wood Siding - Stainless Steel 204 ..... 16
Slim-Jim® Wood Siding - Stainless Steel 304 ..... 16
Slim-Jim® Wood Siding - Stainless Steel 316 ..... 16
Split-Less® Wood Siding ..... 16
Vinyl (Large Head) - Aluminum ..... 17
Vinyl (Large Head) - Hot-Dipped ..... 17
Vinyl (Large Head) - Stainless Steel ..... 17


### FOR DECKS, GUTTERS AND TRIM


Casing ..... 22
Collated 20° Stick Nails ..... 7
Common Nails - Stainless Steel 304 & 316 ..... 20
Connector Nails ..... 21
Finishing - Hot-Dipped ..... 22
Garage Door Jamb Seal Nails - Hot-Dipped ..... 22
General Purpose Ring Shank Nails ..... 24
Gutter Ferrules ..... 24
Gutter Hanger Nails ..... 24
Gutter Spikes - Hot-Dipped ..... 24
Joist Hanger - Hot-Dipped ..... 21
Painted Trim Nails - Aluminum ..... 23
Painted Trim Nails - Hot-Dipped ..... 22
Painted Trim Nails - Stainless Steel 204 ..... 23
Painted Trim Nails - Stainless Steel 304 ..... 23
Pressure Treated Lumber PTL® - Hot-Dipped ..... 20
PTL® Stainless Steel 304. ..... 20
PTL® Stainless Steel 316. ..... 20
PVC Molding & Trim Nails - Stainless Steel ..... 22
Treated Lumber ..... 20


### FOR ROOFING


Asphalt & Fiberglass Shingle ..... 25
Cedar Shingle and Shake Nails - Hot-Dipped ..... 27
Cedar Shingle and Shake Nails - Stainless Steel 316 ..... 27
Copper Slating & Flashing ..... 26
Insulation Roof Deck ..... 25
Ridge Vent Nails ..... 25
Roofing Nails - Aluminum ..... 17, 18
Roofing Nails - Electro-Galvanized ..... 25
Roofing Nails - Stainless Steel 304 ..... 26
Roofing Nails - Stainless Steel 316 ..... 26


### METAL ROOFING NAILS


Rubber Washer ..... 28
Silicone Fat-Head® Washer ..... 28


### SPECIALTY NAILS


Ardox® Spikes ..... 32
Bridge Spikes ..... 32
Common Nails ..... 34
Common Nails - Hot-Dipped ..... 34
Copper Slating ..... 26
Cut Masonry ..... 34
Duplex Nails ..... 34
Fence Staples - One Legged ..... 33
Fiberglass Liner Panel Nails - Stainless Steel ..... 30
Flooring ..... 35
Foundry Nails ..... 32
Hardened Metal Lath ..... 35
Hardwood Trim ..... 34
Log Home Spikes ..... 31
Masonry - Fluted ..... 35
Masonry - Heavy Duty Plated ..... 31
Pallet ..... 32
Pan Nails ..... 32
Plastic-Hed Cap Bright & Stainless Steel ..... 33
Plywood ..... 35
Post-Frame - Bright & Hardened ..... 29
Post-Frame - Hot-Dipped ..... 30
Post-Frame - Stainless Steel 304 ..... 30
Post & Truss - Bright & Hardened ..... 29
Post & Truss - Hot-Dipped ..... 30
Round-Cap ..... 33
Sill Plate Nails - Hot-Dipped ..... 34
Sinker Nails ..... 34
Spikes ..... 31, 32
Square-Cap® ..... 33
Tile Backerboard Nails ..... 33
Underlayment ..... 35

# NAIL INDEX BY ITEM NUMBER


| MAZE # | Page |
|---|---|
| 200HD | 15 |
| 225HD | 15 |
| 250HD | 15 |
| 521A | 29 |
| 523A | 29 |
| 523S | 29 |
| 525A | 29 |
| 525S | 29 |
| 526A | 29 |
| 526S | 29 |
| 527A | 29 |
| 527S | 29 |
| 528A | 29 |
| 528S | 29 |
| 530A | 29 |
| 530S | 29 |
| 532A | 29 |
| 534A | 29 |
| 853A | 33 |
| 854A | 33 |
| 854AR | 33 |
| 854ARZ | 33 |
| 855A | 33 |
| 855AR | 33 |
| 855ARZ | 33 |
| 855AZ | 33 |
| 856A | 33 |
| 856AR | 33 |
| 856ARZ | 33 |
| 856AZ | 33 |
| 857A | 33 |
| 857AR | 33 |
| 857ARZ | 33 |
| 857AZ | 33 |
| 858AR | 33 |
| 859A | 33 |
| 859AR | 33 |
| 859ARZ | 33 |
| 859AZ | 33 |
| 861AR | 33 |
| 863AR | 33 |
| 863ARZ | 33 |
| AF5 | 24 |
| ARD7 | 32 |
| ARD8 | 32 |
| ARD8Z | 32 |
| ARD10 | 32 |
| ARD10Z | 32 |
| ARD12 | 32 |
| ARD12Z | 32 |
| ARD200148Z | 24 |
| ARD250148Z | 24 |
| AS4 | 18 |
| AS5 | 18 |
| AS6 | 18 |
| AS8 | 18 |
| AS10 | 18 |
| AT31177 | 23 |
| AT38252 | 23 |
| AV4 | 17 |
| MAV4A | 17 |
| AV5A | 17 |
| AV6 | 17 |
| AV6A | 17 |
| CCEM6 | 9 |
| CCEM8 | 9 |
| CCEM10 | 9 |
| CEM6 | 18 |
| CEM8 | 18 |
| CEM10 | 18 |
| CF447 | 7 |
| CF4490 | 7 |
| CHD6 | 9 |
| CHD8 | 9 |
| CHD10 | 9 |
| CHDSS6 | 9 |
| CHDSS8 | 9 |
| CHDSS10 | 9 |
| CHDSS6316 | 9 |
| CL400148Z | 15 |
| CLCEM113A | 13, 27 |
| CLCEM115 | 13, 27 |
| CLCEM115A | 13, 27 |
| CLCEM116 | 13, 27 |
| CLCEM116A | 13, 27 |
| CLCEM117 | 13, 27 |
| CLCEM117A | 13, 27 |
| CLCEM119 | 13, 27 |
| CLCEM119A | 13, 27 |
| CLD500148 | 15 |
| CLHD115 | 12 |
| CLHD116 | 12 |
| CLHD117 | 12 |
| CLHD119 | 12 |
| CLS222A | 11 |
| CLS223A | 11 |
| CLS224A | 11 |
| CLS225A | 11 |
| CLS226A | 11 |
| CLS227A | 11 |
| CLS229A | 11 |
| CLSS6WS | 12 |
| CLSS8WS | 12 |
| CLSSCEM113A316 | 13, 27 |
| CLSSCEM115A | 13 |
| CLSSCEM115A316 | 13, 27 |
| CLSSCEM117A | 13 |
| CLSSCEM117A316 | 13, 27 |
| CLSSHD115 | 13 |
| CLSSHD117 | 13 |
| CLSSPVC6 | 12 |
| CLSSPVC8 | 12 |
| CLSSPVC10 | 12 |
| CLWHD115 | 14 |
| CLWHD115A | 14 |
| CLWHD116 | 14 |
| CLWHD117 | 14 |
| CLWHD117A | 14 |
| CLWHD119 | 14 |
| CLWR102 | 14 |
| CLWR102A | 14 |
| CLWR103 | 14 |
| CLWR103A | 14 |
| CLWR104 | 14 |
| CLWR104A | 14 |
| CLWSSRFG3A | 14 |
| CLWSSRFG4A | 14 |
| CLWSSRFG4A316 | 14 |
| CLWSSRFG5A | 14 |
| CLWSSRFG5A316 | 14 |
| CLWZPR102 | 14 |
| CLWZPR102A | 14 |
| CLZ188092AZ | 15 |
| CLZAWS188 | 15 |
| CMH4 | 34 |
| CMH6 | 34 |
| CMH8 | 34 |
| CMH8Z | 34 |
| CMH10 | 34 |
| CMH10Z | 34 |
| CMH16 | 34 |
| CN250131 | 21 |
| CN250148 | 21 |
| CN250162 | 21 |
| CN300148 | 21 |
| COM4 | 34 |
| COM6 | 34 |
| COM8 | 34 |
| COM10 | 34 |
| COM12 | 34 |
| COM16 | 34 |
| COM20 | 34 |
| COM30 | 34 |
| COM50 | 34 |
| COM60 | 34 |
| CPVC6A8252 | 22 |
| CPVC88252 | 22 |
| CS205A | 8, 9 |
| CS205S | 8 |
| CS207 | 8 |
| CS207A | 8, 9 |
| CS207S | 8 |
| CS209 | 8 |
| CS209A | 8, 9 |
| CS209S | 8 |
| CS2091 | 8 |
| CS2091A | 8 |
| CS2091S | 8 |
| CSS5WS | 16 |
| CSS8WS | 16 |
| CSS10WS | 16 |
| CSS16WS | 16 |
| CST2 | 23 |
| CST2A | 23 |
| CST3 | 23 |
| CST3A | 23 |
| CT350148AZ | 7, 10 |
| CT445 | 7 |
| CT445A | 7 |
| CT445S | 7 |
| CT447 | 7 |
| CT447A | 7 |
| CT447S | 7 |
| CT449 | 7 |
| CT449A | 7 |
| CT449S | 7 |
| CT4490 | 7 |
| CT4490A | 7 |
| CT4490S | 7 |
| CT4491 | 7 |
| CT4491A | 7, 10 |
| CT4491S | 7 |
| CT400148AZ | 10 |
| CT450148AZ | 10 |
| CT500148AZ | 10 |
| CU100 | 26 |
| CU125 | 26 |
| CU150 | 26 |
| CU175 | 26 |
| CU200 | 26 |
| CU250 | 26 |
| CU300 | 26 |
| CU100A | 26 |
| CU125A | 26 |
| CU150A | 26 |
| CU175A | 26 |
| CU200A | 26 |
| CU250A | 26 |
| CU300A | 26 |
| CXSS6 | 8 |
| CXSS6316 | 8 |
| CXSS8 | 8 |
| CXSS8316 | 8 |
| CXSS10 | 8 |
| CXSS16 | 8 |
| CXSS16316 | 8 |
| CXSSDK8 | 7 |
| CXSSDK8316 | 7 |
| DUP8 | 34 |
| DUP8Z | 34 |
| DUP16 | 34 |
| DUP16Z | 34 |
| F141 | 35 |
| F142 | 35 |
| F143 | 35 |
| F145 | 35 |
| F147 | 35 |
| F3 | 33 |
| F4 | 33 |
| GH6S | 24 |
| GH8S | 24 |
| HAMMERCAPS | 3 |
| H52S | 35 |
| H53S | 35 |
| H54S | 35 |
| H55S | 35 |
| H56S | 35 |
| H57S | 35 |
| H59S | 35 |
| H60S | 35 |
| H61S | 35 |
| H63S | 35 |
| H521A | 29 |
| H521S | 29 |
| H523A | 29 |
| H523S | 29 |
| H524A | 29 |
| H524S | 29 |
| H525A | 29 |
| H525S | 29 |
| H526A | 29 |
| H526S | 29 |
| H527A | 29 |
| H527S | 29 |
| H528A | 29 |
| H528S | 29 |
| H530A | 29 |
| H530S | 29 |
| H532A | 29 |
| H534A | 29 |
| H678A | 29 |
| H680A | 29 |
| HD6 | 18 |
| HD8 | 18 |
| HD10 | 18 |
| HD16 | 18 |
| HD103S | 33 |
| HF167 | 35 |
| HML50 | 35 |
| HS16 | 32 |
| HT100 | 34 |
| HT125 | 34 |
| HT150 | 34 |
| HT200 | 34 |
| HT250 | 34 |
| J131 | 21 |
| J148 | 21 |
| J148A | 21 |
| L8 | 31 |
| L10 | 31 |
| L12 | 31 |
| L368A | 31 |
| L369A | 31 |
| LP8 | 18 |
| PCP31238113AZ | 11 |
| PCP31238120 | 11 |
| PCP31325120AZ | 11 |
| PCP31325131 | 11 |
| PH03 | 33 |
| PH05 | 33 |
| PH06 | 33 |
| PH08 | 33 |
| PVC6A8252 | 22 |
| PVC88252 | 22 |
| PVC8A8252 | 22 |
| R100 | 25 |
| R100A | 25 |
| R101 | 25 |
| R101A | 25 |
| R102 | 25 |
| R102A | 25 |
| R102ZP | 25 |
| R103 | 25 |
| R103A | 25 |
| R103S | 25 |
| R104 | 25 |
| R104A | 25 |
| R104S | 25 |
| R105 | 25 |
| R105A | 25 |
| R105S | 25 |
| R107 | 25 |
| R107A | 25 |
| R112 | 27 |
| R112M22 | 22 |
| R112M61 | 22 |
| R113 | 27 |
| R113A | 27 |
| R113M22 | 22 |
| R113M61 | 22 |
| R114 | 27 |
| R114A | 27 |
| R115 | 27 |
| R115A | 27 |
| R116 | 27 |
| R116A | 27 |
| R117 | 27 |
| R159 | 25 |
| R159A | 25 |
| R1591 | 25 |
| R1591A | 25 |
| R1592 | 25 |
| R1593 | 25 |
| R1593A | 25 |
| R1595A | 25 |
| R163AF | 28 |
| R163FH | 28 |
| R164AF | 28 |
| R164FH | 28 |
| R165AF | 28 |
| R165FH | 28 |
| R166AF | 28 |
| R166FH | 28 |
| R167AF | 28 |
| R167FH | 28 |
| R169AF | 28 |
| R169FH | 28 |
| R1691FH | 28 |
| R1693AF | 28 |
| S103 | 17 |
| S104 | 17 |
| S105 | 17 |
| S107 | 17 |
| S109 | 17 |
| S14 | 32 |
| S16 | 32 |
| S17 | 32 |
| S18 | 32 |
| S202A | 17 |
| S203 | 17 |
| S203A | 17 |
| S205 | 17 |
| S205A | 17, 18 |
| S206A | 17 |
| S207 | 17 |
| S207A | 17, 18 |
| S207S | 17 |
| S209 | 17 |
| S209A | 17, 18 |
| S209S | 17 |
| S2091 | 17 |
| S212A | 24 |
| S213A | 22, 24 |
| S214A | 22, 24 |
| S225 | 16 |
| S225A | 16 |
| S226 | 16 |
| S226A | 16 |
| S227 | 16 |
| S227A | 16 |
| S228 | 16 |
| S228A | 16 |
| S229 | 16 |
| S229A | 16 |
| S2290A | 16 |
| S2291A | 16 |
| S2292 | 16 |
| S2292A | 16 |
| S234A | 16 |
| S235A | 16 |
| S255 | 18 |
| S255S | 18 |
| S257 | 18 |
| S257S | 18 |
| S259 | 18 |
| S259S | 18 |
| S2590 | 18 |
| S2590S | 18 |
| S2591 | 18 |
| S2591S | 18 |
| S2592 | 18 |
| S263 | 17 |
| S265 | 17 |
| SF4 | 33 |
| SINK8 | 34 |
| SINK10 | 34 |
| SINK12 | 34 |
| SINK16 | 34 |
| SS5WS | 16 |
| SS5WS316 | 16 |
| SS6WS | 16 |
| SS6WS316 | 16 |
| SS8WS | 16 |
| SS8WS316 | 16 |
| SS10WS | 16 |
| SS10WS316 | 16 |
| SS16WS | 16 |
| SS16WS316 | 16 |
| SS175135A | 30 |
| SSDK6 | 20 |
| SSJ131 | 21 |
| SSPH03 | 33 |
| SSPH06 | 33 |
| SSJ148 | 21 |
| SSR112A | 27 |
| SSR113A | 27 |
| SSR114A | 27 |
| SSR115A | 27 |
| SSRFG3A | 26 |
| SSRFG4A | 26 |
| SSRFG4A316 | 26 |
| SSRFG5 | 26 |
| SSRFG5A | 26 |
| SSRFG5A316 | 26 |
| SSRFG6 | 26 |
| SSRFG6A | 26 |
| SSRFG8 | 26 |
| SSRFG8A | 26 |
| SSRFG10A | 26 |
| SSRFG16A | 26 |
| SST2 | 23 |
| SST2A | 23 |
| SST3 | 23 |
| SST3A | 23 |
| SST4A | 23 |
| SST5 | 23 |
| SST5A | 23 |
| SSV4A | 17 |
| SSV5A | 17 |
| SSXR162A | 21 |
| SSXR163A | 21 |
| T305 | 22 |
| T307 | 22 |
| T309 | 22 |
| T3091 | 22 |
| T3092 | 22 |
| T315 | 22 |
| T317 | 22 |
| T319 | 22 |
| T364 | 24 |
| T364A | 24 |
| T365 | 24 |
| T365A | 24 |
| T366 | 24 |
| T366A | 24 |
| T368 | 24 |
| T368A | 24, 31 |
| T369 | 24 |
| T369A | 24, 31 |
| T445 | 20 |
| T445A | 20 |
| T445S | 20 |
| T447 | 20 |
| T447A | 20 |
| T447S | 20 |
| T449 | 20 |
| T449A | 20 |
| T449S | 20 |
| T4490 | 20 |
| T4490A | 20 |
| T4490S | 20 |
| T4491 | 20 |
| T4491A | 20 |
| T4491S | 20 |
| T4492 | 20 |
| T4492A | 20 |
| T4492S | 20 |
| T4493 | 20 |
| T4493A | 20 |
| T4493S | 20 |
| T4494 | 20 |
| T4494A | 20 |
| T4494S | 20 |
| T4496 | 20 |
| T4496A | 20 |
| TH447A | 30 |
| TH449A | 30 |
| TH449S | 30 |
| TH4490S | 30 |
| TH4491A | 30 |
| TH4491S | 30 |
| TH4492A | 30 |
| TH4492S | 30 |
| TH4493A | 30 |
| TH4495A | 30 |
| TH4495S | 30 |
| TH4497A | 30 |
| TH4498A | 30 |
| VSS3WS | 16 |
| VTRGG6P | 31 |
| VTRGG8P | 31 |
| VTRGG16P | 31 |
| X150148A | 32 |
| X225113CC | 35 |
| X700313 | 32 |
| X700313A | 32 |
| X800313A | 32 |
| XCOM8Z | 34 |
| XCOM10Z | 34 |
| XCOM16Z | 34 |
| XFN300135 | 32 |
| XFN400135 | 32 |
| XFN500135 | 32 |
| XFN600135 | 32 |
| XFN800135 | 32 |
| XR162A | 21 |
| XR163A | 21 |
| XR164A | 21 |
| XR165A | 21 |
| XR167A | 21 |
| XR175S | 24 |
| XSSRFG2A | 26 |
| XSST443A | 20, 30 |
| XSST445A | 20 |
| XSST445A316 | 20 |
| XSST447A | 20, 30 |
| XSST447A316 | 20 |
| XSST449A | 20, 30 |
| XSST449A316 | 20 |
| XSST4491A | 20, 30 |
| XSST4491A316 | 20 |
| XSST4492A | 20, 30 |
| XSST4492A316 | 20 |
| XSST4494A | 20, 30 |
| XSST4496A | 20, 30 |
| XSST4496A316 | 20 |
| XT650A | 24 |
| XT658A | 24 |
| XT700313AZ | 32 |
| XT700313Z | 32 |
| XT750A | 24 |
| XT800313AZ | 32 |
| XT800313Z | 32 |
| ZL8 | 31 |
| ZL8A | 31 |
| ZL10 | 31 |
| ZL10A | 31 |
| ZL12 | 31 |
| ZL12A | 31 |
| ZL3691A | 24, 31 |
| ZL3692A | 24, 31 |

# ORDER 'EM BY THE SKID...
# AND SAVE!

## ORDER IN BULK AND SAVE BIG ON FASTENERS AND NAILS!



50# BULK BOXES –
**48** BOXES PER SKID ✔



U2 FASTENERS –
**36** BULK BUCKETS PER SKID ✔



25# BOXES –
**80** BOXES PER SKID ✔




COIL ROOFING NAILS –
**40** CASES PER SKID ✔



1# BOXES – 12 PER MASTER
**135** MASTERS PER SKID ✔




5# BOXES – 6 PER MASTER
**64** MASTERS PER SKID ✔



1# PAINTED TRIM NAILS –
25 PER MASTER
**72** MASTERS PER SKID ✔



COIL SIDING NAILS
**64** BOXES PER SKID ✔



20-DEGREE STICK NAILS
**140** BOXES PER SKID ✔

**1-800-435-5949 • orders@mazenails.com**

# FOR DECKING AND PRESSURE TREATED WOOD

## 20-22 DEGREE COLLATED STICK NAILS

**DESIGNED TO FIT THE FOLLOWING:**

BOSTITCH.....N79RH
BOSTITCH.....N88RH
BOSTITCH.....F21PL
BOSTITCH.....F21PL2
BOSTITCH.....N90RHN
BOSTITCH.....N95162
BOSTITCH.....N95RHN
BOSTITCH.....KN85PP-1
BOSTITCH.....BTF83PL
CAMPBELL HAUSFELD .....NS2090
CRAFTSMAN .....18365
CRAFTSMAN..... 18465
DEWALT..... D51844
DEWALT..... D51845
DEWALT..... DCN21PLM1
DEWALT.....DWF83PL
DEWALT.....DW325PL
DEWALT.....DW83PL
DEWALT.....20V MAX DCN 920P1
DEWALT.....20V MAX DCN 21PLM1
DUO-FAST ..... CN 350B-SH
DUO-FAST ..... CN 350B
DUO-FAST ..... SNP83
FASCO ..... F5C-RHN20-83
FASCO ..... F6C-RHN20-90
FASCO ..... R45C RHN20-90
HALSTEAD .....HNS-24
HALSTEAD .....HNS-32
HALSTEAD .....HNS-39
HALSTEAD .....HN-212
HALSTEAD .....RN-90
HAUBOLD..... RN 90 PII
HILTI ..... RHN 9020
HITACHI.....NR-83A
HITACHI.....NR-90AC
HITACHI.....NR-90AE
MAKITA .....AN922
MAKITA .....AN924
MAKITA .....AN-8300
MAX ..... GS683RH-EX
MAX .....SN89RH
MAX .....SN883RH
MAX .....SN890RH
MAX .....SN90
METABO ..... NR3690DR
MILWAUKEE.....2744-20
MILWAUKEE.....7200-20
MILWAUKEE.... M18 FUEL 274420
PASLODE.....5350 SRH
PASLODE.....F350-21
PORTER CABLE .....FR350
PORTER CABLE .....FR350A
RIDGID..... R350RHA
SENCO..... SN 60
SENCO..... SN 65
SENCO..... 600 FRH
SENCO..... 602 FRH
SENCO..... 702 FRH
SENCO..... 752 FRH
SENCO.....700XL FRH
SENCO.....750XL FRH
SENCO.....FN81T1
SENCO....FRAME PRO 325 FRHXP

*(Pneumatic tool names may be trademarks of their respective companies.)*

### DOUBLE HOT-DIPPED GALVANIZED P.T.L.® NAILS

IBC CODE APPROVED SECTION 2304.9.5.1

PTL nails are the type of galvanized nails recommended by wood treaters - and will last far longer and look much better than cheap "galv." nails that rust soon after application. **LIFETIME WARRANTY!**

***For The New Treated Lumber***



| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | Price Per Carton |
|---|---|---|---|---|---|---|
| CT445 | 2" | .120" | 9/32" | 1,700 | 14 | $93.66 |
| CT447 | 2 1/2" | .120" | 9/32" | 1,400 | 14 | $88.78 |
| CT449 | 3" | .131" | 9/32" | 1,100 | 15 | $87.00 |
| CT4490 | 3 1/4" | .131" | 9/32" | 1,000 | 15 | $85.08 |
| CT4491 | 3 1/2" | .131" | 9/32" | 1,000 | 16 | $89.18 |

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | Price Per Carton |
|---|---|---|---|---|---|---|
| CT445A | 2" | .120" | 9/32" | 1,700 | 14 | $96.46 |
| CT447A | 2 1/2" | .120" | 9/32" | 1,400 | 14 | $91.24 |
| CT449A | 3" | .131" | 9/32" | 1,100 | 15 | $92.36 |
| CT4490A | 3 1/4" | .131" | 9/32" | 1,000 | 15 | $88.53 |
| CT4491A | 3 1/2" | .131" | 9/32" | 1,000 | 16 | $91.79 |
| CT350148AZ | 3 1/2" | .148" | 5/16" | 1,000 | 18 | $134.80 |

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | Price Per Carton |
|---|---|---|---|---|---|---|
| CT445S | 2" | .120" | 9/32" | 1,700 | 14 | $96.89 |
| CT447S | 2 1/2" | .120" | 9/32" | 1,400 | 14 | $91.35 |
| CT449S | 3" | .131" | 9/32" | 1,100 | 15 | $91.65 |
| CT4490S | 3 1/4" | .131" | 9/32" | 1,000 | 15 | $88.93 |
| CT4491S | 3 1/2" | .131" | 9/32" | 1,000 | 16 | $91.60 |

### STAINLESS STEEL (304) SPIRAL SHANK DECKING NAILS

IBC CODE APPROVED SECTION 2304.9.5.1

Great for cedar, redwood and pressure treated lumber decks. These tough spiral nails drive well and hold tighter than smooth nails. Made from type 304 Stainless. ***Discontinued item ... while supplies last.***



**LIFETIME WARRANTY!**

***SPIRAL SHANK***

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | Price Per Carton |
|---|---|---|---|---|---|---|
| CXSSDK8 | 2 1/2" | .113" | 9/32" | 1,500 | 13 | $269.45 |

### STAINLESS STEEL (316) SPIRAL SHANK DECKING NAILS

IBC CODE APPROVED SECTION 2304.9.5.1

Great for cedar, redwood and pressure treated lumber decks. Ideal for coastal applications. These tough spiral nails drive well and hold tighter than smooth nails. Made from type 316 Stainless. ***Discontinued item ... while supplies last.***



**LIFETIME WARRANTY!**

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | Price Per Carton |
|---|---|---|---|---|---|---|
| CXSSDK8316 | 2 1/2" | .113" | 9/32" | 1,500 | 13 | $290.58 |

### DOUBLE HOT-DIPPED GALVANIZED COMPOSITE DECKING NAILS

IBC CODE APPROVED SECTION 2304.9.5.1

Ideal for the popular composite decking such as Trex®, ChoiceDek®, TimberTech®, Fiberon®, etc. The manufacturers of these deck products recommend and specify Hot-Dipped Galvanized or stainless steel fasteners.



**LIFETIME WARRANTY!**

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | Price Per Carton |
|---|---|---|---|---|---|---|
| CT449S | 3" | .131" | 9/32" | 1,100 | 15 | $91.65 |
| CT4490S | 3 1/4" | .131" | 9/32" | 1,000 | 15 | $88.93 |
| CT4491S | 3 1/2" | .131" | 9/32" | 1,000 | 16 | $91.60 |

**STICK NAILS PACKED 140 BOXES PER SKID.**

# FOR FRAMING






### BRIGHT FRAMING NAILS

These bright, full round head nails fit popular 20 degree tools. Plain shank. Made in the USA.



***PLAIN SHANK***

**Handy "Job Pack" — 140 Cartons per Skid**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | Price Per Carton |
|---|---|---|---|---|---|---|
| CF447 | 2 1/2" | .120" | 9/32" | 1,400 | 12 | $70.13 |
| CF4490 | 3 1/4" | .131" | 9/32" | 1,000 | 13 | $68.29 |

# 20-22 DEGREE COLLATED STICK NAILS

## FULL ROUND HEAD – *DOUBLE HOT-DIPPED GALVANIZED & STAINLESS STEEL*

The full round head gives excellent bearing on the nailing surface – and ring and spiral shanks give outstanding holding power. Maze collated nails use a carefully engineered plastic to greatly reduce the "flagging" of plastic pieces under the nail head that can occur with other collated fasteners. **100% MADE IN THE USA!**

## DOUBLE HOT-DIPPED GALVANIZED BOX NAILS FOR SIDING

Fine nails for applying wood, engineered wood, and fiber cement siding. The full, round head gives excellent bearing surface.



**LIFETIME WARRANTY**
***PLAIN SHANK***

***STORMGUARD***® Double Hot-Dipped Zinc-Coated.

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CS207 | 2 1/2" | .113" | 9/32" | 1,500 | 13 | $93.60 |
| CS209 | 3" | .113" | 9/32" | 1,200 | 13 | $85.81 |
| CS2091 | 3 1/2" | .120" | 9/32" | 1,100 | 15 | $94.48 |



**LIFETIME WARRANTY**
***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CS205A | 2" | .113" | 9/32" | 1,800 | 14 | $109.84 |
| CS207A | 2 1/2" | .113" | 9/32" | 1,500 | 14 | $102.97 |
| CS209A | 3" | .113" | 9/32" | 1,200 | 13 | $90.28 |
| CS2091A | 3 1/2" | .120" | 9/32" | 1,100 | 15 | $99.57 |



**LIFETIME WARRANTY**
***SPIRAL SHANK***

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CS205S | 2" | .113" | 9/32" | 1,800 | 14 | $119.85 |
| CS207S | 2 1/2" | .113" | 9/32" | 1,500 | 14 | $97.42 |
| CS209S | 3" | .113" | 9/32" | 1,200 | 13 | $90.20 |
| CS2091S | 3 1/2" | .120" | 9/32" | 1,100 | 15 | $102.37 |

## STAINLESS STEEL (304) RING SHANK SIDING NAILS

Popular for cedar, redwood and fiber cement sidings. The ring shanks hold tighter than smooth nails, and the textured head holds paint and stain. Made from Type 304 Stainless Steel.

***Note:*** *Use Type 316 Stainless Steel Fasteners for the highest degree of corrosion-resistance in environments such as sea-coastal areas.*



**LIFETIME WARRANTY**
***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CXSS6 | 2" | .113" | 9/32" | 1,800 | 13 | $173.34 |
| CXSS8 | 2 1/2" | .113" | 9/32" | 1,500 | 13 | $171.27 |
| CXSS10 | 3" | .113" | 9/32" | 1,200 | 12 | $160.09 |
| CXSS16 | 3 1/2" | .131" | 9/32" | 1,000 | 15 | $179.15 |

**STICK NAILS PACKED 140 BOXES PER SKID.**

## STAINLESS STEEL (316) RING SHANK SIDING NAILS

Type 316 Stainless Steel Nails provide the highest degree of corrosion-resistance - especially in sea-coastal areas.



**LIFETIME WARRANTY**
***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CXSS6316 | 2" | .113" | 9/32" | 1,800 | 13 | $242.45 |
| CXSS8316 | 2 1/2" | .113" | 9/32" | 1,500 | 13 | $228.29 |
| CXSS16316 | 3 1/2" | .135" | 9/32" | 1,000 | 15 | $247.94 |

*PAINTED NAILS - For painted nail adders, see page 3.*





## 20-22 DEGREE STICK NAILS

- CONVENIENT JOB PACKS
- QUALITY-MADE IN USA
- HIGHLY CORROSION-RESISTANT






# 20-22 DEGREE COLLATED STICK NAILS

## DOUBLE HOT-DIPPED GALVANIZED NAILS FOR FIBER CEMENT SIDING

These specially engineered nails are recommended for face and blind nailing many types of fiber cement siding such as Allura™ and Hardie®Plank. The **STORMGUARD®** Double Hot-Dipped Galvanized coating on these nails ensures excellent long-term rust protection. For stainless steel fiber cement siding nails, see category at right.




(Labeled for Hardie®Plank Lap Siding)

***Plain Shank - Hot-Dipped Galvanized***



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CHD6 | 2" | .113" | 9/32" | 1,800 | 13 | $98.48 |
| CHD8 | 2 1/2" | .113" | 9/32" | 1,500 | 13 | $93.60 |
| CHD10 | 3" | .113" | 9/32" | 1,200 | 13 | $85.81 |

(Labeled for Fiber Cement Siding)



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CCEM6 | 2" | .113" | 9/32" | 1,800 | 13 | $98.48 |
| CCEM8 | 2 1/2" | .113" | 9/32" | 1,500 | 13 | $93.60 |
| CCEM10 | 3" | .113" | 9/32" | 1,200 | 13 | $85.81 |

***Ring Shank - Hot-Dipped Galvanized***



**LIFETIME WARRANTY**
***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CS205A | 2" | .113" | 9/32" | 1,800 | 14 | $109.84 |
| CS207A | 2 1/2" | .113" | 9/32" | 1,500 | 14 | $102.97 |
| CS209A | 3" | .113" | 9/32" | 1,200 | 13 | $90.28 |



*All Collated Nails available painted. For painted nail adders, see page 3.*







## STAINLESS STEEL (304) NAILS FOR FIBER CEMENT SIDING

Type 304 Stainless Steel Nails provide a high degree of corrosion-resistance. (Labeled for Hardie®Plank Lap Siding)



**LIFETIME WARRANTY**
***(TYPE 304)***
***PLAIN SHANK - STAINLESS STEEL***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CHDSS6 | 2" | .113" | 9/32" | 1,800 | 13 | $151.64 |
| CHDSS8 | 2 1/2" | .113" | 9/32" | 1,500 | 13 | $153.04 |
| CHDSS10 | 3" | .113" | 9/32" | 1,200 | 13 | $160.91 |

## STAINLESS STEEL (316) NAILS FOR FIBER CEMENT SIDING

Type 316 Stainless Steel Nails provide the highest degree of corrosion-resistance - especially in sea-coastal areas.



**LIFETIME WARRANTY**
***(TYPE 316)***
***SIDING NAIL FOR HARDIE®PLANK***

| Stock Number Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CHDSS6316 | 2" | .113" | 9/32" | 1,800 | 13 | $258.21 |



100% made in the USA


**BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS**

# 20-22 DEGREE COLLATED STICK NAILS

## MAZE *STORMGUARD®* DOUBLE HOT-DIPPED GALVANIZED NAILS

Great for Post Frame and Timber Frame Construction, Bridge Building, Heavy Duty Crating and much more... The sharp ring shanks hold tight and resist pullout. These nails are specifically designed for use in the MAX HS 130 High Pressure PowerLite™ Tool and Bostitch BRT 130.






**LIFETIME WARRANTY** ***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CT4491A* | 3 1/2" | .131" | 9/32" | 1,000 | 16 | $91.79 |
| CT350148AZ* | 3 1/2" | .148" | 5/16" | 1,000 | 18 | $134.80 |
| CT400148AZ | 4" | .148" | 5/16" | 700 | 16 | $120.14 |
| CT450148AZ | 4 1/2" | .148" | 5/16" | 900 | 22 | $148.34 |
| CT500148AZ | 5" | .148" | 5/16" | 900 | 25 | $142.50 |

*These nails are also compatible with the pneumatic tools listed on page 7.
Similar Maze Nails are available for hand driving. Call 1-800-435-5949 for details.*

| DESIGNED TO FIT | |
|---|---|
| MAX HS130 High Pressure PowerLite | Bostitch BRT 130 |



# FOR FRAMING & DECKING

## 30-34 DEGREE CLIPPED HEAD PAPER TAPE NAILS

### 33° TRI-COAT HI GALV RING SHANK FRAMING AND DECKING NAILS

These ring shank nails are galvanized using a triple protection process. The manufacturer claims that the rust-fighting finish is designed for use in many outdoor applications. *Made in the U.S.A.*







| Stock Numbers Ring Shank | Length | Gauge | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|
| PCP31238120AZ | 2 3/8" | .120" | 3,000 | 25 | Call for pricing |
| PCP31325120AZ | 3 1/4" | .120" | 2,010 | 23 | Call for pricing |




**Handy "Job Pack"**
**140 Cartons per Skid**

### 33° BRIGHT FRAMING NAILS

These bright, clipped head nails fit popular 30-34 degree paper tape stick framing tools. Smooth shank. Packed in handy "job packs". *Made in the U.S.A.*







| Stock Numbers Plain Shank | Length | Gauge | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|
| PCP31238120 | 2 3/8" | .120" | 3,400 | 27 | Call for pricing |
| PCP31325131 | 3 1/4" | .131" | 2,100 | 27 | Call for pricing |

**DESIGNED TO FIT ALL 30º TO 34º NAILERS (INCLUDING SENCO AND PASLODE)**

| | | |
|---|---|---|
| AIRY ..... AMB0546C | GRIP RITE ..... GRPCH 350 | PRIME AIR ..... PCH 350 |
| ALFIT ..... BN3490S | HILTI ..... CHN-9033 | SENCO ..... SN325, SN325+ |
| A-PLUS ..... S-90E | HITACHI ..... NR83AA, NR83AA2 | SENCO ..... SN2, SN2+, SN3, SN4 |
| ATRO ..... 933CH | HITACHI ..... NR83AA3, NR90AA | SENCO ..... SN70, Framepro 600E |
| BOSTITCH ..... N90PT, F33PT | HITACHI ..... NR90AD | SENCO ..... 650E, 700XL, 700E-XL |
| CRAFTSMAN ..... 18422 | MAX ..... SN890/CH34 | SENCO ..... 750XL, 750E-XL |
| DEPOAN ..... DPN-6C52/CN | MAX ..... GS683CH-EX | STAN TECH ..... SDN 11PT-1 |
| DEWALT ..... D51823 | MAKITA ..... AN942 | SUPCO ..... SNR90A, SDF-88 |
| EZ-FASTEN ..... SCN-100 | PASLODE ..... 5300S, 5325S | TECH FORGE ..... 1521, 1524 |
| FASCO ..... F5CHHU31-90A SS(CT) | PASLODE ..... 5350S, SK312 | ULTRA APACH ..... AN-9034AC |
| FASCO ..... F5CHHN31-90A SS(CT) | PASLODE ..... Impulse IM325 | UNICATCH ..... UN 350 P4 |
| GREX ..... SF9034 | PASLODE ..... Impulse IM350 | WOODTECH ..... 958-336 |
| | PORTER CABLE ..... FC350 | |

*(Pneumatic tool names may be trademarks of their respective companies.)*

# FOR CEDAR SIDING & PVC TRIM

## 15 DEGREE PLASTIC COIL-ATED® NAILS

**DESIGNED TO FIT THE FOLLOWING:**

**BOSTITCH #N63CP***
**BOSTITCH #N64CP*[1]**
**BOSTITCH #N65CP***
**BOSTITCH #N66C-1**
**BOSTITCH #N75C-1**
**DEWALT DW66C-1**
**FASCO #F45C**
**METABO (HITACHI) #NV65AH**
**METABO (HITACHI) #NV65AH2**
**METABO (HITACHI) #NV65H2**
**METABO (HITACHI) #NV75AG**
**METABO (HITACHI) #NV75AN**
**METABO (HITACHI) #NV75A5**
**MAKITA #AN611**
**MAKITA #AN613***
**MAX #CN565**
**MAX #CN565S**
**MAX #CN565S3**
**MAX #HN65**
**MAX #HN90F***
**PORTER CABLE #COIL200**
**SENCO #SCN49 XP***
**SENCO #SCN56[1]**
**SENCO #SCN55S***
**SENCO #SN71P1***
**STANTECH #SDCN14B***



*(Pneumatic tool names may be trademarks of their respective companies.)*
***These tools have "switch pins" which enable conversion from wire to plastic collation.**
**[1]Must have conversion kit.**

### DOUBLE HOT-DIPPED SPLIT-LESS® WOOD SIDING NAILS

Slender ring shanks greatly reduce wood splitting. Small checkered heads blend well with siding and enhance paint/stain adhesion. Recommended for cedar, redwood and other split-prone wood sidings. ***STORMGUARD®*** **Double Hot-Dipped** Galvanized. For jobs that will be left natural or treated with a clear or semi-transparent finish, we recommend our stainless steel ***Slim-Jim®*** nails on page 12. Compatible with most 15-degree plastic sheet coil siding tools. ***200 nails per coil.***



***Available painted. For painted nail adders, see page 3.***



**LIFETIME WARRANTY**
***RING SHANK***

| Stock Numbers Ring Shank | Size | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|---|
| CLS222A | 3d | 1 1/4" | .092" | .219" | 3,200 | 12 | $150.47 |
| CLS223A | 4d | 1 1/2" | .092" | .219" | 3,200 | 13 | $157.09 |
| CLS224A | 5d | 1 3/4" | .092" | .219" | 3,200 | 14 | $160.64 |
| CLS225A | 6d | 2" | .092" | .219" | 3,200 | 15 | $165.44 |
| CLS226A | 7d | 2 1/4" | .092" | .219" | 3,200 | 16 | $172.95 |
| CLS227A | 8d | 2 1/2" | .092" | .219" | 3,200 | 17 | $177.35 |
| CLS229A* | 10d | 3" | .092" | .219" | 2,400 | 16 | $174.55 |

**3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.*

# FOR CEDAR SIDING & PVC TRIM


## 15 DEGREE PLASTIC COIL-ATED® NAILS

### STAINLESS STEEL SLIM-JIM® (304) WOOD SIDING NAILS

***Slim-Jim***® Wood Siding Nails are the Type 304 **Stainless Steel** version of our very popular Split-Less® nails and fit most 15-degree plastic sheet coil siding tools. Blunt points and slender ring shanks greatly reduce wood splitting. Small checkered heads blend well with siding and enhance paint/stain adhesion. Recommended for jobs that will be left natural or treated with clear or semi-transparent finishes. ***200 nails per coil. 16 coils per carton.***



*Available painted.*





**LIFETIME WARRANTY**
***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLSS6WS | 2" | .099" | .219" | 3,200 | 15 | $312.68 |
| CLSS8WS | 2½" | .099" | .219" | 3,200 | 17 | $341.36 |

***64 CARTONS/SKID***



100% made in the USA


**BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS**

The California Redwood Association and the Western Red Cedar Lumber Association recommend stainless steel and domestic Hot-Dipped Galvanized nails for the application of their fine wood sidings. Both types of nails can react with the natural extractives in these species under some circumstances, resulting in unsightly staining. For sidings left natural or with transparent or semi-transparent finishes, stainless steel nails are recommended. Type 316 stainless is recommended in sea-coastal applications. Available on page 16.

### STAINLESS STEEL (304) CELLULAR PVC TRIMBOARD NAILS

Ideal for applying the popular cellular PVC trim such as KLEER®, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. In sea-coastal areas, Type 316 stainless steel nails are recommended.





***For painted nail adders, see page 3.***



**LIFETIME WARRANTY**
***PLAIN SHANK***

*** AVAILABLE PAINTED ***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLSSPVC6 | 2" | .099" | .219" | 3,200 | 15 | $297.98 |
| CLSSPVC8 | 2½" | .099" | .219" | 3,200 | 17 | $330.09 |
| CLSSPVC10* | 3" | .099" | .219" | 2,400 | 16 | $297.77 |

**3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.*



# FOR FIBER CEMENT & ENGINEERED WOOD SIDING

### DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT NAILS

***(Labeled for Hardie®Plank and Hardie®Panel)***
Maze ***STORMGUARD***® nails are specially made for applying Hardie®Plank, Hardie®Panel, Hardie®Soffit and Hardie®Trim fiber cement products. Double Hot-Dipped Galvanized with a **LIFETIME WARRANTY.** ***200 nails per coil.***



***PLAIN SHANK***



| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLHD115 | 2" | .092" | .219" | 3,200 | 15 | $153.43 |
| CLHD116 | 2¼" | .092" | .219" | 3,200 | 16 | $159.87 |
| CLHD117 | 2½" | .092" | .219" | 3,200 | 17 | $163.21 |
| CLHD119* | 3" | .092" | .219" | 2,400 | 16 | $154.92 |

**3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.*



*Available in prefinished colors to match Allura,™ James Hardie ColorPlus® and LP SmartSide® Siding and Trim.*

# FOR FIBER CEMENT & ENGINEERED WOOD SIDING

## 15 DEGREE PLASTIC COIL-ATED® NAILS

### DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT NAILS

***(Labeled for Fiber Cement and untreated Cedar Shakes & Shingles)***
MAZE ***STORMGUARD®*** Double Hot-Dipped Galvanized Nails are recommended by many of the fiber cement manufacturers and the Cedar Shake and Shingle Bureau for untreated shakes and shingles. ***200 nails per coil.***



**LIFETIME WARRANTY**
***PLAIN SHANK***



| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLCEM115 | 2" | .092" | .219" | 3,200 | 15 | $153.43 |
| CLCEM116 | 2 1/4" | .092" | .219" | 3,200 | 16 | $159.87 |
| CLCEM117 | 2 1/2" | .092" | .219" | 3,200 | 17 | $163.21 |
| CLCEM119* | 3" | .092" | .219" | 2,400 | 16 | $154.92 |

**3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.*



**LIFETIME WARRANTY**
***RING SHANK***



| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLCEM113A | 1 1/2" | .092" | .219" | 3,200 | 13 | $157.09 |
| CLCEM115A | 2" | .092" | .219" | 3,200 | 15 | $165.44 |
| CLCEM116A | 2 1/4" | .092" | .219" | 3,200 | 16 | $172.95 |
| CLCEM117A | 2 1/2" | .092" | .219" | 3,200 | 17 | $177.35 |
| CLCEM119A* | 3" | .092" | .219" | 2,400 | 16 | $174.55 |

**3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.*



***Available in prefinished colors to match Allura,™ James Hardie ColorPlus® and LP SmartSide® Siding and Trim.***

### STAINLESS STEEL TYPE 304 15° COIL-ATED® FIBER CEMENT NAILS

Long-lasting fiber cement siding deserves great nails. Maze Nails now has Stainless Steel Fiber Cement Siding Nails in coils to fit many popular coil nailers! Customers can have the excellent, long-term rust protection of Maze Stainless Steel nails ... and the speed and convenience of pneumatic application!



**LIFETIME WARRANTY**
***PLAIN SHANK***



| Stock Number Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLSSHD115 | 2" | .099" | .219" | 3,200 | 15 | $297.98 |
| CLSSHD117 | 2 1/2" | .099" | .219" | 3,200 | 17 | $330.09 |



**LIFETIME WARRANTY**
***RING SHANK***



| Stock Number Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLSSCEM115A | 2" | .099" | .219" | 3,200 | 15 | $312.68 |
| CLSSCEM117A | 2 1/2" | .099" | .219" | 3,200 | 17 | $341.36 |



***Available in prefinished colors to match Allura,™ James Hardie ColorPlus® and LP SmartSide® Siding and Trim.***



# FOR CEDAR SHAKES & SHINGLES

### STAINLESS STEEL (316) 15° COIL-ATED® CEDAR SHAKE AND SHINGLE NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service.



**LIFETIME WARRANTY**
***RING SHANK***



| Stock Number Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLSSCEM113A316 | 1 1/2" | .099" | .219" | 3,200 | 13 | $312.30 |
| CLSSCEM115A316 | 2" | .099" | .219" | 3,200 | 15 | $349.22 |
| CLSSCEM117A316 | 2 1/2" | .099" | .219" | 3,200 | 17 | $367.75 |



***Available in prefinished colors to match Allura,™ James Hardie ColorPlus® and LP SmartSide® Siding and Trim.***

**ORDER AND PRICING INFORMATION: 1-800-435-5949 • orders@mazenails.com**

# FOR ROOFING AND BLIND NAILING FIBER CEMENT SIDING

## 15 DEGREE WIRE COIL-ATED® ROOFING NAILS

**DESIGNED TO FIT THESE POPULAR NAILERS:**

BOSTITCH #N12B
BOSTITCH #RN45B
BOSTITCH #RN46
CAMPBELL HAUSFELD #RN1545
DEWALT #DCN45RNB
DEWALT #DCN45RND1
DEWALT #DW45RN
DUOFAST #RN-175A
DUOFAST #DRN-45
FASCO #F42 CN15W -45
FASCO #F48A CN15W -45
GRIP RITE GRTCR175
HILTI #RFC-134B
HITACHI #NV45AB
MAKITA #AN451
MAKITA #AN454
MAX #CN450R
MAX #CN445R3
MILWAUKEE #7220-20
PORTER CABLE #134R
PORTER CABLE #RN175
RIDGID #R175RNA
SENCO #SCN40R
SENCO #ROOF PRO 445 XP

*(Pneumatic tool names may be trademarks of their respective companies.)*

### DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® ROOFING NAILS

MIAMI-DADE COUNTY APPROVED

Ideal for the quality application of Asphalt and Fiberglass Shingles, for blind-nailing Fiber Cement Siding, for attaching Backerboard, for nailing felt.



Packed in convenient job packs of 3,600 nails – in plain shank and ring shank. Wire weld collation. ***120 nails per coil. 30 coils per carton. 40 cartons per pallet.***

**LIFETIME WARRANTY!**


| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLWR102 | 1 1/4" | .120" | 3/8" | 3,600 | 19 | $155.71 |
| CLWR103 | 1 1/2" | .120" | 3/8" | 3,600 | 22 | $167.97 |
| CLWR104* | 1 3/4" | .120" | 3/8" | 3,600 | 24 | $183.47 |
| **Stock Numbers Ring Shank** | **Length** | **Gauge** | **Head** | **Nails/ctn** | **Lbs/ctn** | **PRICE Per Carton** |
| CLWR102A | 1 1/4" | .120" | 3/8" | 3,600 | 19 | $177.44 |
| CLWR103A | 1 1/2" | .120" | 3/8" | 3,600 | 22 | $185.74 |
| CLWR104A* | 1 3/4" | .120" | 3/8" | 3,600 | 24 | $194.41 |

*1¾" length not able to be driven in all tools listed. Please refer to your Owners Manual.

### E.G. (ELECTRO-GALVANIZED) COIL-ATED® ROOFING NAILS

100% made in the USA

Due to popular demand, Maze now makes e.g. (electro-galvanized) coil roofing nails. These roofing nails are 100% Made in the USA, and meet the criteria of the BABA "Buy American Act." Plain and ring shank. ***120 nails per coil. 30 coils per carton.***



| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLWZPR102 | 1 1/4" | .120" | 3/8" | 3,600 | 18 | $117.63 |
| **Stock Numbers Ring Shank** | **Length** | **Gauge** | **Head** | **Nails/ctn** | **Lbs/ctn** | **PRICE Per Carton** |
| CLWZPR102A | 1 1/4" | .120" | 3/8" | 3,600 | 18 | $165.35 |

### STAINLESS STEEL (304) 15° COIL-ATED® ROOFING NAILS

These ring shank nails are made from Type 304 stainless steel for excellent rust protection. Wire weld collation. ***120 nails per coil. 30 coils per carton.***



**LIFETIME WARRANTY!**

**40 CARTONS/SKID**

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLWSSRFG3A | 1 1/4" | .120" | 3/8" | 3,600 | 19 | $366.10 |
| CLWSSRFG4A | 1 1/2" | .120" | 3/8" | 3,600 | 22 | $413.97 |
| CLWSSRFG5A* | 1 3/4" | .120" | 3/8" | 3,600 | 24 | $419.31 |

*1¾" length not able to be driven in all tools listed. Please refer to your Owners Manual.

### STAINLESS STEEL (316) RING SHANK COIL-ATED® ROOFING NAILS

These ring shank nails are made from Type 316 stainless steel for ultimate corrosion-resistance. Perfect for coastal applications. Wire weld collation.



***120 nails per coil. 30 coils per carton.***

**LIFETIME WARRANTY!**

| Stock Numbers Ring Shank | Length | Head | Nails/carton | PRICE Per Carton |
|---|---|---|---|---|
| CLWSSRFG4A316 | 1 1/2" | 3/8" | 3,600 | $470.10 |
| CLWSSRFG5A316 | 1 3/4" | 3/8" | 3,600 | $485.20 |

***Stocked in 25-lb Bulk Cartons.***

# FOR FIBER CEMENT SIDING

## 15 DEGREE WIRE COIL-ATED® SIDING NAILS

**DESIGNED TO FIT THESE POPULAR NAILERS:**

BOSTITCH #BTF83C
BOSTITCH #N63CP*
BOSTITCH #N64CP*
BOSTITCH #N65CP*
BOSTITCH #N66C
BOSTITCH #N75C-1
BOSTITCH #N80CB
DEWALT #DWE6C-1
DEWALT #DWF83C
FASCO #F33 CN15W-PS 50SCR
FASCO #F45C
FASCO #F48AC CN15W-57A
FASCO #F58A CN15W-70
FASCO #F58AC CN15W-80
HITACHI #NV65AH
HITACHI #NV75AG
HITACHI #NV83A2
MAKITA #AN621
MAKITA #AN902
MAX #CN565
MAX #CN565S
MAX #CN890F2
MAX #CN665D
MAX #HN65
METABO #NV90AGS
PORTER CABLE #COIL200
SENCO #SCN56
SENCO #SCN55S*
SENCO #SCN60 XP
SENCO #SCN65 XP
STANTECH #SDCN14B*

***These tools have "switch pins" which enable conversion from wire to plastic collation.** (Pneumatic tool names may be trademarks of their respective companies.)*

### DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT SIDING NAILS

MAZE ***STORMGUARD®*** Double Hot-Dipped Galvanized Nails are recommended by many of the fiber cement manufacturers and the Cedar Shake and Shingle Bureau. Due to the overlap of the heads on wire-weld Coil-ated® nails, **painting of this product line is not recommended.**




**LIFETIME WARRANTY**

***PLAIN SHANK***



***RING SHANK***



| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLWHD115 | 2" | .092" | .219" | 3,200 | 15 | $153.43 |
| CLWHD116 | 2 1/4" | .092" | .219" | 3,200 | 16 | $159.87 |
| CLWHD117 | 2 1/2" | .092" | .219" | 3,200 | 17 | $163.21 |
| CLWHD119* | 3" | .092" | .219" | 3,000 | 19 | $173.42 |

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLWHD115A | 2" | .092" | .219" | 3,200 | 15 | $165.44 |
| CLWHD117A | 2 1/2" | .092" | .219" | 3,200 | 17 | $177.35 |


## FOR FIBER CEMENT SIDING


## FOR FENCING

# 0 DEGREE PLASTIC COIL-ATED® NAILS

## DOUBLE HOT-DIPPED GALVANIZED 0° COIL-ATED® SIDING NAILS

These nails are specially made for applying Hardie®Plank, Hardie®Panel, Hardie®Soffit and Hardie®Trim fiber cement products. Double Hot-Dipped Galvanized with a **LIFETIME WARRANTY**, these nails are "the right nails for the job"! ***300 nails per coil. 12 coils per carton.***





**PLAIN SHANK**

***Designed to fit Duo-Fast® #RCN60/225 ADJ, CNP65Y SF and RCN70/275A tools***

*(DUO-FAST® is a registered trademark of Illinois Tool Works, Inc. Maze Nails manufactures nails that are compatible with DUO-FAST® tools.)*

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| 200HD | 2" | .092" | .219" | 3,600 | 18 | $185.90 |
| 225HD | 2 1/4" | .092" | .219" | 3,600 | 22 | $199.34 |
| 250HD* | 2 1/2" | .092" | .219" | 3,600 | 24 | $199.87 |

*2-1/2" length can only be driven with RCN70/275A tool.

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLZ188092AZ | 1 7/8" | .092" | .219" | 3,600 | 17 | $194.02 |



***Order your coil nails painted to match your siding. Only one carton minimum. For painted nail adders, see page 3.***

**64 CARTONS/SKID**

## DOUBLE HOT-DIPPED GALVANIZED 0° COIL-ATED® DECKING & BRIDGE NAILS

These top-quality double Hot-Dipped Galvanized nails are designed for use in the popular multi-impact nailers by Max Tools. Great for special applications such as bridgework, decks, etc. where using a hand-driven nail is too difficult. Discontinued item ... while supplies last. ***50 nails per coil.18 coils per carton.***

**LIFETIME WARRANTY**





***Designed to fit MAX CNV400 & CNV400A MULTI-IMPACT NAILERS***




**PLAIN SHANK**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CL400148Z | 4" | .148" | 5/16" | 900 | 21 | $191.05 |

**64 BOXES/SKID**

## ALUMINUM FENCING NAILS 0° COIL-ATED®

Ideal for the quality application of cedar and redwood fencing ... and for many other applications! Packed in convenient job packs — in spiral shank for good holding power! ***300 nails per coil. 12 coils per carton.***





**SPIRAL SHANK**

***Designed to fit Duo-Fast® #RCN60/225 ADJ, CNP65Y SF and RCN70/275A tools***

| Stock Number Spiral Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLZAWS188 | 1 7/8" | .099" | .219" | 3,600 | 6 | $219.78 |

## BRIGHT 0° COIL NAILS

Ideal for the packaging industry and for fastening large timbers together. Yellow coating improves holding power. ***150 nails per coil. 12 coils per carton.***



***Designed to fit Duo-Fast® N500A***

*(DUO-FAST® is a registered trademark of Illinois Tool Works Inc. Maze Nails manufactures nails that are compatible with DUO-FAST® tools.)*



**PLAIN SHANK**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn | Lbs/ctn | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLD500148 | 5" | .148" | 5/16" | 1,800 | 50 | $229.08 |

**24 CARTONS/SKID**



**1-800-435-5949 • orders@mazenails.com**

# HAND-DRIVEN NAILS FOR SIDING

## SPLIT-LESS® WOOD SIDING NAILS

Specially designed for split-prone woods such as cedar and redwood. Slim, sturdy shank and special blunt point virtually eliminate splits. **STORMGUARD®** double-dipped in molten zinc. Checkered head enhances paint adhesion on color-matched nails. High count greatly reduces per-nail cost. Especially popular for sidings scheduled for finishing with paints or pigmented stains. For jobs that will be left natural or treated with a clear or semi-transparent finish, we recommend our Type 304 Stainless Steel Slim-Jim® Nails. *For Split-Less® Nails in coils for coil siding nailers, see page 11.* **LIFETIME WARRANTY!**

***NOTE: Use Type 316 Stainless Steel Fasteners for the highest degree of corrosion-resistance in environments such as sea-coastal areas.***



**PLAIN SHANK**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails /lb | PRICE 50 lb | 25 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|---|
| S225 | 2" | 14 | 3/16" | 283 | $254.08 | $132.25 | $28.48 | $6.27 |
| S226 | 2 1/4" | 14 | 3/16" | 248 | $255.94 | $130.60 | $27.97 | $6.21 |
| S227 | 2 1/2" | 13 | 7/32" | 189 | $252.04 | $130.56 | $27.94 | $6.09 |
| S228 | 2 3/4" | 13 | 7/32" | 171 | $251.77 | — | — | — |
| S229 | 3" | 13 | 7/32" | 153 | $251.98 | $130.37 | $27.99 | $6.14 |
| S2292 | 4" | 12 | 1/4" | 89 | $259.88 | — | — | — |



**RING SHANK**

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails /lb | PRICE 50 lb | 25 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|---|
| S225A | 2" | 14 | 3/16" | 283 | $298.26 | $152.47 | $32.75 | $7.13 |
| S226A | 2 1/4" | 14 | 3/16" | 248 | $290.19 | $150.47 | $32.01 | $7.00 |
| S227A | 2 1/2" | 13 | 7/32" | 189 | $290.84 | $147.84 | $31.69 | $6.97 |
| S228A | 2 3/4" | 13 | 7/32" | 171 | $287.89 | — | $30.50 | — |
| S229A | 3" | 13 | 7/32" | 153 | $290.78 | $145.23 | $31.98 | $7.02 |
| S2290A | 3 1/4" | 12 | 1/4" | 113 | $284.96 | — | $30.00 | — |
| S2291A | 3 1/2" | 12 | 1/4" | 104 | $279.77 | — | $30.70 | $6.72 |
| S2292A | 4" | 12 | 1/4" | 89 | $294.71 | — | $32.42 | — |

*Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified.*
*(6) 5-lb boxes per master. (12) 1-lb boxes per master.*

## CEDAR SHAKE SIDING FACE NAILS

Ideally suited for untreated shake shingle sidewall applications. Slim shank, blunt point, small checkered brad head. **STORMGUARD®** double-dipped in molten zinc.

**LIFETIME WARRANTY**



**RING SHANK**

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| S234A | 1 3/4" | 14 | 1/8" | 346 | $283.82 | $28.95 | $6.50 |
| S235A | 2" | 14 | 1/8" | 310 | $260.83 | $28.57 | $6.33 |



## STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (304)

These slender, blunt-pointed wood siding nails are made from high tensile Type 304 **Stainless Steel** to minimize bending and reduce splitting. Excellent for redwood and cedar siding, especially on wood to be left natural or to receive treatment with semi-transparent coatings or clear finishes (to give the "natural" look). Small checkered head should only be driven flush – not countersunk. **Also available from stock-painted in cedar/redwood color in 25-lb bulk cartons only. For painted nail adders, see page 3.*



**RING SHANK**

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 25 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| VSS3WS** | 1 1/4" | .083" | 3/16" | 257 | $260.83 | — | — |
| SS5WS | 1 3/4" | .099" | 7/32" | 276 | $274.36 | $63.89 | $13.64 |
| SS6WS | 2" | .099" | 7/32" | 250 | $290.22 | $61.81 | $13.36 |
| SS8WS* | 2 1/2" | .099" | 7/32" | 171 | $280.55 | $60.67 | $13.12 |
| SS10WS* | 3" | .099" | 7/32" | 128 | $279.24 | $60.44 | $12.99 |
| SS16WS | 3 1/2" | .120" | 7/32" | 104 | $280.02 | $57.03 | — |

*Stocked in 25-lb Bulk Cartons. $10.00 broken carton charge applies to any increment of less than a full carton.*
*(6) 5-lb boxes per master. (12) 1-lb boxes per master.*

***Available while quantities last.*

## STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (316)

Made from Type 316 **Stainless Steel** for ultimate corrosion-resistance. Perfect for coastal applications. Excellent for cedar and redwood sidings where wood is to be left natural or coated with a semi-transparent finish.



**RING SHANK**

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 25 lb |
|---|---|---|---|---|---|
| SS5WS 316 | 1 3/4" | .099" | 7/32" | 276 | $294.79 |
| SS6WS 316 | 2" | .099" | 7/32" | 250 | $326.17 |
| SS8WS 316 | 2 1/2" | .099" | 7/32" | 171 | $313.57 |
| SS10WS 316 | 3" | .099" | 7/32" | 128 | $295.84 |

## STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (204Cu)

Made from Type 204Cu **Stainless Steel**. Popular for cedar and redwood sidings where wood is left natural or coated with a semi-transparent finish. Not recommended for coastal applications.

***Available while quantities last.*



**RING SHANK**

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 25 lb |
|---|---|---|---|---|---|
| CSS5WS** | 1 3/4" | .099" | 7/32" | 276 | $256.58 |
| CSS8WS** | 2 1/2" | .099" | 7/32" | 171 | $243.90 |
| CSS10WS** | 3" | .115" | 7/32" | 128 | $239.89 |
| CSS16WS** | 3 1/2" | .120" | 7/32" | 104 | $237.00 |

# HAND-DRIVEN NAILS FOR SIDING

## DOUBLE HOT-DIPPED GALVANIZED BOX NAILS FOR WOOD & ENGINEERED WOOD SIDING

Dependable **STORMGUARD®** Double Hot-Dipped Galvanized Nails with our **LIFETIME WARRANTY** provide long-term corrosion-resistance for these long-lasting sidings. Checkered heads enhance paint adhesion. 1½" penetration into framing is recommended. Meets the specifications of the American Hardboard Association and Composite Panel Association. *See page 8 for Collated Box Nails.*



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| S203 | 1 1/2" | 14 | 7/32" | 392 | $235.17 | $24.62 | — |
| S205 | 2" | 12 1/2 | 17/64" | 194 | $217.30 | $24.02 | $5.57 |
| S207 | 2 1/2" | 11 1/2 | 9/32" | 123 | $215.98 | $24.18 | — |
| S209 | 3" | 11 1/2 | 9/32" | 103 | $226.27 | $24.44 | — |
| S2091 | 3 1/2" | 11 | 9/32" | 80 | $227.15 | — | — |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.*



***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| S202A | 1 1/4" | 14 | 7/32" | 442 | $302.79 | — | — |
| S203A | 1 1/2" | 14 | 7/32" | 392 | $263.70 | $29.52 | $7.05 |
| S205A | 2" | 12 1/2 | 17/64" | 194 | $238.03 | $26.51 | $6.31 |
| S207A | 2 1/2" | 11 1/2 | 9/32" | 123 | $241.30 | $26.21 | $5.74 |
| S209A | 3" | 11 1/2 | 9/32" | 103 | $241.72 | $27.73 | $5.70 |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.*



***SPIRAL SHANK***

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| S207S | 2 1/2" | 11 1/2 | 9/32" | 123 | $236.40 | $26.36 |
| S209S | 3" | 11 1/2 | 9/32" | 103 | $246.27 | — |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.*

## DOUBLE HOT-DIPPED GALVANIZED NAILS FOR ALUMINUM & STEEL SIDING

Dependable **STORMGUARD®** Double Hot-Dipped Galvanized Nails are compatible with both types of siding and drive far better than aluminum nails.



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| S263 | 1 1/2" | 12 | 5/16" | 228 | $210.11 | $23.75 |
| S265 | 2" | 12 | 5/16" | 178 | $202.65 | $23.38 |

## ALUMINUM NAILS FOR VINYL SIDING

Aluminum nails are used for applying vinyl siding. Large, flat head allows proper "hanging" of siding. Diamond point makes driving the nail easy and true. Ring shank provides maximum holding power; also suitable for application of asphalt shingles.



***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Approximate Nails / lb. | Price 50 lb | 1 lb |
|---|---|---|---|---|---|---|
| AV4 | 1 1/2" | 9 | 7/16" | 360 | $600.79 | $15.97 |
| AV6 | 2" | 9 | 7/16" | 284 | $578.22 | $15.44 |

*(25) 1-lb. boxes per master.*



***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | Price 50 lb |
|---|---|---|---|---|---|
| MAV4A | 1 1/2" | 9 | 7/16" | 360 | $771.34 |
| AV5A | 1 3/4" | 9 | 7/16" | 326 | $640.07 |
| AV6A | 2" | 9 | 7/16" | 284 | $515.09 |

## HOT-DIPPED NAILS FOR VINYL SIDING

Larger 3/8" heads are preferred by many applicators.
**STORMGUARD®** Double Hot-Dipped Galvanized.



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 25 lb | 5 lb |
|---|---|---|---|---|---|---|---|
| S103 | 1 1/2" | 11 | 3/8" | 180 | $227.75 | $115.96 | $24.37 |
| S104 | 1 3/4" | 11 | 3/8" | 156 | $216.27 | $112.62 | $23.99 |
| S105 | 2" | 11 | 3/8" | 136 | $217.81 | $112.71 | $24.23 |
| S107 | 2 1/2" | 11 | 3/8" | 112 | $217.27 | $111.20 | $23.77 |
| S109 | 3" | 10 | 3/8" | 72 | $208.87 | — | $23.83 |

*Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.*

## STAINLESS STEEL NAILS FOR VINYL SIDING (304)

Made from high-quality Type 304 Stainless Steel. Ring shanks provide maximum holding power.



***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Approximate Nails / lb. | Price 25 lb |
|---|---|---|---|---|---|
| SSV4A | 1 1/2" | 9 | 27/64" | 120 | $285.11 |
| SSV5A | 1 3/4" | 9 | 27/64" | 108 | $280.98 |



100% made in the USA

**BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS**

**1-800-435-5949 • orders@mazenails.com**

# HAND-DRIVEN NAILS FOR SIDING

## DOUBLE HOT-DIPPED GALVANIZED FIBER CEMENT/ENGINEERED WOOD

These specially engineered nails are recommended for face and blind nailing many types of fiber cement siding such as Allura™ or Hardie®Plank. The **STORMGUARD®** Double Hot-Dipped Galvanized coating on these nails ensures excellent long-term rust protection. These nails meet the blind and face nail specification for lap siding 8¼" or less. Wider width sidings require blind (roofing) nails. *See pages 9, 12, 13 and 14 for fiber cement nails in coils and 20 degree sticks.*

***2½" lengths (stock numbers HD-8 and CEM-8) available painted in 5-lb. boxes in all James Hardie Colorplus® colors and Allura™ colors.***



*(Labeled for Hardie®Plank)*



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 25 lb | 5 lb |
|---|---|---|---|---|---|---|---|
| HD6 | 2" | .113" | 9/32" | 147 | $212.91 | $112.94 | $24.10 |
| HD8* | 2½" | .113" | 9/32" | 129 | $215.98 | $117.14 | $24.18 |
| HD10 | 3" | .113" | 9/32" | 108 | $226.27 | — | $24.44 |
| HD16 | 3½" | .120" | 9/32" | 80 | $227.15 | — | $25.28 |

**For painted nails with hammer caps pricing/program, see page 19.*



*(Labeled for Fiber Cement)*



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 25 lb | 5 lb |
|---|---|---|---|---|---|---|---|
| CEM6 | 2" | .113" | 9/32" | 147 | $212.91 | $112.94 | $24.10 |
| CEM8* | 2½" | .113" | 9/32" | 129 | $215.98 | $117.14 | $24.18 |
| CEM10 | 3" | .113" | 9/32" | 108 | $226.27 | — | $24.44 |

**For painted nails with hammer caps pricing/program, see page 19.*



*(Labeled for LP SmartSide® Siding and Trim)*



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 25 lb | 5 lb |
|---|---|---|---|---|---|---|---|
| LP8* | 2½" | .113" | 9/32" | 129 | $212.91 | $112.94 | $24.10 |

**For painted nails with hammer caps pricing/program, see page 19.*

*THESE NAILS ALSO AVAILABLE IN 20 DEGREE STICKS (SEE PAGES 8 & 9).*



*(Ring Shank Fiber Cement Nails)*



**LIFETIME WARRANTY**
***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| S205A | 2" | .099" | 17/64" | 194 | $238.03 | $26.51 | $6.31 |
| S207A | 2½" | .113" | 9/32" | 123 | $241.30 | $26.21 | $5.74 |
| S209A | 3" | .113" | 9/32" | 103 | $241.72 | $27.73 | $5.70 |

*THESE NAILS ALSO AVAILABLE IN 20 DEGREE STICKS (SEE PAGES 8 & 9).*

## DOUBLE HOT-DIPPED GALVANIZED "ORIGINAL" SMALL HEAD SIDING NAILS

These nails, made originally to the specifications of the early producers of hardboard siding, now have a multitude of other uses with other types of siding, trim, fencing, decking, etc. They are great all-around nails. Extra stiff shank for easy driving. Self-seating heads. **STORMGUARD®** Double-dipped in molten zinc. *Refer to Wood Siding Box Nails for specifications requiring a larger diameter head (page 17).*



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 25 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|---|
| S255 | 2" | 12 | 3/16" | 181 | $219.49 | — | — | — |
| S257 | 2½" | 12 | 3/16" | 146 | $218.92 | $101.17 | $24.26 | $5.35 |
| S259 | 3" | 11 | 7/32" | 98 | $201.43 | — | — | — |
| S2590 | 3¼" | 11 | 7/32" | 90 | $201.43 | — | — | — |
| S2591 | 3½" | 11 | 7/32" | 82 | $208.16 | — | — | — |
| S2592 | 4" | 11 | 7/32" | 73 | $207.61 | — | — | — |



**LIFETIME WARRANTY**
***SPIRAL SHANK***

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails /lb | PRICE 50 lb | 25 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|---|
| S255S | 2" | 12 | 3/16" | 181 | $250.08 | $121.48 | $28.27 | $6.07 |
| S257S | 2½" | 12 | 3/16" | 146 | $244.66 | $125.38 | $27.24 | $5.96 |
| S259S | 3" | 11 | 7/32" | 98 | $236.99 | $122.60 | $25.28 | $5.67 |
| S2590S | 3¼" | 11 | 7/32" | 90 | $238.96 | — | $25.90 | — |
| S2591S | 3½" | 11 | 7/32" | 82 | $236.47 | $121.33 | $25.93 | $5.73 |

*Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.*

## ALUMINUM SIDING NAILS

These nails are made from high tensile aluminum alloy. Compatible with aluminum sidings. Provide ultimate protection from red rust.



***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 1 lb |
|---|---|---|---|---|---|
| AS4 | 1½" | .120" | 3/8" | 536 | $17.24 |
| AS6 | 2" | .120" | 3/8" | 420 | $16.54 |
| AS8 | 2½" | .120" | 3/8" | 359 | $15.86 |
| AS10 | 3" | .120" | 3/8" | 305 | $14.52 |

*Shipped in 1-lb boxes, 25 per master.*



100% made in the USA

**BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS**

# PREFINISHED HAND-DRIVEN NAILS FOR SIDING


As America's top prefinisher of nails for many exterior applications, Maze paints a wide variety of Double Hot-Dip Galvanized and Stainless Steel siding nails for use with America's major siding brands.





We make a serious effort to keep the most popular colors of hand-drive nails in stock – for quick shipment. For non-stock colors, Maze has a 200-lb. minimum order requirement. These nails are packed in 5-lb. boxes – 6 per master case – and each box includes two hammer caps to greatly reduce the amount of paint chipping when the nails are driven.

If the contractor prefers to drive the prefinished nails pneumatically, our various Maze coil and stick nails are painted on demand - and are generally shipped in just a few days. They may be ordered in any stock color – in as small a quantity as a single carton.



**$37.24**
**LIST PRICE**



*(per 5-lb. box – packed 6 per master)*

**To determine Maze's closest color match to the siding – simply scan the QR codes below – or enter the URL provided. We do our best to keep current – which is a tall order!**

allura™
Making the Material Difference

https://cdn11.bigcommerce.com/s-eavrh4oaxz/content/resources/color-allura-july2025.pdf

JamesHardie™

https://cdn11.bigcommerce.com/s-eavrh4oaxz/content/resources/color-james-hardie.pdf

LP SMARTSIDE® TRIM & SIDING

https://cdn11.bigcommerce.com/s-eavrh4oaxz/content/resources/color-lp-smartside.pdf



**Color Matched Nails save BIG $$$ in time and labor on prestained and prefinished jobs!**



***Prefinished Maze stick and coil nails!***



# HAND-DRIVEN NAILS FOR DECKING

## DOUBLE HOT-DIPPED GALVANIZED P.T.L.® NAILS FOR THE NEW TREATED LUMBER

These nails are made from stiffer stock steel so the shanks can be smaller in diameter to help reduce wood splitting without bending. Ring and spiral shanks provide exceptional holding power. Producers of treated lumber and many building codes specify Hot-Dipped Galvanized or stainless steel nails because they have a life expectancy comparable to that of the treated lumber. Maze ***STORMGUARD®*** P.T.L.® Nails are Double Hot-Dipped Galvanized. See page 7 for Collated P.T.L.® Nails.

***Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.***



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails /lb | Price 50 lb | 25 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|---|
| T445 | 2" | 11 | 9/32" | 137 | $209.21 | – | $23.95 | $5.29 |
| T447 | 2 1/2" | 11 | 9/32" | 111 | $211.77 | – | $24.09 | $5.33 |
| T449 | 3" | 10 | 19/64" | 75 | $217.04 | $116.14 | $24.15 | $5.33 |
| T4490 | 3 1/4" | 10 | 19/64" | 69 | $218.20 | – | $24.62 | – |
| T4491 | 3 1/2" | 9 | 5/16" | 54 | $217.73 | $115.83 | $24.74 | $5.47 |
| T4492 | 4" | 7 | 3/8" | 33 | $206.45 | – | $24.10 | $5.37 |
| T4493 | 4 1/2" | 7 | 3/8" | 29 | $210.27 | – | – | – |
| T4494 | 5" | 5 1/2 | 15/32" | 20 | $204.36 | – | – | – |
| T4496 | 6" | 5 1/2 | 15/32" | 18 | $208.15 | – | – | – |



**LIFETIME WARRANTY**
***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails /lb | Price 50 lb | 25 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|---|
| T445A | 2" | 11 | 9/32" | 137 | $235.52 | $111.33 | $26.32 | $5.82 |
| T447A | 2 1/2" | 11 | 9/32" | 111 | $234.08 | $122.21 | $26.30 | $5.77 |
| T449A | 3" | 10 | 19/64" | 75 | $232.12 | $119.05 | $25.73 | $5.65 |
| T4490A | 3 1/4" | 10 | 19/64" | 69 | $227.27 | $116.81 | $25.56 | $5.59 |
| T4491A | 3 1/2" | 9 | 5/16" | 54 | $228.99 | $118.91 | $25.85 | $5.65 |
| T4492A | 4" | 7 | 3/8" | 33 | $225.60 | $116.46 | $25.11 | $5.54 |
| T4493A | 4 1/2" | 7 | 3/8" | 29 | $226.65 | – | $25.57 | – |
| T4494A | 5" | 5 1/2 | 15/32" | 20 | $226.13 | $121.55 | $25.73 | – |
| T4496A | 6" | 5 1/2 | 15/32" | 18 | $228.08 | – | $25.55 | – |



**LIFETIME WARRANTY**
***SPIRAL SHANK***

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails /lb | Price 50 lb | 25 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|---|
| T445S | 2" | 11 | 9/32" | 137 | $234.47 | – | $26.37 | $5.77 |
| T447S | 2 1/2" | 11 | 9/32" | 111 | $235.22 | $117.74 | $26.30 | $5.80 |
| T449S | 3" | 10 | 19/64" | 75 | $230.72 | $121.68 | $25.55 | $5.68 |
| T4490S | 3 1/4" | 10 | 19/64" | 69 | $229.89 | – | $25.38 | $5.64 |
| T4491S | 3 1/2" | 9 | 5/16" | 54 | $227.57 | $120.90 | $25.82 | $5.64 |
| T4492S | 4" | 7 | 3/8" | 33 | $225.16 | – | $25.51 | $5.63 |
| T4493S | 4 1/2" | 7 | 3/8" | 29 | $222.71 | – | $24.78 | – |
| T4494S | 5" | 5 1/2 | 15/32" | 20 | $223.63 | $116.16 | $24.99 | – |
| T4496S | 6" | 5 1/2 | 15/32" | 18 | $224.09 | – | $24.59 | – |

## STAINLESS STEEL (304) NAILS FOR THE NEW TREATED LUMBER

Type 304 STAINLESS STEEL P.T.L.® NAILS are for applications requiring even higher corrosion-resistance than offered by Double Hot-Dipped Galvanized nails.

***RING SHANK***



| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | Price 25 lb | 5 lb |
|---|---|---|---|---|---|---|
| XSST443A | 1 1/2" | 11 1/2 | 9/32" | 206 | $385.34 | – |
| XSST445A | 2" | 11 1/2 | 9/32" | 158 | $352.11 | – |
| XSST447A | 2 1/2" | 11 | 9/32" | 119 | $303.02 | $70.64 |
| XSST449A | 3" | 10 | 9/32" | 83 | $287.68 | $69.51 |
| XSST4491A | 3 1/2" | 9 | 5/16" | 58 | $290.39 | – |
| XSST4492A | 4" | 7 | 3/8" | 35 | $283.39 | $68.55 |
| XSST4494A | 5" | 5 1/2 | 15/32" | 23 | $295.00 | $65.95 |
| XSST4496A | 6" | 5 1/2 | 15/32" | 19 | $292.73 | – |

**(6) 5-Lb boxes per master.*

## STAINLESS STEEL (316) NAILS FOR THE NEW TREATED LUMBER

Made from Type 316 STAINLESS STEEL for ultimate corrosion-resistance. Recommended for the application of skirt boards treated with corrosive preservatives.

***RING SHANK***



| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | Price 25 lb |
|---|---|---|---|---|---|
| XSST445A316 | 2" | 11 1/2 | 9/32" | 158 | $410.33 |
| XSST447A316 | 2 1/2" | 11 | 9/32" | 119 | $370.96 |
| XSST449A316 | 3" | 10 | 9/32" | 83 | $367.63 |
| XSST4491A316 | 3 1/2" | 9 | 5/16" | 58 | $370.43 |
| XSST4492A316 | 4" | 8 | 3/8" | 42 | $368.87 |
| XSST4496A316 | 6" | 5 1/2 | 15/32" | 19 | $357.51 |

## STAINLESS STEEL DECKING NAILS

These Screw-Down® nails hold tight on a wide variety of outdoor applications. Ideal for use on cedar & redwood decks where a durable nail is needed to drive into the pressure treated lumber joists. Textured head holds paint and stain. Manufactured from top-grade, Type 304 Stainless Steel.



***SPIRAL SHANK***

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails/lb | Price 25 lb |
|---|---|---|---|---|---|
| SSDK6 | 2" | 11 1/2 | 13/64" | 172 | $264.28 |




The 2021 International Residential Code – Section R317.3.1 and the 2021 International Building Code – Section 2304.10.5.1 both state: "Fasteners in contact with preservative-treated wood shall be of Hot-Dipped zinc-coated galvanized steel, stainless steel, silicon bronze or copper." Our coating weights for zinc-coated fasteners shall be in accordance with ASTM A-153. Stainless steel fasteners shall be in accordance with the material requirements of ASTM F1667. Maze *STORMGUARD®* Double Hot-Dipped, Zinc-Coated Galvanized Nails and Type 304 and Type 316 Stainless Steel Nails meet and exceed those criteria.

# JOIST HANGER NAILS



## STAINLESS STEEL (304) JOIST HANGER NAILS



Maze Nails is a domestic manufacturer of top-quality 304 STAINLESS STEEL Joist Hanger Nails - to attach hangers to the new treated lumber. ***Note: For maximum protection, use Type 316 Stainless Steel nails.***



***STAINLESS STEEL 304 PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 5 lb | 1 lb |
|---|---|---|---|---|---|---|
| SSJ131 | 1 1/2" | .135" | 9/32" | 153 | $67.77 | $6.94 |
| SSJ148 | 1 1/2" | .148" | 5/16" | 120 | $69.22 | $8.14 |

*(6) 5-lb boxes per master. 25 1-lb. boxes per master.*



***STAINLESS STEEL 304 RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 25 lb |
|---|---|---|---|---|---|
| SSXR162A | 1 1/4" | .135" | 3/8" | 170 | $257.29 |
| SSXR163A | 1 1/2" | .135" | 3/8" | 146 | $244.64 |

**CAUTION: ALWAYS WEAR SAFETY GLASSES WHEN DRIVING ANY NAILS.**

## DOUBLE HOT-DIPPED GALVANIZED JOIST HANGER NAILS

These well-threaded nails are ***STORMGUARD®*** Double Hot-Dipped Galvanized to ensure superior holding power and long-term rust-protection. The Hot-Dipped coating is the type of galvanized coating which is recommended by the makers of treated lumber to use with their products.



**LIFETIME WARRANTY**

***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| XR162A | 1 1/4" | .135" | 3/8" | 155 | $240.45 | $26.19 | $5.81 |
| XR163A | 1 1/2" | .135" | 3/8" | 128 | $230.33 | $25.32 | $5.71 |
| J148A | 1 1/2" | .148" | 5/16" | 120 | $281.54 | $29.68 | — |
| XR164A | 1 3/4" | .135" | 3/8" | 114 | $229.81 | — | — |
| XR165A | 2" | .135" | 3/8" | 103 | $222.18 | — | — |
| XR167A | 2 1/2" | .135" | 3/8" | 85 | $230.66 | — | — |

*Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.*
*(6) 5-lb boxes per master. (12) 1-lb boxes per master.*

**1-800-435-5949 • orders@mazenails.com**

## DOUBLE HOT-DIPPED GALVANIZED JOIST HANGER NAILS

These Joist Hanger Nails are manufactured to the specifications of several of the large joist hanger makers. Stock number J-131 crosses-over to the Kant-Sag® "NA11" and Simpson® "N8", while the stock number J-148 crosses-over to Kant-Sag® "NA9D" and Simpson® "N10". The Maze advantage is that our nails are ***STORMGUARD®*** **Double Hot-Dipped Galvanized** – for superior corrosion-resistance. And, you can order these top-quality nails along with your other Maze products – in bulk and packaged. **LIFETIME WARRANTY!**



***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| J131 | 1 1/2" | .135" | 9/32" | 153 | $231.25 | $25.15 | $5.51 |
| J148 | 1 1/2" | .148" | 5/16" | 120 | $223.92 | $24.68 | $5.40 |

*Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.*
*(6) 5-lb boxes per master. (12) 1-lb boxes per master.*



**BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS**



## DOUBLE HOT-DIPPED GALVANIZED CONNECTOR NAILS

These nails are made from top-grade steel - and are then Double Hot-Dipped Galvanized for use in both bright and galvanized connectors. The MAZE ***STORMGUARD®*** Hot-Dipped coating meets the specifications of the 2021 International Building Code for nails to be driven into pressure treated lumber. Check with your connector supplier to determine the correct size nails for installing their products - to make certain that structural minimums are met.

**LIFETIME WARRANTY**

***PLAIN SHANK***





| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| CN250131 | 2 1/2" | .131" | 9/32" | 99 | $247.41 |
| CN250148 | 2 1/2" | .148" | 5/16" | 74 | $252.20 |
| CN250162 | 2 1/2" | .162" | 11/32" | 61 | $264.49 |
| CN300148 | 3" | .148" | 5/16" | 64 | $247.10 |

*Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.*

## PAINTED DOUBLE HOT-DIPPED GALVANIZED TRIM NAILS FOR SOFFIT AND FASCIA

Maze **STORMGUARD®** Trim Nails are ideal for applying painted aluminum trim coil, soffit and fascia. The thick, uniform zinc-coating is compatible with aluminum, and the strong steel shank drives much better than aluminum nails. White and Brown trim nails are stock items in 1-lb boxes, 12 per master carton.Double Hot-Dipped Galvanized. **LIFETIME WARRANTY!** *For stainless steel trim nails, see page 23.*



**PLAIN SHANK**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 1 lb |
|---|---|---|---|---|---|
| R112M61 (White) | 1 1/4" | 14 | 7/32" | 450 | $8.45 |
| R112M22 (Brown) | 1 1/4" | 14 | 7/32" | 450 | $8.45 |
| R113M61 (White) | 1 1/2" | 14 | 7/32" | 396 | $8.29 |
| R113M22 (Brown) | 1 1/2" | 14 | 7/32" | 396 | $8.29 |



*(12) 1-lb boxes per master.*
*AVAILABLE IN ADDITIONAL PAINT COLORS*

## STAINLESS STEEL (304) NAILS FOR CELLULAR PVC TRIMBOARDS

Ideal for applying the popular cellular PVC trim such as KLEER®, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. *For "gun-driven" nails, see page 12.* In sea-coastal areas, Type 316 stainless steel nails are recommended.



**PLAIN SHANK PAINTED WHITE**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 5 lb Box |
|---|---|---|---|---|---|
| PVC88252 (White) | 2 1/2" | 12 1/2 | 7/32" | 190 | $60.87 |

*(6) 5-lb boxes per master.*



**RING SHANK PAINTED WHITE**

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | Price 1 lb Box |
|---|---|---|---|---|---|
| PVC6A8252 (White) | 2" | 12 1/2 | 7/32" | 225 | $14.06 |
| PVC8A8252 (White) | 2 1/2" | 12 1/2 | 7/32" | 190 | $13.91 |

*(12) 1-lb boxes per master.*

## STAINLESS STEEL (204Cu) NAILS FOR CELLULAR PVC TRIMBOARDS

Economical 204Cu Stainless Steel for applying the popular cellular PVC trim such as KLEER®, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. *For "gun-driven" nails, see page 12.* In sea-coastal areas, Type 316 stainless steel nails are recommended.



**PLAIN SHANK PAINTED WHITE**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 5 lb Box | Price 1 lb Box |
|---|---|---|---|---|---|---|
| CPVC88252 (White) | 2 1/2" | 12 1/2 | 7/32" | 190 | $54.38 | $12.21 |

*(6) 5-lb boxes per master. (12) 1-lb boxes per master.*



**RING SHANK PAINTED WHITE**

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | Price 5 lb Box | Price 1 lb Box |
|---|---|---|---|---|---|---|
| CPVC6A8252 (White) | 2" | 12 1/2 | 7/32" | 225 | $56.44 | $12.82 |

*(6) 5-lb boxes per master. (12) 1-lb boxes per master.*

## DOUBLE HOT-DIPPED GALVANIZED FINISHING NAILS

Designed for exterior trim applications. Brad head sets easily and ensures neat finished appearance. **STORMGUARD®** Double Hot-Dipped Galvanized. **LIFETIME WARRANTY!**



**PLAIN SHANK**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| T315 | 2" | 14 | 1/8" | 310 | $223.03 | $24.35 | $5.64 |
| T317 | 2 1/2" | 13 | 9/64" | 196 | $205.82 | $24.10 | $5.28 |
| T319 | 3" | 11 1/2 | 5/32" | 109 | $214.62 | $24.52 | $5.42 |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.*
*(6) 5-lb boxes per master. (12) 1-lb boxes per master.*

## DOUBLE HOT-DIPPED GALVANIZED CASING NAILS

Designed for the secure application of window and door frames, cornices and exterior molding. Eliminate need for counter-sinking and puttying. **STORMGUARD®** Double Hot-Dipped Galvanized.

**LIFETIME WARRANTY**



**PLAIN SHANK**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| T305 | 2" | 12 1/2 | 9/64" | 212 | $205.01 | $24.38 |
| T307 | 2 1/2" | 11 1/2 | 9/64" | 131 | $209.67 | $23.61 |
| T309 | 3" | 10 | 11/64" | 85 | $213.40 | $24.02 |
| T3091 | 3 1/2" | 10 | 11/64" | 67 | $210.61 | $23.00 |
| T3092 | 4" | 9 | 3/16" | 48 | $207.13 | — |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.*
*(6) 5-lb boxes per master.*

## DOUBLE HOT-DIPPED GALVANIZED GARAGE DOOR JAMB SEAL NAILS

These painted, Hot-Dipped Galvanized nails are perfect for applying jamb seals on garage doors. Available in a variety of colors to match manufacturers'colors. *Pricing includes paint charges.*

**LIFETIME WARRANTY!**

*AVAILABLE IN LIMITED PAINT COLORS*





**PLAIN SHANK**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| R112 | 1 1/4" | 14 | 7/32" | 450 | $278.04 | $30.31 | $8.45 |
| R113 | 1 1/2" | 14 | 7/32" | 392 | $271.55 | $29.49 | $8.29 |
| R114 | 1 3/4" | 14 | 7/32" | 344 | $264.47 | $29.22 | $7.93 |

*AVAILABLE IN LIMITED PAINT COLORS*





**RING SHANK**

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| S213A | 1 7/16" | 12 1/2 | 3/16" | 262 | $397.31 | $41.15 | — |
| S214A | 1 3/4" | 12 1/2 | 3/16" | 220 | $392.78 | $40.79 | $10.07 |

*All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.*
*(6) 5-lb boxes per master. (12) 1-lb boxes per master.*

# HAND-DRIVEN PAINTED TRIM NAILS

## STAINLESS STEEL PAINTED TRIM NAILS (304)



Hammercaps reduce paint chipping!

High quality painted trim nails for use with trim coil, soffit and fascia. Available painted in many different colors – pre-matched to coil manufacturers' colors. These nails have a checkered head – Specially designed to hold more paint than a flat head. *See Hammercaps on page 3.*



### PLAIN SHANK - PAINTED

| Stock Numbers Plain Shank | Length | Penny Size | Diameter | Head | Approximate nails / lb. | PRICE 1 lb Box |
|---|---|---|---|---|---|---|
| SST2* | 1" | 2d | .072" | 3/16" | 760 | Call for pricing |
| SST3 | 1 1/4" | 3d | .072" | 3/16" | 615 | Call for pricing |
| SST5** | 1 3/4" | 5d | .080" | 3/16" | 340 | Call for pricing |

*8252 white only

**8252, 9514, 9572, 0003 only

### RING SHANK - PAINTED


| Stock Numbers Ring Shank | Length | Penny Size | Diameter | Head | Approximate nails / lb. | PRICE 1 lb Box |
|---|---|---|---|---|---|---|
| SST2A* | 1" | 2d | .072" | 3/16" | 760 | Call for pricing |
| SST3A | 1 1/4" | 3d | .072" | 3/16" | 615 | Call for pricing |
| SST4A | 1 1/2" | 4d | .080" | 3/16" | 443 | Call for pricing |
| SST5A** | 1 3/4" | 5d | .080" | 3/16" | 340 | Call for pricing |

*8252 white only

**10 popular colors

*(25) 1-lb boxes per master.*
*Note: A $.50 per pound up-charge applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.*

## STAINLESS STEEL PAINTED TRIM NAILS (204CU)



Hammercaps reduce paint chipping!

High quality painted trim nails for use with trim coil, soffit and fascia. Available painted in many different colors – pre-matched to coil manufacturers' colors. These nails have a striated head – Specially designed to hold more paint than a flat head. *See Hammercaps on page 3.* Less expensive and less corrosion-resistant than Type 304 stainless steel. Not recommended for coastal applications.



### PLAIN SHANK - PAINTED

| Stock Numbers Plain Shank | Length | Penny Size | Diameter | Head | Approximate nails / lb. | PRICE 1 lb Box |
|---|---|---|---|---|---|---|
| CST2* | 1" | 2d | .072" | 3/16" | 760 | Call for pricing |
| CST3 | 1 1/4" | 3d | .072" | 3/16" | 615 | Call for pricing |

*8252 white only


### RING SHANK - PAINTED

| Stock Numbers Ring Shank | Length | Penny Size | Diameter | Head | Approximate nails / lb. | PRICE 1 lb Box |
|---|---|---|---|---|---|---|
| CST2A* | 1" | 2d | .072" | 3/16" | 760 | Call for pricing |
| CST3A | 1 1/4" | 3d | .072" | 3/16" | 615 | Call for pricing |

*8252 white only

*(25) 1-lb boxes per master.*
*Note: A $.50 per pound up-charge after discount applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.*

**What's the difference between Type 304 and Type 204Cu?**
*Scan to learn more.*




**NOTE:** Actual paint colors may vary from the representations on the chart shown. This color chart only applies to Maze Stainless Steel Trim Nails.

See **www.mazenails.com/resources/painted-nail-colors** for details on color matches and painted color availability by nail type.




## ALUMINUM PAINTED TRIM NAILS

Our quality paint finish is a special baking enamel – for fine durability. Made from .101" wire, with 3/16" flat heads. Available in white and brown finish only.

### PLAIN SHANK – PAINTED

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 1 lb |
|---|---|---|---|---|---|
| AT38252 (White) | 1 1/4" | .101" | 3/16" | 1040 | $18.95 |
| AT31177 (Brown) | 1 1/4" | .101" | 3/16" | 1040 | $18.95 |

*(25) 1-lb boxes per master.*
*Note: A $.50 per pound up-charge applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.*

# HAND-DRIVEN NAILS FOR GUTTERS AND TRIM


## DOUBLE HOT-DIPPED GALVANIZED GUTTER SPIKES

Ideal for aluminum, galvanized & vinyl gutters. The extra-thick **STORMGUARD®** zinc-coating will not react with aluminum. Strong, steel-core spikes drive better than aluminum spikes. For best results, spikes should be driven into rafters or trusses, not only into fascia. Minimum 1 spike every 24". Checkered heads enhance paint adhesion. *Add $65.61 per 50-lbs. for painting.*

***These items stocked in WHITE.**

**LIFETIME WARRANTY**

***PLAIN SHANK***



| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| T364 | 7" | 3/16" | 7/16" | 16 | $239.48 |
| T365 | 8" | 3/16" | 7/16" | 14 | $229.20 |
| T366 | 8" | 1/4" | 9/16" | 8 | $235.38 |
| T368 | 9" | 1/4" | 9/16" | 7 | $235.74 |
| T369 | 10" | 1/4" | 9/16" | 6.5 | $233.88 |

**LIFETIME WARRANTY**

***RING SHANK***




| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| XT650A | 6 1/2" | 3/16" | 7/16" | 18 | $268.86 |
| XT658A | 6 5/8" | 3/16" | 7/16" | 17 | $274.82 |
| T364A* | 7" | 3/16" | 7/16" | 16 | $248.71 |
| XT750A | 7 1/2" | 3/16" | 7/16" | 15 | $257.63 |
| T365A* | 8" | 3/16" | 7/16" | 14 | $254.74 |
| T366A | 8" | 1/4" | 9/16" | 8 | $254.50 |
| T368A | 9" | 1/4" | 9/16" | 7 | $245.86 |
| T369A | 10" | 1/4" | 9/16" | 6.5 | $250.28 |
| ZL3691A | 11" | 1/4" | 9/16" | 6.2 | $302.82 |
| ZL3692A | 12" | 1/4" | 9/16" | 5.8 | $317.55 |

*Stocked in 50-lb Bulk Cartons.*

## ALUMINUM GUTTER FERRULES

Packed 500 pieces per box, these quality ferrules are made from .013" gauge aluminum. The 5" ferrules are commonly used with 7" spikes.



| Stock Numbers | Length | Gauge | Weight Per Box | PRICE Per Box |
|---|---|---|---|---|
| AF5 | 5" | .013" | 5 LBS. | Call for pricing |

## DOUBLE HOT-DIPPED GALVANIZED GUTTER HANGER NAILS


These spiral shank nails are specially threaded so they drive well and hold tight. Their **STORMGUARD®** Double Hot-Dipped Zinc-Coating ensures excellent long-term rust protection.



**LIFETIME WARRANTY**

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| GH6S | 2" | .120" | 9/32" | 137 | $239.36 | — |
| XR175S | 2" | .135" | 5/16" | 109 | $241.12 | — |
| ARD200148Z | 2" | .148" | 9/32" | 104 | $283.04 | — |
| ARD250148Z | 2 1/2" | .148" | 9/32" | 74 | $263.78 | — |
| GH8S | 2 1/2" | .120" | 9/32" | 111 | $231.96 | $26.16 |

*Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.*
*(6) 5-lb boxes per master.*



## DOUBLE HOT-DIPPED GALVANIZED GENERAL PURPOSE RING SHANK NAILS

These **STORMGUARD®** Double Hot-Dipped Galvanized Nails that were originally designed for asbestos siding should be obsolete! However, our customers have found many other applications where extra holding power and dependable corrosion-resistance are desired. Checkered heads enhance paint adhesion. *See "Garage Door Jamb Seal Nails" on page 22 for painted prices.* *Also available in other colors.*

***These two lengths are stocked in 50-lb cartons in the M-61 White color.**



**LIFETIME WARRANTY** ***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| S212A | 1 1/4" | 12 1/2 | 3/16" | 304 | $267.98 | — |
| S213A* | 1 7/16" | 12 1/2 | 3/16" | 262 | $356.11 | — |
| S214A* | 1 3/4" | 12 1/2 | 3/16" | 220 | $351.58 | $39.64 |

**ORDER AND PRICING INFORMATION:**
**1-800-435-5949 • orders@mazenails.com**

# HAND-DRIVEN NAILS FOR ROOFING

## DOUBLE HOT-DIPPED GALVANIZED ASPHALT & FIBERGLASS SHINGLE NAILS

MIAMI-DADE COUNTY APPROVED

Designed for the secure application of asphalt and fiberglass shingles on new construction and re-roofing jobs. Ring and spiral shanks provide extra holding power, especially in high wind/hurricane areas. ***STORMGUARD®*** Double Hot-Dipped Zinc-Coating provides extra corrosion-resistance. Manufactured to meet ASTM spec. F1667 and ASTM spec. A-153 for Hot-Dipped Zinc-coating. Nails should be long enough to penetrate 3/4" into the wood deck lumber, or completely through plywood decking. Type 304 Stainless Steel Roofing Nails also available. **All Maze Nails are 100% Made in the U.S.A.**

*For Coil-ated® Shingle Nails see page 14.*



**LIFETIME WARRANTY**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/Lb | PRICE 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| R100 | 7/8" | 11 | 3/8" | 272 | $223.64 | $24.76 |
| R101 | 1" | 11 | 3/8" | 250 | $222.84 | — |
| R102 | 1 1/4" | 11 | 3/8" | 202 | $226.09 | $24.66 |
| R103 | 1 1/2" | 11 | 3/8" | 180 | $222.75 | $24.37 |
| R104 | 1 3/4" | 11 | 3/8" | 145 | $216.27 | $23.99 |
| R105 | 2" | 11 | 3/8" | 136 | $217.81 | $24.23 |
| R107 | 2 1/2" | 11 | 3/8" | 106 | $217.27 | $23.77 |



**LIFETIME WARRANTY** MIAMI-DADE COUNTY APPROVED

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/Lb | PRICE 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| R100A | 7/8" | 11 | 3/8" | 272 | $256.72 | — |
| R101A | 1" | 11 | 3/8" | 250 | $238.94 | $26.45 |
| R102A | 1 1/4" | 11 | 3/8" | 202 | $235.67 | $27.13 |
| R103A | 1 1/2" | 11 | 3/8" | 180 | $235.43 | $26.14 |
| R104A | 1 3/4" | 11 | 3/8" | 145 | $232.27 | $25.66 |
| R105A | 2" | 11 | 3/8" | 136 | $228.70 | $25.74 |
| R107A | 2 1/2" | 11 | 3/8" | 106 | $228.22 | $24.96 |



**LIFETIME WARRANTY**

| Stock Numbers Spiral Shank | Length | Gauge | Head | Nails/Lb | PRICE 50 lb |
|---|---|---|---|---|---|
| R103S | 1 1/2" | 11 | 3/8" | 180 | $243.38 |
| R104S | 1 3/4" | 11 | 3/8" | 145 | $247.28 |
| R105S | 2" | 11 | 3/8" | 136 | $236.39 |

*All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.*
*(6) 5-lb boxes per master.*

## E.G. (ELECTRO-GALVANIZED) ROOFING NAILS

Due to popular demand, Maze now makes e.g (electro-galvanized) roofing nails. These roofing nails are 100% Made in the USA, and meet the criteria of the BABA "Build America – Buy America" Act. Plain shank.

*For Coil-ated® shingle nails, see page 14.*



| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/Lb | PRICE 50 lb |
|---|---|---|---|---|---|
| R102ZP | 1 1/4" | .120" | 3/8" | 212 | $213.76 |

## INSULATION ROOF DECK/RIDGE VENT NAILS

These extra-long "Asphalt Shingle Nails" are designed for the application of structural roof deck to wood trusses or rafters. Also great for application of shingles over rigid foam insulation into roof decking and for the installation of "ridge vents". Large heads prevent pull-through. Ring shanks provide exceptional holding power. ***STORMGUARD®*** Double Hot-Dipped Galvanized.



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/Lb | PRICE 50 lb |
|---|---|---|---|---|---|
| R159 | 3" | 10 | 3/8" | 72 | $208.87 |
| R1591 | 3 1/2" | 10 | 3/8" | 62 | $203.09 |
| R1592 | 4" | 9 | 13/32" | 46 | $207.85 |



**LIFETIME WARRANTY**
***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/Lb | PRICE 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| R159A | 3" | 10 | 3/8" | 72 | $222.44 | $25.65 |
| R1591A | 3 1/2" | 10 | 3/8" | 62 | $217.17 | — |
| R1593A | 4 1/2" | 9 | 13/32" | 40 | $253.80 | — |
| R1595A | 5 1/2" | 7 | 13/32" | 23 | $253.93 | — |

*All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.*
*(6) 5-lb boxes per master.*

***NOTE: For aluminum ring shank asphalt shingle nails, see aluminum nails on page 17.***

MIAMI-DADE COUNTY APPROVED

**APPROVED**

- *Maze **STORMGUARD®** Double Hot-Dipped Galvanized Smooth & Ring Shank Roofing Nails are "**Miami Dade County Product Control Approved.**"*
- *Maze **STORMGUARD®** Nails withstood and exceeded the ASTM G85 test protocol required for Miami Dade County.*
- *Maze **STORMGUARD®** Ring Shank Nails provide more than twice the holding power of plain shank nails.*
- *Maze **STORMGUARD®** Roofing Nails meet the 2021 International Building Code 1507.2.6 and comply with ASTM F1667.*

***Miami Dade County, Florida NOA (Notice of Acceptance) No: 26-0506.02 Expiration Date: 08.17.31***

# HAND-DRIVEN NAILS FOR ROOFING

## STAINLESS STEEL (304) PLAIN SHANK NAILS FOR ROOFING

These nails are made from highly corrosion-resistant Type 304 Stainless Steel for outstanding rust-protection. The strong shanks drive with ease.



*PLAIN SHANK*

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/Lb | PRICE 25 lb |
|---|---|---|---|---|---|
| SSRFG5 | 1 3/4" | 11 | 3/8" | 167 | $323.10 |
| SSRFG6 | 2" | 11 | 3/8" | 148 | $323.19 |
| SSRFG8 | 2 1/2" | 11 | 3/8" | 120 | $319.09 |

*Stocked in 25-lb Bulk Cartons.*

## STAINLESS STEEL (304) RING SHANK NAILS FOR ROOFING

These nails are made from highly corrosion-resistant Type 304 Stainless Steel for outstanding rust-protection. The strong shanks drive with ease and the ring shanks ensure excellent holding power. *For coil nails, see page 14.*



*RING SHANK*

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/Lb | PRICE 25 lb |
|---|---|---|---|---|---|
| XSSRFG2A | 1" | 11 | 3/8" | 267 | $354.91 |
| SSRFG3A | 1 1/4" | 11 | 3/8" | 226 | $341.95 |
| SSRFG4A | 1 1/2" | 11 | 3/8" | 194 | $340.83 |
| SSRFG5A | 1 3/4" | 11 | 3/8" | 167 | $345.66 |
| SSRFG6A | 2" | 11 | 3/8" | 148 | $333.21 |
| SSRFG8A | 2 1/2" | 11 | 3/8" | 120 | $340.13 |
| SSRFG10A | 3" | 11 | 3/8" | 99 | $403.96 |
| SSRFG16A | 3 1/2" | 11 | 3/8" | 86 | $395.91 |

*Stocked in 25-lb Bulk Cartons.*

## STAINLESS STEEL (316) RING SHANK HAND-DRIVEN NAILS FOR ROOFING

These nails are made from Type 316 Stainless Steel for ultimate corrosion-resistance. Recommended for coastal applications. The ring shank ensures excellent holding power. *For coil nails, see page 14.*



*RING SHANK*

| Stock Numbers Ring Shank | Length | Head | Nails/Lb | PRICE 25 lb |
|---|---|---|---|---|
| SSRFG4A316 | 1 1/2" | 3/8" | 194 | $435.82 |
| SSRFG5A316 | 1 3/4" | 3/8" | 167 | $428.27 |

*Stocked in 25-lb Bulk Cartons.*



## COPPER SLATING & FLASHING NAILS

These solid copper nails are the type recommended for use with many major brands of tile and slate roofing – and are the most compatible nails for use with copper flashing. The full 3/8" head gives good bearing pressure on roofing and flashing material. Diamond point and smooth shank make driving easy.



*PLAIN SHANK*

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/Lb | PRICE 25 lb | 5 lb |
|---|---|---|---|---|---|---|
| CU100 | 1" | 10 | 3/8" | 194 | Call for pricing | |
| CU125 | 1 1/4" | 10 | 3/8" | 158 | Call for pricing | |
| CU150 | 1 1/2" | 10 | 3/8" | 133 | Call for pricing | |
| CU175 | 1 3/4" | 10 | 3/8" | 115 | Call for pricing | |
| CU200 | 2" | 10 | 3/8" | 102 | Call for pricing | |
| CU250 | 2 1/2" | 10 | 3/8" | 83 | Call for pricing | |
| CU300 | 3" | 10 | 3/8" | 70 | Call for pricing | |

*Stocked in 25-lb Bulk Cartons. (6) 5-lb boxes per master.*

## COPPER SLATING & FLASHING NAILS

These solid copper nails are the type recommended for use with many major brands of tile and slate roofing – and are the most compatible nails for use with copper flashing. The full 3/8" head gives good bearing pressure on roofing and flashing material. Diamond point makes driving easy. Ring shank holds tight.



*RING SHANK*

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/Lb | PRICE 25 lb | 5 lb |
|---|---|---|---|---|---|---|
| CU100A | 1" | 10 | 3/8" | 194 | Call for pricing | |
| CU125A | 1 1/4" | 10 | 3/8" | 158 | Call for pricing | |
| CU150A | 1 1/2" | 10 | 3/8" | 133 | Call for pricing | |
| CU175A | 1 3/4" | 10 | 3/8" | 115 | Call for pricing | |
| CU200A | 2" | 10 | 3/8" | 102 | Call for pricing | |
| CU250A | 2 1/2" | 10 | 3/8" | 83 | Call for pricing | |
| CU300A | 3" | 10 | 3/8" | 70 | Call for pricing | |

*Stocked in 25-lb Bulk Cartons. (6) 5-lb boxes per master.*



# CEDAR SHAKE & SHINGLE ROOFING NAILS

## DOUBLE HOT-DIPPED GALVANIZED CEDAR SHINGLE AND SHAKE NAILS

Maze **STORMGUARD®** Plain and Ring Shank Cedar Shake and Shingle Nails are Double Hot-Dipped Galvanized – which conform to ASTM Standard A153, Class D and conform to the nail specifications of the Cedar Shake and Shingle Bureau for non-saltwater areas. These slender, stiff nails resist splitting, bending and effectively resist rust. Nails should be long enough to penetrate sheathing at least ¾". Use only two nails per shake or shingle approximately ¾" from edge and 1½" above the butt line of the next course. Nails should be driven flush, but not so far that the nail head crushes the wood. Excellent for typical, non-coastal (over 15 miles from salt-water) residential applications **not** utilizing pressure-impregnated preservative or fire-retardant treatments. Check with treater for current, specific fastener requirements. Type 316 Stainless Steel nails (below) must be used in those severe conditions.



**LIFETIME WARRANTY**
***PLAIN SHANK***

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| R112 | 1¼" | 14 | 7/32" | 470 | $236.84 | $26.19 | $7.60 |
| R113 | 1½" | 14 | 7/32" | 396 | $230.35 | $25.42 | $7.45 |
| R114 | 1¾" | 14 | 7/32" | 342 | $223.27 | $25.10 | $7.09 |
| R115 | 2" | 13 | ¼" | 232 | $214.85 | $24.36 | $5.36 |
| R116 | 2¼" | 13 | ¼" | 211 | $226.95 | $25.07 | – |
| R117 | 2½" | 13 | ¼" | 163 | $254.35 | – | – |



**LIFETIME WARRANTY**
***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| R113A | 1½" | 14 | 7/32" | 396 | $306.13 | $34.87 |
| R114A | 1¾" | 14 | 7/32" | 342 | $296.14 | – |
| R115A | 2" | 13 | ¼" | 232 | $266.23 | – |
| R116A | 2¼" | 13 | ¼" | 211 | $259.92 | – |

***Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.***

## STAINLESS STEEL (316) CEDAR SHINGLE AND SHAKE NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service.



***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 25 lb |
|---|---|---|---|---|---|
| SSR112A | 1¼" | 14 | 7/32" | 470 | $388.06 |
| SSR113A | 1½" | 14 | 7/32" | 428 | $400.95 |
| SSR114A | 1¾" | 14 | 7/32" | 337 | $380.81 |
| SSR115A | 2" | 13 | 7/32" | 237 | $394.82 |

***Shipped in Standard 25-lb Bulk Cartons.***

## STAINLESS STEEL (316) 15º COIL-ATED® NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service. ***200 nails per coil. 16 coils per carton.*** *Compatible tools listed on page 11.*



***RING SHANK***




| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn. | Lbs/ctn. | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLSSCEM113A316 | 1½" | .099" | .219" | 3,200 | 13 | $312.30 |
| CLSSCEM115A316 | 2" | .099" | .219" | 3,200 | 15 | $349.22 |
| CLSSCEM117A316 | 2½" | .099" | .219" | 3,200 | 17 | $367.75 |

## DOUBLE HOT-DIPPED GALVANIZED 15º COIL-ATED® NAILS

**(15º Coil-ated® Nails for Cedar Shakes & Shingles)**
MAZE **STORMGUARD®** Double Hot-Dipped Galvanized Nails are recommended by the Cedar Shake and Shingle Bureau. These coil nails, along with Maze bulk & collated stick nails are ***"the right nails for the job"!***
***200 nails per coil.***



***PLAIN SHANK***



| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/ctn. | Lbs/ctn. | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLCEM115 | 2" | .095" | .219" | 3,200 | 15 | $153.43 |
| CLCEM116 | 2¼" | .095" | .219" | 3,200 | 16 | $159.87 |
| CLCEM117 | 2½" | .095" | .219" | 3,200 | 17 | $163.21 |
| CLCEM119* | 3" | .095" | .219" | 2,400 | 16 | $154.92 |

****3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.***

MAZE **STORMGUARD®** Double Hot-Dipped Galvanized Nails are recommended by the Cedar Shake and Shingle Bureau. These coil nails, along with Maze bulk & collated stick nails are ***"the right nails for the job"!***
***200 nails per coil.***



***RING SHANK***



| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/ctn. | Lbs/ctn. | PRICE Per Carton |
|---|---|---|---|---|---|---|
| CLCEM113A | 1½" | .095" | .219" | 3,200 | 13 | $157.09 |
| CLCEM115A | 2" | .095" | .219" | 3,200 | 15 | $165.44 |
| CLCEM116A | 2¼" | .095" | .219" | 3,200 | 16 | $172.95 |
| CLCEM117A | 2½" | .095" | .219" | 3,200 | 17 | $177.35 |
| CLCEM119A* | 3" | .095" | .219" | 2,400 | 16 | $174.55 |

****3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.***

# WASHER NAILS FOR METAL ROOFING


Photo courtesy of Jack Walters & Sons Corporation

## DOUBLE HOT-DIPPED GALVANIZED FLAT RUBBER WASHER NAILS

Widely used for fastening corrugated metal roofing and siding. Also popular for aluminum and fiberglass products. These ***STORMGUARD®*** Nails are double dipped in molten zinc after threading so no raw steel is exposed. EPDM rubber washers seal nail holes. Ring shanks hold tight. Available from stock in many popular colors. Call for availability. For painted nail adders, see page 3. Non-stocked colors require a minimum order of 200-lbs. per size and color and 50-lb. increments beyond. Most manufacturers recommend minimum nail penetration of 1" into purlin or girt. **LIFETIME WARRANTY!**



***RING SHANK***

Washer size: .375" OD x .135" ID x .090" THICK

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | PRICE 5 lb |
|---|---|---|---|---|---|---|
| R163AF | 1 1/2" | 10 | 3/8" | 126 | $286.42 | $30.75 |
| R164AF | 1 3/4" | 10 | 3/8" | 111 | $279.45 | $36.17 |
| R165AF | 2" | 10 | 3/8" | 100 | $275.97 | $30.20 |
| R166AF | 2 1/4" | 10 | 3/8" | 91 | $278.63 | — |
| R167AF | 2 1/2" | 10 | 3/8" | 82 | $286.31 | $28.96 |
| R169AF | 3" | 10 | 3/8" | 70 | $255.08 | — |
| R1693AF | 4 1/2" | 9 | 13/32" | 39 | $291.64 | — |

***Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.***

## DOUBLE HOT-DIPPED GALVANIZED "FAT-HEAD"® GRAY SILICONE WASHER NAILS

These gray silicone washers are twice as thick as our black EPDM washers. The extra resiliency allows them to seal the nail hole even if not driven at a right angle to the sheet. Do not overdrive! Washer should just begin to "balloon" under the nail head, but not bulge over nail head. Most Metal Roofing manufacturers recommend minimum nail penetration of at least 1" into purlin. These ***STORMGUARD®*** nails are double-dipped in molten zinc. **LIFETIME WARRANTY**



***RING SHANK***

Washer size: .300" OD x .145" ID x .200" THICK

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| R163FH | 1 1/2" | 10 | 13/32" | 119 | $329.73 |
| R164FH | 1 3/4" | 10 | 13/32" | 107 | $319.40 |
| R165FH | 2" | 10 | 13/32" | 96 | $308.60 |
| R166FH | 2 1/4" | 10 | 13/32" | 89 | $302.98 |
| R167FH | 2 1/2" | 10 | 13/32" | 79 | $295.30 |
| R169FH | 3" | 10 | 13/32" | 69 | $293.20 |
| R1691FH | 3 1/2" | 10 | 13/32" | 60 | $309.37 |

QUANTITIES COMMONLY USED - 100 nails per square

***Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.***

***PAINTED NAILS AVAILABLE TO MATCH MANY INDUSTRY MANUFACTURERS OF METAL ROOFING AND SIDING!***



Photo courtesy of Wick Buildings


Photo courtesy of Morton Buildings, Inc.

# HAND-DRIVEN POST AND FRAMING NAILS ("POLE BARN" NAILS)

100% American-made "Pole Barn" Nails are strong & dependable. Sharp ring and spiral shanks provide excellent holding power in fastening posts, timbers, trusses, girts, purlins, etc. Oil-quench hardened nails drive well without breaking. Most sizes of stiff stock nails available in **STORMGUARD®** Double Hot-Dipped Zinc-Coated finish. *See "PTL" Nails on page 20 for hand-driven and page 7 for collated. Most sizes of oil-quench hardened nails are also available Double Hot-Dipped Galvanized. See page 30.*



Photo courtesy of Thomsen Construction

## POST-FRAME RING SHANK NAILS

These stiff-stock and oil-quench hardened nails comply with the **ASTM Standard Specification F1667** Table 45, Type 1, Style 30 Post-Frame Ring Shank Nails. Sharp ring shanks provide excellent holding power in posts, trusses and timbers. *Safety glasses are required when driving hardened nails.*



***RING SHANK***

| Stock Numbers Stiff - Ring | Length | Gauge | Head | Nails/lb | Price 50 lb |
|---|---|---|---|---|---|
| 521A | 2 1/2" | 11 | 9/32" | 115 | $193.29 |
| 523A | 3" | 10 | 19/64" | 78 | $185.22 |
| 525A | 3 1/2" | 9 | 5/16" | 57 | $188.19 |
| 526A | 4" | 7 | 3/8" | 35 | $181.87 |
| 527A | 4 1/2" | 7 | 3/8" | 30 | $184.65 |
| 528A | 5" | 5 1/2 | 15/32" | 23 | $172.72 |
| 530A | 6" | 5 1/2 | 15/32" | 17 | $172.62 |
| 532A | 7" | 5 1/2 | 15/32" | 16 | $171.29 |
| 534A | 8" | 5 1/2 | 15/32" | 14 | $169.19 |

| Stock Numbers Hardened - Ring | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| H521A | 2 1/2" | 11 | 9/32" | 115 | $216.20 | – |
| H523A | 3" | 10 | 19/64" | 78 | $214.70 | $24.66 |
| H524A | 3 1/4" | 10 | 19/64" | 73 | $205.92 | – |
| H525A | 3 1/2" | 9 | 5/16" | 57 | $211.86 | $24.09 |
| H526A | 4" | 7 | 3/8" | 35 | $208.70 | $24.06 |
| H527A | 4 1/2" | 7 | 3/8" | 30 | $206.56 | $24.34 |
| H528A | 5" | 5 1/2 | 15/32" | 23 | $189.81 | $22.51 |
| H678A | 5" | 7 | 3/8" | 26 | $209.42 | – |
| H530A | 6" | 5 1/2 | 15/32" | 17 | $196.98 | $29.92 |
| H680A | 6" | 7 | 3/8" | 22 | $206.75 | $25.96 |
| H532A | 7" | 5 1/2 | 15/32" | 16 | $267.32 | – |
| H534A | 8" | 5 1/2 | 15/32" | 14 | $264.71 | – |

***Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.***

## POST-FRAME SPIRAL SHANK NAILS

Spiral shanks hold well and greatly assist in preventing racking of nailed truss and post members. Stiff stock or hardened. Also excellent for common nail applications. *Safety glasses required when driving hardened nails.*



***SPIRAL SHANK***

| Stock Numbers Stiff - Spiral | Length | Gauge | Head | Nails/lb | Price 50 lb |
|---|---|---|---|---|---|
| 523S | 3" | 10 | 19/64" | 78 | $185.26 |
| 525S | 3 1/2" | 9 | 5/16" | 57 | $182.33 |
| 526S | 4" | 7 | 3/8" | 35 | $183.07 |
| 527S | 4 1/2" | 7 | 3/8" | 30 | $186.53 |
| 528S | 5" | 5 1/2 | 15/32" | 23 | $166.21 |
| 530S | 6" | 5 1/2 | 15/32" | 17 | $179.17 |

| Stock Numbers Hardened - Spiral | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| H521S | 2 1/2" | 11 | 9/32" | 115 | $220.63 | $25.75 |
| H523S | 3" | 10 | 19/64" | 78 | $218.24 | $25.01 |
| H524S | 3 1/4" | 10 | 19/64" | 73 | $211.31 | – |
| H525S | 3 1/2" | 9 | 5/16" | 57 | $216.22 | $25.19 |
| H526S | 4" | 7 | 3/8" | 35 | $206.26 | – |
| H527S | 4 1/2" | 7 | 3/8" | 30 | $207.42 | – |
| H528S | 5" | 5 1/2 | 15/32" | 23 | $191.35 | – |
| H530S | 6" | 5 1/2 | 15/32" | 17 | $193.49 | – |

***Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.***





*Maze-Sponsored Nail Pounding Contest at the Annual NFBA Expo. Experienced builders only want to use the best nails at a pounding contest – MAZE!*

**ORDER AND PRICING INFORMATION: 1-800-435-5949 • orders@mazenails.com**

# HAND-DRIVEN POST AND FRAMING NAILS


Photo courtesy of Cleary Building Corporation

## STAINLESS STEEL (304) POST-FRAME NAILS FOR THE NEW TREATED LUMBER

These Type 304 stainless steel post-frame ring shank nails are recommended for the application of preservative-treated skirtboards. They are also excellent for other applications in severely corrosive environments. *(Note: For maximum protection, Type 316 stainless steel nails are available on page 20.)*

**RING SHANK**



| Stock Number Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 25 lb | 5 lb |
|---|---|---|---|---|---|---|
| XSST443A | 1 1/2" | 11 1/2 | 9/32" | 193 | $385.34 | — |
| XSST447A | 2 1/2" | 11 | 9/32" | 119 | $303.02 | $70.64 |
| XSST449A | 3" | 10 | 19/64" | 83 | $287.68 | $69.51 |
| XSST4491A | 3 1/2" | 9 | 5/16" | 58 | $290.39 | $69.27 |
| XSST4492A | 4" | 7 | 3/8" | 35 | $283.39 | $68.55 |
| XSST4494A | 5" | 5 1/2 | 15/32" | 23 | $295.00 | $65.95 |
| XSST4496A | 6" | 5 1/2 | 15/32" | 17 | $292.73 | — |

*Shipped in Standard 25-lb Bulk Cartons. (6) 5-lb boxes per master.*

## STAINLESS STEEL (304) FIBERGLASS LINER PANEL NAILS

For applying fiberglass reinforced plastic laminated panels for walls, ceilings, dividers and floors. These Type 304 stainless steel nails are ideal for corrosive environments such as agricultural confinement buildings, warehouses, swimming pools and dairy operations.



**RING SHANK**

| Stock Number Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| SS175135A | 1 3/4" | .135" | 9/32" | 136 | $577.11 |

*Stocked in 50-lb Bulk Cartons.*

## STORMGUARD® HOT-DIPPED AND HARDENED POST & TRUSS NAILS

These spiral shank nails are **STORMGUARD®** Double Hot-Dipped Galvanized after threading and hardening - and drive much better than regular commons with fewer wood splits. The superior Hot-Dipped Zinc-coating, recommended for pressure treated lumber, is especially popular in post-frame construction. Spiral shank is preferred by many builders.

**Safety glasses required when driving hardened nails.**





**SPIRAL SHANK**

| Stock Numbers Hot-Dipped/Hard | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| TH449S | 3" | 10 | 19/64" | 75 | $288.87 | — |
| TH4490S | 3 1/4" | 10 | 19/64" | 70 | $281.75 | — |
| TH4491S | 3 1/2" | 9 | 5/16" | 54 | $288.75 | — |
| TH4492S | 4" | 7 | 3/8" | 33 | $268.65 | $33.11 |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.*

**WARNING: WEAR SAFETY GLASSES WHEN DRIVING NAILS – ESPECIALLY HARDENED NAILS!**

## STORMGUARD® HOT-DIPPED AND HARDENED POST-FRAME NAILS

These ring shank nails are **STORMGUARD®** Double Hot-Dipped Galvanized after threading and hardening. They are recommended for the application of skirtboards and other components treated with the new wood preservatives. They comply with the **ASTM Standard Specification F1667** for Post-Frame Ring Shank nails.

**Safety glasses required when driving hardened nails.**





**RING SHANK**

| Stock Numbers Hot-Dipped/Hard | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| TH447A | 2 1/2" | 11 | 9/32" | 111 | $307.52 | — |
| TH449A | 3" | 10 | 19/64" | 75 | $267.78 | $29.69 |
| TH4491A | 3 1/2" | 9 | 5/16" | 54 | $256.03 | $28.40 |
| TH4492A | 4" | 7 | 3/8" | 33 | $255.62 | $28.04 |
| TH4493A | 4 1/2" | 7 | 3/8" | 29 | $253.91 | — |
| TH4495A | 5" | 7 | 3/8" | 24 | $250.81 | — |
| TH4497A | 6" | 7 | 3/8" | 21 | $252.56 | — |
| TH4498A | 8" | 5 1/2 | 15/32" | 14 | $322.96 | — |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.*

**ORDER AND PRICING INFORMATION: 1-800-435-5949 • orders@mazenails.com**



## LOG HOME SPIKES – PLAIN SHANK

Heavy gauge plain shank spikes are ideal for log home construction, securing landscape timbers, or wherever a sturdy, long spike is required. Available bright or ***STORMGUARD®*** (Double Hot-Dipped Galvanized).



***PLAIN SHANK***

| Stock Numbers Bright - Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| L8 | 8" | 3/8" | 11/16" | 4.1 | $182.01 |
| L10 | 10" | 3/8" | 11/16" | 3.2 | $190.84 |
| L12 | 12" | 3/8" | 11/16" | 2.7 | $169.73 |

| Stock Numbers Stormguard® - Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| ZL8 | 8" | 3/8" | 11/16" | 3.7 | $241.27 |
| ZL10 | 10" | 3/8" | 11/16" | 2.9 | $252.44 |
| ZL12 | 12" | 3/8" | 11/16" | 2.5 | $261.26 |

*Shipped in Standard 50-lb Bulk Cartons.*

## LOG HOME SPIKES – RING SHANK

These spikes are the same style as those above, but with ring shanks, which increase holding power. ***STORMGUARD®*** (Double Hot-Dipped Galvanized).



***RING SHANK***

| Stock Numbers Stormguard® - Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| ZL8A | 8" | 3/8" | 11/16" | 3.7 | $257.48 |
| ZL10A | 10" | 3/8" | 11/16" | 2.9 | $263.10 |
| ZL12A | 12" | 3/8" | 11/16" | 2.5 | $280.12 |

*Shipped in Standard 50-lb Bulk Cartons.*

## "SKINNY SPIKES®" – RING SHANK

These 1/4" diameter ring shank spikes give a higher nail count per pound than 3/8" spikes. The thinner diameter drives easier and helps to reduce wood splits. Available bright or ***STORMGUARD®*** (Double Hot-Dipped Galvanized).

***RING SHANK***



| Stock Numbers Bright - Ring | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| L368A | 9" | 1/4" | 9/16" | 7.9 | $187.90 |
| L369A | 10" | 1/4" | 9/16" | 7.2 | $208.93 |

| Stock Numbers Stormguard® - Ring | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| T368A | 9" | 1/4" | 9/16" | 7.2 | $245.86 |
| T369A | 10" | 1/4" | 9/16" | 6.5 | $250.28 |
| ZL3691A | 11" | 1/4" | 9/16" | 6.0 | $302.82 |
| ZL3692A | 12" | 1/4" | 9/16" | 5.4 | $317.55 |

*Shipped in Standard 50-lb Bulk Cartons.*



## MASONRY NAILS – HEAVY DUTY - PLATED

These heavy-duty, fluted masonry nails are made from hardened steel - and are zinc plated. Widely used for nailing down various traffic products into asphalt and gravel ... or wherever a highly durable, rust-resistant nail is needed for a tough application. The fluted shank holds tight and the strong, hardened nails drive well.



***FLUTED SHANK***

| Stock Numbers Plated - Fluted Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| VTRGG6P | 2" | .250" | 9/16" | 35 | $351.86 |
| VTRGG8P | 2 1/2" | .250" | 9/16" | 28 | $350.10 |
| VTRGG16P | 3 1/2" | .250" | 9/16" | 19 | $349.30 |

*Shipped in Standard 50-lb Bulk Cartons.*

# HAND-DRIVEN SPECIALTY NAILS & SPIKES


## 5/16" BRIDGE SPIKES

These heavy duty spikes are designed for tough jobs, such as landscape timbers, railroad ties & bridge construction. Available **STORMGUARD®** Double Hot-Dipped Galvanized if they will be exposed to weather or driven into pressure-treated lumber.



**PLAIN SHANK**

| Stock Numbers Bright - Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb box |
|---|---|---|---|---|---|
| *X700313 Bright | 7" | 5/16" | 9/16" | 6.7 | $192.45 |
| **Stock Numbers Stormguard® - Plain Shank** | **Length** | **Gauge** | **Head** | **Nails/lb** | **Price 50 lb box** |
| XT700313Z Hot-Dipped | 7" | 5/16" | 9/16" | 6.1 | $247.30 |
| XT800313Z Hot-Dipped | 8" | 5/16" | 9/16" | 5.3 | $252.40 |



**RING SHANK**

| Stock Numbers Bright - Ring Shank | Length | Gauge | Head | Nails/lb | Price 50 lb box |
|---|---|---|---|---|---|
| *X700313A Bright | 7" | 5/16" | 9/16" | 6.7 | $219.25 |
| *X800313A Bright | 8" | 5/16" | 9/16" | 5.8 | $205.11 |
| **Stock Numbers Stormguard® - Ring Shank** | **Length** | **Gauge** | **Head** | **Nails/lb** | **Price 50 lb box** |
| XT700313AZ Hot-Dipped | 7" | 5/16" | 9/16" | 6.1 | $262.75 |
| XT800313AZ Hot-Dipped | 8" | 5/16" | 9/16" | 5.3 | $262.34 |

***Not galvanized**

*Stocked in 50-lb Bulk Cartons.*

## ARDOX® SPIRAL SPIKES

These are ideal for landscape timbers and log home construction. Ardox® shanks hold tight. Available in **STORMGUARD®** Double Hot-Dipped Galvanized and Bright finish.



| Stock Numbers Bright - Spiral Shank | Length | Gauge | Head | Nails/lb | Price 50 lb |
|---|---|---|---|---|---|
| *ARD7 | 7" | 5/16" | 9/16" | 7 | $244.45 |
| *ARD8 | 8" | 5/16" | 9/16" | 6.1 | $257.14 |
| *ARD10 | 10" | 5/16" | 9/16" | 5.0 | $284.22 |
| *ARD12 | 12" | 5/16" | 9/16" | 4.1 | $325.88 |
| **Stock Numbers Stormguard® - Spiral Shank** | **Length** | **Gauge** | **Head** | **Nails/lb** | **Price 50 lb** |
| ARD8Z | 8" | 5/16" | 9/16" | 5.6 | $333.81 |
| ARD10Z | 10" | 5/16" | 9/16" | 4.5 | $368.52 |
| ARD12Z | 12" | 5/16" | 9/16" | 3.7 | $408.58 |

Ardox® is a registered trademark of Stelwire Ltd.

***Not galvanized**

*Stocked in 50-lb Bulk Cartons.*

## PALLET NAILS - SPIRAL SHANK

Designed for the construction and repair of wood pallets. These spiral shank nails are also good for re-nailing wagon beds and trailers.



**BRIGHT FINISH SPIRAL SHANK**

| Stock Numbers Stiff - Spiral Shank | Length | Gauge | Head | Nails/lb | Price 50 lb |
|---|---|---|---|---|---|
| S14 | 1 1/2" | 11 | 9/32" | 188 | $306.94 |
| S16 | 2" | 11 | 9/32" | 144 | $296.02 |
| S17 | 2 1/4" | 11 | 9/32" | 130 | $294.21 |
| S18 | 2 1/2" | 11 | 9/32" | 115 | $286.44 |
| **Stock Numbers Hardened - Spiral Shank** | **Length** | **Gauge** | **Head** | **Nails/lb** | **Price 50 lb** |
| HS16 | 2" | 11 | 9/32" | 144 | $316.62 |

*Stocked in 50-lb Bulk Cartons.*

## FOUNDRY NAILS

These slim shank nails are widely used in foundries for fastening forms. They are also handy nails for other construction purposes.



**BRIGHT FINISH PLAIN SHANK**

| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb |
|---|---|---|---|---|---|
| XFN300135 | 3" | 10 | 3/8" | 77 | $184.19 |
| XFN400135 | 4" | 10 | 3/8" | 58 | $189.70 |
| **Stock Numbers Plain Shank** | **Length** | **Gauge** | **Head** | **Nails/lb** | **Price 25 lb** |
| XFN500135 | 5" | 10 | 3/8" | 47 | $96.95 |
| XFN600135 | 6" | 10 | 3/8" | 40 | $96.13 |
| XFN800135 | 8" | 10 | 3/8" | 35 | $92.34 |

## PAN NAILS

Ideal for securing metal pans in place for poured concrete structures. Ring Shanks hold tight; large head ensures reliable hold.



**BRIGHT FINISH RING SHANK**

| Stock Number Ring Shank | Length | Gauge | Head | Nails/lb | Price 50 lb |
|---|---|---|---|---|---|
| X150148A | 1 1/2" | .148" | 7/16" | 118 | $218.38 |

*Stocked in 50-lb Bulk Cartons.*



100% made in the USA

**BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS**

# HAND-DRIVEN SPECIALTY NAILS

## SQUARE-CAP® NAILS – STEEL HEAD

Originally designed for the application of roofing felt, these nails are also widely used for built-up roofing, rigid foam insulation, attaching sidewall curtains in poultry buildings and for general packaging and crating. Many contractors prefer driving these sturdy all-steel nails over plastic cap nails. Large 15/16" domed caps are securely joined to sturdy ring shanks. Excellent holding power. Please note sizes available in **STORMGUARD®** (Hot-Dipped Galvanized) for dependable corrosion-resistance.



***RING SHANK***

| Stock Numbers Bright-Ring Shank | Length | Gauge | Head | Nails/lb | Price 25 lb |
|---|---|---|---|---|---|
| 853A | 3/4" | 11 | 15/16" | 91 | $153.92 |
| 855A | 1" | 11 | 15/16" | 86 | $151.67 |
| 856A | 1 1/4" | 11 | 15/16" | 82 | $148.90 |
| 857A | 1 1/2" | 11 | 15/16" | 78 | $143.33 |
| 858A | 1 3/4" | 11 | 15/16" | 68 | $144.30 |
| 859A | 2" | 11 | 15/16" | 64 | $143.06 |

**STORMGUARD®** (Hot-Dipped Galvanized)

| Stock Numbers STORMGUARD®-Ring Shank | Length | Gauge | Head | Nails/lb | Price 25 lb |
|---|---|---|---|---|---|
| 855AZ | 1" | 11 | 15/16" | 78 | $180.24 |
| 856AZ | 1 1/4" | 11 | 15/16" | 75 | $178.85 |
| 857AZ | 1 1/2" | 11 | 15/16" | 64 | $176.84 |
| 859AZ | 2" | 11 | 15/16" | 57 | $174.57 |

*Stocked in 25-lb Bulk Cartons only.*

## ONE-LEGGED FENCE STAPLES

These ring shank staples have excellent holding power, and are offered in bright steel or **STORMGUARD®** (Double Hot-Dipped Galvanized) finish. The single leg makes it possible to start the staple in the post and then slip the wire into position with the other hand before driving the staple home.



***RING SHANK***

| Stock Numbers Bright-Ring Shank | Length | Gauge | Head | Nails/lb | Price 50 lb |
|---|---|---|---|---|---|
| F3 | 1 1/2" | 9 | 1/2" crown | 72 | $249.85 |
| F4 | 1 3/4" | 9 | 1/2" crown | 61 | $240.01 |
| **Stock Number STORMGUARD®-Ring Shank** | **Length** | **Gauge** | **Head** | **Nails/lb** | **Price 50 lb** |
| SF4 | 1 3/4" | 9 | 1/2" crown | 58 | $283.92 |

## TILE BACKERBOARD NAILS

These **STORMGUARD®** Double Hot-Dipped Galvanized spiral shank nails are recommended for installing backerboard in areas with high moisture content.




***SPIRAL SHANK***

| Stock Numbers Spiral Shank | Length | Gauge | Head | Price 5 lb |
|---|---|---|---|---|
| HD103S | 1 1/2" | 11 | 3/8" | $27.23 |

*(6) 5-lb. boxes per master.*

## ROUND-CAP NAILS – STEEL HEAD

Originally designed for the application of roofing felt, these nails are also widely used for built-up roofing, rigid foam insulation, attaching sidewall curtains in poultry buildings and for general packaging and crating. Large 15/16" round caps are securely joined to sturdy ring shanks. Excellent holding power. Please note sizes available in **STORMGUARD®** (Hot-Dipped Galvanized) for dependable corrosion-resistance.



***RING SHANK***

| Stock Numbers Bright-Ring Shank | Length | Gauge | Head | Nails/lb | Price 25 lb |
|---|---|---|---|---|---|
| 854AR | 7/8" | 11 | 15/16" | 89 | Call for pricing |
| 855AR | 1" | 11 | 15/16" | 86 | Call for pricing |
| 856AR | 1 1/4" | 11 | 15/16" | 82 | Call for pricing |
| 857AR | 1 1/2" | 11 | 15/16" | 78 | Call for pricing |
| 858AR | 1 3/4" | 11 | 15/16" | 68 | Call for pricing |
| 859AR | 2" | 11 | 15/16" | 64 | Call for pricing |
| **Stock Numbers Bright-Ring Shank** | **Length** | **Gauge** | **Head** | **Nails/lb** | **Price 20 lb** |
| 861AR | 2 1/2" | 11 | 15/16" | 58 | Call for pricing |
| 863AR | 3" | 11 | 15/16" | 53 | Call for pricing |

**STORMGUARD®** (Hot-Dipped Galvanized)


| Stock Numbers STORMGUARD®-Ring Shank | Length | Gauge | Head | Nails/lb | Price 25 lb |
|---|---|---|---|---|---|
| 854ARZ | 7/8" | 11 | 15/16" | 81 | Call for pricing |
| 855ARZ | 1" | 11 | 15/16" | 78 | Call for pricing |
| 856ARZ | 1 1/4" | 11 | 15/16" | 75 | Call for pricing |
| 857ARZ | 1 1/2" | 11 | 15/16" | 64 | Call for pricing |
| 859ARZ | 2" | 11 | 15/16" | 57 | Call for pricing |

*Stocked in 25-lb or 20-lb Bulk Cartons only.*

| Stock Numbers STORMGUARD®-Ring Shank | Length | Gauge | Head | Nails/lb | Price 20 lb |
|---|---|---|---|---|---|
| 863ARZ | 3" | 11 | 15/16" | 49 | Call for pricing |

## PLASTIC-HED YELLOW CAP NAILS

Maze Yellow Plastic-Hed Cap Nails allow for more nails per pound than metal cap nails. Siding nails drive right through the Plastic-Hed nail caps to eliminate bending problems often encountered when a skinny siding nail strikes a metal cap. The annular ring shank holds tight, and the plastic head eliminates damage to roofing felt, housewraps and foam insulation. ***1" and 11/2" sizes also available in 304 stainless steel. SSPH03 and SSPH06 - 2,000ct. box. Call for pricing.***













3,000-ct. Bucket
**48 BUCKETS/SKID**


| Stock Numbers Ring Shank | Length | Gauge | Head | Lbs/ctn | Lbs/bckt | Price 200 ct | 2000 ct | Bucket 3000 ct |
|---|---|---|---|---|---|---|---|---|
| PH03 | 1" | 12 | 15/16" | 9 | 13 | $8.50* | $60.17 | $95.28 |
| PH05 | 1 1/4" | 12 | 15/16" | 10 | 14 | $8.73* | $62.90 | $99.55 |
| PH06 | 1 1/2" | 12 | 15/16" | 10 | 14 | $8.98* | $65.99 | $93.93** |
| PH08 | 2" | 12 | 15/16" | 12 | — | — | $73.92 | — |

**200-ct. boxes packed 6 per master.* ***These nails packed in 2500-count buckets.*

# HAND-DRIVEN SPECIALTY NAILS

## CUT MASONRY NAILS – HARDENED STEEL

These Hardened Steel Cut Masonry nails, manufactured by Tremont Nail Co. in Massachusetts, established 1819, are ideal for attaching wood members to cinder block walls as well as to fresh concrete. The blunt point and tapered shank cause minimal spalling during penetrationand offer even greater pull-out resistance than wire masonry nails. 3/4" penetration is recommended for satisfactory holding power. Also recommended for face-nailing hardwood flooring. *Use safety glasses when driving any hardened nails.*




| Stock Numbers Hardened | Length | Nails/lb | Price 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|
| CMH4 | 1 1/2" | 125 | Call for pricing | | |
| CMH6 | 2" | 85 | Call for pricing | | |
| CMH8 | 2 1/2" | 64 | Call for pricing | | |
| CMH10 | 3" | 48 | Call for pricing | | |
| CMH16 | 3 1/2" | 34 | Call for pricing | | |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.*

## CUT MASONRY HOT-DIPPED GALVANIZED SILL PLATE NAILS

These nails are designed to attach treated wood sill plates to newly poured concrete. Hot-Dipped Galvanized to specification ASTM A-153 to comply with building code requirements. *Please note: True Hot-Dipped Galvanizing reduces the temper of hardened square cut nails, so it is important that the nails are applied to "green" uncured concrete.*



***For best results, a drilling hammer is recommended.***

| Stock Numbers Hot-Dipped Galvanized | Length | Nails/lb | Price 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|
| CMH8Z | 2 1/2" | 64 | Call for pricing | | |
| CMH10Z | 3" | 48 | Call for pricing | | |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.*



## HARDWOOD TRIM NAILS

These slim diameter high performance Trim Nails are made from a high carbon steel wire to ensure good driving into Oak, Birch, Walnut and other Hardwoods. There are many more nails per pound than with ordinary finish nails - so they cost less to use. And, there are fewer wood splits!

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.*



| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| HT100 | 1" | .072" | 7/64" | 810 | $313.14 | — | — |
| HT125 | 1 1/4" | .072" | 7/64" | 743 | $301.59 | $33.99 | $7.11 |
| HT150 | 1 1/2" | .072" | 7/64" | 613 | $290.52 | $33.68 | $7.08 |
| HT200 | 2" | .072" | 7/64" | 454 | $281.29 | $33.06 | $6.84 |
| HT250 | 2 1/2" | .083" | 1/8" | 272 | $269.38 | $31.78 | $6.70 |

## SINKER NAILS – COATED

Counter-sunk head sinks flush with surface; holds fast in framing permanent construction. Vinyl coated. Checkered countersunk head and diamond point.




| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| SINK8 | 2 3/8" | 11 1/2 | 17/64" | 153 | $161.96 | $20.94 | $4.53 |
| SINK10 | 2 7/8" | 11 | 9/32" | 111 | $166.64 | $21.19 | $4.57 |
| SINK12 | 3 1/8" | 10 | 5/16" | 81 | $170.66 | $21.48 | $4.56 |
| SINK16 | 3 1/4" | 9 | 11/32" | 64 | $161.52 | $21.19 | $4.60 |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.*

## COMMON NAILS

Ideal for general construction, carpentry and framing. Bright finish. Flat head and diamond point.




| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| COM4 | 1 1/2" | 12 1/2 | 1/4" | 285 | $181.48 | $22.63 | — |
| COM6 | 2" | 11 1/2 | 17/64" | 167 | $171.25 | $22.11 | $4.76 |
| COM8 | 2 1/2" | 10 1/4 | 9/32" | 101 | $164.55 | $21.25 | $4.59 |
| COM10 | 3" | 9 | 5/16" | 66 | $166.60 | $21.73 | $4.69 |
| COM12 | 3 1/4" | 9 | 5/16" | 61 | $171.04 | $21.71 | $4.66 |
| COM16 | 3 1/2" | 8 | 11/32" | 47 | $164.27 | $21.02 | $4.62 |
| COM20 | 4" | 6 | 13/32" | 29 | $163.54 | — | — |
| COM30 | 4 1/2" | 5 | 7/16" | 23 | $170.75 | — | — |
| COM50 | 5 1/2" | 3 | 1/2" | 13 | $161.62 | — | — |
| COM60 | 6" | 2 | 17/32" | 10 | $166.92 | — | — |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.*

## COMMON NAILS HOT-DIPPED GALVANIZED


Ideal for general construction, carpentry and framing. Flat head and diamond point.



| Stock Numbers Plain Shank | Length | Gauge | Head | Nails/lb | Price 50 lb |
|---|---|---|---|---|---|
| XCOM8Z | 2 1/2" | 10 1/4 | 9/32" | 98 | $229.70 |
| XCOM10Z | 3" | 9 | 5/16" | 60 | $228.75 |
| XCOM16Z | 3 1/2" | 8 | 11/32" | 43 | $226.75 |

## DUPLEX NAILS

Double-headed nail driven into the wood up to the lower head. The second head remains exposed to allow easy pulling when temporary nailing project is completed.



*Length under lower head. **Distance between heads.

| Stock Numbers Bright | Size | Length | Gauge | Head | Nails/lb | Price 50 lb | 5 lb |
|---|---|---|---|---|---|---|---|
| DUP8 | 8d | 2 1/4"* | 10 1/4 | 1/4"** | 90 | Call for pricing | |
| DUP16 | 16d | 3"* | 8 | 3/8"** | 45 | Call for pricing | |

***Double Hot-Dipped Galvanized Duplex Nails***

| Stock Numbers Hot-Dipped Galvanized | Size | Length | Gauge | Head | Nails/lb | Price 50 lb |
|---|---|---|---|---|---|---|
| DUP8Z | 8d | 2 1/4"* | 10 1/4 | 1/4"** | 87 | Call for pricing |
| DUP16Z | 16d | 3"* | 8 | 3/8"** | 42 | Call for pricing |

## MASONRY NAILS - HARDENED — FLUTED ROUND WIRE TYPE

Designed for fastening furring strips, floor plates, partition walls to "green" (uncured) concrete. Hardened steel. For best results, drive nails 3" or more from edge of masonry or block allowing ¾" penetration. *Safety glasses required when driving hardened nails. For ½" size, see Hardened Metal Lath Nails.*



***Call Maze for 1" and 2½" Hardened Masonry Nails with a zinc finish... stock numbers XH53SZP530 and XH59SZ530 .***

| Stock Numbers Hardened - Fluted | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| H52S | 3/4" | 9 | 5/16" | 230 | $221.98 | $25.11 | $5.69 |
| H53S | 1" | 9 | 5/16" | 176 | $215.77 | $25.03 | $5.59 |
| H54S | 1 1/4" | 9 | 5/16" | 150 | $221.90 | $23.93 | $5.38 |
| H55S | 1 1/2" | 9 | 5/16" | 129 | $214.70 | $24.23 | $5.46 |
| H56S | 1 3/4" | 9 | 5/16" | 108 | $211.60 | $23.42 | $5.43 |
| H57S | 2" | 9 | 5/16" | 95 | $204.96 | $23.98 | $5.38 |
| H59S | 2 1/2" | 9 | 5/16" | 77 | $206.52 | $23.58 | $5.30 |
| H60S | 2 3/4" | 9 | 5/16" | 70 | — | $21.99 | — |
| H61S | 3" | 9 | 5/16" | 62 | $204.09 | $23.37 | $5.27 |
| H63S | 3 1/2" | 8 | 3/8" | 41 | $195.95 | $22.68 | $5.16 |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.*



## HARDENED METAL LATH NAILS

These Hardened Metal Lath nails are ideal for attaching metal lath to masonry surfaces. The head is larger than standard masonry nails to ensure that the lath doesn't pull through. The strong shanks drive well without bending.



| Stock Numbers Plain Shank Hardened | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 25 lb |
|---|---|---|---|---|---|---|
| HML50 | 1/2" | 9 | 3/8" | 324 | $243.02 | $122.95 |

## PLYWOOD NAILS

Type recommended by plywood producers for underlayment, sheathing, and sub-floor applications. Sharp ring-shanks ensure extra holding power.



***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb |
|---|---|---|---|---|---|---|
| F143 | 1 1/2" | 12 1/2 | 1/4" | 285 | $198.28 | $23.07 |
| F145 | 2" | 12 | 1/4" | 190 | $194.09 | $22.78 |
| F147 | 2 1/2" | 11 | 9/32" | 118 | $191.95 | $21.08 |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.*

## UNDERLAYMENT NAILS – FLAT HEAD

Sharp ring-shanks ensure extra holding power. Regular steel shank drives easily.



***RING SHANK***

| Stock Numbers Ring Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 5 lb | 1 lb |
|---|---|---|---|---|---|---|---|
| F141 | 1" | 14 | 3/16" | 640 | $274.80 | — | $6.86 |
| F142 | 1 1/4" | 14 | 3/16" | 528 | $250.33 | $29.39 | $6.46 |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.*

## FLOORING NAILS – CASING HEAD

Sharp spiral thread ensures maximum holding power. Hardened. Casing-type head. Recommended for hand driving. *Safety glasses should be used when driving hardened nails.*



***SPIRAL SHANK***

| Stock Numbers Hardened - Spiral | Length | Gauge | Head | Nails/lb | PRICE 50 lb | 1 lb |
|---|---|---|---|---|---|---|
| HF167 | 2 1/4" | 11 1/2 | 11/64" | 152 | $218.47 | $5.68 |

*Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (12) 1-lb boxes per master.*

## FLOORING NAILS - CEMENT COATED

Ideal for face-nailing ¾" tongue and groove hardwood flooring. Higher carbon steel allows for ease of driving. Dimpled head.



***PLAIN SHANK***

| Stock Number Plain Shank | Length | Gauge | Head | Nails/lb | PRICE 50 lb |
|---|---|---|---|---|---|
| X225113CC | 2 1/4" | .113" | .150" | 158 | $232.98 |

*Stocked in 50-lb Bulk Cartons.*



**ALWAYS USE SAFETY GLASSES!**

100% made in the USA

# NAILING TIPS AND APPLICATION GUIDELINES


## How many nails will I need? *(approximate count)*










### BOX NAILS FOR HARDBOARD SIDING

| | | |
|---|---|---|
| 12" Horizontal Siding | 2" - 3½" | 1,200 nails per 1,000 Sq. Feet |
| 4' x 8' Panel Siding | 2" - 3½" | 3,300 nails per 1,000 Sq. Feet |

### NAILS FOR CEDAR AND REDWOOD WOOD SIDING

| | | |
|---|---|---|
| ½" x 4" Siding | 2" - 2½" | 2,280 nails per 1,000 Lineal Feet |
| ½" x 6" Siding | 2¼" - 2½" | 1,520 nails per 1,000 Lineal Feet |
| ¾" x 8" Siding | 2½" - 3" | 1,140 nails per 1,000 Lineal Feet |
| ¾" x 10" Siding | 2½" - 3" | 912 nails per 1,000 Lineal Feet |
| ¾" x 12" Siding | 3" | 760 nails per 1,000 Lineal Feet |

### FIBER CEMENT SIDING NAILS

| | | |
|---|---|---|
| Lap Siding | 2" - 3½" | 9 nails per 12' piece |
| 4' x 8' Panel Siding | 2" - 3½" | 16" on Center - 55 Nails per Panel |
| 4' x 8' Panel Siding | 2" - 3½" | 24" on Center - 49 Nails per Panel |

### VINYL SIDING NAILS

| | |
|---|---|
| 1½", 2" and 2½" | 115 nails per Square |

### CEDAR SHAKE SIDING FACE NAILS

| | | |
|---|---|---|
| 16" Shakes | 2" | 360 nails per Square |
| 18" Shakes | 2" | 310 nails per Square |

### CEDAR SHINGLE NAILS

| | | |
|---|---|---|
| 16" & 18" - New Roof<br>Over an old Roof | 1¼"<br>1¾" | 860 nails per Square |
| 24" - New Roof<br>Over an old Roof | 1½"<br>2" | 570 nails per Square |

*Please be advised that the counts above are approximate and may vary significantly due to the different amount of exposure desired in each job. Shakes and shingles also come in a variety of widths that may also affect the number of nails used per Square.*

### ASPHALT & FIBERGLASS SHINGLE NAILS

| | | |
|---|---|---|
| On a New Roof | 1¼" | 320 nails per Square<br>480 nails per Square for high wind areas |
| Over an Old Roof | 1¾" | 320 nails per Square<br>480 nails per Square for high wind areas |

### DECKING NAILS

| | | |
|---|---|---|
| 5/4" x 6" Decking Joists spaced 16" O.C. | 2½" - 3" | 460 nails per 100 Square Feet |
| 2" x 4" Decking Joists spaced 16" O.C. | 3" - 3½" | 580 nails per 100 Square Feet |
| 2" x 6" Decking Joists spaced 16" O.C. | 3" - 3½" | 460 nails per 100 Square Feet |

### UNDERLAYMENT & PLYWOOD NAILS

| | | |
|---|---|---|
| 1/4" Pressed and Plywood Underlayment | 1½" | 500 nails per 100 Square Feet |
| 3/8" Pressed and Plywood Underlayment | 1½" | 500 nails per 100 Square Feet |
| 1/2", 5/8" 3/4" Plywood and Sheathing | 2" & 2½" | 150 nails per 100 Square Feet |
| 1" Plywood Subfloor | 3" | 150 nails per 100 Square Feet |

**WARNING: SAFETY GLASSES SHOULD BE WORN WHENEVER DRIVING ANY NAILS!**

## When should I use a nail with a ring or screw shank?

Smooth shank nails are easy to drive – but they don't offer much holding power. For that reason, Maze Nail and Independent Nail engineers set out to design nails that would hold tighter in all sorts of construction applications.



The Maze mill designed and produced the world's first **spiral shank** nails - also called screw thread, Screw-Down® or "drive" nails. These nails have a spiral thread which causes them to turn when they are driven – much like wood screws – and they actually form their own thread in the wood fibers. They offer good holding power and are specifically designed for use with hardwoods and dense materials. Flooring, siding, decking, pallets and truss rafters are typical applications.



Independent Nail, a Div. of W.H. Maze Company, developed an annular (or ring) thread on their nails that provided even better holding power in many applications. Referred to as **ring shank** (or Anchor-Down® nails), the threads on these nails separate the wood fibers – which then lock back into the rings – thus resisting removal. These are widely used in plywood, underlayment, decking, siding and roofing applications.



A third type of threading, typical on masonry nails, is a **fluted shank**. This shank style gives those nails excellent holding power in concrete block and masonry applications. The horizontal threads cut the masonry to minimize cracking and provide excellent holding power.

**THREADED NAILS HOLD TIGHTER!**

## When should I use Stainless Steel instead of Galvanized?

While many associations specify Hot-Dipped Galvanized Nails, there are certain applications where stainless steel nails are preferable to even Double Hot-Dipped Maze ***STORMGUARD***® Nails.

- Marine Environments (within 5 miles of the seacoast) – Type 316.
- Cedar & Redwood products (siding and decking), where the wood is left natural or treated with a clear wood finish.
- Severe or Corrosive Conditions, such as fertilizer storage buildings, salt storage buildings, livestock confinement buildings, etc.
- For Fire Treated and CCA Treated Cedar Shakes and Shingles



**WARNING -** Milled face hammers are not recommended for driving Hot-Dipped Galvanized nails. The highly abrasive surface of the hammer-face may compromise the integrity of the zinc-coating on the nail head . . . reducing its corrosion-resistance. **Smooth face hammers are recommended.**

## Is salt spray testing used by MAZE?

No. Lab tests are great ... for some things. But not when it comes to evaluating the superior rust-resistance of Maze Double Hot-Dipped Galvanized ***STORMGUARD***® nails compared to other types of so-called "corrosion-resistant" nails. Some lab tests, especially "salt spray", just don't accurately simulate true weathering conditions for nail applications of roofing, siding and trim.

Under the abnormal lab conditions encountered in the salt spray test, the typical "reaction product barrier" or "zinc patina" that protects Hot-Dipped Galvanized hardware is not allowed to form – as it would in the "real world". It is this oxidation barrier that allows Hot-Dipped products to resist nature's attacks – and ensures long-term corrosion protection. Salt spray testing doesn't allow this important layer to form – resulting in misleading results.

So, before you buy nails or screws based on lab tests, find out more about the true test – actual field experience! After all, that's what really counts. And remember that Maze has the best record of any zinc-coated nail producer – over 100 years of providing dependable Hot-Dipped nails to the building industry!

## YOUR GUIDE TO GALVANIZED NAILS

**All galvanized nails are coated with zinc – but HOW the coating is applied makes all the difference in the performance of the nail. What you need to know:**

### *Hot-Dipped Galvanized (HDG)*



The most reliable and preferred way to coat steel nails with zinc is "hot-dipping". Those nails are immersed in a bath of molten zinc like french fries in a pot of oil. The intense heat of the zinc bath causes the zinc and steel to bind together and forms multiple alloy layers that act as a base for a heavy zinc coating. This provides the nails with long term protection against rust. Hot dipping meets the all-important ASTM A153 specification. Double Hot-Dipped nails are dipped twice in molten zinc which fills any pinholes and adds thickness to the outer layer of zinc. Dependable corrosion-resistant steel nails rely on two critical zinc factors – thickness and uniformity. **This method of Double Hot-Dipped Galvanizing is used exclusively by Maze Nails.** The Double Hot-Dipped process is marketed under our tradename ***STORMGUARD***®.

### *Electroplating/Electro-Galvanizing (E.G.)*

**BEWARE**



Steel nails are electroplated by placing them in an electrolytic solution. The electric current in the bath deposits a very thin layer of zinc onto the nail surface. Although they look beautiful and shiny when they're brand new, the thin coating oxidizes away rapidly and the nails begin to prematurely rust. Electro-galvanized nails are not intended for exterior applications. Many building product manufacturers warn against using E.G. nails to apply their siding, trim and decking materials.

### *Hot-Galvanizing (HG)*

**Hot-Galvanized "HG" nails are NOT Hot-Dipped Galvanized** and do not offer the same corrosion resistance or performance as Hot-Dipped nails. Hot-galvanized nails are coated by sprinkling zinc chips onto cold steel nails in a barrel, then rotating the barrel in a furnace to melt and distribute the zinc. The melting zinc washes off on the nails – somewhat like buttering popcorn. Some of the nails get excess zinc and some nails get very little zinc. **Because these "HG" nails are labelled so similarly to Hot-Dipped nails "HDG", many times builders are sold hot-galvanized nails instead of genuine Hot-Dipped Galvanized nails.** The downside to this is that there is a significant difference in the coating on the nails. Actual rust can often be seen on these "HG" nails in their shipping cartons....long before the nails are even used on a building project.

**WARNING!**
**BUYER BEWARE**





RUSTY HG NAILS ON THE TRIM OF A HOME IN GALVESTON, TX.


# Out with the Old – In with the New

## Let Maze Give You a Nail Makeover!

Stock your shelves with the bright yellow boxes of quality nails offered exclusively by Maze Nails. Trends come and go, but our nails stand the test of time!




**ORDER AND PRICING INFORMATION: 1-800-435-5949 • orders@mazenails.com**




## HEAD
Round metal piece formed at the top of the nail.

## SHANK
The length of the nail between the head and the point.

## POINT
Sharpened end opposite the head for ease in driving.

## GAUGE
Referencing the thickness of a nail. Lower numbers indicate greater thickness.

| | | |
|---|---|---|
| 4 | .225" | 7/32" |
| 5½ | .200" | 13/64" |
| 7 | .177" | 11/64" |
| 8 | .162" | 5/32"+ |
| 9 | .148" | 5/32"- |
| 10 | .135" | 9/64"- |
| 10¼ | .131" | 1/8"+ |
| 11 | .1205" | 1/8"- |
| 11½ | .113" | 7/64"+ |
| 12 | .1055" | 7/64"- |
| 12½ | .099" | 3/32"+ |
| 13 | .0915" | 3/32"- |
| 14 | .080" | 5/64"+ |
| 15 | .072" | 1/32" |

## LENGTH
Distance from the bottom of the head to the point of a nail.

## RIGIDITY
The bending and shear resistance of a nail.

**Regular Steel Stock**
Low to medium carbon content - standard type of wire rod used in fastener manufacturing.

**Stiff Stock**
Higher carbon content steel - harder and stiffer than regular stock to prevent bending when driven into hardwoods.

**Tempered Hardened Steel**
Higher carbon content steel is used to make the nail and then the nail is heat treated, which provides even better resistance to bending.

# NAIL TERMINOLOGY

## Nail Heads


**Flat head** - Most common nail head. Provides large surface area for greater holding power.


**Large flat head** - Larger than standard head, usually more than 3 to 3½ times the shank diameter. Provides greatest urface area for ultimate holding power. For applications such as sheathing and insulation.


**Checkered flat head** - Helps to stop slippage of the hammer on the head with applications such as framing, where excessive hammering may take place. Improves paint adhesion.


**Countersunk head** - Conically shaped bearing surface, which compresses the surface of the material under it as it is driven. Aids in concealment of the fastener head.


**Deep countersunk head** - Reduced holding power, but increased concealment of the fastener head. Used primarily on casing nails.


**Brad head** - Deep, circular, barrel-shaped head. Reduced holding power, but increased concealment of the fastener head. Used primarily with finish and trim work.


**Duplex head** - For temporary nailing jobs, such as scaffolding and concrete framing.


**Cupped head** - Concave or recessed top surface to accommodate material to aid with concealment. Used primarily with drywall fasteners.


**Oval head** - Used in certain geographic areas primarily with siding to avoid contact between the hammer and the siding.

## Nail Shanks

**Smooth** - Most common for everyday projects. Provides the least amount of holding power.



**Ring/Annular thread** - A series of closely spaced concentric rings around the shank. Nail does not turn when driven; instead, the wood fibers are forced over the ring shoulders into their annular grooves like wedges. Gives the greatest holding power in soft or medium woods.



**Screw/Spiral** - Designed to drive into hard woods and dense materials. Nail actually turns when driven, much like wood screws. Very good holding power.

**Ardox®** - Designed to drive into hard woods and dense materials. Square wire is twisted to form the spiral shank, which results in the threads reaching all the way to the head of the nail. In comparison, most nails are made from round steel wire and the spiral or ring shanks are actually cut into the wire.



**Barbed** - Horizontal or herring-bone indentations in the shank. Relatively better hold than smooth shank, but far less than a comparable threaded nail.



**Fluted** - Vertical thread for driving into cinder block, mortar joints, or other relatively soft masonry to minimize cracking and provide high holding power.



## Nail Points


**Diamond point** - Most common nail point. To avoid splitting wood, best for medium to soft wood.


**Long diamond point** - For use with drywall. Eases driving into harder materials.


**Blunt point** - Reduces splitting, but not as easy to drive as a diamond point.

## Origin of "PENNY-WISE" Nail Designations

There are two explanations for the English "penny" system for designating nail lengths. One thought is that one-hundred eight penny nails cost eight pence, one-hundred six penny nails cost six pence...etc. The other theory is that 1,000 eight penny (8d) nails weighed 8 pounds, 1,000 six penny (6d) nails weighed six pounds...etc.

The "d" abbreviation for penny (8d for example) has its roots in the "denarius" – the popular coin of ancient Rome.

Nails used for wood-to-wood applications (such as wood siding, cedar shingles, cedar shakes, etc.) are traditionally referred to by the "penny" designation, i.e. 5d, 6d, 8d... However, nails for non-wood applications, such as fiber cement siding, metal roofing, asphalt shingles, cellular PVC trim, etc. are often specified by their length in inches.




AMERICAN MADE ★ AMERICAN OWNED

mazenails.com

MAZE NAILS

Building America one NAIL at a time

800.435.5949

751739 Revised July 2026