

Section 1. Identification of the product and of the company / undertaking

1.1 Product Identifier

Product (trade) name VERSAROC®

Generic name Cement Bonded Particle Board

1.2 Relevant identified uses (and uses advised against)

Identified Uses Cement Bonded Particle Board for construction use as liner or cladding elements - for further

information refer to Product/Technical Data Sheet.

Advised against Unsupported flooring or where exposed to strong acids or oxidising agents.

1.3 Details of the supplier of the Safety Data Sheet

Supplier **Cornerstone Innovative Specialties**

16192 Coastal Highway, Lewes, DE, 19958 Address

Telephone 1-904-800-9224

> email info@ci-specialties.com www.ci-specialties.com

1.4 Emergency telephone number

1-904-800-9224 Office Hours (08:00 – 17:00 EST, Mon – Fri)

Section 2. Hazards Identification

2.1.1 GHS Classification

according to 29 CFR 1910.1200

Article: a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees

2.1.3 Additional Information

Dry working (drilling, sanding, cutting) can release dusts unless controlled – see Section 8

2.2 Label elements

Pictogram(s) None Signal Word None Hazards None

Precautions Wear protective gloves

IF ON SKIN: Wash with plenty of soap and water

Supplemental This article contains <1 % unknown toxicity

> National Toxicology Programme – No substances listed in the 14th report on carcinogens. International Agency for Research on Cancer – No substances listed in monographs.

2.3 Other Hazards

Boards are heavy and awkward to transport – see Section 7

Section 3. Composition/information on ingredients

Substances	CAS#	Concentration	Classification	Hazard Pictogram	
Portland Cement	65997-15-1	70 – 75 %	Skin Irritant 2, Skin sensitizer 1B, Eye Damage 1	<u>•</u> •••••••••••••••••••••••••••••••••••	
Wood fibres	-	15 – 20 %	Not classified	None	
Water (moisture content)	7732-18-5	5 – 15 %	Not classified	None	
Binding agent	-	< 1 %	Not classified	None	

NOTE: Portland Cement is present in its hydrated form as a finished article.



Section 4. First aid measures

4.1 Description of first aid measures

general Dust exposure symptoms.

inhalation If coughing, discomfort or obstruction occurs due to inhalation of dust seek medical advice.

skin contact Wipe material from skin. Wash with soap and water.

eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses (if

present) and continue flushing for at least 15 minutes.

If eye irritation persists, consult a specialist.

ingestion Wash out mouth with water, do not induce vomiting.

protection No hazards requiring protective equipment in normal use.

4.2 Most important symptoms and effects, both acute and delayed

general Product is considered relatively benign.

inhalation Irritation of the airway from fine particles generated by mechanical working of the article.

skin contact Prolonged contact by exposed moist/wet skin may show mild irritation.

eye contact Irritation may occur if product enters eye.

ingestion Irritation may occur if ingested.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Section 5. Fire fighting measures

5.1 Extinguishing media

Suitable Extinguishing measures appropriate to the local circumstances and surrounding environment.

Unsuitable No additional information available.

5.2 Special hazards

Building material rated for zero flame spread and zero smoke development under surface

burning characteristics testing standards of ASTM E-84 and ANSI / UL 723.

Small quantities of Carbon Monoxide and Carbon Dioxide may be generated.

5.3 Advice for fire fighters

Wear self-contained breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal Precautions

6.1.1 For non-emergency Personnel

Wear abrasion resistant gloves.

6.1.2 For emergency responders

Wear abrasion resistant gloves.

6.2 Environmental Precautions

Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Small pieces should be collected and disposed of to an identified receptacle.

Dusts should be removed using a high efficiency (HEPA) filter vacuum OR the area should be wetted with fine water spray before sweeping.

6.4 Reference to other sections

For personal protection see section 8.

Section 7. Handling & Storage

7.1 Precautions for safe handling

Wash hands thoroughly at the end of work and before breaks.

Do not smoke, eat or drink when handling boards.



High speed cutting tools should be avoided unless emission (dust) extraction is in place. Individual loose boards should be carried vertically.

Allow material to acclimatise to ambient working conditions for 24 – 48 hours prior to fixing. Refer to Technical Data Sheet for machining methods.

7.2 Conditions for safe storage, including any incompatibilities

Store flat in a dry well ventilated area. Support load at 800 mm centres. Do not store upright or on edge.

7.3 Specific end use(s)

Cement Bonded Particle Board for construction use as liner or cladding elements.

Section 8. Exposure controls / personal protection

8.1 Control parameters for workplace

Component	CAS#	ACGIH TLV	NIOSH REL	OSHA PEL
Wood Dust	-	5 mg/m3 TWA 10 mg/m3 STEL	1	15 mg/m3 (total) TWA 5 mg/m3 (resp) TWA
Portland Cement	65997-15-1	10 mg/m3 (total) TWA	10 mg/m3 (total) TWA 5 mg/m3 (resp) TWA	50 mpcff TWA
Particulates Not Otherwise Regulated (other dusts)	-	10 mg/m3 (total) TWA 5 mg/m3 (resp) TWA	-	15 mg/m3 (total) TWA 5 mg/m3 (resp) TWA

8.2 Exposure controls

Engineering controls Dry working of the material (cutting, drilling, sawing, sanding) has the potential to

generate fine dust particles - adequate ventilation should be sufficient to control

worker exposure to airborne contaminants

Apply positive ventilation in confined spaces if dust becomes evident. Use on tool high efficiency particulate (HEPA) extraction where possible.

Eye protection Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this to be necessary.

Hand protection Abrasion resistant gloves complying with an approved standard should be used when

handling boards.

Respiratory protection Where dusts are generated and in the absence of engineering controls a properly fitted

NIOSH approved quarter mask for dusts should be worn.

Skin & body protection Exposed skin on the arms and legs should be covered to prevent abrasion injury when

handling boards.

Environmental controls Wet down area before sweeping.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Grey sheet. Form Solid.

Upper/lower flammability/explosive limits Not applicable.

> Odour None.

Vapour Pressure Not applicable. Odor threshold Not applicable. Not applicable.

Relative density 1.25

Melting/Freezing point Not applicable.

Water solubility Slight.

Initial boiling point and boiling range Not applicable. Not applicable. Flash point **Evaporation rate** Not applicable.



Flammability (solid, gas) Not flammable (UL listed rated 0 for flame spread ASTM E-84 and ANSI/UL 723)

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Decomposition temperature
Decomposition temperature
Decomposition temperature
Decomposition temperature
Decomposition temperature

Viscosity, kinematic Not applicable.

9.2 Other information

Surface pH 11-13 (in the presence of liquid)

Section 10. Stability & Reactivity

10.1 Reactivity

Stable Inert article no adverse reactions foreseeable in anticipated conditions of use.

10.2 Chemical Stability

This article is chemically stable.

10.3 Possibility of hazardous reactions

Stable under foreseeable conditions of storage and intended use.

10.4 Conditions to avoid

Highly acidic conditions.

10.5 Incompatible materials

Strong acids.

10.6 Hazardous decomposition products

Small quantities of Carbon Monoxide and Carbon Dioxide may be generated if the product is exposed to fire.

Section 11. Toxicological information

Component	Route	Species	Test	Exposure	Value	Unit
No components	*	*	*	*	*	*

Acute Toxicity No data available. Skin corrosion No data available. Skin irritation No data available.

Serious eye damage No data available.

Eye irritation Dust may cause temporary irritation and watering.

Respiratory sensitisation
Skin sensitisation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT – single exposure
No data available.
No data available.
No data available.
No data available.

STOT – repeated exposure Inhalation of high concentrations of dusts may cause respiratory conditions.

Aspiration toxicity No data available.

Section 12. Ecological information

12.1 Toxicity

Component	Toxicity to:	Test	Exposure	Value	Unit
No components	*	*	*	*	*

12.2 Persistence and degradability

Inert, not readily degradable.

12.3 Bioaccumulative potential

No indication of bio-accumulation potential.

12.4 Mobility in soil

No indication of mobility in soil.

12.5 Results of PBT and vPvB assessment



No additional information available.

12.6 Other adverse effects

No additional information available.

Section 13. Disposal considerations

13.1 Waste treatment methods

13.1.1 Product / packaging disposal

Dispose of in accordance with national / local regulations.

13.1.2 Waste treatment - relevant information

Dispose of in accordance with national / local regulations.

13.1.3 Sewage disposal – relevant information

Avoid entry in to sewers and water courses.

13.1.4 Other disposal recommendations

Dispose of in accordance with national / local regulations.

Section 14. Transport information

UN No. None.

Proper shipping name Not applicable.

Transport hazard class(es) Not applicable.

Packing group Not applicable.

Environmental hazards Not applicable.

Section 15. Regulatory information

15.1 US Federal Regulations

TSCA list All substances in this product are either listed or exempt.

CERCLA Reportable Quantity This product does not contain any substances with a CERCLA RQ.

SARA304 Reportable Quantity This product does not contain any substances with a section 304 EHS RQ.

SARA 311/312 Hazards Not applicable.

SARA 302 No substances subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 No substances subject to the reporting requirements of SARA Title III, Section 313.

Clean Air Act This product does not contain any substances listed under the U.S. Clean Air Act.

15.2 US Sate Regulations

California Proposition 65 Wood dust is listed.

Minnesota "Right to Know" Portland Cement and Wood dust are listed.

New Jersey "Right to Know" Portland Cement is listed.

Pennsylvania "Right to Know" Portland Cement is listed.

Rhode Island "Right to Know" Portland Cement and Wood dust are listed.

Section 16. Other information

HMIS® information is not required upon a Safety Data Sheet under 29 CFR 1910.1200

Previous version

The information provided within this Safety Data Sheet is believed correct and to the best of our available knowledge as at its revision date. The information given should only be used as guidance for safe handling, use, processing, storage, transportation and disposal and should not to be considered as obligation in respect of warranty of (technical) performance, quality (specification) or suitability for any particular application.