

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(1)		C PIPE	1	VL-1000 Arc ERS	575w				
(2)		#4 PIPE	5	VL-1000 Arc ERS	575w				
(3)		#4 PIPE	7	VL-1000 Arc ERS	575w				
(4)		#4 PIPE	9	VL-1000 Arc ERS	575w				
(5)		#4 PIPE	11	VL-1000 Arc ERS	575w				
(6)		F PIPE	1	VL-1000 Arc ERS	575w				
(7)		#5 PIPE	1	VL-1000 Arc ERS	575w				
(8)		#5 PIPE	2	VL-1000 Arc ERS	575w				
(9)		#5 PIPE	3	VL-1000 Arc ERS	575w				
(10)		#5 PIPE	4	VL-1000 Arc ERS	575w				
(11)		#6 PIPE	1	VL-1000 Arc ERS	575w				
(12)		#6 PIPE	2	VL-1000 Arc ERS	575w				
(13)		#6 PIPE	3	VL-1000 Arc ERS	575w				
(14)		#6 PIPE	4	VL-1000 Arc ERS	575w				
(15)		#4 PIPE	6	Alpha Spot HPE 300	300w				
(16)		#4 PIPE	10	Alpha Spot HPE 300	300w				

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(17)		C1 PIPE	1	Alpha Spot HPE 300	300w				
(18)		E2 PIPE	1	Alpha Spot HPE 300	300w				
(21)		#4 PIPE	2	36deg Source4	575w	Aisle L Top	L202, R132		STH
(22)		#4 PIPE	3	50deg Source4	575w	Aisle L Middle	L202, R132		TH
(23)		#4 PIPE	4	50deg Source4	575w	Aisle L Bottom	L202, R132		TH
(24)		#2 PIPE	3	50deg Source4	575w	Aisle L Top	L202, R132		TH
(25)		#2 PIPE	2	50deg Source4	575w	Aisle L Middle	L202, R132		TH
(26)		#2 PIPE	1	36deg Source4	575w	Aisle L Bottom	L202, R132		STH
(27)		#4 PIPE	15	26deg Source4	575w	Aisle R Top	L202, R132		TH
(28)		#4 PIPE	14	36deg Source4	575w	Aisle R Mid Top	L202, R132		STH
(29)		#4 PIPE	13	50deg Source4	575w	Aisle R Mid Bottom	L202, R132		TH
(30)		#4 PIPE	12	50deg Source4	575w	Aisle R Bottom	L202, R132		TH
(31)		#1 PIPE	1	50deg Source4	575w	Aisle R Top	L202, R132		TH
(32)		#1 PIPE	2	50deg Source4	575w	Aisle R Mid Top	L202, R132		TH
(33)		#1 PIPE	3	36deg Source4	575w	Aisle R Mid Bottom	L202, R132		STH
(34)		#1 PIPE	4	26deg Source4	575w	Aisle R Bottom	L202, R132		TH

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(35)		F PIPE	2	19deg Source4	575w	Aisle R Sand	L201, R132		TH
		"	3	"	"	"	"		"
(36)		C PIPE	2	19deg Source4	575w	Aisle L Sand	L201, R132		TH
		"	3	"	"	"	"		"
(37)		#4 PIPE	1	26deg Source4	575w	DSL Fill	L202, R132		TH
(38)		A PIPE	1	26deg Source4	575w	CSL Fill	L202, R132		TH
(39)		A PIPE	2	26deg Source4	575w	USL Fill	L202, R132		TH
(40)		#4 PIPE	16	26deg Source4	575w	DSR Fill	L202, R132		TH
(41)		H PIPE	1	26deg Source4	575w	CSR Fill	L202, R132		TH
(42)		H PIPE	2	26deg Source4	575w	USR Fill	L202, R132		TH
(43)		#2 PIPE	4	26deg Source4	575w	DSL Fill	L202, R132		TH
(44)		#2 PIPE	5	26deg Source4	575w	DSC Fill	L202, R132		TH
(45)		#2 PIPE	6	26deg Source4	575w	DSR Fill	L202, R132		TH
(46)		SL ARCHITECT URE CEILING	1	PAR64 WFL	1kW	Door Flood	L201		TH
		"	2	"	"	"	"		"
(51)		DECK	1	Snub Nose Birdie	150w	Footlight	NC		
		"	2	"	"	"	"		
		"	3	"	"	"	"		

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(52)		DECK	4	Snub Nose Birdie	150w	Footlight	NC		
		"	5	"	"	"	"		
		"	6	"	"	"	"		
(55)		DSL PILLAR	1	Snub Nose Birdie	150w	Footlight	NC		
		"	2	"	"	"	"		
		"	3	"	"	"	"		
(56)		DSL PILLAR	4	Snub Nose Birdie	150w	Footlight	NC		
		"	5	"	"	"	"		
		"	6	"	"	"	"		
(57)		DSR PILLAR	1	Snub Nose Birdie	150w	Footlight	NC		
		"	2	"	"	"	"		
		"	3	"	"	"	"		
(58)		DSR PILLAR	4	Snub Nose Birdie	150w	Footlight	NC		
		"	5	"	"	"	"		
		"	6	"	"	"	"		
(60)		DECK	7	Snub Nose Birdie	150w	Footlight	NC		
		"	8	"	"	"	"		
		"	9	"	"	"	"		
(61)		DECK	10	Snub Nose Birdie	150w	Footlight	NC		
		"	11	"	"	"	"		
		"	12	"	"	"	"		
(63)		USL PILLAR	1	Snub Nose Birdie	150w	Footlight	NC		
		"	2	"	"	"	"		

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(64)		USR PILLAR	1	Snub Nose Birdie	150w	Footlight	NC		
		"	2	"	"	"	"	"	
(81)		G WALL LOW		LED Tape		SURROU ND			
		H WALL LOW		"		"			
		I WALL LOW		"		"			
		J WALL LOW		"		"			
(82)		D WALL LOW		LED Tape		SURROU ND			
		E WALL LOW		"		"			
		F WALL LOW		"		"			
		G WALL LOW		"		"			
(83)		E WALL HIGH		LED Tape		SURROU ND			
		F WALL HIGH		"		"			
		G WALL HIGH		"		"			
		"		"		"			
		I WALL HIGH		"		"			
	"		"		"				

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(84)		A WALL HIGH		LED Tape		SURROU ND			
		"		"		"			
		"		"		"			
		STAIR HIGH		"		"			
(85)		W WALL HIGH		LED Tape		SURROU ND			
		X WALL HIGH		"		"			
		"		"		"			
		"		"		"			
		"		"		"			
(86)		W WALL HIGH		LED Tape		SURROU ND			
		"		"		"			
		"		"		"			
		"		"		"			
		"		"		"			
(87)		V WALL HIGH		LED Tape		SURROU ND			
		"		"		"			
		"		"		"			
		"		"		"			
		"		"		"			
		"		"		"			

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(88)		R WALL HIGH		LED Tape		SURROU ND			
		"		"		"			
		S WALL HIGH		"		"			
		"		"		"			
		T WALL HIGH		"		"			
		"		"		"			
(89)		P WALL HIGH		LED Tape		SURROU ND			
		Q WALL HIGH		"		"			
		"		"		"			
		R WALL HIGH		"		"			
(90)		O WALL HIGH		LED Tape		SURROU ND			
		"		"		"			
		"		"		"			
		P WALL HIGH		"		"			
(91)		J' WALL HIGH		LED Tape		SURROU ND			
		K WALL HIGH		"		"			
		"		"		"			
		"		"		"			

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(92)		B WALL HIGH		LED Tape		SURROU ND			
		C WALL HIGH		"		"			
(95)		#4 PIPE	8	AF1000	1.65k W				
(98)		#7.2 PIPE	1	AF1000	1.65k W				
(101)		#5.1 PIPE	0. 1	Colorblaze 72 50°	420w	RED			
(102)		#5.1 PIPE	0. 5	Colorblaze 72 50°	420w	RED			
(103)		#5.1 PIPE	0. 9	Colorblaze 72 50°	420w	RED			
(104)		#5.1 PIPE	0. 13	Colorblaze 72 50°	420w	RED			
(105)		#5.1 PIPE	0. 1	Colorblaze 72 50°	420w	RED			
(106)		#5.1 PIPE	0. 5	Colorblaze 72 50°	420w	RED			
(107)		#5.1 PIPE	0. 9	Colorblaze 72 50°	420w	RED			
(108)		#5.1 PIPE	0. 13	Colorblaze 72 50°	420w	RED			
(109)		#5.2 PIPE	0. 1	Colorblaze 72 50°	420w	RED			
(110)		#5.2 PIPE	0. 5	Colorblaze 72 50°	420w	RED			
(111)		#5.2 PIPE	0. 9	Colorblaze 72 50°	420w	RED			
(112)		#5.2 PIPE	0. 13	Colorblaze 72 50°	420w	RED			
(113)		#5.2 PIPE	0. 1	Colorblaze 72 50°	420w	RED			

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(114)		#5.2 PIPE	0. 5	Colorblaze 72 50°	420w	RED			
(115)		#5.2 PIPE	0. 9	Colorblaze 72 50°	420w	RED			
(116)		#5.2 PIPE	0. 13	Colorblaze 72 50°	420w	RED			
(117)		#5.2 PIPE	0. 1	Colorblaze 72 50°	420w	RED			
(118)		#5.2 PIPE	0. 5	Colorblaze 72 50°	420w	RED			
(119)		#5.2 PIPE	0. 9	Colorblaze 72 50°	420w	RED			
(120)		#5.2 PIPE	0. 13	Colorblaze 72 50°	420w	RED			
(121)		#6B PIPE	0. 1	Colorblaze 72 50°	420w	RED			
(122)		#6B PIPE	0. 5	Colorblaze 72 50°	420w	RED			
(123)		#6B PIPE	0. 9	Colorblaze 72 50°	420w	RED			
(124)		#6B PIPE	0. 13	Colorblaze 72 50°	420w	RED			
(125)		#6B PIPE	0. 1	Colorblaze 72 50°	420w	RED			
(126)		#6B PIPE	0. 5	Colorblaze 72 50°	420w	RED			
(127)		#6B PIPE	0. 9	Colorblaze 72 50°	420w	RED			
(128)		#6B PIPE	0. 13	Colorblaze 72 50°	420w	RED			
(129)		#6B PIPE	0. 1	Colorblaze 72 50°	420w	RED			
(130)		#6B PIPE	0. 5	Colorblaze 72 50°	420w	RED			

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(131)		#6B PIPE	0. 9	Colorblaze 72 50°	420w	RED			
(132)		#6B PIPE	0. 13	Colorblaze 72 50°	420w	RED			
(133)		#7.2 PIPE	0. 1	Colorblaze 72 50°	420w	RED			
(134)		#7.2 PIPE	0. 5	Colorblaze 72 50°	420w	RED			
(135)		#7.2 PIPE	0. 9	Colorblaze 72 50°	420w	RED			
(136)		#7.2 PIPE	0. 13	Colorblaze 72 50°	420w	RED			
(137)		UNDER DECK	1. 1	Colorblast 12 22° Frosted	50w	RED			
(138)		UNDER DECK	2. 1	Colorblast 12 22° Frosted	50w	RED			
(139)		UNDER DECK	3. 1	Colorblast 12 22° Frosted	50w	RED			
(140)		UNDER DECK	4. 1	Colorblast 12 22° Frosted	50w	RED			
(141)		UNDER DECK	5. 1	Colorblast 12 22° Frosted	50w	RED			
(142)		UNDER DECK	6. 1	Colorblast 12 22° Frosted	50w	RED			
(143)		UNDER DECK	7. 1	Colorblast 12 22° Frosted	50w	RED			
(144)		UNDER DECK	8. 1	Colorblast 12 22° Frosted	50w	RED			
(145)		UNDER DECK	9. 1	Colorblast 12 22° Frosted	50w	RED			
(146)		UNDER DECK	10 .1	Colorblast 12 22° Frosted	50w	RED			
(151)		#5.1 PIPE	0. 3	Colorblaze 72 50°	420w	BLUE			

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(152)		#5.1 PIPE	0. 7	Colorblaze 72 50°	420w	BLUE			
(153)		#5.1 PIPE	0. 11	Colorblaze 72 50°	420w	BLUE			
(154)		#5.1 PIPE	0. 15	Colorblaze 72 50°	420w	BLUE			
(155)		#5.1 PIPE	0. 3	Colorblaze 72 50°	420w	BLUE			
(156)		#5.1 PIPE	0. 7	Colorblaze 72 50°	420w	BLUE			
(157)		#5.1 PIPE	0. 11	Colorblaze 72 50°	420w	BLUE			
(158)		#5.1 PIPE	0. 15	Colorblaze 72 50°	420w	BLUE			
(159)		#5.2 PIPE	0. 3	Colorblaze 72 50°	420w	BLUE			
(160)		#5.2 PIPE	0. 7	Colorblaze 72 50°	420w	BLUE			
(161)		#5.2 PIPE	0. 11	Colorblaze 72 50°	420w	BLUE			
(162)		#5.2 PIPE	0. 15	Colorblaze 72 50°	420w	BLUE			
(163)		#5.2 PIPE	0. 3	Colorblaze 72 50°	420w	BLUE			
(164)		#5.2 PIPE	0. 7	Colorblaze 72 50°	420w	BLUE			
(165)		#5.2 PIPE	0. 11	Colorblaze 72 50°	420w	BLUE			
(166)		#5.2 PIPE	0. 15	Colorblaze 72 50°	420w	BLUE			
(167)		#5.2 PIPE	0. 3	Colorblaze 72 50°	420w	BLUE			
(168)		#5.2 PIPE	0. 7	Colorblaze 72 50°	420w	BLUE			

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(169)		#5.2 PIPE	0. 11	Colorblaze 72 50°	420w	BLUE			
(170)		#5.2 PIPE	0. 15	Colorblaze 72 50°	420w	BLUE			
(171)		#6B PIPE	0. 3	Colorblaze 72 50°	420w	BLUE			
(172)		#6B PIPE	0. 7	Colorblaze 72 50°	420w	BLUE			
(173)		#6B PIPE	0. 11	Colorblaze 72 50°	420w	BLUE			
(174)		#6B PIPE	0. 15	Colorblaze 72 50°	420w	BLUE			
(175)		#6B PIPE	0. 3	Colorblaze 72 50°	420w	BLUE			
(176)		#6B PIPE	0. 7	Colorblaze 72 50°	420w	BLUE			
(177)		#6B PIPE	0. 11	Colorblaze 72 50°	420w	BLUE			
(178)		#6B PIPE	0. 15	Colorblaze 72 50°	420w	BLUE			
(179)		#6B PIPE	0. 3	Colorblaze 72 50°	420w	BLUE			
(180)		#6B PIPE	0. 7	Colorblaze 72 50°	420w	BLUE			
(181)		#6B PIPE	0. 11	Colorblaze 72 50°	420w	BLUE			
(182)		#6B PIPE	0. 15	Colorblaze 72 50°	420w	BLUE			
(183)		#7.2 PIPE	0. 3	Colorblaze 72 50°	420w	BLUE			
(184)		#7.2 PIPE	0. 7	Colorblaze 72 50°	420w	BLUE			
(185)		#7.2 PIPE	0. 11	Colorblaze 72 50°	420w	BLUE			

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(186)		#7.2 PIPE	0. 15	Colorblaze 72 50°	420w	BLUE			
(187)		UNDER DECK	1. 3	Colorblast 12 22° Frosted	50w	BLUE			
(188)		UNDER DECK	2. 3	Colorblast 12 22° Frosted	50w	BLUE			
(189)		UNDER DECK	3. 3	Colorblast 12 22° Frosted	50w	BLUE			
(190)		UNDER DECK	4. 3	Colorblast 12 22° Frosted	50w	BLUE			
(191)		UNDER DECK	5. 3	Colorblast 12 22° Frosted	50w	BLUE			
(192)		UNDER DECK	6. 3	Colorblast 12 22° Frosted	50w	BLUE			
(193)		UNDER DECK	7. 3	Colorblast 12 22° Frosted	50w	BLUE			
(194)		UNDER DECK	8. 3	Colorblast 12 22° Frosted	50w	BLUE			
(195)		UNDER DECK	9. 3	Colorblast 12 22° Frosted	50w	BLUE			
(196)		UNDER DECK	10 .3	Colorblast 12 22° Frosted	50w	BLUE			
(201)		#5.1 PIPE	0. 2	Colorblaze 72 50°	420w	GREEN			
(202)		#5.1 PIPE	0. 6	Colorblaze 72 50°	420w	GREEN			
(203)		#5.1 PIPE	0. 10	Colorblaze 72 50°	420w	GREEN			
(204)		#5.1 PIPE	0. 14	Colorblaze 72 50°	420w	GREEN			
(205)		#5.1 PIPE	0. 2	Colorblaze 72 50°	420w	GREEN			
(206)		#5.1 PIPE	0. 6	Colorblaze 72 50°	420w	GREEN			

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(207)		#5.1 PIPE	0. 10	Colorblaze 72 50°	420w	GREEN			
(208)		#5.1 PIPE	0. 14	Colorblaze 72 50°	420w	GREEN			
(209)		#5.2 PIPE	0. 2	Colorblaze 72 50°	420w	GREEN			
(210)		#5.2 PIPE	0. 6	Colorblaze 72 50°	420w	GREEN			
(211)		#5.2 PIPE	0. 10	Colorblaze 72 50°	420w	GREEN			
(212)		#5.2 PIPE	0. 14	Colorblaze 72 50°	420w	GREEN			
(213)		#5.2 PIPE	0. 2	Colorblaze 72 50°	420w	GREEN			
(214)		#5.2 PIPE	0. 6	Colorblaze 72 50°	420w	GREEN			
(215)		#5.2 PIPE	0. 10	Colorblaze 72 50°	420w	GREEN			
(216)		#5.2 PIPE	0. 14	Colorblaze 72 50°	420w	GREEN			
(217)		#5.2 PIPE	0. 2	Colorblaze 72 50°	420w	GREEN			
(218)		#5.2 PIPE	0. 6	Colorblaze 72 50°	420w	GREEN			
(219)		#5.2 PIPE	0. 10	Colorblaze 72 50°	420w	GREEN			
(220)		#5.2 PIPE	0. 14	Colorblaze 72 50°	420w	GREEN			
(221)		#6B PIPE	0. 2	Colorblaze 72 50°	420w	GREEN			
(222)		#6B PIPE	0. 6	Colorblaze 72 50°	420w	GREEN			
(223)		#6B PIPE	0. 10	Colorblaze 72 50°	420w	GREEN			

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(224)		#6B PIPE	0. 14	Colorblaze 72 50°	420w	GREEN			
(225)		#6B PIPE	0. 2	Colorblaze 72 50°	420w	GREEN			
(226)		#6B PIPE	0. 6	Colorblaze 72 50°	420w	GREEN			
(227)		#6B PIPE	0. 10	Colorblaze 72 50°	420w	GREEN			
(228)		#6B PIPE	0. 14	Colorblaze 72 50°	420w	GREEN			
(229)		#6B PIPE	0. 2	Colorblaze 72 50°	420w	GREEN			
(230)		#6B PIPE	0. 6	Colorblaze 72 50°	420w	GREEN			
(231)		#6B PIPE	0. 10	Colorblaze 72 50°	420w	GREEN			
(232)		#6B PIPE	0. 14	Colorblaze 72 50°	420w	GREEN			
(233)		#7.2 PIPE	0. 2	Colorblaze 72 50°	420w	GREEN			
(234)		#7.2 PIPE	0. 6	Colorblaze 72 50°	420w	GREEN			
(235)		#7.2 PIPE	0. 10	Colorblaze 72 50°	420w	GREEN			
(236)		#7.2 PIPE	0. 14	Colorblaze 72 50°	420w	GREEN			
(237)		UNDER DECK	1. 2	Colorblast 12 22° Frosted	50w	GREEN			
(238)		UNDER DECK	2. 2	Colorblast 12 22° Frosted	50w	GREEN			
(239)		UNDER DECK	3. 2	Colorblast 12 22° Frosted	50w	GREEN			
(240)		UNDER DECK	4. 2	Colorblast 12 22° Frosted	50w	GREEN			

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
(241)		UNDER DECK	5. 2	Colorblast 12 22° Frosted	50w	GREEN			
(242)		UNDER DECK	6. 2	Colorblast 12 22° Frosted	50w	GREEN			
(243)		UNDER DECK	7. 2	Colorblast 12 22° Frosted	50w	GREEN			
(244)		UNDER DECK	8. 2	Colorblast 12 22° Frosted	50w	GREEN			
(245)		UNDER DECK	9. 2	Colorblast 12 22° Frosted	50w	GREEN			
(246)		UNDER DECK	10 .2	Colorblast 12 22° Frosted	50w	GREEN			

Items WITHOUT Channel

Chan	Dim	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Acc
		#5.1 PIPE	0. 0	Colorblaze 72 50°	420w				
		"	"	"	"				
		#5.2 PIPE	"	"	"				
		"	"	"	"				
		"	"	"	"				
		#6B PIPE	"	"	"				
		"	"	"	"				
		"	"	"	"				
		#7.2 PIPE	"	"	"				
		UNDER DECK	1. 0	Colorblast 12 22° Frosted	50w				
		"	2. 0	"	"				
		"	3. 0	"	"				
		"	4. 0	"	"				
		"	5. 0	"	"				
		"	6. 0	"	"				
		"	7. 0	"	"				
		"	8. 0	"	"				
		"	9. 0	"	"				
		"	10 .0	"	"				