

The Trip to Bou... CHANNEL HOOKUP

Rev 8 ES 9.21.16

9/22/16

Director: David Toney & Josh Chenard
ME: Emma Sheehan

LD: ANdrew Craig & Christian DeAngelis
AME: Isaiah Howell

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(1)	70	2 CAT LO	1	Strand 6x12	750w	Front Warm 1SL	R08, R119		
(2)	68	2 CAT LO	3	Strand 6x12	750w	Front Warm 1C	R08, R119		
(3)	76	2 CAT LO	5	Strand 6x12	750w	Front Warm 1SR	R08, R119		
(4)	66	4 CAT LO	3	Strand 6x16	750w	Front Warm 2SL	R08, R119		
(5)	188	4 CAT LO	7	Strand 6x16	750w	Front Warm 2SLC	R08, R119		
(6)	42	4 CAT LO	9	Strand 6x16	750w	Front Warm 2C	R08, R119		
(7)	118	4 CAT LO	13	Strand 6x16	750w	Front Warm 2SRC	R08, R119		
(8)	78	4 CAT LO	15	Strand 6x16	750w	Front Warm 2SR	R08, R119		
(9)	36	4A PIPE	2	Strand 6x16	750w	Front Warm 3SL	R08, R119		
(10)	189	4A PIPE	4	Strand 6x16	750w	Front Warm 3SLC	R08, R119		
(11)	43	4A PIPE	6	Strand 6x16	750w	Front Warm 3C	R08, R119		
(12)	119	4A PIPE	9	Strand 6x16	750w	Front Warm 3SRC	R08, R119		
(13)	46	4A PIPE	11	Strand 6x16	750w	Front Warm 3SR	R08, R119		
(14)	38	5 CAT HI	1	Strand 6x16	750w	Front Warm 4SL	R08, R119		
(15)	185	5 CAT HI	3	Strand 6x16	750w	Front Warm 4C	R08, R119		
(16)	23	5 CAT HI	5	Strand 6x16	750w	Front Warm 4SR	R08, R119		
(17)	16	7 CAT LO	6	Strand 6x12	750w	Front Warm 5SL	R08, R119		
(18)	115	7 CAT LO	10	Strand 6x12	750w	Front Warm 5C	R08, R119		
(19)	19	7 CAT LO	13	Strand 6x12	750w	Front Warm 5SR	R08, R119		
(21)	69	2 CAT LO	2	Strand 6x12	750w	Front Cool 1SL	R08, R119		

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(22)	71	2 CAT LO	4	Strand 6x12	750w	Front Cool 1C	R08, R119		
(23)	75	2 CAT LO	6	Strand 6x12	750w	Front Cool 1SR	R08, R119		
(24)	65	4 CAT LO	4	Strand 6x16	750w	Front Cool 2SL	R08, R119		
(25)	187	4 CAT LO	8	Strand 6x16	750w	Front Cool 2SLC	R08, R119		
(26)	41	4 CAT LO	10	Strand 6x16	750w	Front Cool 2C	R08, R119		
(27)	47	4 CAT LO	14	Strand 6x16	750w	Front Cool 2SRC	R08, R119		
(28)	77	4 CAT LO	16	Strand 6x16	750w	Front Cool 2SR	R08, R119		
(29)	191	4A PIPE	3	Strand 6x16	750w	Front Cool 3SL	R08, R119		
(30)	44	4A PIPE	5	Strand 6x16	750w	Front Cool 3SLC	R08, R119		
(31)	178	4A PIPE	7	Strand 6x16	750w	Front Cool 3C	R08, R119		
(32)	48	4A PIPE	10	Strand 6x16	750w	Front Cool 3SRC	R08, R119		
(33)	45	4A PIPE	12	Strand 6x16	750w	Front Cool 3SR	R08, R119		
(34)	37	5 CAT HI	2	Strand 6x16	750w	Front Cool 4SL	R08, R119		
(35)	184	5 CAT HI	4	Strand 6x16	750w	Front Cool 4C	R08, R119		
(36)	22	5 CAT HI	6	Strand 6x16	750w	Front Cool 4SR	R08, R119		
(37)	2	7 CAT LO	8	Strand 6x12	750w	Front Cool 5SL	R08, R119		
(38)	114	7 CAT LO	11	Strand 6x12	750w	Front Cool 5C	R08, R119		
(39)	112	7 CAT LO	15	Strand 6x12	750w	Front Cool 5SR	R08, R119		
(41)	62	6 PIPE	3	PAR 64 MFL	1kW	Top Scroller Wash 1SL	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(42)	61	6 PIPE	5	PAR 64 MFL	1kW	Top Scroller Wash 1C	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(43)	82	6 PIPE	8	PAR 64 MFL	1kW	Top Scroller Wash 1SR	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(44)	17	7 PIPE	6	PAR 64 MFL	1kW	Top Scroller Wash 2SL	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(45)	113	7 PIPE	13	PAR 64 MFL	1kW	Top Scroller Wash 2C	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(46)	54	7 PIPE	17	PAR 64 MFL	1kW	Top Scroller Wash 2SR	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(47)	6	8 PIPE	4	PAR 64 MFL	1kW	Top Scroller Wash 3SL	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(48)	131	8 PIPE	7	PAR 64 MFL	1kW	Top Scroller Wash 3C	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(49)	12	8 PIPE	10	PAR 64 MFL	1kW	Top Scroller Wash 3SR	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(50)	130	8/9 PIPE	1	PAR 64 MFL	1kW	Top Scroller Wash 4SL	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(51)	135	8/9 PIPE	5	PAR 64 MFL	1kW	Top Scroller Wash 4C	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(52)	138	8/9 PIPE	8	PAR 64 MFL	1kW	Top Scroller Wash 4SR	CMY		
		"	"	CXI Color Fusion 7.5"		"	"		
(53)	107	US ELECTRIC	2	PAR 64 MFL	1kW	Top Wash 5SL	G841		
		-----	104	"	11	"	"	Top Wash 5SR	"

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(54)	111	US ELECTRIC	6	PAR 64 MFL	1kW	Top Wash 5C	G841		
(61)	64	6 PIPE	1	Source 4 26deg	575w	High Side 1LC <	R09, R119		
(62)	63	6 PIPE	2	Source 4 26deg	575w	High Side 1RC <	R09, R119		
(63)	57	7 PIPE	2	Source 4 26deg	575w	High Side 2LC < <	R09, R119		
(64)	25	7 PIPE	4	Source 4 26deg	575w	High Side 2SRC <	R09, R119		
(65)	102	7 CAT LO	5	Source 4 26deg	575w	High Side 2SR <	R09, R119		
(66)	32	8 PIPE	1	Source 4 26deg	575w	High Side 3LC <	R09, R119		
(67)	31	8 PIPE	2	Source 4 26deg	575w	High Side 3SRC <	R09, R119		
(68)	5	8 PIPE	5	Source 4 26deg	575w	High Side 3SR <	R09, R119		
(69)	88	DS ELECTRIC	1	Source 4 26deg	575w	High Side 5LC	R09, R119		
(70)	91	DS ELECTRIC	2	Source 4 26deg	575w	High Side 5SR <	R09, R119		
(71)	81	6 PIPE	10	Source 4 26deg	575w	High Side 1RC >	R09, R119		
(72)	80	6 PIPE	9	Source 4 26deg	575w	High Side 1LC >	R09, R119		
(73)	52	7 PIPE	19	Source 4 26deg	575w	High Side 2RC >	R09, R119		
(74)	53	7 PIPE	18	Source 4 26deg	575w	High Side 2SLC >	R09, R119		
(75)	55	7 CAT LO	16	Source 4 26deg	575w	High Side 2SL >	R09, R119		
(76)	86	8 PIPE	14	Source 4 26deg	575w	High Side 3RC >	R09, R119		
(77)	11	8 PIPE	12	Source 4 26deg	575w	High Side 3SLC >	R09, R119		
(78)	7	8 PIPE	9	Source 4 26deg	575w	High Side 3SL >	R09, R119		

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(79)	99	DS ELECTRIC	15	Source 4 26deg	575w	High Side 5RC >	R09, R119		
(80)	98	DS ELECTRIC	14	Source 4 26deg	575w	High Side 5SL >	R09, R119		
(81)	154	DSL LOW HOR	1	Source 4 26deg	575w	DL <L	R09, R119		
(82)	153	DSL HIGH HOR	1	Source 4 26deg	575w	DC <L	R09, R119		
(83)	152	DSL HIGH HOR	2	Source 4 19deg	575w	DR <L	R09, R119		
(84)	151	USL LOW HOR	4	Source 4 50deg	575w	CL <L	R09, R119		
(85)	150	USL LOW HOR	5	Source 4 26deg	575w	CLC <L	R09, R119		
(86)	149	USL HIGH HOR	5	Source 4 26deg	575w	CC <L	R09, R119		
(87)	60	USL HIGH HOR	6	Source 4 19deg	575w	CR <L	R09, R119		
(88)	148	USL LOW HOR	2	Source 4 50deg	575w	UL <L	R09, R119		
(89)	143	USL LOW HOR	3	Source 4 26deg	575w	ULC <L	R09, R119		
(90)	147	USL HIGH HOR	2	Source 4 26deg	575w	UC <L	R09, R119		
(91)	145	USL HIGH HOR	3	Source 4 19deg	575w	UR <L	R09, R119		
(92)	146	USL LOW HOR	1	Source 4 26deg	575w	ULC <L	R09, R119		
(93)	144	USL HIGH HOR	1	Source 4 26deg	575w	Far UC <L	R09, R119		
(95)	168	VOM DSL	1	6" Fresnel	750w	VOM Light	R132		7.5 4 Leaf Barn Door
(96)	172	VOM DSR	1	6" Fresnel	750w	VOM Light	R132		7.5 4 Leaf Barn Door
(101)	166	DSR LOW HOR	1	Source 4 26deg	575w	DR <R	R09, R119		
(102)	164	DSR HIGH HOR	1	Source 4 26deg	575w	DC <R	R09, R119		

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(103)	163	DSR HIGH HOR	2	Source 4 19deg	575w	DL <R	R09, R119		
(104)	165	USR LOW HOR	4	Source 4 50deg	575w	CR <R	R09, R119		
(105)	162	USR LOW HOR	5	Source 4 26deg	575w	CRC <R	R09, R119		
(106)	161	USR HIGH HOR	5	Source 4 26deg	575w	CC <R	R09, R119		
(107)	49	USR HIGH HOR	6	Source 4 19deg	575w	CL <R	R09, R119		
(108)	160	USR LOW HOR	2	Source 4 50deg	575w	UR <R	R09, R119		
(109)	159	USR LOW HOR	3	Source 4 26deg	575w	URC <R	R09, R119		
(110)	157	USR HIGH HOR	2	Source 4 26deg	575w	UC <R	R09, R119		
(111)	155	USR HIGH HOR	3	Source 4 19deg	575w	UL <R	R09, R119		
(112)	158	USR LOW HOR	1	Source 4 26deg	575w	Far URC <R	R09, R119		
(113)	156	USR HIGH HOR	1	Source 4 26deg	575w	Far UC <R	R09, R119		
(121)	127	8 CAT LO	5	8" Fresnel	1kW	APT TOP WASH	R16		
	"	8/9 PIPE	3	"	"	"	"		
(122)	134	8 CAT LO	9	8" Fresnel	1kW	APT TOP WASH	R16		
	"	8/9 PIPE	6	"	"	"	"		
(123)	132	8 CAT LO	6	8" Fresnel	1kW	APT TOP WASH	I201		
	"	8/9 PIPE	4	"	"	"	"		
(124)	133	8 CAT LO	10	8" Fresnel	1kW	APT TOP WASH	I201		
	"	8/9 PIPE	7	"	"	"	"		

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(151)	20	5 CAT LO	2	Source 4 26deg	575w	Harrisn Windw ow Template		G208	
	"	"	3	"	"	"		"	
	"	"	6	"	"	"		"	
(154)	21	7 PIPE	14	Source 4 19deg	575w	Houston Ticket counter Front Special	R132		
(155)	95	7/8 PIPE SL	2	Source 4 19deg	575w	Houston Bench SL Front Special	R132		
(156)	51	7/8 PIPE SR	4	Source 4 26deg	575w	Houston Bench CC High Side	R132		
(157)	96	7/8 PIPE SL	3	Source 4 26deg	575w	Houston Bench CC High Side	R132		
(158)	14	8 PIPE	6	Source 4 19deg	575w	Houston Bench Special CC	R132		
(159)	13	8 PIPE	8	Source 4 19deg	575w	Houston Bench Special SR	R132		
(160)	97	DS ELECTRIC	3	Source 4 19deg	575w	Houston Ticket Booth Back Special	R132		
(161)	72	2 PIPE	1	Source 4 19deg	575w	Harrison Window Front Fill Special	R132		
(162)	137	8/9 PIPE	9	Source 4 19deg	575w	Harrison Ticket Booth Top Special	R132		
(163)	116	7 PIPE	10	Source 4 19deg	575w	Harrison Ticket Counter Front Special	R132		
(164)	29	8 CAT LO	2	Source 4 19deg	575w	Harrison Bench Back Special	R132		
(165)	117	7 PIPE	9	Source 4 19deg	575w	Harrison Bench Top Special	R132		
(166)	120	4A PIPE	8	Source 4 19deg	575w	Harrison Bench Front Special	R132		
(167)	106	US ELECTRIC	5	Source 4 19deg	575w	Harrison Window T Special	RGB	Image Pro	

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(171)	40	5 PIPE	3	Source 4 26deg	575w	Bedroom Front C	L201,R132		
(172)	85	5 PIPE	9	Source 4 26deg	575w	Bedroom Front C	R119		
(173)	192	4 CAT LO	5	Source 4 26deg	575w	Bedroom Front C	R119		
(174)	74	4 CAT LO	17	Source 4 26deg	575w	Bedroom Front C	R119		
(176)	129	7 CAT LO	4	Source 4 26deg	575w	Bedroom Side <	R119		
(177)	18	7 PIPE	5	Source 4 26deg	575w	Bedroom Side <	R119		
(181)	39	5 PIPE	4	Source 4 26deg	575w	Bedroom Front W	R119		
(182)	84	5 PIPE	10	Source 4 26deg	575w	Bedroom Front W	R119		
(183)	190	4 CAT LO	6	Source 4 26deg	575w	Bedroom Front W	R119		
(184)	170	4 CAT LO	18	Source 4 26deg	575w	Bedroom Front W	R119		
(185)	50	7/8 PIPE SR	2	Source 4 26deg	575w	Bedroom Side >	R119		
(186)	90	7/8 PIPE SR	1	Source 4 26deg	575w	Bedroom Side >	R119		
(187)	89	DS ELECTRIC	10	Source 4 26deg	575w	Bed Back Special	R119		
(188)	136	8/9 PIPE	10	Source 4 19deg	575w	Bed High Side Special	R119		
(189)	58	7 CAT LO	1	Source 4 19deg	575w	Bed Low Side Special	R119		
(191)	35	5 PIPE	1	Source 4 26deg	575w	Apt Front C	R119		
(192)	181	5 PIPE	6	Source 4 26deg	575w	Apt Front C	R119		
(193)	174	4 CAT LO	1	Source 4 26deg	575w	Apt Front C	R119		
(194)	177	4 CAT LO	11	Source 4 26deg	575w	Apt Front C	R119		

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(201)	34	5 PIPE	2	Source 4 26deg	575w	Apt Front W	R119		
(202)	24	5 PIPE	7	Source 4 26deg	575w	Apt Front W	R119		
(203)	173	4 CAT LO	2	Source 4 26deg	575w	Apt Front W	R119		
(204)	176	4 CAT LO	12	Source 4 26deg	575w	Apt Front W	R119		
(206)	26	7 PIPE	3	Source 4 26deg	575w	Living Room Side <	R119		
(207)	27	7 CAT LO	2	Source 4 26deg	575w	Living Room Side <	R119		
(208)	10	8 CAT LO	14	Source 4 26deg	575w	Living Room Side >	R119		
(209)	87	8 PIPE	13	Source 4 26deg	575w	Living Room Side >	R119		
(211)	186	5 CAT LO	4	Source 4 19deg	575w	Apt Door Special L	R119		
(212)	183	5 CAT LO	5	Source 4 19deg	575w	Apt Door Special R	R119		
(213)	167	HAND RAIL DL	2	Source 4 19deg	575w	Apt Window Day Fill	R3444, R119		
(214)	67	VOM DWNLEFT CTR	1	Source 4 19deg	575w	Apt Window Night Fill	R62, R119		
(215)	92	7 PIPE	1	Source 4 19deg	575w	Apt Couch Front High Special	R132		
(216)	8	8 CAT LO	11	Source 4 19deg	575w	Apt Specials	R119		
(217)	4	8 CAT LO	3	Source 4 19deg	575w	Apt Specials	R119		
(218)	15	8 CAT LO	7	Source 4 19deg	575w	Apt Specials	R119		
(219)	33	5 CAT LO	1	Source 4 14deg	750w	Apt window Night Special	R62	R77142	
(220)	3	7 CAT LO	7	Source 4 19deg	575w	Apt Window Night Fill	R62, R119		

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(221)	59	4A PIPE	1	Source 4 14deg	750w	Apt window Day Special	R3444	R77142	
(231)	83	6 PIPE	4	Source 4 26deg	575w	Bountiful Template	R3441	R77109	
	"	"	6	"	"	"	"	"	
	"	"	7	"	"	"	"	"	
(232)	1	7 CAT LO	3	Source 4 26deg	575w	Bountiful Template	R3441	R77109	
	"	"	9	"	"	"	"	"	
	56	"	12	"	"	"	"	"	
	"	"	14	"	"	"	"	"	
	"	"	17	"	"	"	"	"	
(233)	30	8 CAT LO	1	Source 4 26deg	575w	Bountiful Template	R3441	R77109	
	"	"	4	"	"	"	"	"	
	9	"	8	"	"	"	"	"	
	"	"	12	"	"	"	"	"	
	"	"	13	"	"	"	"	"	
(234)	128	8/9 PIPE	2	Source 4 26deg	575w	Bountiful Template	R3441	R77109	
(235)	108	US ELECTRIC	3	Source 4 26deg	575w	Bountiful Template	R3441	R77109	
	100	"	8	"	"	"	"	"	
	103	"	10	"	"	"	"	"	
(241)	169	HAND RAIL DL	1	Source 4 19deg	575w	Bountiful Porch Special	R3203	R77109 (S), R77228 (R)	
(242)	171	HAND RAIL DR	1	Source 4 19deg	575w	Bountiful Porch Special	R3203	R77109 (S), R77228 (R)	
(251)		Vanity	3	TYPE-A	60w	LAMP	N/C		
(252)		Side Table	2	TYPE-A	60w	LAMP	N/C		
(254)		Living Room Table	5	TYPE-A	60w	LAMP	N/C		

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(256)		Harrison Station	1	TYPE-A	60w	DESK LAMP	N/C		
(301)		2 PIPE TAILDOWN	1	VL 1100	1kW	Mover			
(302)		2 PIPE TAILDOWN	3	VL 1100	1kW	Mover			
(303)		5 PIPE	5	VL 1100	1kW	Mover			
(304)		5 PIPE	8	VL 1100	1kW	Mover			
(305)	73	2 PIPE TAILDOWN	2	VL 1000 T-TI	1kW	Mover			
(311)		7 PIPE	8	VL-1000 Tungsten dimmer	1kW	Mover			
(312)		7 PIPE	12	VL-1000 Tungsten dimmer	1kW	Mover			
(313)		7 PIPE	16	VL-1000 Tungsten dimmer	1kW	Mover			
(314)		8 PIPE	3	VL-1000 Tungsten dimmer	1kW	Mover			
(315)		8 PIPE	11	VL-1000 Tungsten dimmer	1kW	Mover			
(321)		5/6 PIPE SL	1	VL 2500	700w	Mover			
(322)		7/8 PIPE SL	1	VL 2500	700w	Mover			
(323)		5/6 PIPE SR	1	VL 2500	700w	Mover			
(324)		7/8 PIPE SR	3	VL 2500	700w	Mover			
(331)	94	DS ELECTRIC	5	VL 2000	700w	Mover			
(332)	93	DS ELECTRIC	8	VL 2000	700w	Mover			
(333)	93	DS ELECTRIC	12	VL 2000	700w	Mover			

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(341)		DSL HIGH HOR	3	VLX Wash	840w	Mover			
(342)		USL HIGH HOR	4	VLX Wash	840w	Mover			
(343)		DSR HIGH HOR	3	VLX Wash	840w	Mover			
(344)		USR HIGH HOR	4	VLX Wash	840w	Mover			
(351)	106	US ELECTRIC	1	Etc Source 4 LEDLS CYC	117w	CYC HIGH	RGB		
(352)	106	US ELECTRIC	4	Etc Source 4 LEDLS CYC	117w	CYC HIGH	RGB		
(353)	106	US ELECTRIC	7	Etc Source 4 LEDLS CYC	117w	CYC HIGH	RGB		
(354)	106	US ELECTRIC	9	Etc Source 4 LEDLS CYC	117w	CYC HIGH	RGB		
(355)	106	US ELECTRIC	12	Etc Source 4 LEDLS CYC	117w	CYC HIGH	RGB		
(361)	94	DS ELECTRIC	4	Etc Source 4 LEDLS 26deg	117w	CYC LOW	RGB/R104 (v)		
(362)	94	DS ELECTRIC	6	Etc Source 4 LEDLS 26deg	117w	CYC LOW	RGB/R104 (v)		
(363)	94	DS ELECTRIC	7	Etc Source 4 LEDLS 26deg	117w	CYC LOW	RGB/R104 (v)		
	" "	9	" "	" "	" "	" "		
(364)	94	DS ELECTRIC	11	Etc Source 4 LEDLS 26deg	117w	CYC LOW	RGB/R104 (v)		
(365)	94	DS ELECTRIC	13	Etc Source 4 LEDLS 26deg	117w	CYC LOW	RGB/R104 (v)		
(370)		8 PIPE		Hazer		Haze	N/C		

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
(500)				Parlite LED	36w	HOUSE LIGHT			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			
				"	"	"			

The Trip to Bou... CHANNEL HOOKUP

9/22/16

Rev 8 ES 9.21.16

Items WITHOUT Channel

Channel	Dm	Position	U#	Inst Type	Watt	Purpose	Color	Gobo	Accessory
---------	----	----------	----	-----------	------	---------	-------	------	-----------
