

TABLE OF CONTENTS

BALCONY RAIL	1	DSL SPIRES	49
FAR TRUSS DS	3	DSR SPIRES	50
FAR TRUSS US	5	MSL SPIRES	50
FAR BOX SL	7	MSR SPIRES	50
FAR BOX SR	8	USL SPIRES	51
MID TRUSS DS	9	USR SPIRES	51
MID TRUSS US	11	SL PRO TORM	51
NEAR BOX SL	12	SL TORM	51
NEAR BOX SR	15	SR PRO TORM	51
APRON TRUSS DS	18	SR TORM	52
APRON TRUSS US	21	PULPIT FACING	52
#1 ELEC DS	23	BAND PLATFORM	52
#1 ELEC US	26	UNDER BAND	53
#2 ELEC	28	UNDER STEPS L	56
#3 ELEC	29	UNDER STEPS R	56
#4 ELEC	30	UNDER STEPS US	57
#5 ELEC	31	US DECK	57
#6 ELEC	33	SL JUMP	57
#7 ELEC	35	SR WING	57
#8 ELEC	36	LS 1	57
#9 ELEC	39	LS 13	58
#10 ELEC	43	LS18	58
#11 ELEC	45	LS52	58
#1 LADDER L	46	NY APT TABLE	58
#1 LADDER R	47	ORMISTON WAGON	59
#1 BOOM L	48	FOLLOWSPOT BOOTH	59
#1 BOOM R	49	HOUSE	60
		SL RAIL	60

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

BALCONY RAIL

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	26deg Source4	47	(271)	750w		R058+ R132		False Pros
2	PAR 64 NSP	46	(38)	1kW		R083, G99		Rail Wash C Lo
3	PAR 64 NSP	38	(36)	1kW		R059, G99		Rail Wash W Lo
4	36deg Source4	32	(273)	750w		R132		Aisle
5	19deg Source4	40	(274)	750w		R054+ R132, G99		Deco Portal
6	14deg Source4	1737	(741)	360w	R776 30	NC	ETC Strobe Cap	Lightning Bolt
7	26deg Source4	47	(271)	750w		R058+ R132		False Pros
8	PAR 64 NSP	30	(37)	1kW		R083, G99		Rail Wash C Hi
9	PAR 64 NSP	39	(35)	1kW		R059, G99		Rail Wash W Hi
9a	Infra-Red Illuminator	Nd		400w		IR		IR Illumination
10	19deg Source4	57	(275)	750w		R054+ R132, G99		Deco Portal
11	PAR 64 NSP	39	(35)	1kW		R059, G99		Rail Wash W Hi
12	PAR 64 NSP	30	(37)	1kW		R083, G99		Rail Wash C Hi
13	26deg Source4	48	(272)	750w		R058+ R132		False Pros
14	14deg Source4	1738	(742)	360w	R777 76	NC	ETC Strobe Cap	Lightning Bolt
15	19deg Source4	40	(274)	750w		R054+ R132, G99		Deco Portal
16	36deg Source4	32	(273)	750w		R132		Aisle

Saving Aimee-REV32

5/5/19





ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

BALCONY RAIL

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
17	PAR 64 NSP	38	(36)	1kW		 R059, G99		Rail Wash W Lo
18	PAR 64 NSP	46	(38)	1kW		 R083, G99		Rail Wash C Lo
19	26deg Source4	48	(272)	750w		 R058+ R132		False Pros
20	19deg Source4	477	(926)	750w		 NC		Signer Light

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

FAR TRUSS DS

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	PAR 64 WFL	94	(902)	500w		 R104		House Down
2	PAR 64 NSP	95	(903)	1kW		 R009, G99		Architecture
3	19deg Source4	74	(1)	750w		 R060+ R132, G99		Front Steps L
4	PAR 64 NSP	87	(903)	1kW		 R009, G99		Architecture
5	PAR 64 WFL	86	(902)	500w		 R104		House Down
6	19deg Source4	82	(2)	750w		 R060+ R132, G99		Front Steps LC
7	PAR 64 NSP	79	(903)	1kW		 R009, G99		Architecture
8	19deg Source4	74	(1)	750w		 R060+ R132, G99		Front Steps L
9	PAR 64 WFL	78	(902)	500w		 R104		House Down
10	19deg Source4	90	(3)	750w		 R060+ R132, G99		Front Steps Ctr
11	19deg Source4	82	(2)	750w		 R060+ R132, G99		Front Steps LC
12	19deg Source4	75	(4)	750w		 R060+ R132, G99		Front Steps RC
13	19deg Source4	90	(3)	750w		 R060+ R132, G99		Front Steps Ctr
14	PAR 64 WFL	78	(902)	500w		 R104		House Down
15	19deg Source4	83	(5)	750w		 R060+ R132, G99		Front Steps R
16	PAR 64 NSP	79	(903)	1kW		 R009, G99		Architecture
17	19deg Source4	75	(4)	750w		 R060+ R132, G99		Front Steps RC
18	PAR 64 WFL	86	(902)	500w		 R104		House Down

Saving Aimee-REV32

5/5/19





ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

FAR TRUSS DS

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
19	PAR 64 NSP	87	(903)	1kW		 R009, G99		Architecture
20	19deg Source4	83	(5)	750w		 R060+ R132, G99		Front Steps R
21	PAR 64 NSP	95	(903)	1kW		 R009, G99		Architecture
22	PAR 64 WFL	94	(902)	500w		 R104		House Down

Saving Aimee-REV32

5/5/19


















ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

FAR TRUSS US

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	PAR 64 NSP	96	(903)	1kW		 R009, G99		Architecture
2	PAR 64 NSP	96	(903)	1kW		 R009, G99		Architecture
2	PAR 64 NSP	88	(903)	1kW		 R009, G99		Architecture
3	PAR 64 NSP	96	(903)	1kW		 R009, G99		Architecture
3	PAR 64 NSP	80	(903)	1kW		 R009, G99		Architecture
4	14deg Source4	91	(6)	750w		 R060, R132		Front DL Stair
5	14deg Source4	76	(7)	750w		 R060, R132		Front DL
8	14deg Source4	84	(8)	750w		 R060, R132		Front DLC
9	14deg Source4	91	(6)	750w		 R060, R132		Front DL Stair
10	14deg Source4	76	(7)	750w		 R060, R132		Front DL
10a	Mini-Ten	49	(919)	500w		 NC		Worklight
11	14deg Source4	92	(9)	750w		 R060, R132		Front DC
12	14deg Source4	84	(8)	750w		 R060, R132		Front DLC
13	14deg Source4	77	(10)	750w		 R060, R132		Front DRC
14	14deg Source4	92	(9)	750w		 R060, R132		Front DC
14a	Mini-Ten	49	(919)	500w		 NC		Worklight
15	14deg Source4	85	(11)	750w		 R060, R132		Front DR

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

FAR TRUSS US

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
16	14deg Source4	93	(12)	750w		 R060, R132		Front DR Stair
17	14deg Source4	77	(10)	750w		 R060, R132		Front DRC
18	PAR 64 NSP	80	(903)	1kW		 R009, G99		Architecture
19	PAR 64 NSP	88	(903)	1kW		 R009, G99		Architecture
20	14deg Source4	85	(11)	750w		 R060, R132		Front DR
20	PAR 64 NSP	96	(903)	1kW		 R009, G99		Architecture
21	14deg Source4	93	(12)	750w		 R060, R132		Front DR Stair
22	PAR 64 NSP	96	(903)	1kW		 R009, G99		Architecture
23	PAR 64 NSP	96	(903)	1kW		 R009, G99		Architecture

Instrument Schedule

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

FAR BOX SL

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	10deg Source4	35	(113)	750w				Ormiston Wagon
2	10deg Source4	35	(113)	750w				Ormiston Wagon
3	10deg Source4	44	(115)	750w	 R778 09	 L164		Red Breakup
4	10deg Source4	44	(115)	750w	 R778 09	 L164		Red Breakup
5	10deg Source4	37	(117)	750w	 R778 09	 R068		Blue Breakup
6	10deg Source4	37	(117)	750w	 R778 09	 R068		Blue Breakup
7	PAR 64 MFL	36	(281)	1kW		 R054, G99		Tent Uplight
8	PAR 64 MFL	36	(281)	1kW		 R054, G99		Tent Uplight

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

FAR BOX SR

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	10deg Source4	28	(114)	750w		 R132		Bro Bob SL
2	10deg Source4	28	(114)	750w		 R132		Bro Bob SL
3	10deg Source4	29	(116)	750w	 R778 09	 L164		Red Breakup
4	10deg Source4	29	(116)	750w	 R778 09	 L164		Red Breakup
5	10deg Source4	45	(118)	750w	 R778 09	 R068		Blue Breakup
6	10deg Source4	45	(118)	750w	 R778 09	 R068		Blue Breakup
6a	19deg Source4	477	(926)	750w		 L201		Signer Light
7	PAR 64 MFL	31	(282)	1kW		 R054, G99		Tent Uplight
8	PAR 64 MFL	31	(282)	1kW		 R054, G99		Tent Uplight

Saving Aimee-REV32

5/5/19













ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

MID TRUSS DS

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	19deg Source4	50	(43)	750w		 L103, R132		xL DS Steps Ctr W
2	19deg Source4	66	(42)	750w		 L103, R132		xL DS Steps FarCtr W
3	26deg Source4	54	(14)	750w		 R060, R132		Front SL
4	26deg Source4	61	(13)	750w		 R060, R132		Front Plat L
5.0	Mac2k Profile	513	(811)	1.2kW	Wheel 2,3			Pro MT 1
5.1	Mac2k Profile	993	(811)	1.2kW				AP Control
6	26deg Source4	62	(15)	750w		 R060, R132		Front SLC
7	Atomic 3000 Strobe	1643	(751)	3kW		 NC		Lightning
8	26deg Source4	61	(13)	750w		 R060, R132		Front Plat L
9	26deg Source4	54	(14)	750w		 R060, R132		Front SL
10	26deg Source4	70	(16)	750w		 R060, R132		Front SC
11	Mini-Ten	65	(285)	1kW		 NC		Tent
12	26deg Source4	62	(15)	750w		 R060, R132		Front SLC
13	26deg Source4	55	(17)	750w		 R060, R132		Front SRC

Saving Aimee-REV32

5/5/19










ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

MID TRUSS DS

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
14	Mini-Ten	65	(285)	1kW		 NC		Tent
15	26deg Source4	70	(16)	750w		 R060, R132		Front SC
16	26deg Source4	63	(18)	750w		 R060, R132		Front SR
17	26deg Source4	71	(19)	750w		 R060, R132		Front Plat R
18	26deg Source4	55	(17)	750w		 R060, R132		Front SRC
19. 0	Mac2k Profile	537	(812)	1.2kW	Wheel 2,3			Pro MT 2
19. 1	Mac2k Profile	994	(812)	1.2kW				AP Control
20	26deg Source4	71	(19)	750w		 R060, R132		Front Plat R
21	26deg Source4	63	(18)	750w		 R060, R132		Front SR
22	19deg Source4	59	(82)	750w		 L103, R132		xR DS Steps FarCtr W
23	19deg Source4	67	(83)	750w		 L103, R132		xR DS Steps Ctr W

Saving Aimee-REV32

5/5/19

















ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

MID TRUSS US

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	19deg Source4	52	(143)	750w		 L201, G99, R132		xL DS Steps Ctr C
2	19deg Source4	60	(142)	750w		 L201, G99, R132		xL DS Steps FarCtr C
3	19deg Source4	68	(141)	750w		 L201, G99, R132		xL DS Steps Far C
4	19deg Source4	58	(41)	750w		 L103, R132		xL DS Steps Far W
5	19deg Source4	56	(20)	750w		 R060+ R132, G99		Front MLC
6	Mini-Ten	53	(286)	1kW		 NC		Tent
7	19deg Source4	64	(21)	750w		 R060+ R132, G99		Front MC
8	19deg Source4	56	(20)	750w		 R060+ R132, G99		Front MLC
9	Mini-Ten	53	(286)	1kW		 NC		Tent
10	19deg Source4	72	(22)	750w		 R060+ R132, G99		Front MRC
11	19deg Source4	64	(21)	750w		 R060+ R132, G99		Front MC
12	Mini-Ten	69	(286)	1kW		 NC		Tent
13	19deg Source4	72	(22)	750w		 R060+ R132, G99		Front MRC
14	19deg Source4	51	(81)	750w		 L103, R132		xR DS Steps Far W
15	19deg Source4	73	(181)	750w		 L201, G99, R132		xR DS Steps Far C
16	19deg Source4	81	(182)	750w		 L201, G99, R132		xR DS Steps FarCtr C

Saving Aimee-REV32

5/5/19


ME: Sean Callahan

LD: Tom Sturge














AME: Bill Rearick

ALD: Christian DeAngelis

MID TRUSS US

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
17	19deg Source4	89	(183)	750w		 L201, G99, R132		xR DS Steps Ctr C

NEAR BOX SL

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	19deg Source4	451	(221)	750w		 G847, G99		Lo xL DS Far C
2	19deg Source4	452	(121)	750w		 G385		Lo xL DS Far W
3	26deg Source4	17	(144)	750w		 L201		xL DS Steps NrCtr C
4	26deg Source4	453	(44)	750w		 L103		xL DS Steps NrCtr W
5	19deg Source4	454	(261)	750w	 R777 74			Gobo End L
6	PAR 64 NSP	2	(173)	1kW		 R083, G99		Par Lo xL DS Far C
7	PAR 64 NSP	455	(73)	1kW		 R059, G99		Par Lo xL DS Far W
8	26deg Source4	456	(262)	750w	 R777 74			Gobo End L
9	19deg Source4	3	(222)	750w		 G847, G99		Lo xL DS Ctr C
10	19deg Source4	457	(122)	750w		 G385		Lo xL DS Ctr W
11	36deg Source4	458	(263)	750w	 R777 74			Gobo End L
12	26deg Source4	460	(145)	750w		 L201		xL DS Steps Near C
13	26deg Source4	459	(45)	750w		 L103		xL DS Steps Near W

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

NEAR BOX SL

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
14	PAR 64 NSP	27	(39)	1kW		NC		Par NC xL
15	PAR 64 MFL	462	(174)	1kW		R083, G99		Par Lo xL DS Near C
16	PAR 64 MFL	461	(74)	1kW		R059, G99		Par Lo xL DS Near W
17	PAR 64 MFL	27	(39)	1kW		NC		Par NC xL
18	26deg Source4	19	(223)	750w		G847		Lo xL DS Near C
19	26deg Source4	1	(123)	750w		G385		Lo xL DS Near W
20	PAR 64 NSP	26	(259)	1kW		R316, G99		Head Hi DS xL
21	PAR 64 NSP	8	(253)	1kW		R059, G99		Lo Set Wash L Purple
22	PAR 64 NSP	25	(255)	1kW		R083, G99		Lo Set Wash L Blue
23	PAR 64 NSP	41	(257)	1kW		G388, G99		Lo Set Wash L Gold
24	26deg Source4	4	(241)	750w	R827 03	NC		Lo Set Gobo L Cloud
25	26deg Source4	13	(245)	750w	R796 62	R066		Lo Set Gobo L Linear
26	26deg Source4	7	(249)	750w	MS20 75	L117		Lo Set Gobo L Shatter
27	36deg Source4	20	(242)	750w	R827 03	NC		Lo Set Gobo L Cloud
28	36deg Source4	6	(246)	750w	R796 62	R066		Lo Set Gobo L Linear
29	36deg Source4	15	(250)	750w	MS20 75	L117		Lo Set Gobo L Shatter

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

NEAR BOX SL

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
30. 0	Mac2k Performance	561	(801)	1.2kW	Wheel 1			Perf BBL
30. 1	Mac2k Performance	995	(801)	1.2kW				AP Control

Saving Aimee-REV32

5/5/19
















ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

NEAR BOX SR

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	19deg Source4	463	(231)	750w		 G847, G99		Lo xR DS Far C
2	19deg Source4	464	(131)	750w		 G385		Lo xR DS Far W
3	26deg Source4	18	(184)	750w		 L201		xR DS Steps NrCtr C
4	26deg Source4	465	(84)	750w		 L103		xR DS Steps NrCtr W
5	19deg Source4	466	(264)	750w	 R777 74			Gobo End R
6	PAR 64 NSP	10	(177)	1kW		 R083, G99		Par Lo xR DS Far C
7	PAR 64 NSP	467	(77)	1kW		 R059, G99		Par Lo xR DS Far W
8	26deg Source4	468	(265)	750w	 R777 74			Gobo End R
9	19deg Source4	11	(232)	750w		 G847, G99		Lo xR DS Ctr C
10	19deg Source4	474	(132)	750w		 G385		Lo xR DS Ctr W
11	36deg Source4	473	(266)	750w	 R777 74			Gobo End R
12	26deg Source4	472	(185)	750w		 L201		xR DS Steps Near C
13	26deg Source4	471	(85)	750w		 L103		xR DS Steps Near W
14	PAR 64 NSP	43	(40)	1kW		 NC		Par NC xR
15	PAR 64 MFL	470	(178)	1kW		 R083, G99		Par Lo xR DS Near C

Saving Aimee-REV32

5/5/19





















ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

NEAR BOX SR

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
16	PAR 64 MFL	469	(78)	1kW		 R059, G99		Par Lo xR DS Near W
17	PAR 64 MFL	43	(40)	1kW		 NC		Par NC xR
18	26deg Source4	12	(233)	750w		 G847		Lo xR DS Near C
19	26deg Source4	9	(133)	750w		 G385		Lo xR DS Near W
20	PAR 64 NSP	42	(260)	1kW		 R316, G99		Head Hi DS xR
21	PAR 64 NSP	24	(254)	1kW		 R059, G99		Lo Set Wash R Purple
22	PAR 64 NSP	33	(256)	1kW		 R083, G99		Lo Set Wash R Blue
23	PAR 64 NSP	34	(258)	1kW		 G388, G99		Lo Set Wash R Gold
24	26deg Source4	5	(243)	750w	 R827 03	 NC		Lo Set Gobo R Cloud
25	26deg Source4	14	(247)	750w	 R796 62	 R066		Lo Set Gobo R Linear
26	26deg Source4	23	(251)	750w	 MS20 75	 L117		Lo Set Gobo R Shatter
27	36deg Source4	21	(244)	750w	 R827 03	 NC		Lo Set Gobo R Cloud
28	36deg Source4	22	(248)	750w	 R796 62	 R066		Lo Set Gobo R Linear
29	36deg Source4	16	(252)	750w	 MS20 75	 L117		Lo Set Gobo R Shatter

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

NEAR BOX SR

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
30. 0	Mac2k Performance	592	(802)	1.2kW	Wheel 1			Perf BBR
30. 1	Mac2k Performance	996	(802)	1.2kW				AP Control

Saving Aimee-REV32

5/5/19











ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

APRON TRUSS DS

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	26deg Source4	103	(54)	750w		 L103, R132		xL DS Stair Near W
2	26deg Source4	104	(49)	750w		 L103, R132		xL DS Near W
3	26deg Source4	105	(53)	750w		 L103, R132		xL Slot NrCtr W
4	26deg Source4	106	(48)	750w		 L103, R132		xL DS NrCtr W
5	19deg Source4	107	(52)	750w		 L103, R132		xL Slot Center W
6	19deg Source4	108	(47)	750w		 L103, R132		xL DS FrCtr W
7	19deg Source4	112	(51)	750w		 L103, R132		xL Slot FrCtr W
8	19deg Source4	113	(46)	750w		 L103, R132		xL DS Far W
9.0	Mac2k Profile	623	(813)	1.2kW	Wheel 2,3			Pro AT 1
9.1	Mac2k Profile	997	(813)	1.2kW				AP Control
10	26deg Source4	449	(26)	750w		 R060, R132		Front Stairs UL
11	26deg Source4	445	(23)	750w		 R060, R132		Front ULC

Saving Aimee-REV32

5/5/19










ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

APRON TRUSS DS

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
12. 0	Mac2k Profile	647	(814)	1.2kW	Wheel 2,3			Pro AT 2
12. 1	Mac2k Profile	998	(814)	1.2kW				AP Control
13	Mini-Ten	116	(287)	1kW		 NC		Tent
14	26deg Source4	449	(26)	750w		 R060, R132		Front Stairs UL
15	26deg Source4	446	(24)	750w		 R060, R132		Front URC
16	Mini-Ten	118	(288)	1kW		 NC		Tent
17	26deg Source4	445	(23)	750w		 R060, R132		Front ULC
18	26deg Source4	450	(28)	750w		 R060, R132		Front Stairs UR
19	Mini-Ten	119	(287)	1kW		 NC		Tent
20. 0	Mac2k Profile	671	(815)	1.2kW	Wheel 2,3			Pro AT 3
20. 1	Mac2k Profile	1000	(816)	1.2kW				AP Control
21	26deg Source4	446	(24)	750w		 R060, R132		Front URC
22	26deg Source4	450	(28)	750w		 R060, R132		Front Stairs UR

Saving Aimee-REV32

5/5/19









ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

APRON TRUSS DS

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
23.0	Mac2k Profile	695	(816)	1.2kW	Wheel 2,3			Pro AT 4
23.1	Mac2k Profile	999	(815)	1.2kW				AP Control
24	19deg Source4	122	(86)	750w		 L103, R132		xR DS Far W
25	19deg Source4	123	(91)	750w		 L103, R132		xR Slot FrCtr W
26	19deg Source4	127	(87)	750w		 L103, R132		xR DS FrCtr W
27	19deg Source4	128	(92)	750w		 L103, R132		xR Slot Center W
28	26deg Source4	129	(88)	750w		 L103, R132		xR DS NrCtr W
29	26deg Source4	130	(93)	750w		 L103, R132		xR Slot NrCtr W
30	26deg Source4	131	(89)	750w		 L103, R132		xR DS Near W
31	26deg Source4	132	(94)	750w		 L103, R132		xR DS Stair Near W

Saving Aimee-REV32

5/5/19

















ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

APRON TRUSS US

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	26deg Source4	97	(154)	750w		 L201, R132		xL DS Stair Near C
2	26deg Source4	98	(149)	750w		 L201, R132		xL DS Near C
3	26deg Source4	99	(153)	750w		 L201, R132		xL Slot NrCtr C
4	26deg Source4	100	(148)	750w		 L201, R132		xL DS NrCtr C
5	19deg Source4	101	(152)	750w		 L201+ R132, G99		xL Slot Center C
6	19deg Source4	102	(147)	750w		 L201+ R132, G99		xL DS FrCtr C
7	19deg Source4	109	(151)	750w		 L201+ R132, G99		xL Slot FrCtr C
8	19deg Source4	110	(146)	750w		 L201+ R132, G99		xL DS Far C
9	19deg Source4	111	(150)	750w		 L201+ R132, G99		xL DS Stair Far C
10	19deg Source4	114	(50)	750w		 L103, R132		xL DS Stair Far W
11	26deg Source4	447	(25)	750w		 R060, R132		Front Stairs SL
11a	Mini-Ten	115	(920)	500w		 NC		Worklight
12	26deg Source4	447	(25)	750w		 R060, R132		Front Stairs SL
13	19deg Source4	117	(220)	750w		 G666		Pool DC
14	26deg Source4	448	(27)	750w		 R060, R132		Front Stairs SR
14a	Mini-Ten	120	(920)	500w		 NC		Worklight

Saving Aimee-REV32

5/5/19












ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

APRON TRUSS US

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
15	26deg Source4	448	(27)	750w		 R060, R132		Front Stairs SR
16	19deg Source4	121	(90)	750w		 L103, R132		xR DS Stair Far W
17	19deg Source4	124	(190)	750w		 L201+ R132, G99		xR Stair Far C
18	19deg Source4	125	(186)	750w		 L201+ R132, G99		xR DS Far C
19	19deg Source4	126	(191)	750w		 L201+ R132, G99		xR Slot FrCtr C
20	19deg Source4	133	(187)	750w		 L201+ R132, G99		xR DS FrCtr C
21	19deg Source4	134	(192)	750w		 L201+ R132, G99		xR Slot Center C
22	26deg Source4	135	(188)	750w		 L201, R132		xR DS NrCtr C
23	26deg Source4	136	(193)	750w		 L201, R132		xR Slot NrCtr C
24	26deg Source4	137	(189)	750w		 L201, R132		xR DS Near C
25	26deg Source4	138	(194)	750w		 L201, R132		xR Stair Near C

Saving Aimee-REV32

5/5/19










ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#1 ELEC DS

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	26deg Source4	154	(63)	750w		 L103, R132		xL in1 StairNr W
2	26deg Source4	153	(61)	750w		 L103, R132		xL in1 Near W
3	26deg Source4	152	(60)	750w		 L103, R132		xL in1 NrCtr W
4	26deg Source4	151	(59)	750w		 L103, R132		xL in1 Ctr W
5	19deg Source4	150	(58)	750w		 L103, R132		xL in1 FrCtr W
6	19deg Source4	149	(57)	750w		 L103, R132		xL in1 Far W
7	19deg Source4	148	(56)	750w		 L103, R132		xL in1 FrStair W
8	19deg Source4	147	(55)	750w		 L103, R132		xL in1 FarPlat W
9	36deg Source4	157	(30)	750w		 R060, R132		Front Plat ULC
10. 0	Mac2k Profile	1025	(817)	1.2kW	Wheel 2,3			Pro 1E 1
10. 1	Mac2k Profile	1495	(817)	1.2kW				AP Control
11. 0	Mac2k Wash	1049	(821)	1.2kW				Wsh 1E 1
11. 1	Mac2k Wash	1496	(821)	1.2kW				AP Control

Saving Aimee-REV32

5/5/19




ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#1 ELEC DS

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
12	36deg Source4	162	(31)	750w		 R060, R132		Front Pulpit UC
13	36deg Source4	158	(29)	750w		 R060, R132		Front UL Stair
14. 0	Mac2k Wash	1070	(822)	1.2kW				Wsh 1E 2
14. 1	Mac2k Wash	1497	(822)	1.2kW				AP Control
15	36deg Source4	157	(30)	750w		 R060, R132		Front Plat ULC
16. 0	Mac3 Profile	1091	(819)	1.5kW	Wheel 4,5			M3 Ctr
16. 1	Mac3 Profile	1498	(819)	1.2kW				AP Control
17	36deg Source4	160	(32)	750w		 R060, R132		Front Plat URC
18. 0	Mac2k Wash	1121	(823)	1.2kW				Wsh 1E 3
18. 1	Mac2k Wash	1499	(823)	1.2kW				AP Control
19	36deg Source4	161	(33)	750w		 R060, R132		Front UR Stair
20	36deg Source4	162	(31)	750w		 R060, R132		Front Pulpit UC

Saving Aimee-REV32

5/5/19










ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#1 ELEC DS

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
21. 0	Mac2k Wash	1142	(824)	1.2kW				Wsh 1E 4
21. 1	Mac2k Wash	1500	(824)	1.2kW				AP Control
22. 0	Mac2k Profile	1163	(818)	1.2kW	Wheel 2,3			Pro 1E 3
22. 1	Mac2k Profile	1501	(818)	1.2kW				AP Control
23	36deg Source4	159	(32)	750w		 R060, R132		Front Plat URC
24	19deg Source4	173	(95)	750w		 L103, R132		xR in1 FarPlat W
25	19deg Source4	174	(96)	750w		 L103, R132		xR in1 FarStair W
26	19deg Source4	175	(97)	750w		 L103, R132		xR in1 Far W
27	19deg Source4	176	(98)	750w		 L103, R132		xR in1 FarCtr W
28	26deg Source4	177	(99)	750w		 L103, R132		xR in1 Ctr W
29	26deg Source4	178	(100)	750w		 L103, R132		xR in1 NrCtr W
30	26deg Source4	179	(101)	750w		 L103, R132		xR in1 Near W
31	26deg Source4	180	(103)	750w		 L103, R132		xR in1 Stair W

Saving Aimee-REV32

5/5/19















ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick



ALD: Christian DeAngelis

#1 ELEC US

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	26deg Source4	139	(163)	750w		 L201, R132		xL in1 StairNr C
2	26deg Source4	140	(161)	750w		 L201, R132		xL in1 Near C
3	26deg Source4	141	(160)	750w		 L201, R132		xL in1 NrCtr C
4	26deg Source4	142	(159)	750w		 L201, R132		xL in1 Ctr C
5	19deg Source4	143	(158)	750w		 L201+ R132, G99		xL in1 FrCtr C
6	19deg Source4	144	(157)	750w		 L201+ R132, G99		xL in1 Far C
7	19deg Source4	145	(156)	750w		 L201+ R132, G99		xL in1 FrStair C
8	19deg Source4	146	(155)	750w		 L201+ R132, G99		xL in1 FarPlat C
9	19deg Source4	172	(195)	750w		 L201+ R132, G99		xR in1 FarPlat C
10	19deg Source4	171	(196)	750w		 L201+ R132, G99		xR in1 FarStair C
11	19deg Source4	170	(197)	750w		 L201+ R132, G99		xR in1 Far C
12	19deg Source4	169	(198)	750w		 L201+ R132, G99		xR in1 FarCtr C
13	26deg Source4	168	(199)	750w		 L201, R132		xR in1 Ctr C
14	26deg Source4	167	(200)	750w		 L201, R132		xR in1 NrCtr C

Instrument Schedule

#1 ELEC US

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
15	26deg Source4	166	(201)	750w		 L201, R132		xR in1 Near C
16	26deg Source4	165	(203)	750w		 L201, R132		xR in1 Stair C

Saving Aimee-REV32

5/5/19












ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#2 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	26deg Source4	181	(162)	750w		 L201, R132		xL in1 PlatNr C
2	26deg Source4	182	(62)	750w		 L103, R132		xL in1 PlatNr W
3.0	Mac2k Performance	823	(803)	1.2kW	Wheel 1			Perf 2E 1
3.1	Mac2k Performance	1005	(803)	1.2kW				AP Control
4	S4 PAR MFL	184	(341)	750w		 R059, G99		Spires DL
5	S4 PAR MFL	185	(347)	750w		 L201, G99		Spires DL
6	S4 PAR MFL	186	(353)	750w		 R083, G99		Spires DL
6a	Mini-Ten	183	(921)	500w		 NC		Worklight
7.0	Mac2k Wash	854	(825)	1.2kW				Wsh 2E 1
7.1	Mac2k Wash	1006	(825)	1.2kW				AP Control
8.0	Mac2k Wash	875	(826)	1.2kW				Wsh 2E 2
8.1	Mac2k Wash	1007	(826)	1.2kW				AP Control
8a	Mini-Ten	190	(921)	500w		 NC		Worklight
9	S4 PAR MFL	187	(342)	750w		 R059, G99		Spires DR
10	S4 PAR MFL	188	(348)	750w		 L201, G99		Spires DR
11	S4 PAR MFL	189	(354)	750w		 R083, G99		Spires DR
12.0	Mac2k Performance	896	(804)	1.2kW	Wheel 1			Perf 2E 2
12.1	Mac2k Performance	1008	(804)	1.2kW				AP Control
13	26deg Source4	191	(102)	750w		 L103, R132		xR in1 PlatNr W

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#2 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
14	26deg Source4	192	(202)	750w		L201, R132		xR in1 PlatNr C

#3 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
2.0	Mac2k Performance	958	(806)	1.2kW	Wheel 1			Perf 3E 2
2.1	Mac2k Performance	1010	(806)	1.2kW				AP Control
12. 0	Mac2k Performance	927	(805)	1.2kW	Wheel 1			Perf 3E 1
12. 1	Mac2k Performance	1009	(805)	1.2kW				AP Control

Saving Aimee-REV32

5/5/19













ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#4 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	26deg Source4	193	(168)	750w		 L201, R132		xL in3 UC C
2	26deg Source4	194	(68)	750w		 L103, R132		xL in3 UC W
3	26deg Source4	195	(69)	750w		 L103, R132		xL in2 Flr Nr W
4	19deg Source4	197	(67)	750w		 L103, R132		xL in2 Flr Ctr W
5	19deg Source4	198	(66)	750w		 L103, R132		xL in2 Flr Far W
5a	Mini-Ten	196	(922)	500w		 NC		Worklight
5b	Mini-Ten	214	(922)	500w		 NC		Worklight
7	19deg Source4	211	(106)	750w		 L103, R132		xR in2 Flr Far W
8	19deg Source4	212	(107)	750w		 L103, R132		xR in2 Flr Ctr W
9	26deg Source4	213	(109)	750w		 L103, R132		xR in2 Flr Nr W
10	26deg Source4	215	(108)	750w		 L103, R132		xR in3 UC W
11	26deg Source4	216	(208)	750w		 L201, R132		xR in3 UC C

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#5 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	26deg Source4	217	(171)	750w		 L201, R132		xL in3 Stair Nr C
2	26deg Source4	218	(71)	750w		 L103, R132		xL in3 Stair Nr W
3	26deg Source4	219	(169)	750w		 L201, R132		xL in2 Flr Nr C
4	19deg Source4	220	(167)	750w		 L201+ R132, G99		xL in2 Flr Ctr C
5	19deg Source4	221	(166)	750w		 L201+ R132, G99		xL in2 Flr Far C
6.0	Mac2k Wash	1187	(827)	1.2kW				Wsh 5E 1
6.1	Mac2k Wash	1502	(827)	1.2kW				AP Control
7	Atomic 3000 Strobe	1647	(752)	3kW		 NC		Lightning
8	S4 PAR NSP	199	(213)	750w		 L104, G99		Back S4P DS
9	S4 PAR NSP	200	(213)	750w		 L104, G99		Back S4P DS
10	S4 PAR NSP	201	(213)	750w		 L104, G99		Back S4P DS
11	S4 PAR NSP	202	(214)	750w		 L104, G99		Back S4P DS
12	S4 PAR NSP	207	(214)	750w		 L104, G99		Back S4P DS
13	S4 PAR NSP	208	(215)	750w		 L104, G99		Back S4P DS
14	S4 PAR NSP	209	(215)	750w		 L104, G99		Back S4P DS
15	S4 PAR NSP	210	(215)	750w		 L104, G99		Back S4P DS
16. 0	Mac2k Wash	1208	(828)	1.2kW				Wsh 5E 2
16. 1	Mac2k Wash	1503	(828)	1.2kW				AP Control
17	19deg Source4	223	(206)	750w		 L201+ R132, G99		xR in2 Flr Far C

Saving Aimee-REV32

5/5/19





ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#5 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
18	19deg Source4	224	(207)	750w		 L201+ R132, G99		xR in2 Flr Ctr C
19	26deg Source4	225	(209)	750w		 L201, R132		xR in2 Flr Nr C
20	26deg Source4	226	(111)	750w		 L103, R132		xR in2 Stair Nr W
21	26deg Source4	227	(211)	750w		 L201, R132		xR in2 Stair Nr C

Saving Aimee-REV32

5/5/19







ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#6 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	26deg Source4	229	(170)	750w		 L201, R132		xL in2 Stair Nr C
2	26deg Source4	230	(70)	750w		 L103, R132		xL in2 Stair Nr W
3	19deg Source4	231	(165)	750w		 L201+ R132, G99		xL in3 Stair Far C
4	19deg Source4	232	(65)	750w		 L103, R132		xL in3 Stair Far W
5	19deg Source4	233	(164)	750w		 L201+ R132, G99		xL in2 Stair Far C
6	19deg Source4	234	(64)	750w		 L103, R132		xL in2 Stair Far W
7.0	Mac2k Performance	1229	(807)	1.2kW	Wheel 1			Perf 6E 1
7.1	Mac2k Performance	1504	(807)	1.2kW				AP Control
8.0	Mac2k Wash	1260	(829)	1.2kW				Wsh 6E 1
8.1	Mac2k Wash	1505	(829)	1.2kW				AP Control
9.0	Mac2k Wash	1281	(830)	1.2kW				Wsh 6E 2
9.1	Mac2k Wash	1506	(830)	1.2kW				AP Control
10.0	Mac2k Wash	1302	(831)	1.2kW				Wsh 6E 3
10.1	Mac2k Wash	1507	(831)	1.2kW				AP Control
11.0	Mac2k Wash	1323	(832)	1.2kW				Wsh 6E 4
11.1	Mac2k Wash	1508	(832)	1.2kW				AP Control

Saving Aimee-REV32

5/5/19







ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#6 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
12. 0	Mac2k Wash	1344	(833)	1.2kW				Wsh 6E 5
12. 1	Mac2k Wash	1509	(833)	1.2kW				AP Control
13. 0	Mac2k Performance	1365	(808)	1.2kW	Wheel 1			Perf 6E 2
13. 1	Mac2k Performance	1510	(808)	1.2kW				AP Control
14	19deg Source4	235	(104)	750w		 L103, R132		xR in2 Stair Far W
15	19deg Source4	236	(204)	750w		 L201+ R132, G99		xR in2 Stair Far C
16	19deg Source4	237	(105)	750w		 L103, R132		xR in3 Stair Far W
17	19deg Source4	238	(205)	750w		 L201+ R132, G99		xR in3 Stair Far C
18	26deg Source4	239	(110)	750w		 L103, R132		xR in3 Stair Nr W
19	26deg Source4	240	(210)	750w		 L201, R132		xR in3 Stair Nr C

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#7 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1.0	Mac2k Performance	2049	(834)	1.2kW	Wheel 1			Perf 7E 1
1.1	Mac2k Performance	1001	(834)	1.2kW				AP Control
2.0	Mac2k Performance	740	(809)	1.2kW	Wheel 1			Perf 7E 2
2.1	Mac2k Performance	1002	(809)	1.2kW				AP Control
3.0	Mac2k Performance	771	(810)	1.2kW	Wheel 1			Perf 7E 3
3.1	Mac2k Performance	1003	(810)	1.2kW				AP Control
4	Atomic 3000 Strobe	1651	(753)	3kW		<input type="radio"/> NC		Lightning
5.0	Mac2k Performance	2080	(835)	1.2kW	Wheel 1			Perf 7E 4
5.1	Mac2k Performance	1004	(835)	1.2kW				AP Control

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#8 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
A1	Altman FC1 3-Ckt 3-Lt	256	(401)	1kW		 R059, R113V		Surround Top L 1
A2	Altman FC1 3-Ckt 3-Lt	257	(421)	1kW		 R083, R113V		Surround Top L 2
A3	Altman FC1 3-Ckt 3-Lt	258	(441)	1kW		 G847, R113V		Surround Top L 3
1	PAR 64 NSP	241	(216)	1kW		 G410, G99		Bk Diag 6E
2	PAR 64 NSP	242	(216)	1kW		 G410, G99		Bk Diag 6E
3	PAR 64 NSP	243	(216)	1kW		 G410, G99		Bk Diag 6E
4	PAR 64 NSP	244	(408)	1kW		 R059+ R113V, G99		Surround Bot L 1
5	PAR 64 NSP	245	(428)	1kW		 R083+ R113V, G99		Surround Bot L 2
6	PAR 64 NSP	246	(448)	1kW		 G847+ R113V, G99		Surround Bot L 3
7	PAR 64 NSP	247	(408)	1kW		 R059+ R113V, G99		Surround Bot L 1
8	PAR 64 NSP	248	(428)	1kW		 R083+ R113V, G99		Surround Bot L 2
9	PAR 64 NSP	249	(448)	1kW		 G847+ R113V, G99		Surround Bot L 3
10	26deg Source4	250	(883)	750w		 L201, R132		Band Music Stand
11	26deg Source4	251	(884)	750w		 L201, R132		Band Music Stand
12	PAR 64 MFL	252	(345)	1kW		 R059, G99		Spires UL

Saving Aimee-REV32

5/5/19












ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#8 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
13	PAR 64 MFL	253	(351)	1kW		 L201, G99		Spires UL
14	PAR 64 MFL	254	(357)	1kW		 R083, G99		Spires UL
15	26deg Source4	255	(881)	750w		 L201, R132		Conductor
15a	Mini-Ten	262	(923)	500w		 NC		Worklight
16.	Mac2k Wash 0	1396	(836)	1.2kW				Wsh 8E 1
16.	Mac2k Wash 1	1511	(836)	1.2kW				AP Control
17.	Mac2k Wash 0	1417	(837)	1.2kW				Wsh 8E 2
17.	Mac2k Wash 1	1512	(837)	1.2kW				AP Control
18.	Mac2k Wash 0	1438	(838)	1.2kW				Wsh 8E 3
18.	Mac2k Wash 1	1513	(838)	1.2kW				AP Control
18a	Mini-Ten	262	(923)	500w		 NC		Worklight
19	26deg Source4	265	(882)	750w		 L201, R132		Conductor
20	PAR 64 MFL	266	(346)	1kW		 R059, G99		Spires UR
21	PAR 64 MFL	267	(352)	1kW		 L201, G99		Spires UR
22	PAR 64 MFL	264	(358)	1kW		 R083, G99		Spires UR
23	26deg Source4	263	(885)	750w		 L201, R132		Band Music Stand
24	26deg Source4	268	(886)	750w		 L201, R132		Band Music Stand

Saving Aimee-REV32

5/5/19












ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#8 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
25	PAR 64 NSP	269	(449)	1kW		 G847+ R113V, G99		Surround Bot R 3
26	PAR 64 NSP	270	(429)	1kW		 R083+ R113V, G99		Surround Bot R 2
27	PAR 64 NSP	271	(409)	1kW		 R059+ R113V, G99		Surround Bot R 1
28	PAR 64 NSP	272	(449)	1kW		 G847+ R113V, G99		Surround Bot R 3
29	PAR 64 NSP	273	(429)	1kW		 R083+ R113V, G99		Surround Bot R 2
30	PAR 64 NSP	274	(409)	1kW		 R059+ R113V, G99		Surround Bot R 1
31	PAR 64 NSP	275	(217)	1kW		 G410, G99		Bk Diag 6E
32	PAR 64 NSP	276	(217)	1kW		 G410, G99		Bk Diag 6E
33	PAR 64 NSP	277	(217)	1kW		 G410, G99		Bk Diag 6E
B1	Altman FC1 3-Ckt 3-Lt	261	(403)	1kW		 R059, R113V		Surround Top R 1
B2	Altman FC1 3-Ckt 3-Lt	260	(423)	1kW		 R083, R113V		Surround Top R 2
B3	Altman FC1 3-Ckt 3-Lt	259	(443)	1kW		 G847, R113V		Surround Top R 3

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#9 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
A1	Altman FC1 3-Ckt 3-Lt	299	(402)	1kW		 R059, R113V		Surround Top L 1
A2	Altman FC1 3-Ckt 3-Lt	298	(422)	1kW		 R083, R113V		Surround Top L 2
A3	Altman FC1 3-Ckt 3-Lt	300	(442)	1kW		 G847, R113V		Surround Top L 3
1	PAR 64 NSP	292	(410)	1kW		 R059+ R113V, G99		Surround Bot UL 1
2	PAR 64 NSP	293	(430)	1kW		 R083+ R113V, G99		Surround Bot UL 2
3	PAR 64 NSP	294	(450)	1kW		 G847+ R113V+R100, G99		Surround Bot UL 3
4	PAR 64 NSP	295	(410)	1kW		 R059+ R113V, G99		Surround Bot UL 1
5	PAR 64 NSP	296	(430)	1kW		 R083+ R113V, G99		Surround Bot UL 2
6	PAR 64 NSP	297	(450)	1kW		 G847+ R113V, G99		Surround Bot UL 3
7	PAR 64 NSP	304	(218)	1kW		 G410, G99		Bk Diag 7E
8	PAR 64 NSP	305	(218)	1kW		 G410, G99		Bk Diag 7E
9	PAR 64 NSP	306	(218)	1kW		 G410, G99		Bk Diag 7E
10	PAR 64 NSP	307	(411)	1kW		 R059+ R113V, G99		Surround Bot ULC 1
11	PAR 64 NSP	308	(431)	1kW		 R083+ R113V, G99		Surround Bot ULC 2

Saving Aimee-REV32

5/5/19












ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#9 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
12	PAR 64 NSP	309	(451)	1kW		 G847+ R113V, G99		Surround Bot ULC 3
12a	Mini-Ten	315	(924)	500w		 NC		Worklight
13	26deg Source4	310	(276)	750w		 L201, R132+R132		Cross
14	26deg Source4	311	(887)	750w		 L201, R132		Band Music Stand
15	26deg Source4	312	(888)	750w		 L201, R132		Band Music Stand
16	26deg Source4	313	(889)	750w		 L201, R132		Band Music Stand
17	26deg Source4	314	(890)	750w		 L201, R132		Band Music Stand
18.0	Mac3 Profile	1459	(820)	1.5kW	Wheel 4,5			Mac 3 Autopilot
18.1	Mac3 Profile	1514	(820)	1.2kW				AP Control
19	26deg Source4	317	(891)	750w		 L201, R132		Band Music Stand
20	26deg Source4	318	(892)	750w		 L201, R132		Band Music Stand
21	26deg Source4	319	(893)	750w		 L201, R132		Band Music Stand
22	26deg Source4	320	(894)	750w		 L201, R132		Band Music Stand

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#9 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
23	26deg Source4	321	(277)	750w		 L201, R132+R132		Cross
23a	Mini-Ten	316	(924)	500w		 NC		Worklight
24	PAR 64 NSP	280	(451)	1kW		 G847+ R113V, G99		Surround Bot URC 3
25	PAR 64 NSP	281	(431)	1kW		 R083+ R113V, G99		Surround Bot URC 2
26	PAR 64 NSP	282	(411)	1kW		 R059+ R113V, G99		Surround Bot URC 1
27	PAR 64 NSP	283	(219)	1kW		 G410, G99		Bk Diag 7E
28	PAR 64 NSP	284	(219)	1kW		 G410, G99		Bk Diag 7E
29	PAR 64 NSP	285	(219)	1kW		 G410, G99		Bk Diag 7E
30	PAR 64 NSP	286	(452)	1kW		 G847+ R113V, G99		Surround Bot UR 3
31	PAR 64 NSP	287	(432)	1kW		 R083+ R113V, G99		Surround Bot UR 2
32	PAR 64 NSP	288	(412)	1kW		 R059+ R113V, G99		Surround Bot UR 1
33	PAR 64 NSP	289	(452)	1kW		 G847+ R113V, G99		Surround Bot UR 3
34	PAR 64 NSP	290	(432)	1kW		 R083+ R113V, G99		Surround Bot UR 2
35	PAR 64 NSP	291	(412)	1kW		 R059+ R113V, G99		Surround Bot UR 1

Saving Aimee-REV32

5/5/19




ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#9 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
B1	Altman FC1 3-Ckt 3-Lt	301	(404)	1kW		 R059, R113V		Surround Top R 1
B2	Altman FC1 3-Ckt 3-Lt	302	(424)	1kW		 R083, R113V		Surround Top R 2
B3	Altman FC1 3-Ckt 3-Lt	303	(444)	1kW		 G847, R113V		Surround Top R 3

Saving Aimee-REV32

5/5/19









ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#10 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
A1	Altman FC1 3-Ckt 3-Lt	322	(405)	1kW		 R059, R113V		Surround Top US 1
A2	Altman FC1 3-Ckt 3-Lt	324	(425)	1kW		 R083, R113V		Surround Top US 2
A3	Altman FC1 3-Ckt 3-Lt	326	(445)	1kW		 G847, R113V		Surround Top US 3
B1	Altman FC1 3-Ckt 3-Lt	325	(405)	1kW		 R059, R113V		Surround Top US 1
B2	Altman FC1 3-Ckt 3-Lt	327	(425)	1kW		 R083, R113V		Surround Top US 2
B3	Altman FC1 3-Ckt 3-Lt	323	(445)	1kW		 G847, R113V		Surround Top US 3
C1	Altman FC1 3-Ckt 3-Lt	332	(406)	1kW		 R059, R113V		Surround Top US 1
C2	Altman FC1 3-Ckt 3-Lt	328	(426)	1kW		 R083, R113V		Surround Top US 2
C3	Altman FC1 3-Ckt 3-Lt	330	(446)	1kW		 G847, R113V		Surround Top US 3
D1	6' 30lt 3-cir EYC Strip	333	(413)	750w		 R059, G99		Surround Top US 1
D2	6' 30lt 3-cir EYC Flood Strip	329	(433)	750w		 R083, G99		Surround Top US 2
D3	6' 30lt 3-cir EYC Spot Strip	331	(453)	750w		 G847, G99		Surround Top US 3
E1	6' 30lt 3-cir EYF Spot Strip	482	(414)	750w		 R059, G99		Surround Mid 1
E2	6' 30lt 3-cir EYF Spot Strip	478	(434)	750w		 R083, G99		Surround Mid 2
E3	6' 30lt 3-cir EYF Spot Strip	480	(454)	750w		 G847, G99		Surround Mid 3

Saving Aimee-REV32

5/5/19




ME: Sean Callahan




LD: Tom Sturge




AME: Bill Rearick

ALD: Christian DeAngelis

#10 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
F1	Altman FC1 3-Ckt 3-Lt	479	(406)	1kW		 R059, R113V		Surround Top US 1
F2	Altman FC1 3-Ckt 3-Lt	481	(426)	1kW		 R083, R113V		Surround Top US 2
F3	Altman FC1 3-Ckt 3-Lt	483	(446)	1kW		 G847, R113V		Surround Top US 3

G1	Altman FC1 3-Ckt 3-Lt	336	(407)	1kW		 R059, R113V		Surround Top US 1
G2	Altman FC1 3-Ckt 3-Lt	338	(427)	1kW		 R083, R113V		Surround Top US 2
G3	Altman FC1 3-Ckt 3-Lt	334	(447)	1kW		 G847, R113V		Surround Top US 3

H1	Altman FC1 3-Ckt 3-Lt	339	(407)	1kW		 R059, R113V		Surround Top US 1
H2	Altman FC1 3-Ckt 3-Lt	335	(427)	1kW		 R083, R113V		Surround Top US 2
H3	Altman FC1 3-Ckt 3-Lt	337	(447)	1kW		 G847, R113V		Surround Top US 3

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#11 ELEC

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
A1	6' 30lt 3-cir EYC Strip	490	(367)	750w		 R019		Low US Mask Red
A2	6' 30lt 3-cir EYC Flood Strip	491	(368)	750w		 R079		Low US Mask Dk Bkue
A3	6' 30lt 3-cir EYC Spot Strip	492	(369)	750w		 R068		Low US Mask Blue
B1	6' 30lt 3-cir EYC Strip	490	(367)	750w		 R019		Low US Mask Red
B2	6' 30lt 3-cir EYC Flood Strip	491	(368)	750w		 R079		Low US Mask Dk Bkue
B3	6' 30lt 3-cir EYC Spot Strip	492	(369)	750w		 R068		Low US Mask Blue
C1	6' 30lt 3-cir EYC Strip	490	(367)	750w		 R019		Low US Mask Red
C2	6' 30lt 3-cir EYC Flood Strip	491	(368)	750w		 R079		Low US Mask Dk Bkue
C3	6' 30lt 3-cir EYC Spot Strip	492	(369)	750w		 R068		Low US Mask Blue
D1	6' 30lt 3-cir EYC Strip	493	(367)	750w		 R019		Low US Mask Red
D2	6' 30lt 3-cir EYC Flood Strip	494	(368)	750w		 R079		Low US Mask Dk Bkue
D3	6' 30lt 3-cir EYC Spot Strip	495	(369)	750w		 R068		Low US Mask Blue
E1	6' 30lt 3-cir EYC Strip	493	(367)	750w		 R019		Low US Mask Red
E2	6' 30lt 3-cir EYC Flood Strip	494	(368)	750w		 R079		Low US Mask Dk Bkue
E3	6' 30lt 3-cir EYC Spot Strip	495	(369)	750w		 R068		Low US Mask Blue

Saving Aimee-REV32

5/5/19










ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#1 LADDER L

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	19deg Source4	340	(124)	750w		 G385, R132		Lo xL in1 Far W
2	19deg Source4	346	(224)	750w		 G847+ R132, G99		Lo xL in1 Far C
3	PAR 64 NSP	341	(75)	1kW		 R059, G99		Par Lo xL in1 Far W
4	PAR 64 NSP	347	(175)	1kW		 R083, G99		Par Lo xL in1 Far C
5	26deg Source4	342	(125)	750w		 G385, R132		Lo xL in1 Ctr W
6	26deg Source4	348	(225)	750w		 G847+ R132, G99		Lo xL in1 Ctr C
7	PAR 64 MFL	343	(76)	1kW		 R059, G99		Par Lo xL in1 Near W
8	PAR 64 MFL	349	(176)	1kW		 R083, G99		Par Lo xL in1 Near C
9	36deg Source4	344	(126)	750w		 G385, R132		Ormiston Wagon

Saving Aimee-REV32

5/5/19










ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#1 LADDER R

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	19deg Source4	352	(134)	750w		 G385, R132		Lo xR in1 Far W
2	19deg Source4	358	(234)	750w		 G847+ R132, G99		Lo xR in1 Far C
3	PAR 64 NSP	353	(179)	1kW		 R083, G99		Par Lo xR in1 Far C
4	PAR 64 NSP	359	(79)	1kW		 R059, G99		Par Lo xR in1 Far W
5	26deg Source4	354	(135)	750w		 G385, R132		Lo xR in1 Ctr W
6	26deg Source4	360	(235)	750w		 G847+ R132, G99		Lo xR in1 Ctr C
7	PAR 64 MFL	355	(180)	1kW		 R083, G99		Par Lo xR in1 Near C
8	PAR 64 MFL	361	(80)	1kW		 R059, G99		Par Lo xR in1 Near W
9	36deg Source4	362	(136)	750w		 G385, R132		Lo xR in1 Near W

Saving Aimee-REV32

5/5/19
















ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

#1 BOOM L

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
A1	6' 30lt 3-cir EYC Strip	376	(343)	750w		 R059, G99		Spires MidL
A2	6' 30lt 3-cir EYC Strip	377	(349)	750w		 L201, G99		Spires MidL
A3	6' 30lt 3-cir EYC Strip	378	(355)	750w		 R083, G99		Spires MidL
B1	6' 30lt 3-cir EYC Strip		(325)	750w		 R059, G99		Blue Drape SL
B2	6' 30lt 3-cir EYC Strip		(327)	750w		 R079, G99		Blue Drape SL
B3	6' 30lt 3-cir EYC Strip		(329)	750w		 G847, G99		Blue Drape SL
C1	6' 30lt 3-cir EYC Strip	367	(343)	750w		 R059, G99		Spires MidL
C2	6' 30lt 3-cir EYC Strip	368	(349)	750w		 L201, G99		Spires MidL
C3	6' 30lt 3-cir EYC Strip	369	(355)	750w		 R083, G99		Spires MidL
D1	6' 30lt 3-cir EYC Strip		(325)	750w		 R059, G99		Blue Drape SL
D2	6' 30lt 3-cir EYC Strip		(327)	750w		 R079, G99		Blue Drape SL
D3	6' 30lt 3-cir EYC Strip		(329)	750w		 G847, G99		Blue Drape SL
E1	6' 30lt 3-cir EYC Strip	367	(343)	750w		 R059, G99		Spires MidL
E2	6' 30lt 3-cir EYC Strip	368	(349)	750w		 L201, G99		Spires MidL
E3	6' 30lt 3-cir EYC Strip	369	(355)	750w		 R083, G99		Spires MidL

Saving Aimee-REV32

5/5/19
















ME: Sean Callahan

LD: Tom Sturge




AME: Bill Rearick

ALD: Christian DeAngelis

#1 BOOM R

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
A1	6' 30lt 3-cir EYC Strip	379	(344)	750w		 R059, G99		Spires MidR
A2	6' 30lt 3-cir EYC Strip	380	(350)	750w		 L201, G99		Spires MidR
A3	6' 30lt 3-cir EYC Strip	381	(356)	750w		 R083, G99		Spires MidR
B1	6' 30lt 3-cir EYC Strip		(326)	750w		 R059, G99		Blue Drape SR
B2	6' 30lt 3-cir EYC Strip		(328)	750w		 R079, G99		Blue Drape SR
B3	6' 30lt 3-cir EYC Strip		(330)	750w		 G847, G99		Blue Drape SR
C1	6' 30lt 3-cir EYC Strip	373	(344)	750w		 R059, G99		Spires MidR
C2	6' 30lt 3-cir EYC Strip	374	(350)	750w		 L201, G99		Spires MidR
C3	6' 30lt 3-cir EYC Strip	375	(356)	750w		 R083, G99		Spires MidR
D1	6' 30lt 3-cir EYC Strip		(326)	750w		 R059, G99		Blue Drape SR
D2	6' 30lt 3-cir EYC Strip		(328)	750w		 R079, G99		Blue Drape SR
D3	6' 30lt 3-cir EYC Strip		(330)	750w		 G847, G99		Blue Drape SR
E1	6' 30lt 3-cir EYC Strip	373	(344)	750w		 R059, G99		Spires MidR
E2	6' 30lt 3-cir EYC Strip	374	(350)	750w		 L201, G99		Spires MidR
E3	6' 30lt 3-cir EYC Strip	375	(356)	750w		 R083, G99		Spires MidR

DSL SPIRES

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Par46 NSP	435	(361)	200w		 G885		Spires Up DL
2	Par46 NSP	435	(361)	200w		 G885		Spires Up DL
3	MICA Illuminator	436	(767)	100w		 NC		Spire Fibers

Saving Aimee-REV32

5/5/19




ME: Sean Callahan

LD: Tom Sturge







AME: Bill Rearick

ALD: Christian DeAngelis







DSR SPIRES

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Par46 NSP	441	(362)	200w		 G885		Spires Up DR
2	Par46 NSP	441	(362)	200w		 G885		Spires Up DR
3	MICA Illuminator	442	(767)	100w		 NC		Spire Fibers

MSL SPIRES

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Par46 NSP	427	(363)	200w		 G885		Spires Up ML
2	Par46 NSP	427	(363)	200w		 G885		Spires Up ML
3	Par46 NSP	427	(363)	200w		 G885		Spires Up ML
4	Par46 NSP	427	(363)	200w		 NC		Spires Up ML
5	MICA Illuminator	484	(767)	100w		 NC		Spire Fibers
10	PAR 64 WFL	366	(376)	1kW		 R21		Low Sides Hearst Manse

MSR SPIRES

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Par46 NSP	428	(364)	200w		 G885		Spires Up MR
2	Par46 NSP	428	(364)	200w		 G885		Spires Up MR
3	Par46 NSP	428	(364)	200w		 G885		Spires Up MR
4	Par46 NSP	428	(364)	200w		 G885		Spires Up MR
5	MICA Illuminator	484	(767)	100w		 NC		Spire Fibers
10	PAR 64 WFL	372	(377)	1kW		 R21		Low Sides Hearst Manse

Saving Aimee-REV32

5/5/19





ME: Sean Callahan

LD: Tom Sturge





AME: Bill Rearick

ALD: Christian DeAngelis



USL SPIRES

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Par46 NSP	407	(365)	200w		 G885		Spires Up UL
2	Par46 NSP	407	(365)	200w		 G885		Spires Up UL
3	Par46 NSP	407	(365)	200w		 NC		Spires Up UL
4	MICA Illuminator	405	(767)	100w		 NC		Spire Fibers



USR SPIRES

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Par46 NSP	408	(366)	200w		 G885		Spires Up UR
2	Par46 NSP	408	(366)	200w		 G885		Spires Up UR
3	Par46 NSP	408	(366)	200w		 G885		Spires Up UR
4	MICA Illuminator	405	(767)	100w		 NC		Spire Fibers



SL PRO TORM

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	S4 PAR MFL	438	(283)	750w		 R021, G99		Tent Uplight
2	S4 PAR MFL	437	(283)	750w		 R021, G99		Tent Uplight

SL TORM

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	36deg Source4	433	(267)	750w	G889	 R088		USR Spires
2	36deg Source4			750w		 L202+ R132		UC Cross

SR PRO TORM

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	S4 PAR MFL	439	(284)	750w		 R021, G99		Tent Uplight
2	S4 PAR MFL	440	(284)	750w		 R021, G99		Tent Uplight

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

SR TORM

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	36deg Source4	443	(268)	750w	G889	<input type="radio"/> R088		USL Spires
2	36deg Source4	444	(270)	750w		<input checked="" type="radio"/> L202+ R132		UC Cross

PULPIT FACING

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	AF1000	1639	(754)	1.65kW		<input type="radio"/> NC		Movie Strobe
2	MR16 Birdie	351	(333)	100w		<input type="radio"/> NC		Pulpit Uplight
3	MR16 Birdie	351	(333)	100w		<input type="radio"/> NC		Pulpit Uplight
4	6" Fresnel	431	(331)	750w		<input checked="" type="radio"/> L103		Witness Stand Fronts
5	6" Fresnel	432	(332)	750w		<input checked="" type="radio"/> G847		Witness Stand Fronts
6	40w T10 FR	350	(375)	40w		<input type="radio"/> NC		Pulpit Lights

BAND PLATFORM

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Lamp	403	(895)	50w		<input type="radio"/> NC		Music Stands SL
2	Lamp	404	(895)	50w		<input type="radio"/> NC		Music Stands SR

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

UNDER BAND

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	26deg Source4	382	(301)	750w		 R060		Under BS S4 X
2	S4 PAR MFL	383	(307)	750w		 G847		Under BS Par X
3	PAR 64 WFL	387	(339)	750w		 R026		Beaded Curtain
4	26deg Source4	384	(302)	750w		 R060		Under BS S4 X
5	S4 PAR MFL	385	(306)	750w		 G847		Under BS Par X
6	S4 PAR MFL	386	(305)	750w		 G847		Under BS Par X
7	70deg Source4	365	(378)	750w	R77448	 NC		Low Cyc Clouds
8	70deg Source4	371	(379)	750w	R77448	 G940/R21		Low Cyc Clouds
9	26deg Source4	425	(303)	750w		 R060		Under BS S4 X
10	S4 PAR MFL	424	(308)	750w		 G847		Under BS Par X
11	PAR 64 WFL	426	(340)	750w		 R026		Beaded Curtain
12	26deg Source4	423	(304)	750w		 R060		Under BS S4 X
13	S4 PAR MFL	422	(309)	750w		 G847		Under BS Par X
14	50deg Source4	393	(289)	750w	 R777 74	 R096		US Grass
15	36deg Source4	420	(290)	750w	 R777 74	 R096		US Grass
16	S4 PAR MFL	421	(310)	750w		 G847		Under BS Par X

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

UNDER BAND

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
A1	5' NanoStrip 3-Cir FTF	402	(311)	350w		 R059, R104v		Under BS Strips DS
A2	5' NanoStrip 3-Cir FTF	401	(314)	350w		 L103, R104v		Under BS Strips DS
A3	5' NanoStrip 3-Cir FTF	400	(317)	350w		 G847, R104v		Under BS Strips DS
B1	5' NanoStrip 3-Cir FTF	402	(311)	350w		 R059, R104v		Under BS Strips DS
B2	5' NanoStrip 3-Cir FTF	401	(314)	350w		 L103, R104v		Under BS Strips DS
B3	5' NanoStrip 3-Cir FTF	400	(317)	350w		 G847, R104v		Under BS Strips DS
C1	5' NanoStrip 3-Cir FTF	396	(312)	350w		 R059		Under BS Strips MS
C2	5' NanoStrip 3-Cir FTF	395	(315)	350w		 L103		Under BS Strips MS
C3	5' NanoStrip 3-Cir FTF	394	(318)	350w		 G847		Under BS Strips MS
D1	5' NanoStrip 3-Cir FTF	396	(312)	350w		 R059		Under BS Strips MS
D2	5' NanoStrip 3-Cir FTF	395	(315)	350w		 L103		Under BS Strips MS
D3	5' NanoStrip 3-Cir FTF	394	(318)	350w		 G847		Under BS Strips MS
E1	5' NanoStrip 3-Cir FTF	411	(312)	350w		 R059		Under BS Strips MS
E2	5' NanoStrip 3-Cir FTF	410	(315)	350w		 L103		Under BS Strips MS
E3	5' NanoStrip 3-Cir FTF	409	(318)	350w		 G847		Under BS Strips MS

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

UNDER BAND

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
F1	5' NanoStrip 3-Cir FTF	411	(312)	350w		 R059		Under BS Strips MS
F2	5' NanoStrip 3-Cir FTF	410	(315)	350w		 L103		Under BS Strips MS
F3	5' NanoStrip 3-Cir FTF	409	(318)	350w		 G847		Under BS Strips MS

G1	5' NanoStrip 3-Cir FTF	399	(313)	350w		 R059		Under BS Strips US
G2	5' NanoStrip 3-Cir FTF	398	(316)	350w		 L103		Under BS Strips US
G3	5' NanoStrip 3-Cir FTF	397	(319)	350w		 G847		Under BS Strips US

H1	5' NanoStrip 3-Cir FTF	399	(313)	350w		 R059		Under BS Strips US
H2	5' NanoStrip 3-Cir FTF	398	(316)	350w		 L103		Under BS Strips US
H3	5' NanoStrip 3-Cir FTF	397	(319)	350w		 G847		Under BS Strips US

I1	5' NanoStrip 3-Cir FTF	414	(313)	350w		 R059		Under BS Strips US
I2	5' NanoStrip 3-Cir FTF	413	(316)	350w		 L103		Under BS Strips US
I3	5' NanoStrip 3-Cir FTF	412	(319)	350w		 G847		Under BS Strips US

J1	5' NanoStrip 3-Cir FTF	414	(313)	350w		 R059		Under BS Strips US
J2	5' NanoStrip 3-Cir FTF	413	(316)	350w		 L103		Under BS Strips US
J3	5' NanoStrip 3-Cir FTF	412	(319)	350w		 G847		Under BS Strips US

Saving Aimee-REV32

5/5/19








ME: Sean Callahan

LD: Tom Sturge








AME: Bill Rearick

ALD: Christian DeAngelis

UNDER STEPS L

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	PAR 64 WFL	486	(336)	1kW		 R083, G99		Sliders
2	PAR 64 WFL	487	(336)	1kW		 R083, G99		Sliders
3	6" Fresnel	388	(321)	750w		 L103		Under Stairs L W
4	6" Fresnel	389	(323)	750w		 G847, G99		Under Stairs L C
5	50deg Source4	390	(72)	750w		 L201, R132		xL UC W
6	50deg Source4	391	(172)	750w		 L201, R132		xL UC C
7a	Sima SL-100IR	364				 IR		IR Illumination

UNDER STEPS R

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	PAR 64 WFL	488	(336)	1kW		 R083, G99		Sliders
2	PAR 64 WFL	489	(336)	1kW		 R083, G99		Sliders
3	6" Fresnel	415	(322)	750w		 L103		Under Stairs R W
4	6" Fresnel	416	(324)	750w		 G847, G99		Under Stairs R C
5	50deg Source4	417	(112)	750w		 L201, R132		xR UC W
6	50deg Source4	418	(212)	750w		 L201, R132		xR UC C
7a	Sima SL-100IR	370				 IR		IR Illumination

Saving Aimee-REV32

5/5/19



ME: Sean Callahan

LD: Tom Sturge



AME: Bill Rearick

ALD: Christian DeAngelis




UNDER STEPS US

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	S4 PAR WFL	392	(278)	750w		 L201, G99		Court Plat
2	S4 PAR WFL	419	(381)	750w		 L103, G99		Mac Apt Door



US DECK

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Footlights	345	(320)			 NC		Footlights
2	S4 PAR MFL	363	(334)	750w		 NC		Back Door Slider

SL JUMP

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Hazer	1637	(800)	400w		 NC		Haze
2	6" Fresnel	476	(931)	500w		 R080, G99		Running Lights
3	6" Fresnel	476	(931)	500w		 R080, G99		Running Lights

SR WING

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	6" Fresnel	476	(931)	500w		 R080, G99		Running Lights
2	6" Fresnel	476	(931)	500w		 R080, G99		Running Lights

LS 1

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Solenoids	429	(776)					Tent Fabric Drop
2	Solenoids	430	(777)					Tent Bag Release

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

LS 13

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Rotating Drum	357	(775)					Samson Rubble Drop
2	MR16 Birdie		(373)	100w		<input type="radio"/> NC		Fire Effect
3	MR16 Birdie		(373)	100w		<input type="radio"/> NC		Fire Effect

LS18

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Chandelier	475	(370)	1.6kW		<input type="radio"/> NC		Chandelier

LS52

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Color Pro FX	1737	(761)	375w				Stars
2	Color Pro FX	1746	(762)	375w				Stars
3	Color Pro FX	1755	(763)	375w				Stars
4	Color Pro FX	1764	(764)	375w				Stars
5	Color Pro FX	1782	(766)	375w				Stars
6	Color Pro FX	1773	(765)	375w				Stars

NY APT TABLE

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	50w 12v A19	1610	(371)	50w		<input type="radio"/> NC	Show Dimmer, WDMX Rec	Table Lamp Practical

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge

AME: Bill Rearick

ALD: Christian DeAngelis

ORMISTON WAGON

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	75w 12v A19	1607	(372)	75w		<input type="radio"/> NC	Show Dimmer, WDMX Rec	Table Lamp Practical
2	75w 12v A19	1608	(374)	75w		<input type="radio"/> R026		On Air Practical

FOLLOWSPOT BOOTH

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	Gladiator III			3kW		<input type="radio"/> Note 1		Followspot 3
2	Gladiator III			3kW		<input type="radio"/> Note 1		Followspot 2
3	Gladiator III			3kW		<input type="radio"/> Note 1		Followspot 1

Saving Aimee-REV32

5/5/19

ME: Sean Callahan

LD: Tom Sturge


AME: Bill Rearick

ALD: Christian DeAngelis

HOUSE

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	House	1537	(901)	150w				House Lights
2	House	1538	(901)					House Lights
3	House	1539	(901)					House Lights
4	House	1540	(901)					House Lights
5	House	1541	(901)					House Lights
6	House	1542	(901)					House Lights
7	House	1543	(901)					House Lights
8	House	1544	(901)					House Lights
9	House	1545	(901)					House Lights
10	House	1546	(901)					House Lights
11	House	1547	(901)					House Lights
12	House	1548	(901)					House Lights
13	House	1549	(901)					House Lights
14	House	1550	(901)					House Lights

SL RAIL

U#	Instrument Type	Address	Ch	Wattage	Gobo	Color	Access	Purpose
1	S4 PAR MFL	434	(380)	750w		 L103		Ormiston Door