

TABLE OF CONTENTS

1CB	1	3LE	8
1CC	1	3RA	8
1CD	1	3RC	9
1LC	1	3RD	9
1RC	2	3RE	9
2CA	2	4CA	10
2CB	2	4CC	10
2CD	2	4LA	11
2CE	3	4RA	11
2CF	3	#1 BOOM L	11
2LA	4	#1 BOOM R	11
2LB	4	#2 BOOM L	12
2LC	4	#2 BOOM R	12
2LE	4	#1 CUBE	12
2RA	4	#2 CUBE	12
2RC	5	#3 CUBE	12
2RD	5	#4 CUBE	12
2RE	5	#5 CUBE	13
3CA	6	#6 CUBE	13
3CC	6	PROJECTOR	13
3CE	7	HAZER	13
3LA	7	4LC	13
3LB	7	4RC	13
3LC	8	GROUNDROW #1	14
		GROUNDROW #2	15

1CB

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(46)		750w	6" Fresnel		R26		CUBE 3 COLOR
2	(431)		575w	36deg Source4		L203, R119		HIGH DIAG

1CC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(46)		750w	6" Fresnel		R26		CUBE 3 COLOR
2	(33)		750w	6" Fresnel		L195		US BLUE BACK
3	(3)		575w	26deg Source4		R132		CUBE 3 BACK
4	(3)		575w	26deg Source4		R132		CUBE 3 BACK
5	(443)		750w	Colortran 50deg		R119		B/L STAGE
6	(4)		575w	26deg Source4		R132		CUBE 4 BACK
7	(4)		575w	26deg Source4		R132		CUBE 4 BACK
8	(33)		750w	6" Fresnel		L195		US BLUE BACK
9	(47)		750w	6" Fresnel		R23		CUBE 4 COLOR

1CD

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(47)		750w	6" Fresnel		R23		CUBE 4 COLOR
2	(432)		575w	36deg Source4		L203, R119		HIGH DIAG

1LC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(5)		575w	26deg Source4		R132		CUBE 5 BACK
2	(5)		575w	26deg Source4		R132		CUBE 5 BACK

1RC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(2)		575w	26deg Source4		R132		CUBE 2 BACK
2	(2)		575w	26deg Source4		R132		CUBE 2 BACK

2CA

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(441)		575w	36deg Source4		R132		T/L CNT SQUARE
2	(405)		750w	6" Fresnel		R359		B/L MSL
3	(423)		575w	36deg Source4		L203, R119		HIGH DIAG
4	(424)		575w	36deg Source4		L203, R119		HIGH DIAG
5	(406)		750w	6" Fresnel		R359		B/L MSC
6	(425)		575w	36deg Source4		L203, R119		HIGH DIAG
7	(426)		575w	36deg Source4		L203, R119		HIGH DIAG
8	(407)		750w	6" Fresnel		R359		B/L MSR
9	(442)		575w	36deg Source4		R132		B/L CUBE 5

2CB

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(45)		750w	6" Fresnel		R67		CUBE 2 COLOR

2CD

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(48)		750w	6" Fresnel		L180		CUBE 5 COLOR

2CE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(45)		750w	6" Fresnel		R67		CUBE 2 COLOR
2	(427)		575w	36deg Source4		L203, R119		HIGH DIAG
3	(32)		750w	6" Fresnel		L195		MS BLUE BACK
4	(408)		750w	6" Fresnel		R359		B/L USL
5	(428)		575w	36deg Source4		L203, R119		HIGH DIAG
6	(32)		750w	6" Fresnel		L195		MS BLUE BACK
7	(429)		575w	36deg Source4		L203, R119		HIGH DIAG
8	(409)		750w	6" Fresnel		R359		B/L USR
9	(32)		750w	6" Fresnel		L195		MS BLUE BACK
10	(430)		575w	36deg Source4		L203, R119		HIGH DIAG
11	(48)		750w	6" Fresnel		L180		CUBE 5 COLOR

2CF

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(459)		750w	40deg Colortran		L203, R119		S/L <L
2	(31)		750w	6" Fresnel		L195		DS BLUE BACK
3	(402)		750w	6" Fresnel		R359		B/L DSL
4	(421)		575w	36deg Source4		L203, R119		HIGH DIAG
5	(31)		750w	6" Fresnel		L195		DS BLUE BACK
6	(403)		750w	6" Fresnel		R359		B/L DSC-C
7	(422)		575w	36deg Source4		L203, R119		HIGH DIAG
8	(404)		750w	6" Fresnel		R359		B/L DSR
9	(31)		750w	6" Fresnel		L195		DS BLUE BACK
10	(468)		750w	40deg Colortran		L203, R119		S/L <R

2LA

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(471)		750w	40deg Colortran		L203, R119		S/L <R
2	(472)		750w	40deg Colortran		L203, R119		S/L <R

2LB

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(49)		750w	6" Fresnel		NC		CUBE 6 COLOR
2	(49)		750w	6" Fresnel		NC		CUBE 6 COLOR

2LC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(469)		750w	40deg Colortran		L203, R119		S/L <R
2	(22)		575w	S4 PAR MFL		SCROLLER		USC SCROLL
2.	(22.1)			Apollo Scroller		NOTE 1		SCROLL USL
1				7.5"				
3	(470)		750w	40deg Colortran		L203, R119		S/L <R

2LE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(6)		575w	26deg Source4		R132		CUBE 6 BACK
2	(6)		575w	26deg Source4		R132		CUBE 6 BACK

2RA

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(460)		750w	40deg Colortran		L203, R119		S/L <L
2	(461)		750w	40deg Colortran		L203, R119		S/L <L

NOTES:

1. R09,R19,R23,R26,R4690,L202,L203,NC,R46,R56,R359,L180,R67,R382,R83,R92

2RC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(457)		750w	40deg Colortran		L203, R119		S/L <L
2	(18)		575w	S4 PAR MFL		SCROLLER		USC SCROLL
2.1	(18.1)			Apollo Scroller 7.5"		NOTE 1		SCROLL USL
3	(458)		750w	40deg Colortran		L203, R119		S/L <L

2RD

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(44)		750w	6" Fresnel		R09, R09		CUBE 1 COLOR
2	(44)		750w	6" Fresnel		R09, R09		CUBE 1 COLOR

2RE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(1)		575w	26deg Source4		R132		CUBE 1 BACK
2	(1)		575w	26deg Source4		R132		CUBE 1 BACK

NOTES:

1. R09,R19,R23,R26,R4690,L202,L203,NC,R46,R56,R359,L180,R67,R382,R83,R92

3CA

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(11)		575w	26deg Source4		R132		CUBE 5 FRONT
2	(11)		575w	26deg Source4		R132		CUBE 5 FRONT
3	(37)		750w	30deg Colortran		R119		USL SPECIAL
4	(412)		750w	20deg Colortran		R132		CUBE 2 FRONT TOP
5	(38)		750w	30deg Colortran		R119		USC SPECIAL
6	(415)		750w	20deg Colortran		R132		CUBE 5 FRONT TOP
7	(39)		750w	30deg Colortran		R119		USR SPECIAL
8	(8)		575w	26deg Source4		R132		CUBE 2 FRONT
9	(8)		575w	26deg Source4		R132		CUBE 2 FRONT

3CC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(411)		750w	20deg Colortran		R132		CUBE 1 FRONT TOP
2	(97)		750w	20deg Colortran		R132		CUBE 2 TIGHT
3	(98)		750w	20deg Colortran		R132		CUBE 3 TIGHT
4	(99)		750w	20deg Colortran		R132		CUBE 4 TIGHT
5	(100)		750w	20deg Colortran		R132		CUBE 5 TIGHT
6	(416)		750w	20deg Colortran		R132		CUBE 6 FRONT TOP

3CE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(456)		750w	40deg Colortran		L203, R119		S/L <L
2	(9)		575w	26deg Source4		R132		CUBE 3 FRONT
3	(10)		575w	26deg Source4		R132		CUBE 4 FRONT
4	(413)		750w	20deg Colortran		R132		CUBE 3 FRONT TOP
5	(401)		750w	6" Fresnel		R359		B/L DSC
6	(414)		750w	20deg Colortran		R132		CUBE 4 FRONT TOP
7	(9)		575w	26deg Source4		R132		CUBE 3 FRONT
8	(10)		575w	26deg Source4		R132		CUBE 4 FRONT
9	(465)		750w	40deg Colortran		L203, R119		S/L <R

3LA

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(7)		575w	26deg Source4		R132		CUBE 1 FRONT
2	(21)		575w	S4 PAR MFL		SCROLLER		MSC SCROLL
2.	(21.1)			Apollo Scroller		NOTE 1		SCROLL MSC
1				7.5"				
3	(464)		750w	40deg Colortran		L203, R119		S/L <R

3LB

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(463)		750w	40deg Colortran		L203, R119		S/L <R
2	(7)		575w	26deg Source4		R132		CUBE 1 FRONT

NOTES:

1. R09,R19,R23,R26,R4690,L202,L203,NC,R46,R56,R359,L180,R67,R382,R83,R92

3LC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(462)		750w	40deg Colortran		L203, R119		S/L <R
2	(70)		1kW	PAR 64 NSP		R19		FRT DIAG <R
3	(20)		575w	S4 PAR MFL		SCROLLER		DSC-C SCROLL
3.1	(20.1)			Apollo Scroller 7.5"		NOTE 1		SCROLL DSC-C

3LE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(466)		750w	40deg Colortran		L203, R119		S/L <R
2	(41)		575w	36deg Source4		L201, R119		OFF SR
3	(41)		575w	36deg Source4		L201, R119		OFF SR
4	(467)		750w	40deg Colortran		L203, R119		S/L <R

3RA

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(452)		750w	40deg Colortran		L203, R119		S/L <L
2	(17)		575w	S4 PAR MFL		SCROLLER		MSC SCROLL
2.1	(17.1)			Apollo Scroller 7.5"		NOTE 1		SCROLL MSC
3	(12)		575w	26deg Source4		R132		CUBE 6 FRONT

NOTES:

1. R09,R19,R23,R26,R4690,L202,L203,NC,R46,R56,R359,L180,R67,R382,R83,R92

3RC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(16)		575w	S4 PAR MFL		SCROLLER		DSC-C SCROLL
2	(69)		1kW	PAR 64 NSP		R19		FRT DIAG <L
3	(451)		750w	40deg Colortran		L203, R119		S/L <L
3.1	(16.1)			Apollo Scroller 7.5"		NOTE 1		SCROLL DSC-C

3RD

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(453)		750w	40deg Colortran		L203, R119		S/L <L
2	(12)		575w	26deg Source4		R132		CUBE 6 FRONT

3RE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(454)		750w	40deg Colortran		L203, R119		S/L <L
2	(40)		575w	36deg Source4		L201, R119		OFF SL
3	(40)		575w	36deg Source4		L201, R119		OFF SL
4	(455)		750w	40deg Colortran		L203, R119		S/L <L

NOTES:

1. R09,R19,R23,R26,R4690,L202,L203,NC,R46,R56,R359,L180,R67,R382,R83,R92

4CA

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(13)		750w	20deg Colortran		R132		CUBE 1 TIGHT
2	(85)		575w	19deg Source4		R132		MOVING MIRROR # 1
2. 1	(86)			Rosco I-Cue				PAN
2. 5	(90)			DMX Iris				DMX IRIS #1
3	(91)		575w	19deg Source4		R132		MOVING MIRROR # 2
3. 1	(92)			Rosco I-Cue				PAN
3. 5	(96)			DMX Iris				DMX Iris #2
4	(14)		750w	20deg Colortran		R132		CUBE 6 TIGHT

4CC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(34)		750w	30deg Colortran		R119		DSL SPECIAL
2	(35)		750w	30deg Colortran		R119		DSC SPECIAL
3	(36)		750w	30deg Colortran		R119		DSR SPECIAL

4LA

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(24)		750w	30deg Colortran		R132		DSC FRONT
2	(27)		750w	30deg Colortran		R132		MSC FRONT
3	(24)		750w	30deg Colortran		R132		DSR FRONT
4	(28)		750w	30deg Colortran		R132		MSR FRONT
5	(19)		575w	S4 PAR NSP		SCROLLER		DSC SCROLL
5.1	(19.1)			Apollo Scroller 7.5"		NOTE 1		SCROLL DSC

4RA

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(15)		575w	S4 PAR NSP		SCROLLER		DSC SCROLL
1.1	(15.1)			Apollo Scroller 7.5"		NOTE 1		SCROLL DSC
2	(25)		750w	30deg Colortran		R132		MSL FRONT
3	(23)		750w	30deg Colortran		R132		DSL FRONT
4	(26)		750w	30deg Colortran		R132		MSC FRONT
5	(23)		750w	30deg Colortran		R132		DSC FRONT

#1 BOOM L

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(75)		750w	30deg Colortran		R132		MID <L
2	(71)		750w	20deg Colortran		R132		SHIN <L

#1 BOOM R

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(77)		750w	30deg Colortran		R132		MID <R
2	(73)		750w	20deg Colortran		R132		SHIN <R

NOTES:

1. R09,R19,R23,R26,R4690,L202,L203,NC,R46,R56,R359,L180,R67,R382,R83,R92

#2 BOOM L

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(76)		750w	30deg Colortran		R132		MID <L
2	(72)		750w	20deg Colortran		R132		SHIN <L

#2 BOOM R

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(78)		750w	30deg Colortran		R132		MID <R
2	(74)		750w	20deg Colortran		R132		SHIN <R

#1 CUBE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(F1)		25w	Chauvet SlimPAR 56		LED		INSIDE CUBE 1

#2 CUBE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(F2)		25w	Chauvet SlimPAR 56		LED		INSIDE CUBE 2

#3 CUBE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(F3)		25w	Chauvet SlimPAR 56		LED		INSIDE CUBE 3

#4 CUBE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(F4)		25w	Chauvet SlimPAR 56		LED		INSIDE CUBE 4

#5 CUBE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(F5)		25w	Chauvet SlimPAR 56		LED		INSIDE CUBE 5

#6 CUBE

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(F6)		25w	Chauvet SlimPAR 56		LED		INSIDE CUBE 6

PROJECTOR

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(61)		24w	DOUSER				DOUSER

HAZER

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(62)			HAZER				HAZER

4LC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(68)		1kW	PAR 64 NSP		R19		FRT DIAG <R
2	(67)		1kW	PAR 64 NSP		R19		FRT DIAG <R
3	(68)		1kW	PAR 64 NSP		R19		FRT DIAG <R
4	(67)		1kW	PAR 64 NSP		R19		FRT DIAG <R

4RC

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
1	(66)		1kW	PAR 64 NSP		R19		FRT DIAG <L
2	(65)		1kW	PAR 64 NSP		R19		FRT DIAG <L
3	(66)		1kW	PAR 64 NSP		R19		FRT DIAG <L
4	(65)		1kW	PAR 64 NSP		R19		FRT DIAG <L

GROUNDROW #1

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
A1	(51)		750w	4 Cir 8'4" Ministrip		L174, R104V, R104H		CYC FOOT LT BLUE
A2	(54)		750w	4 Cir 8'4" Ministrip		L195, R104V, R104H		CYC FOOT DK BLUE
A3	(57)		750w	4 Cir 8'4" Ministrip		R26, R104V, R104H		CYC FOOT RED
A4	(59)		750w	4 Cir 8'4" Ministrip		R104V, R104H		CYC FOOT NC

B1	(51)		750w	4 Cir 8'4" Ministrip		L174, R104V, R104H		CYC FOOT LT BLUE
B2	(54)		750w	4 Cir 8'4" Ministrip		L195, R104V, R104H		CYC FOOT DK BLUE
B3	(57)		750w	4 Cir 8'4" Ministrip		R26, R104V, R104H		CYC FOOT RED
B4	(59)		750w	4 Cir 8'4" Ministrip		R104V, R104H		CYC FOOT NC

C1	(51)		750w	4 Cir 8'4" Ministrip		L174, R104V, R104H		CYC FOOT LT BLUE
C2	(54)		750w	4 Cir 8'4" Ministrip		L195, R104V, R104H		CYC FOOT DK BLUE
C3	(57)		750w	4 Cir 8'4" Ministrip		R26, R104V, R104H		CYC FOOT RED
C4	(59)		750w	4 Cir 8'4" Ministrip		R104V, R104H		CYC FOOT NC

D1	(51)		750w	4 Cir 8'4" Ministrip		L174, R104V, R104H		CYC FOOT LT BLUE
D2	(54)		750w	4 Cir 8'4" Ministrip		L195, R104V, R104H		CYC FOOT DK BLUE
D3	(57)		750w	4 Cir 8'4" Ministrip		R26, R104V, R104H		CYC FOOT RED
D4	(59)		750w	4 Cir 8'4" Ministrip		R104V, R104H		CYC FOOT NC

GROUNDROW #2

U#	Chan	D	Wattage	Instrument Type	Access	Color	Gb	Purpose
A1	(52)		750w	4 Cir 8'4" Ministrip		L174, R104V, R104H		CYC FOOT LT BLUE
A2	(55)		750w	4 Cir 8'4" Ministrip		L195, R104V, R104H		CYC FOOT DK BLUE
A3	(58)		750w	4 Cir 8'4" Ministrip		R26, R104V, R104H		CYC FOOT RED
A4	(60)		750w	4 Cir 8'4" Ministrip		R104V, R104H		CYC FOOT NC

B1	(52)		750w	4 Cir 8'4" Ministrip		L174, R104V, R104H		CYC FOOT LT BLUE
B2	(55)		750w	4 Cir 8'4" Ministrip		L195, R104V, R104H		CYC FOOT DK BLUE
B3	(58)		750w	4 Cir 8'4" Ministrip		R26, R104V, R104H		CYC FOOT RED
B4	(60)		750w	4 Cir 8'4" Ministrip		R104V, R104H		CYC FOOT NC

C1	(52)		750w	4 Cir 8'4" Ministrip		L174, R104V, R104H		CYC FOOT LT BLUE
C2	(55)		750w	4 Cir 8'4" Ministrip		L195, R104V, R104H		CYC FOOT DK BLUE
C3	(58)		750w	4 Cir 8'4" Ministrip		R26, R104V, R104H		CYC FOOT RED
C4	(60)		750w	4 Cir 8'4" Ministrip		R104V, R104H		CYC FOOT NC

D1	(52)		750w	4 Cir 8'4" Ministrip		L174, R104V, R104H		CYC FOOT LT BLUE
D2	(55)		750w	4 Cir 8'4" Ministrip		L195, R104V, R104H		CYC FOOT DK BLUE
D3	(58)		750w	4 Cir 8'4" Ministrip		R26, R104V, R104H		CYC FOOT RED
D4	(60)		750w	4 Cir 8'4" Ministrip		R104V, R104H		CYC FOOT NC