

## Instrument Schedule

Director: David Toney & Josh Chenard  
 ME: Emma Sheehan

LD: Andrew Craig & Christian DeAngelis  
 AME: Isiah Howell

## TABLE OF CONTENTS

2 CAT LO .....	1	DS ELECTRIC .....	12
2 PIPE .....	1	US ELECTRIC .....	13
2 PIPE TAILDOWN .....	1	DSL HIGH HOR .....	13
4 CAT LO .....	2	DSL LOW HOR .....	13
4A PIPE .....	3	DSR HIGH HOR .....	14
5 CAT HI .....	3	DSR LOW HOR .....	14
5 CAT LO .....	4	HAND RAIL DL .....	14
5 PIPE .....	4	HAND RAIL DR .....	14
5/6 PIPE SL .....	4	USL HIGH HOR .....	14
5/6 PIPE SR .....	4	USL LOW HOR .....	15
6 PIPE .....	5	USR HIGH HOR .....	15
7 CAT LO .....	6	USR LOW HOR .....	15
7 PIPE .....	7	VOM DSL .....	15
7/8 PIPE SL .....	8	VOM DSR .....	16
7/8 PIPE SR .....	8	VOM DL CTR .....	16
8 CAT LO .....	9	SCENE I & II .....	16
8 PIPE .....	10	SCENE III .....	16
8/9 PIPE .....	11	SCENE V & VI .....	16
		SR ROVER .....	16

5/4/19

## Instrument Schedule

Director: David Toney & Josh Chenard  
 ME: Emma Sheehan

LD: Andrew Craig & Christian DeAngelis  
 AME: Isiah Howell

## 2 CAT LO

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(1)	Strand 6x12	750w		Front Warm 1SL		
2	(21)	Strand 6x12	750w		Front Cool 1SL		
3	(2)	Strand 6x12	750w		Front Warm 1C		
4	(22)	Strand 6x12	750w		Front Cool 1C		
5	(3)	Strand 6x12	750w		Front Warm 1SR		
6	(23)	Strand 6x12	750w		Front Cool 1SR		

## 2 PIPE

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(161)	Source 4 19deg	575w		Harrison Window Front Fill Special		

## 2 PIPE TAILDOWN

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(301)	VL 1100	1kW		Mover		
2	(305)	VL 1000 T-TI	1kW		Mover		
3	(302)	VL 1100	1kW		Mover		

## Instrument Schedule

## 4 CAT LO

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(193)	Source 4 26deg	575w		Apt Front C		
2	(203)	Source 4 26deg	575w		Apt Front W		
3	(4)	Strand 6x16	750w		Front Warm 2SL		
4	(24)	Strand 6x16	750w		Front Cool 2SL		
5	(173)	Source 4 26deg	575w		Bedroom Front C		
6	(183)	Source 4 26deg	575w		Bedroom Front W		
7	(5)	Strand 6x16	750w		Front Warm 2SLC		
8	(25)	Strand 6x16	750w		Front Cool 2SLC		
9	(6)	Strand 6x16	750w		Front Warm 2C		
10	(26)	Strand 6x16	750w		Front Cool 2C		
11	(194)	Source 4 26deg	575w		Apt Front C		
12	(204)	Source 4 26deg	575w		Apt Front W		
13	(7)	Strand 6x16	750w		Front Warm 2SRC		
14	(27)	Strand 6x16	750w		Front Cool 2SRC		
15	(8)	Strand 6x16	750w		Front Warm 2SR		
16	(28)	Strand 6x16	750w		Front Cool 2SR		
17	(174)	Source 4 26deg	575w		Bedroom Front C		
18	(184)	Source 4 26deg	575w		Bedroom Front W		

## Instrument Schedule

## 4A PIPE

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(221)	Source 4 14deg	750w	T:T	Apt window Day Special		
2	(9)	Strand 6x16	750w		Front Warm 3SL		
3	(29)	Strand 6x16	750w		Front Cool 3SL		
4	(10)	Strand 6x16	750w		Front Warm 3SLC		
5	(30)	Strand 6x16	750w		Front Cool 3SLC		
6	(11)	Strand 6x16	750w		Front Warm 3C		
7	(31)	Strand 6x16	750w		Front Cool 3C		
8	(166)	Source 4 19deg	575w		Harrison Bench Front Special		
9	(12)	Strand 6x16	750w		Front Warm 3SRC		
10	(32)	Strand 6x16	750w		Front Cool 3SRC		
11	(13)	Strand 6x16	750w		Front Warm 3SR		
12	(33)	Strand 6x16	750w		Front Cool 3SR		

## 5 CAT HI

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(14)	Strand 6x16	750w		Front Warm 4SL		
2	(34)	Strand 6x16	750w		Front Cool 4SL		
3	(15)	Strand 6x16	750w		Front Warm 4C		
4	(35)	Strand 6x16	750w		Front Cool 4C		
5	(16)	Strand 6x16	750w		Front Warm 4SR		
6	(36)	Strand 6x16	750w		Front Cool 4SR		

## Instrument Schedule

## 5 CAT LO

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(219)	Source 4 14deg	750w	T:T	Apt Window Night Special		
2	(211)	Source 4 19deg	575w		Apt Door Special		
3	(212)	Source 4 19deg	575w		Apt Door Special		

## 5 PIPE

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(191)	Source 4 26deg	575w		Apt Front C		
2	(201)	Source 4 26deg	575w		Apt Front W		
3	(171)	Source 4 26deg	575w		Bedroom Front C		
4	(181)	Source 4 26deg	575w		Bedroom Front W		
5	(303)	VL 1100	1kW		Mover		
6	(192)	Source 4 26deg	575w		Apt Front C		
7	(202)	Source 4 26deg	575w		Apt Front W		
8	(304)	VL 1100	1kW		Mover		
9	(172)	Source 4 26deg	575w		Bedroom Front C		
10	(182)	Source 4 26deg	575w		Bedroom Front W		

## 5/6 PIPE SL

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(321)	VL 2500	700w		Mover		

## 5/6 PIPE SR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(323)	VL 2500	700w		Mover		

## Instrument Schedule

## 6 PIPE

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(61)	Source 4 26deg	575w		High Side 1LC <		
2	(62)	Source 4 26deg	575w		High Side 1RC <		
3	(41)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 1SL		
3	(41)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 1SL		
4	(231)	Source 4 26deg	575w		Bountiful Template		
5	(42)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 1C		
5	(42)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 1C		
6	(231)	Source 4 26deg	575w		Bountiful Template		
7	(231)	Source 4 26deg	575w		Bountiful Template		
8	(43)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 1SR		
8	(43)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 1SR		
9	(72)	Source 4 26deg	575w		High Side 1LC >		
10	(71)	Source 4 26deg	575w		High Side 1RC >		

## Instrument Schedule

## 7 CAT LO

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(189)	Source 4 19deg	575w		Bed Low Side Special		
2	(207)	Source 4 26deg	575w		Living Room Side		
3	(232)	Source 4 26deg	575w		Bountiful Template		
4	(176)	Source 4 26deg	575w		Bedroom Side Light		
5	(65)	Source 4 26deg	575w		High Side 2SR <		
6	(17)	Strand 6x12	750w		Front Warm 5SL		
7	(220)	Source 4 19deg	575w	T:T	Apt Window Night Special		
8	(37)	Strand 6x12	750w		Front Cool 5SL		
9	(232)	Source 4 26deg	575w		Bountiful Template		
10	(18)	Strand 6x12	750w		Front Warm 5C		
11	(38)	Strand 6x12	750w		Front Cool 5C		
12	(232)	Source 4 26deg	575w		Bountiful Template		
13	(19)	Strand 6x12	750w		Front Warm 5SR		
14	(232)	Source 4 26deg	575w		Bountiful Template		
15	(39)	Strand 6x12	750w		Front Cool 5SR		
16	(75)	Source 4 26deg	575w		High Side 2SL >		
17	(232)	Source 4 26deg	575w		Bountiful Template		

## Instrument Schedule

## 7 PIPE

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(215)	Source 4 19deg	575w		Apt Couch Front High Special		
2	(63)	Source 4 26deg	575w		High Side 2LC < <		
3	(206)	Source 4 26deg	575w		Living Room Side		
4	(64)	Source 4 26deg	575w		High Side 2SRC <		
5	(177)	Source 4 26deg	575w		Bedroom Side Light		
6	(44)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 2SL		
6	(44)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 2SL		
7	(151)	Source 4 19deg	575w	T:T	Houston Station Window Template		
8	(311)	VL-1000 Tungsten dimmer	1kW		Mover		
9	(165)	Source 4 19deg	575w		Harrison Bench Top Special		
10	(163)	Source 4 19deg	575w		Harrison Ticket Counter Front Special		
11	(152)	Source 4 19deg	575w	T:T	Houston Station Window Template		
12	(312)	VL-1000 Tungsten dimmer	1kW		Mover		
13	(45)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 2C		
13	(45)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 2C		
14	(154)	Source 4 19deg	575w	T:T	Houston Ticket counter Front Special		
15	(153)	Source 4 19deg	575w	T:T	Houston Station Window Template		
16	(313)	VL-1000 Tungsten dimmer	1kW		Mover		



Instrument Schedule

7 PIPE

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
17	(46)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 2SR		
17	(46)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 2SR		
18	(74)	Source 4 26deg	575w		High Side 2SLC >		
19	(73)	Source 4 26deg	575w		High Side 2RC >		

7/8 PIPE SL

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(322)	VL 2500	700w		Mover		
2	(155)	Source 4 19deg	575w		Houston Bench SL Front Special		
3	(157)	Source 4 26deg	575w		Houston Bench CC High Side		

7/8 PIPE SR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(186)	Source 4 26deg	575w		Bedroom Side		
2	(185)	Source 4 26deg	575w		Bedroom Side		
3	(324)	VL 2500	700w		Mover		
4	(156)	Source 4 26deg	575w		Houston Bench CC High Side		

## Instrument Schedule

## 8 CAT LO

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(233)	Source 4 26deg	575w		Bountiful Template		
2	(164)	Source 4 19deg	575w		Harrison Bench Back Special		
3	(217)	Source 4 19deg	575w		Apt Specials		
4	(233)	Source 4 26deg	575w		Bountiful Template		
5	(121)	8" Fresnel	1kW		Apt Top Wash		
6	(125)	8" Fresnel	1kW		Apt Top Wash		
7	(218)	Source 4 19deg	575w		Apt Specials		
8	(233)	Source 4 26deg	575w		Bountiful Template		
9	(123)	8" Fresnel	1kW		Apt Top Wash		
10	(127)	8" Fresnel	1kW		Apt Top Wash		
11	(216)	Source 4 19deg	575w		Apt Specials		
12	(233)	Source 4 26deg	575w		Bountiful Template		
13	(233)	Source 4 26deg	575w		Bountiful Template		
14	(208)	Source 4 26deg	575w		Living Room Side		

## Instrument Schedule

## 8 PIPE

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(66)	Source 4 26deg	575w		High Side 3LC <		
2	(67)	Source 4 26deg	575w		High Side 3SRC <		
3	(314)	VL-1000 Tungsten dimmer	1kW		Mover		
4	(47)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 3SL		
4	(47)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 3SL		
5	(68)	Source 4 26deg	575w		High Side 3SR <		
6	(158)	Source 4 19deg	575w	T:T	Houston Bench Special CC		
7	(48)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 3C		
7	(48)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 3C		
8	(159)	Source 4 19deg	575w	T:T	Houston Bench Special SR		
9	(78)	Source 4 26deg	575w		High Side 3SL >		
10	(49)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 3SR		
10	(49)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 3SR		
11	(315)	VL-1000 Tungsten dimmer	1kW		Mover		
12	(77)	Source 4 26deg	575w		High Side 3SLC >		
13	(209)	Source 4 26deg	575w		Living Room Side		
14	(76)	Source 4 26deg	575w		High Side 3RC >		

## Instrument Schedule

## 8/9 PIPE

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(50)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 4SL		
1	(50)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 4SL		
2	(234)	Source 4 26deg	575w		Bountiful Template		
3	(122)	8" Fresnel	1kW		Apt Top Wash		
4	(126)	8" Fresnel	1kW		Apt Top Wash		
5	(51)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 4C		
5	(51)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 4C		
6	(124)	8" Fresnel	1kW		Apt Top Wash		
7	(128)	8" Fresnel	1kW		Apt Top Wash		
8	(52)	PAR 64 MFL	1kW	<input type="radio"/> CMY	Top Scroller Wash 4SR		
8	(52)	CXI Color Fusion 7.5"		<input type="radio"/> CMY	Top Scroller Wash 4SR		
9	(162)	Source 4 19deg	575w		Harrison Ticket Booth Top Special		
10	(188)	Source 4 19deg	575w		Bed High Side Special		

## Instrument Schedule

## DS ELECTRIC

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(69)	Source 4 26deg	575w		High Side 5LC		
2	(70)	Source 4 26deg	575w		High Side 5SR <		
3	(160)	Source 4 19deg	575w		Houston Ticket Booth Back Special		
4	(361)	Etc Source 4 LEDLS 26deg	117w	<input type="radio"/> RGB	CYC LOW		
5	(331)	VL 2000	700w		Mover		
6	(362)	Etc Source 4 LEDLS 26deg	117w	<input type="radio"/> RGB	CYC LOW		
7	(363)	Etc Source 4 LEDLS 26deg	117w	<input type="radio"/> RGB	CYC LOW		
8	(332)	VL 2000	700w		Mover		
9	(187)	Source 4 26deg	575w		Bed Back Special		
10	(364)	Etc Source 4 LEDLS 26deg	117w	<input type="radio"/> RGB	CYC LOW		
11	(333)	VL 2000	700w		Mover		
12	(365)	Etc Source 4 LEDLS 26deg	117w	<input type="radio"/> RGB	CYC LOW		
13	(80)	Source 4 26deg	575w		High Side 5SL >		
14	(79)	Source 4 26deg	575w		High Side 5RC >		

## Instrument Schedule

## US ELECTRIC

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(351)	Etc Source 4 LEDLS CYC		<input type="radio"/> RGB	CYC HIGH		
2	(53)	PAR 64 MFL	1kW	<input type="radio"/> TBD	Top Scroller Wash 5SL		
3	(235)	Source 4 26deg	575w		Bountiful Template		
4	(352)	Etc Source 4 LEDLS CYC		<input type="radio"/> RGB	CYC HIGH		
5	(167)	Source 4 19deg	575w	T:T	Harrison Window T Special		
6	(353)	Etc Source 4 LEDLS CYC		<input type="radio"/> RGB	CYC HIGH		
7	(54)	PAR 64 MFL	1kW	<input type="radio"/> TBD	Top Scroller Wash 5C		
8	(235)	Source 4 26deg	575w		Bountiful Template		
9	(354)	Etc Source 4 LEDLS CYC		<input type="radio"/> RGB	CYC HIGH		
10	(235)	Source 4 26deg	575w		Bountiful Template		
11	(55)	PAR 64 MFL	1kW	<input type="radio"/> TBD	Top Scroller Wash 5SR		
12	(355)	Etc Source 4 LEDLS CYC		<input type="radio"/> RGB	CYC HIGH		

## DSL HIGH HOR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(82)	Source 4 26deg	575w		DC <L		
2	(83)	Source 4 19deg	575w		DR <L		
3	(341)	VLX Wash	840w		Mover		

## DSL LOW HOR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(81)	Source 4 26deg	575w		DL <L		

## Instrument Schedule

## DSR HIGH HOR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(102)	Source 4 26deg	575w		DC <R		
2	(103)	Source 4 19deg	575w		DL <R		
3	(343)	VLX Wash	840w		Mover		

## DSR LOW HOR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(101)	Source 4 26deg	575w		DR <R		

## HAND RAIL DL

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(241)	Source 4 26deg	575w		Bountiful Porch Special		
2	(213)	Source 4 19deg	575w		Apt Window Day Fill		

## HAND RAIL DR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(242)	Source 4 26deg	575w		Bountiful Porch Special		

## USL HIGH HOR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(93)	Source 4 26deg	575w		Far UC <L		
2	(90)	Source 4 26deg	575w		UC <L		
3	(91)	Source 4 19deg	575w		UR <L		
4	(342)	VLX Wash	840w		Mover		
5	(86)	Source 4 26deg	575w		CC <L		
6	(87)	Source 4 19deg	575w		CR <L		

## Instrument Schedule

## USL LOW HOR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(92)	Source 4 26deg	575w		ULC <L		
2	(88)	Source 4 50deg	575w		UL <L		
3	(89)	Source 4 26deg	575w		ULC <L		
4	(84)	Source 4 50deg	575w		CL <L		
5	(85)	Source 4 26deg	575w		CLC <L		

## USR HIGH HOR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(113)	Source 4 26deg	575w		Far UC <R		
2	(110)	Source 4 26deg	575w		UC <R		
3	(111)	Source 4 19deg	575w		UL <R		
4	(344)	VLX Wash	840w		Mover		
5	(106)	Source 4 26deg	575w		CC <R		
6	(107)	Source 4 19deg	575w		CL <R		

## USR LOW HOR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(112)	Source 4 26deg	575w		Far URC <R		
2	(108)	Source 4 50deg	575w		UR <R		
3	(109)	Source 4 26deg	575w		URC <R		
4	(104)	Source 4 50deg	575w		CR <R		
5	(105)	Source 4 26deg	575w		CRC <R		

## VOM DSL

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(95)	6" Fresnel+7.5 4 Leaf Barn Door	750w		VOM Light		



## Instrument Schedule

## VOM DSR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(96)	6" Fresnel+7.5 4 Leaf Barn Door	750w		VOM Light		

## VOM DL CTR

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(214)	Source 4 19deg	575w		Apt Window Night Fill		

## SCENE I &amp; II

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(254)	C-9+WIRELESS	12w		RADIO		
2	(252)	TYPE-A+WIRELESS	60w		LAMP		
3	(251)	TYPE-A+WIRELESS	60w		LAMP		
4	(255)	TYPE-A+WIRELESS	60w		LAMP		
5	(253)	TYPE-A+WIRELESS	60w		LAMP		

## SCENE III

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(256)	TYPE-A+WIRELESS	60w		DESK LAMP		

## SCENE V &amp; VI

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(257)	TYPE-A+WIRELESS	60w		DESK LAMP		

## SR ROVER

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
1	(243)	Strand 6" Fresel	750w		BUS HEADLIGHT		

Instrument Schedule

Items WITHOUT Position

U#	Chan	Inst Type & Access	Watt	Color & Gobo	Purpose	Ad	Dm
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		
	(500)	Parlite LED	36w		HOUSE LIGHT		