

YOSHIMI BATTLES THE PINK ROBOTS

Instrument Schedule
 YOSHIMI 11.16.12 CD (Ver 6).lw6
 La Jolla Playhouse 2012
 Lighting Supervisor: Mike Doyle

1/1/19

Lighting Designer: Michael Walton
 1st ALD: Christian DeAngelis
 2nd ALD: Sherice M. Kelly

TABLE OF CONTENTS

F Pipe	1	SR & SL LEG #1	33
E Pipe	2	SR & SL LEG #2	33
D pipe	4	STAR DROP/BOC	34
C/D Pipe	5	BOOKER'S STATION	34
B Pipe	5	BEN'S STATION	34
SL Box Boom 2	6	YOSHIMI'S STATION	35
SR Box Boom 2	8	GLOBE LX	35
ELEX #1	10	MOTORCYCLE	35
ELEX #2	12	VESPA	35
ELEX #2A	14	AMBULANCE	36
ELEX #3	15	CAR	36
FLYING SAUCER ELEX	17	VEST 01	36
ELEX #4	18	VEST 02	37
ELEX #5	20	VEST 03	37
SL TORM	22	VEST 04	38
SR TORM	23	VEST 05	38
SL PROS BOOM	24	VEST 06	39
SR PROS BOOM	24	VEST 07	39
SL LADDER #1	25	VEST 08	40
SR LADDER #1	25	VEST 09	40
SL LADDER #2	26	VEST 10	41
SR LADDER #2	27	VEST 11	41
SL LADDER #3	28	VEST 12	42
SR LADDER #3	28	VEST 13	42
SL Rail	29	VEST 14	43
GROUNDROW	30	BACKPACK 1 (2000 ROBOT)	43
DL FLOOR VL	32	BACKPACK 2 (2000 ROBOT)	43
DR FLOOR VL	32	3000 ROBOT	43
SL ROVER #1	32	HEAD BOT	44
SR ROVER #1	32	MRI/CAT SCAN	44
SR ROVER #2	32	ROOMBA	44
SL ROVER #2	32	HOOKAH	44
PORTAL	33	PRODUCE COUNTER	44
PORTAL (FO)	33	KITCHEN COUNTER	44
		Trap	45

YOSHIMI BATTLES THE PINK ROBOTS

1/1/19

Instrument Schedule
YOSHIMI 11.16.12 CD (Ver 6).lw6
La Jolla Playhouse 2012
Lighting Supervisor: Mike Doyle

Lighting Designer: Michael Walton
1st ALD: Christian DeAngelis
2nd ALD: Sherice M. Kelly

TABLE OF CONTENTS

Mid Rail	45	T-Grid	46
SR Prosc	45	Over Stage	46
SL Prosc	45	SL LEG 1	46
Proscenium	45	SR LEG 1	47
SL Steel Grid	45	SL LEG 2	47
Load Floor	46	SR LEG 2	47

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

La Jolla Playhouse 2012

Lighting Supervisor: Mike Doyle

Lighting Designer: Michael Walton

1st ALD: Christian DeAngelis

2nd ALD: Sherice M. Kelly

F Pipe

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(669)	114	Source 4 19°	750w		TBA		TBA <
2	(669)	113	Source 4 19°	750w		TBA		TBA <
3	(669)	111	Source 4 19°	750w		TBA		TBA <
4	(669)	110	Source 4 19°	750w		TBA		TBA <
5	(669)	109	Source 4 19°	750w		TBA		TBA <
6	(669)	112	Source 4 19°	750w		TBA		TBA <
7	(669)	95	Source 4 19°	750w		TBA		TBA >
8	(669)	96	Source 4 19°	750w		TBA		TBA >
9	(669)	94	Source 4 19°	750w		TBA		TBA <
10	(669)	93	Source 4 19°	750w		TBA		TBA <
11	(669)	105	Source 4 19°	750w		TBA		TBA >
12	(669)	106	Source 4 19°	750w		TBA		TBA >
13	(669)	108	Source 4 19°	750w		TBA		TBA >
14	(669)	107	Source 4 19°	750w		TBA		TBA >
15	(669)	104	Source 4 19°	750w		TBA		TBA >
16	(669)	103	Source 4 19°	750w		TBA		TBA >

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

E Pipe

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(669)	92	Source 4 10°	750w		TBA		TBA <
2	(1)	142	Source 4 19°	750w		N/C		FRT FILL < DLA
3	(21)	141	Source 4 19°	750w		L281		FRT FILL > DLA COOL
4	(669)	140	Source 4 10°	750w		TBA		TBA <
5	(669)	139	Source 4 10°	750w		TBA		TBA <
6	(2)	91	Source 4 19°	750w		N/C		FRT FILL < DCLA
7	(22)	138	Source 4 19°	750w		L281		FRT FILL < DCLA COOL
8	(669)	137	Source 4 10°	750w		TBA		TBA <
9	(131)	136	Source 4 19°	750w		N/C		SCR FRT DL
9.1	(131)	1555	Wybron Forerunner-7.5"	25w		SCROLL 1		
10	(3)	135	Source 4 19°	750w		N/C		FRT FILL < DCA
11	(23)	133	Source 4 19°	750w		L281		FRT FILL < DCA COOL
13	(132)	132	Source 4 19°	750w		N/C		SCR FRT DCLA
13.1	(132)	1556	Wybron Forerunner-7.5"	25w		SCROLL 1		
14	(11)	131	Source 4 19°	750w		N/C		FRT FILL > DLA
15	(26)	90	Source 4 19°	750w		L281		FRT FILL > DLA COOL
16	(4)	89	Source 4 19°	750w		N/C		FRT FILL < DCRA
17	(133)	130	Source 4 19°	750w		N/C		SCR FRT DCA
17.1	(133)	1557	Wybron Forerunner-7.5"	25w		SCROLL 1		
18	(24)	129	Source 4 19°	750w		L281		FRT FILL < DCRA COOL

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

E Pipe

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
19	(12)	128	Source 4 19°	750w		N/C		FRT FILL > DCLA
20	(27)	127	Source 4 19°	750w		L281		FRT FILL > DCLA COOL
21	(5)	88	Source 4 19°	750w		N/C		FRT FILL < DR
22	(134)	126	Source 4 19°	750w		N/C		SCR FRT DCR
22.1	(134)	1558	Wybron Forerunner-7.5"	25w		SCROLL 1		
23	(25)	125	Source 4 19°	750w		L281		FRT FILL < DRA COOL
24	(154)	123	Source 4 10°	750w		N/C		EASLE APARTMENT SUN >
25	(13)	124	Source 4 19°	750w		N/C		FRT FILL > DCA
26	(28)	151	Source 4 19°	750w		L281		FRT FILL > DCA COOL
27	(135)	122	Source 4 19°	750w		N/C		SCR FRT DR
27.1	(135)	1559	Wybron Forerunner-7.5"	25w		SCROLL 1		
28	(669)	121	Source 4 10°	750w		TBA		TBA >
29	(14)	120	Source 4 19°	750w		N/C		FRT FILL > DCRA
30	(29)	119	Source 4 19°	750w		L281		FRT FILL > DCRA COOL
31	(669)	118	Source 4 10°	750w		TBA		TBA >
32	(669)	117	Source 4 10°	750w		TBA		TBA >
33	(15)	115	Source 4 19°	750w		N/C		FRT FILL > DRA
34	(30)	116	Source 4 19°	750w		L281		FRT FILL > DRA COOL
35	(669)	87	Source 4 10°	750w		TBA		TBA >

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

D pipe

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
0.1	(901)	152	Scroller Power	250w				Power
1	(6)	168	Source 4 19°	750w		L281		FRT FILL < ML
2	(7)	167	Source 4 19°	750w		L281		FRT FILL < MCL
3	(401)	1565	Mac2k Performance	1.2kW			Wheel #3	FOH SL MAC 2K
4	(136)	164	Source 4 19°	750w		N/C		SCR FRT ML
4.1	(136)	1560	Wybron Forerunner-7.5"	25w		SCROLL 1		
5	(8)	163	Source 4 19°	750w		L281		FRT FILL < MC
6	(137)	161	Source 4 19°	750w		N/C		SCR FRT MCL
6.1	(137)	1561	Wybron Forerunner-7.5"	25w		SCROLL 1		
7	(16)	162	Source 4 19°	750w		L281		FRT FILL > ML
8	(9)	160	Source 4 19°	750w		L281		FRT FILL < MCR
9	(138)	159	Source 4 19°	750w		N/C		SCR FRT MC
9.1	(138)	1562	Wybron Forerunner-7.5"	25w		SCROLL 1		
10	(17)	157	Source 4 19°	750w		L281		FRT FILL > MCL
11	(402)	1596	Mac2k Performance	1.2kW			Wheel #3	FOH CS MAC 2K
12	(10)	156	Source 4 19°	750w		L281		FRT FILL < MR
13	(139)	155	Source 4 19°	750w		N/C		SCR FRT MCR
13.1	(139)	1563	Wybron Forerunner-7.5"	25w		SCROLL 1		
14	(18)	154	Source 4 19°	750w		L281		FRT FILL > MC

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

D pipe

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
15	(140)	153	Source 4 19°	750w		N/C		SCR FRT MR
15.1	(140)	1564	Wybron Forerunner-7.5"	25w		SCROLL 1		
16	(403)	1627	Mac2k Performance	1.2kW			Wheel #3	FOH SR MAC 2K
17	(19)	150	Source 4 19°	750w		L281		FRT FILL > MCR
18	(20)	149	Source 4 19°	750w		L281		FRT FILL > MR

C/D Pipe

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(269)	165	Source 4 10°	750w		R05		COUCH LOW POSITION
2	(270)	158	Source 4 10°	750w		L281		COUCH LOW POSITION

B Pipe

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(100)	190	Source 4 26°	750w		N/C		MAESTRO <
2	(100)	189	Source 4 26°	750w		N/C		MAESTRO >

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SL Box Boom 2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(161)	213	PAR 64 VNSP	1kW		N/C		BLINDERS
2	(182)	211	Source 4 19°	750w		L281		FRT SIDE < DC COOL
3	(192)	212	Source 4 19°	750w		N/C		FRT SIDE < DC WARM
4	(162)	214	PAR 64 VNSP	1kW		N/C		BLINDERS
5	(231)	1537	Atomic 3000 (Hung)	3.3kW				STROBE HR
6	(669)	71	Source 4 19°	750w		TBA		TBA
7	(187)	70	Source 4 19°	750w		L200		FRT SIDE < DL COOL
8	(163)	215	PAR 64 VNSP	1kW		N/C		BLINDERS
9	(669)	73	Source 4 26°	750w		TBA		TBA
10	(669)	72	Source 4 26°	750w		TBA		TBA
11	(164)	216	PAR 64 VNSP	1kW		N/C		BLINDERS
12	(669)	75	Source 4 26°	750w		L281		TBA
13	(669)	74	Source 4 26°	750w		N/C		TBA
14	(165)	68	PAR 64 VNSP	1kW		N/C		BLINDERS
15	(669)	77	Source 4 26°	750w		TBA		TBA

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SL Box Boom 2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
16	(669)	76	Source 4 26°	750w		TBA		TBA
17	(166)	201	PAR 64 VNSP	1kW		N/C		BLINDERS
18	(669)	198	Source 4 36°	750w		TBA		TBA
19	(188)	197	Source 4 36°	750w		L200		FRT SIDE < DC COOL
20	(167)	202	PAR 64 VNSP	1kW		N/C		BLINDERS
21	(232)	1541	Atomic 3000 (Hung)	3.3kW				STROBE HR
22	(181)	200	Source 4 26°	750w		L281		FRT SIDE < DL COOL
23	(191)	199	Source 4 26°	750w		N/C		FRT SIDE < DL WARM

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SR Box Boom 2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(194)	205	Source 4 19°	750w		N/C		FRT SIDE > DL WARM
2	(184)	206	Source 4 19°	750w		L281		FRT SIDE > DL COOL
3	(171)	207	PAR 64 VNSP	1kW		N/C		BLINDERS
4	(197)	62	Source 4 19°	750w		L200		FRT SIDE > DL COOL
5	(669)	61	Source 4 19°	750w		TBA		TBA
6	(233)	1545	Atomic 3000 (Hung)	3.3kW				STROBE HL
7	(172)	208	PAR 64 VNSP	1kW		N/C		BLINDERS
8	(669)	60	Source 4 26°	750w		TBA		TBA
9	(669)	59	Source 4 26°	750w		TBA		TBA
10	(173)	209	PAR 64 VNSP	1kW		N/C		BLINDERS
11	(669)	58	Source 4 26°	750w		N/C		TBA
12	(669)	57	Source 4 26°	750w		L281		TBA
13	(174)	210	PAR 64 VNSP	1kW		N/C		BLINDERS
14	(669)	56	Source 4 26°	750w		TBA		TBA
15	(669)	55	Source 4 26°	750w		TBA		TBA

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SR Box Boom 2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
16	(175)	53	PAR 64 VNSP	1kW		N/C		BLINDERS
17	(198)	175	Source 4 36°	750w		L200		FRT SIDE > DC COOL
18	(669)	176	Source 4 36°	750w		TBA		TBA
19	(176)	179	PAR 64 VNSP	1kW		N/C		BLINDERS
20	(195)	177	Source 4 26°	750w		N/C		FRT SIDE > DC WARM
21	(185)	178	Source 4 26°	750w		L281		FRT SIDE > DC COOL
22	(234)	1549	Atomic 3000 (Hung)	3.3kW				STROBE HL
23	(177)	180	PAR 64 VNSP	1kW		N/C		BLINDERS

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #1

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(31)	230	Source 4 26°	750w		R132		SCR TIPS < DL
1.1	(31)	544	Wybron Forerunner-7.5"	25w		SCROLL 1		
2	(273)	229	Source 4 19°	750w		L200		COUCH HIGH POSITION
3	(251)	228	Source 4 26°	750w		L281		CAFETERIA
4	(669)	227	Source 4 19°	750w		TBA		TBA
5	(252)	226	Source 4 26°	750w		L281		CAFETERIA
6	(32)	225	Source 4 26°	750w		R132		SCR TIPS < DC
6.1	(32)	545	Wybron Forerunner-7.5"	25w		SCROLL 1		
7	(301)	632	Mac2k Performance	1.2kW			Wheel #3	DL MAC 2K
8	(285)	242	Source 4 19°	750w		R05		RESTAURANT TOP <
9	(253)	238	Source 4 26°	750w		L281		CAFETERIA
10	(201)	575	VL1000AI	1kW			Wheel #1	DCL VL 1000
11	(33)	240	Source 4 26°	750w		R132		SCR TIPS < DR
11.1	(33)	546	Wybron Forerunner-7.5"	25w		SCROLL 1		
12	(302)	663	Mac2k Performance	1.2kW			Wheel #3	DC MAC 2K

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #1

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
13	(41)	239	Source 4 26°	750w		R132		SCR TIPS > DL
13.1	(41)	550	Wybron Forerunner-7.5"	25w		SCROLL 1		
14	(202)	556	VL1000AI	1kW			Wheel #1	DCR VL 1000
15	(254)	241	Source 4 26°	750w		L281		CAFETERIA
16	(286)	237	Source 4 19°	750w		R05		RESTAURANT TOP >
17	(303)	694	Mac2k Performance	1.2kW			Wheel #3	DR MAC 2K
18	(42)	236	Source 4 26°	750w		R132		SCR TIPS > DC
18.1	(42)	551	Wybron Forerunner-7.5"	25w		SCROLL 1		
19	(255)	235	Source 4 26°	750w		L281		CAFETERIA
20	(669)	234	Source 4 19°	750w		TBA		TBA
21	(256)	233	Source 4 26°	750w		L281		CAFETERIA
22	(222)	232	Source 4 19°	750w		L281		BEN STATION >
23	(43)	231	Source 4 26°	750w		R132		SCR TIPS > DR
23.1	(43)	552	Wybron Forerunner-7.5"	25w		SCROLL 1		

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(34)	263	Source 4 26°	750w		R132		SCR TIPS < ML
1.1	(34)	547	Wybron Forerunner-7.5"	25w		SCROLL 1		
2	(157)	264	Source 4 19°	750w		N/C		EASLE "DO YOU REALIZE" <
3	(158)	265	Source 4 26°	750w		L201		EASLE "DO YOU REALIZE" <
4	(35)	266	Source 4 26°	750w		R132		SCR TIPS < MC
4.1	(35)	548	Wybron Forerunner-7.5"	25w		SCROLL 1		
5	(304)	725	Mac2k Performance	1.2kW			Wheel #3	ML MAC 2K
6	(51)	267	Source 4 36°	750w		N/C	Internal Reflectio ns- R77760	SCR BX B/U
6.1	(51)	958	coloram 2- 7.5"	25w		SCROLL 1		
7	(501)	818	MAC Aura (Hung)	236w				ML AURA
8	(203)	613	VL1000AI	1kW			Wheel #1	MCL VL 1000
9	(36)	272	Source 4 26°	750w		R132		SCR TIPS < MR
9.1	(36)	549	Wybron Forerunner-7.5"	25w		SCROLL 1		
10	(502)	843	MAC Aura (Hung)	236w				MCL AURA

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
11	(52)	271	Source 4 36°	750w		N/C	Internal Reflecto ns- R77760	SCR BX B/U
11.1	(52)	959	coloram 2- 7.5"	25w		SCROLL 1		
12	(305)	756	Mac2k Performance	1.2kW			Wheel #3	MC MAC 2K
13	(53)	270	Source 4 36°	750w		N/C	Internal Reflecto ns- R77760	SCR BX B/U
13.1	(53)	960	coloram 2- 7.5"	25w		SCROLL 1		
14	(503)	868	MAC Aura (Hung)	236w				MCR AURA
15	(44)	269	Source 4 26°	750w		R132		SCR TIPS > ML
15.1	(44)	553	Wybron Forerunner-7.5"	25w		SCROLL 1		
16	(204)	594	VL1000AI	1kW			Wheel #1	MCR VL 1000
17	(504)	893	MAC Aura (Hung)	236w				MR AURA
18	(54)	279	Source 4 36°	750w		N/C	Internal Reflecto ns- R77760	SCR BX B/U
18.1	(54)	961	coloram 2- 7.5"	25w		SCROLL 1		
19	(306)	787	Mac2k Performance	1.2kW			Wheel #3	MR MAC 2K

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
20	(45)	278	Source 4 26°	750w		R132		SCR TIPS > MC
20.1	(45)	554	Wybron Forerunner-7.5"	25w		SCROLL 1		
21	(159)	277	Source 4 26°	750w		L201		EASLE "DO YOU REALIZE" >
22	(160)	276	Source 4 19°	750w		N/C		EASLE "DO YOU REALIZE" >
23	(46)	275	Source 4 26°	750w		R132		SCR TIPS > MR
23.1	(46)	555	Wybron Forerunner-7.5"	25w		SCROLL 1		

ELEX #2A

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(271)	349	Source 4 10°	750w		L201	Internal Reflections- R77760	3000-21 ENTRANCE
2	(272)	332	Source 4 10°	750w		L201	Internal Reflections- R77760	3000-21 ENTRANCE

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #3

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(37)	399	Source 4 26°	750w		R132		SCR TIPS < UL
1.1	(37)	563	Wybron Forerunner-7.5"	25w		SCROLL 1		
2	(669)	398	Source 4 26°	750w		TBA		TBA
3	(669)	397	Source 4 19°	750w		TBA		TBA
4	(669)	396	Source 4 26°	750w		TBA		TBA
5	(38)	395	Source 4 26°	750w		R132		SCR TIPS < UC
5.1	(38)	1076	Wybron Forerunner-7.5"	25w		SCROLL 1		
6	(505)	1359	MAC Aura (Hung)	236w				UL AURA
7	(55)	394	Source 4 26°	750w		N/C	Internal Reflections- R77760	SCR BX B/U
7.1	(55)	1484	coloram 2- 7.5"	25w		SCROLL 1		
8	(307)	785	Mac2k Performance	1.2kW			Wheel #3	UL MAC 2K
9	(274)	391	Source 4 19°	750w		L200		COUCH HIGH POSITION
10	(506)	1384	MAC Aura (Hung)	236w				UCL AURA
11	(39)	390	Source 4 26°	750w		R132		SCR TIPS < UR
11.1	(39)	1077	Wybron Forerunner-7.5"	25w		SCROLL 1		

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #3

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
12	(56)	389	Source 4 26°	750w		N/C	Internal Reflectio ns- R77760	SCR BX B/U
12.1	(56)	1485	coloram 2- 7.5"	25w		SCROLL 1		
13	(276)	388	Source 4 26°	750w		L281		EASLE TOS <
14	(507)	1409	MAC Aura (Hung)	236w				UC AURA
15	(277)	379	Source 4 26°	750w		L281		EASLE TOS >
16	(57)	378	Source 4 26°	750w		N/C	Internal Reflectio ns- R77760	SCR BX B/U
16.1	(57)	1486	coloram 2- 7.5"	25w		SCROLL 1		
17	(47)	377	Source 4 26°	750w		R132		SCR TIPS > UL
17.1	(47)	1078	Wybron Forerunner-7.5"	25w		SCROLL 1		
18	(508)	1434	MAC Aura (Hung)	236w				UCR AURA
19	(275)	376	Source 4 19°	750w		NC		COUCH HIGH POSITION
20	(308)	1328	Mac2k Performance	1.2kW			Wheel #3	UR MAC 2K
21	(58)	387	Source 4 26°	750w		N/C	Internal Reflectio ns- R77760	SCR BX B/U
21.1	(58)	1487	coloram 2- 7.5"	25w		SCROLL 1		

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #3

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
22	(509)	1459	MAC Aura (Hung)	236w				UR AURA
23	(48)	386	Source 4 26°	750w		R132		SCR TIPS > UC
23.1	(48)	1079	Wybron Forerunner-7.5"	25w		SCROLL 1		
24	(669)	385	Source 4 26°	750w		TBA		TBA
25	(669)	384	Source 4 19°	750w		TBA		TBA
26	(669)	383	Source 4 26°	750w		TBA		TBA
27	(49)	382	Source 4 26°	750w		R132		SCR TIPS > UR
27.1	(49)	1080	Wybron Forerunner-7.5"	25w		SCROLL 1		

FLYING SAUCER ELEX

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(513)	918	CLAY PAKY SHARPY	190w				SAUCER SHARPY SL
2	(309)	513	Mac2k Performance	1.2kW			Wheel #3	SAUCER MAC 2K
3	(514)	938	CLAY PAKY SHARPY	190w				SAUCER SHARPY SR

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #4

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1a	(521)	310	Far Cyc Cell	1kW		L202		CYC WHITE
1b	(523)	309	Far Cyc Cell	1kW		R68		CYC BLUE
1c	(521)	308	Far Cyc Cell	1kW		L202		CYC WHITE
2a	(521)	307	Far Cyc Cell	1kW		L202		CYC WHITE
2b	(523)	306	Far Cyc Cell	1kW		R68		CYC BLUE
2c	(521)	305	Far Cyc Cell	1kW		L202		CYC WHITE
3a	(521)	307	Far Cyc Cell	1kW		L202		CYC WHITE
3b	(523)	306	Far Cyc Cell	1kW		R68		CYC BLUE
3c	(521)	305	Far Cyc Cell	1kW		L202		CYC WHITE
4a	(521)	304	Far Cyc Cell	1kW		L202		CYC WHITE
4b	(523)	303	Far Cyc Cell	1kW		R68		CYC BLUE
4c	(521)	302	Far Cyc Cell	1kW		L202		CYC WHITE
5a	(521)	304	Far Cyc Cell	1kW		L202		CYC WHITE
5b	(523)	303	Far Cyc Cell	1kW		R68		CYC BLUE
5c	(521)	302	Far Cyc Cell	1kW		L202		CYC WHITE
6a	(521)	301	Far Cyc Cell	1kW		L202		CYC WHITE
6b	(523)	300	Far Cyc Cell	1kW		R68		CYC BLUE
6c	(521)	299	Far Cyc Cell	1kW		L202		CYC WHITE
7a	(521)	301	Far Cyc Cell	1kW		L202		CYC WHITE
7b	(523)	300	Far Cyc Cell	1kW		R68		CYC BLUE
7c	(521)	299	Far Cyc Cell	1kW		L202		CYC WHITE
8a	(521)	298	Far Cyc Cell	1kW		L202		CYC WHITE
8b	(523)	297	Far Cyc Cell	1kW		R68		CYC BLUE
8c	(521)	296	Far Cyc Cell	1kW		L202		CYC WHITE
9a	(521)	298	Far Cyc Cell	1kW		L202		CYC WHITE
9b	(523)	297	Far Cyc Cell	1kW		R68		CYC BLUE

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #4

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
9c	(521)	296	Far Cyc Cell	1kW		L202		CYC WHITE
10a	(521)	295	Far Cyc Cell	1kW		L202		CYC WHITE
10b	(523)	294	Far Cyc Cell	1kW		R68		CYC BLUE
10c	(521)	293	Far Cyc Cell	1kW		L202		CYC WHITE

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #5

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(241)	371	8" Fresnel	2kW		L202		RP WHITE BLINDERS
2	(241)	371	8" Fresnel	2kW		L202		RP WHITE BLINDERS
3	(241)	370	8" Fresnel	2kW		L202		RP WHITE BLINDERS
4	(241)	370	8" Fresnel	2kW		L202		RP WHITE BLINDERS
5	(241)	369	8" Fresnel	2kW		L202		RP WHITE BLINDERS
6	(241)	369	8" Fresnel	2kW		L202		RP WHITE BLINDERS
7	(241)	443	8" Fresnel	2kW		L202		RP WHITE BLINDERS
8	(241)	444	8" Fresnel	2kW		L202		RP WHITE BLINDERS
9	(241)	445	8" Fresnel	2kW		L202		RP WHITE BLINDERS
10	(241)	446	8" Fresnel	2kW		L202		RP WHITE BLINDERS
11	(241)	447	8" Fresnel	2kW		L202		RP WHITE BLINDERS
12	(241)	448	8" Fresnel	2kW		L202		RP WHITE BLINDERS
13	(241)	449	8" Fresnel	2kW		L202		RP WHITE BLINDERS
14	(241)	450	8" Fresnel	2kW		L202		RP WHITE BLINDERS
15	(241)	451	8" Fresnel	2kW		L202		RP WHITE BLINDERS

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

ELEX #5

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
16	(241)	452	8" Fresnel	2kW		L202		RP WHITE BLINDERS
17	(241)	453	8" Fresnel	2kW		L202		RP WHITE BLINDERS
18	(241)	454	8" Fresnel	2kW		L202		RP WHITE BLINDERS
19	(241)	465	8" Fresnel	2kW		L202		RP WHITE BLINDERS
20	(241)	466	8" Fresnel	2kW		L202		RP WHITE BLINDERS

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SL TORM

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(311)	174	S4 PAR VNSP	575w		N/C		PAR CROSS <
2	(312)	173	S4 PAR VNSP	575w		N/C		PAR CROSS <
3	(313)	172	S4 PAR VNSP	575w		N/C		PAR CROSS <
4	(314)	171	S4 PAR VNSP	575w		N/C		PAR CROSS <
5	(621)	170	WILDFIRE 400 UV	400w				UV SIDE < DS
5.1	(121)	1492	DOUSER					UV DOUSER
6	(315)	169	S4 PAR VNSP	575w		N/C		PAR CROSS <
7	(316)	97	S4 PAR VNSP	575w		N/C		PAR CROSS <
8	(223)	98	Source 4 19°	750w		L281		BEN STATION <
9	(147)	99	Source 4 36°	750w	Iris	L201		WALLSTREET HUMANS <
10	(669)	100	Source 4 36°	750w				TBA
11	(61)	101	Source 4 36°	750w		R132		SCR SIDE < DS
11.1	(61)	1488	coloram 2- 7.5"	25w		SCROLL 1		
12	(262)	102	Source 4 36°	750w		L281		MID < DS
12a	(611)	1050	CLAY PAKY SHARPY	190w				REFLECTIVE MIRROR

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SR TORM

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(321)	143	S4 PAR VNSP	575w		N/C		PAR CROSS >
2	(322)	144	S4 PAR VNSP	575w		N/C		PAR CROSS >
3	(323)	145	S4 PAR VNSP	575w		N/C		PAR CROSS >
4	(324)	146	S4 PAR VNSP	575w		N/C		PAR CROSS >
5	(623)	147	WILDFIRE 400 UV	400w				UV SIDE > DS
5.1	(123)	1506	DOUSER					UV DOUSER
6	(325)	148	S4 PAR VNSP	575w		N/C		PAR CROSS >
7	(326)	249	S4 PAR VNSP	575w		N/C		PAR CROSS >
8	(669)	250	Source 4 36°	750w				TBA
9	(148)	251	Source 4 36°	750w		L201		WALLSTREET HUMANS <
10	(221)	252	Source 4 36°	750w		L281		BEN STATION >
11	(71)	253	Source 4 36°	750w		R132		SCR SIDE > DS
11.1	(71)	1502	coloram 2- 7.5"	25w		SCROLL 1		
12	(264)	254	Source 4 36°	750w		L281		MID > DS

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SL PROS BOOM

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
0.1	(125)	1494	DOUSER					UV DOUSER
0a	(625)	22	WILDFIRE 400 UV	400w				UV SIDE < DS
2	(219)	64	Source 4 36°	750w		L200		MID < DSL
3	(261)	25	Source 4 36°	750w		L281		DS MID <
4	(265)	24	Source 4 36°	750w		L281		DS SHIN <
4a	(267)	23	Source 4 26°	750w		L281		BEN DS <
5	(511)	1025	MAC Aura (Floor)	236w				DL FLOOR AURA

SR PROS BOOM

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
0.1	(126)	1508	DOUSER					UV DOUSER
0a	(626)	11	WILDFIRE 400 UV	400w				UV SIDE < DS
2	(220)	50	Source 4 36°	750w		L200		MID > DSL
3	(263)	9	Source 4 36°	750w		L281		DS MID >
4	(266)	8	Source 4 36°	750w		L281		DS SHIN >
4a	(268)	10	Source 4 26°	750w		L281		BEN DS >
5	(512)	1050	MAC Aura (Floor)	236w				DR FLOOR AURA

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SL LADDER #1

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(279)	412	Source 4 26°	750w		L161		NURSE <
2	(280)	413	Source 4 36°	750w		L161		NURSE <
3	(63)	414	Source 4 26°	750w		R132		SCR SIDE < DR
3	(63)	1496	coloram 2- 7.5"	25w		SCROLL 1		
4	(281)	415	Source 4 36°	750w		L161		NURSE <
5	(62)	416	Source 4 36°	750w		R132		SCR SIDE < DL
5.1	(62)	1489	coloram 2- 7.5"	25w		SCROLL 1		
6	(102)	1108	VL1000AS	1kW			Wheel #2	SL LADDER #1 VL #2

SR LADDER #1

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(282)	219	Source 4 26°	750w		L161		NURSE >
2	(283)	220	Source 4 36°	750w		L161		NURSE >
3	(72)	221	Source 4 26°	750w		R132		SCR SIDE > DL
3	(72)	1499	coloram 2- 7.5"	25w		SCROLL 1		
4	(284)	222	Source 4 36°	750w		L161		NURSE >
5	(73)	223	Source 4 36°	750w		R132		SCR SIDE > DR
5.1	(73)	1503	coloram 2- 7.5"	25w		SCROLL 1		
6	(112)	1216	VL1000AS	1kW			Wheel #2	SR LADDER #1 VL #2

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SL LADDER #2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
0a	(669)	422	Source 4 19°	750w	Iris	TBA		TBA
1	(151)	406	Source 4 19°	750w		L201		EASLE APARTMENT<
2	(622)	407	WILDFIRE 400 UV	400w				UV SIDE < MS
2.1	(122)	1493	DOUSER					UV DOUSER
3	(65)	408	Source 4 26°	750w		R132		SCR SIDE < MR
3.1	(65)	1497	coloram 2- 7.5"	25w		SCROLL 1		
4	(64)	410	Source 4 36°	750w		R132		SCR SIDE < ML
4.1	(64)	1490	coloram 2- 7.5"	25w		SCROLL 1		
5	(103)	1135	VL1000AS	1kW			Wheel #2	SL LADDER #2 VL

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SR LADDER #2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(152)	257	Source 4 19°	750w		L201		EASLE APARTMENT>
2	(624)	258	WILDFIRE 400 UV	400w				UV SIDE > MS
2.1	(124)	1507	DOUSER					UV DOUSER
3	(74)	259	Source 4 26°	750w		R132		SCR SIDE > ML
3.1	(74)	1500	coloram 2- 7.5"	25w		SCROLL 1		
4	(75)	261	Source 4 36°	750w		R132		SCR SIDE > MR
4.1	(75)	1504	coloram 2- 7.5"	25w		SCROLL 1		
5	(113)	1243	VL1000AS	1kW			Wheel #2	SR LADDER #2 VL

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SL LADDER #3

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(669)	356	Source 4 36°	750w				TBA
2	(669)	418	Source 4 19°	750w	Iris	TBA		TBA
3	(155)	419	Source 4 19°	750w		L200		BALLOON APARTMENT<
4	(669)	40	Source 4 19°	750w	Iris	TBA		TBA
5	(67)	421	Source 4 26°	750w		R132		SCR SIDE < UR
5.1	(67)	1498	coloram 2- 7.5"	25w		SCROLL 1		
7	(66)	423	Source 4 36°	750w		R132		SCR SIDE < UL
7.1	(66)	1491	coloram 2- 7.5"	25w		SCROLL 1		
8	(104)	1162	VL1000AS	1kW			Wheel #2	SL LADDER #3 VL

SR LADDER #3

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(156)	400	Source 4 19°	750w		N/C		BALLOON APARTMENT>
2	(669)	401	Source 4 36°	750w				TBA
3	(76)	402	Source 4 26°	750w		R132		SCR SIDE > UL
3.1	(76)	1501	coloram 2- 7.5"	25w		SCROLL 1		
4	(77)	403	Source 4 36°	750w		R132		SCR SIDE > UR
4.1	(77)	1505	coloram 2- 7.5"	25w		SCROLL 1		
5	(114)	1270	VL1000AS	1kW			Wheel #2	SR LADDER #3 VL

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SL Rail

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(141)	364	Source 4 26°	750w		L719	Internal Reflectio ns- R77760	ROBOT RIG HIGH <
2	(142)	363	Source 4 26°	750w		L201	Internal Reflectio ns- R77760	ROBOT RIG HIGH <
3	(143)	365	Source 4 26°	750w		L719	Internal Reflectio ns- R77760	ROBOT RIG LOW <
4	(144)	366	Source 4 26°	750w		L201	Internal Reflectio ns- R77760	ROBOT RIG LOW <

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

GROUNDROW

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1a	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
1b	(524)		Far Cyc Cell	1kW		R68		GROUNDROW BLUE
1c	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
2a	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
2b	(524)		Far Cyc Cell	1kW		R68		GROUNDROW BLUE
2c	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
3a	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
3b	(524)		Far Cyc Cell	1kW		R68		GROUNDROW BLUE
3c	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
4a	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
4b	(524)		Far Cyc Cell	1kW		R68		GROUNDROW BLUE
4c	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
5a	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
5b	(524)		Far Cyc Cell	1kW		R68		GROUNDROW BLUE
5c	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

GROUNDROW

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
6a	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
6b	(524)		Far Cyc Cell	1kW		R68		GROUNDROW BLUE
6c	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
7a	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
7b	(524)		Far Cyc Cell	1kW		R68		GROUNDROW BLUE
7c	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
8a	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
8b	(524)		Far Cyc Cell	1kW		R68		GROUNDROW BLUE
8c	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
9a	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
9b	(524)		Far Cyc Cell	1kW		R68		GROUNDROW BLUE
9c	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
10a	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE
10b	(524)		Far Cyc Cell	1kW		R68		GROUNDROW BLUE
10c	(522)		Far Cyc Cell	1kW		L202		GROUNDROW WHITE

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

DL FLOOR VL

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(101)	1081	VL1000AS	1kW			Wheel #2	DL FLOOR VL

DR FLOOR VL

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(111)	1189	VL1000AS	1kW			Wheel #2	DR FLOOR VL

SL ROVER #1

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
0a	(215)	359	Source 4 19°	750w		L281+ R132	IRIS	CAR HEAD <
1	(215)	359	Source 4 36°	750w				MID < DSL
2	(211)	360	Source 4 36°	750w				SHIN < DSL

SR ROVER #1

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
0a	(217)	336	Source 4 19°	750w		L281+ R132	IRIS	CAR HEAD >
1	(217)	336	Source 4 36°	750w				MID > DSL
2	(213)	337	Source 4 36°	750w				SHIN > DSL

SR ROVER #2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(218)	338	Source 4 36°	750w				MID > MSL
2	(214)	339	Source 4 36°	750w				SHIN > MSL

SL ROVER #2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(216)	361	Source 4 36°	750w				MID < MSL
2	(212)	362	Source 4 36°	750w				SHIN < MSL

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

PORTAL

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(601)	1663	RGB LED					PORTAL LED SL TOP
2	(602)	1666	RGB LED					PORTAL LED SL SIDE
3	(603)	1669	RGB LED					PORTAL LED SL BOTTOM
4	(604)	1672	RGB LED					PORTAL LED SR BOTTOM
5	(605)	1675	RGB LED					PORTAL LED SR SIDE
6	(606)	1678	RGB LED					PORTAL LED SR TOP

PORTAL (FO)

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(661)	1681	FIBRE OPTICS					FIBRE OPTICS (PORTAL)
1	(665)	1658	FIBRE OPTICS					FIBRE OPTICS (INSIDE LEGS)

SR & SL LEG #1

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
2	(662)	1511	FIBRE OPTICS					FIBRE OPTICS (LEG 1)

SR & SL LEG #2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(663)	1516	FIBRE OPTICS					FIBRE OPTICS (LEG 2)

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

STAR DROP/BOC

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
3	(664)	1524	FIBRE OPTICS					FIBRE OPTICS (BOC)
4	(666)	1529	FIBRE OPTICS					FIBRE OPTICS (BOC)

BOOKER'S STATION

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(631)	2475	RGB LED					BOOKER'S STATION LED (DS)
2	(632)	2478	RGB LED					BOOKER'S STATION LED (SL)
3	(633)	2484	RGB LED					BOOKER'S STATION LED (SR)
4	(634)	2481	RGB LED					BOOKER'S STATION LED (US)

BEN'S STATION

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(641)	2487	RGB LED					BEN'S STATION LED (DS)
2	(642)	2496	RGB LED					BEN'S STATION LED (SL)
3	(643)	2490	RGB LED					BEN'S STATION LED (SR)
4	(644)	2493	RGB LED					BEN'S STATION LED (US)
5	(645)	2499	RGB LED					BEN'S STATION LED (TABLE TOP)
6	(646)	2457	MR11 12V/ NSP					BEN'S STATION (MR11)

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

YOSHIMI'S STATION

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(651)	2511	RGB LED					YOSHIMI'S STATION LED (DS)
2	(652)	2502	RGB LED					YOSHIMI'S STATION LED (SL)
3	(653)	2508	RGB LED					YOSHIMI'S STATION LED (SR)
4	(654)	2505	RGB LED					YOSHIMI'S STATION LED (US)

GLOBE LX

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(671)	1521	RGB LED					GLOBE LED
1.1	(903)	355	RGB LED	25w				Power

MOTORCYCLE

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(693)	2517	TBA			L200		MOTORCYCLE HEADLIGHT
2	(694)		TBA					MOTORCYCLE TURN SIGNALS

VESPA

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(695)	2518	TBA			L201		VESPA HEADLIGHT
2	(696)		TBA					VESPA TURN SIGNALS

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

AMBULANCE

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(674)	2519	TBA					AMBULANCE STROBES
2	(675)	2520	TBA					AMBULANCE LIGHTS RED
3	(676)	2521	TBA					AMBULANCE LIGHTS AMBER
4	(677)	2522	TBA					AMBULANCE LIGHTS RED

CAR

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(687)	2523	TBA					CAR HEADLIGHTS
2	(688)	2524	TBA					CAR TAIL HEADLIGHTS

VEST 01

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1.1	(711)	2049	RGB LED					HEAD
1.2	(712)	2052	RGB LED					CHEST & PELVIS
1.3	(713)	2055	RGB LED					UPPER LEFT ARM
1.4	(714)	2058	RGB LED					LOWER LEFT ARM
1.5	(715)	2061	RGB LED					UPPER RIGHT ARM
1.6	(716)	2064	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
1.7	(717)	2067	RGB LED					LEFT LEG
1.8	(718)	2070	RGB LED					RIGHT LEG

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

VEST 02

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
2.1	(721)	2073	RGB LED					HEAD
2.2	(722)	2076	RGB LED					CHEST & PELVIS
2.3	(723)	2079	RGB LED					UPPER LEFT ARM
2.4	(724)	2082	RGB LED					LOWER LEFT ARM
2.5	(725)	2085	RGB LED					UPPER RIGHT ARM
2.6	(726)	2088	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
2.7	(727)	2091	RGB LED					LEFT LEG
2.8	(728)	2094	RGB LED					RIGHT LEG

VEST 03

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
3.1	(731)	2097	RGB LED					HEAD
3.2	(732)	2100	RGB LED					CHEST & PELVIS
3.3	(733)	2103	RGB LED					UPPER LEFT ARM
3.4	(734)	2106	RGB LED					LOWER LEFT ARM
3.5	(735)	2109	RGB LED					UPPER RIGHT ARM
3.6	(736)	2112	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
3.7	(737)	2115	RGB LED					LEFT LEG
3.8	(738)	2118	RGB LED					RIGHT LEG

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

VEST 04

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
4.1	(741)	2121	RGB LED					HEAD
4.2	(742)	2124	RGB LED					CHEST & PELVIS
4.3	(743)	2127	RGB LED					UPPER LEFT ARM
4.4	(744)	2130	RGB LED					LOWER LEFT ARM
4.5	(745)	2133	RGB LED					UPPER RIGHT ARM
4.6	(746)	2136	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
4.7	(747)	2139	RGB LED					LEFT LEG
4.8	(748)	2142	RGB LED					RIGHT LEG

VEST 05

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
5.1	(751)	2145	RGB LED					HEAD
5.2	(752)	2148	RGB LED					CHEST & PELVIS
5.3	(753)	2151	RGB LED					UPPER LEFT ARM
5.4	(754)	2154	RGB LED					LOWER LEFT ARM
5.5	(755)	2157	RGB LED					UPPER RIGHT ARM
5.6	(756)	2160	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
5.7	(757)	2163	RGB LED					LEFT LEG
5.8	(758)	2166	RGB LED					RIGHT LEG

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

VEST 06

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
6.1	(761)	2169	RGB LED					HEAD
6.2	(762)	2172	RGB LED					CHEST & PELVIS
6.3	(763)	2175	RGB LED					UPPER LEFT ARM
6.4	(764)	2178	RGB LED					LOWER LEFT ARM
6.5	(765)	2181	RGB LED					UPPER RIGHT ARM
6.6	(766)	2184	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
6.7	(767)	2187	RGB LED					LEFT LEG
6.8	(768)	2190	RGB LED					RIGHT LEG

VEST 07

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
7.1	(771)	2193	RGB LED					HEAD
7.2	(772)	2196	RGB LED					CHEST & PELVIS
7.3	(773)	2199	RGB LED					UPPER LEFT ARM
7.4	(774)	2202	RGB LED					LOWER LEFT ARM
7.5	(775)	2205	RGB LED					UPPER RIGHT ARM
7.6	(776)	2208	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
7.7	(777)	2211	RGB LED					LEFT LEG
7.8	(778)	2214	RGB LED					RIGHT LEG

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

VEST 08

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
8.1	(781)	2217	RGB LED					HEAD
8.2	(782)	2220	RGB LED					CHEST & PELVIS
8.3	(783)	2223	RGB LED					UPPER LEFT ARM
8.4	(784)	2226	RGB LED					LOWER LEFT ARM
8.5	(785)	2229	RGB LED					UPPER RIGHT ARM
8.6	(786)	2232	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
8.7	(787)	2235	RGB LED					LEFT LEG
8.8	(788)	2238	RGB LED					RIGHT LEG

VEST 09

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
9.1	(791)	2241	RGB LED					HEAD
9.2	(792)	196	RGB LED					CHEST & PELVIS
9.3	(793)	2247	RGB LED					UPPER LEFT ARM
9.4	(794)	2250	RGB LED					LOWER LEFT ARM
9.5	(795)	2253	RGB LED					UPPER RIGHT ARM
9.6	(796)	2256	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
9.7	(797)	2259	RGB LED					LEFT LEG
9.8	(798)	2262	RGB LED					RIGHT LEG

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

VEST 10

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
10.1	(801)	2265	RGB LED					HEAD
10.2	(802)	2268	RGB LED					CHEST & PELVIS
10.3	(803)	2271	RGB LED					UPPER LEFT ARM
10.4	(804)	2274	RGB LED					LOWER LEFT ARM
10.5	(805)	2277	RGB LED					UPPER RIGHT ARM
10.6	(806)	2280	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
10.7	(807)	2283	RGB LED					LEFT LEG
10.8	(808)	2286	RGB LED					RIGHT LEG

VEST 11

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
11.1	(811)	2289	RGB LED					HEAD
11.2	(812)	2292	RGB LED					CHEST & PELVIS
11.3	(813)	2295	RGB LED					UPPER LEFT ARM
11.4	(814)	2298	RGB LED					LOWER LEFT ARM
11.5	(815)	2301	RGB LED					UPPER RIGHT ARM
11.6	(816)	2304	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
11.7	(817)	2307	RGB LED					LEFT LEG
11.8	(818)	2310	RGB LED					RIGHT LEG

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

VEST 12

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
12.1	(821)	2313	RGB LED					HEAD
12.2	(822)	2316	RGB LED					CHEST & PELVIS
12.3	(823)	2319	RGB LED					UPPER LEFT ARM
12.4	(824)	2322	RGB LED					LOWER LEFT ARM
12.5	(825)	2325	RGB LED					UPPER RIGHT ARM
12.6	(826)	2328	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
12.7	(827)	2331	RGB LED					LEFT LEG
12.8	(828)	2334	RGB LED					RIGHT LEG

VEST 13

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
13.1	(831)	2337	RGB LED					HEAD
13.2	(832)	2340	RGB LED					CHEST & PELVIS
13.3	(833)	2343	RGB LED					UPPER LEFT ARM
13.4	(834)	2346	RGB LED					LOWER LEFT ARM
13.5	(835)	2349	RGB LED					UPPER RIGHT ARM
13.6	(836)	2352	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
13.7	(837)	2355	RGB LED					LEFT LEG
13.8	(838)	2358	RGB LED					RIGHT LEG

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

VEST 14

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
14.1	(841)	2361	RGB LED					HEAD
14.2	(842)	2364	RGB LED					CHEST & PELVIS
14.3	(843)	2367	RGB LED					UPPER LEFT ARM
14.4	(844)	2370	RGB LED					LOWER LEFT ARM
14.5	(845)	2373	RGB LED					UPPER RIGHT ARM
14.6	(846)	2376	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
14.7	(847)	2379	RGB LED					LEFT LEG
14.8	(848)	2382	RGB LED					RIGHT LEG

BACKPACK 1 (2000 ROBOT)

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1.1	(851)	2385	RGB LED					HEAD

BACKPACK 2 (2000 ROBOT)

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
2.1	(861)	2409	RGB LED					HEAD

3000 ROBOT

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1.1	(871)	2433	RGB LED					HEAD
1.2	(872)	2436	RGB LED					CHEST & PELVIS
1.3	(873)	2439	RGB LED					UPPER LEFT ARM
1.4	(874)	2442	RGB LED					LOWER LEFT ARM
1.5	(875)	2445	RGB LED					UPPER RIGHT ARM
1.6	(876)	2448	RGB LED					LOWER RIGHT ARM & ROBOT MOUTH
1.7	(877)	2451	RGB LED					LEFT LEG
1.8	(878)	2454	RGB LED					RIGHT LEG

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

HEAD BOT

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(700)		RB LED					Head Bot

MRI/CAT SCAN

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(691)	2539	RGB LED					MRI OUTSIDE LED
2	(692)	2542	RGB LED					MRI INSIDE LED

ROOMBA

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(680)	2528	RGB LED					ROOMBA's 'Voice'

HOOKAH

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(679)	2525	RGB LED					HOOKAH & PIPES

PRODUCE COUNTER

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(685)	2533	RGB LED					PRODUCE LED HIGHLIGHT

KITCHEN COUNTER

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(686)	2536	RGB LED					KITCHEN FRONT SCRAPE

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

Trap

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1.1	(905)	1	Aquafogger fan	100w				Fog
1.2	(905)	3	Aquafogger Heater	2kW				Fog
1.3	(905)	4	Aquafogger Heater	2kW				Fog

Mid Rail

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1.1	(909)	1022	Hazer Power					Haze
1.2	(910)	1023	Hazer Control					Haze

SR Prosc

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(902)	52	Fiber Optic Emitter	150w				Power

SL Prosc

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
2	(902)	66	Fiber Optic Emitter	150w				Power

Proscenium

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1.1	(904)	204	RGB LED	25w				Power

SL Steel Grid

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
2	(901)	357	Scroller Power	250w				Power

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

Load Floor

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
3	(901)	348	Scroller Power	250w				Power

T-Grid

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1	(600)	472	R40 Flood	100w				Houselights
2	(600)	473	R40 Flood	100w				Houselights
3	(600)	474	R40 Flood	100w				Houselights
4	(600)	475	R40 Flood	100w				Houselights
5	(600)	476	R40 Flood	100w				Houselights
6	(600)	477	R40 Flood	100w				Houselights
7	(600)	478	R40 Flood	100w				Houselights
8	(600)	479	R40 Flood	100w				Houselights
9	(600)	480	R40 Flood	100w				Houselights
10	(600)	481	R40 Flood	100w				Houselights

Over Stage

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
1.1	(599)	497	Work Lights	100w				Worklight
1.2	(599)	494	Work Lights	100w				Worklight
1.3	(599)	495	Work Lights	100w				Worklight
1.4	(599)	496	Work Lights	100w				Worklight

SL LEG 1

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
3	(902)	353	Fiber Optic Emitter	150w				Power

Instrument Schedule

YOSHIMI 11.16.12 CD (Ver 6).lw6

SR LEG 1

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
5	(902)	333	Fiber Optic Emitter	150w				Power

SL LEG 2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
4	(902)	354	Fiber Optic Emitter	150w				Power

SR LEG 2

Unit#	Channel	Dimmer	Inst Type	Watt	Acc	Color	Gobo	Purpose
6	(902)	334	Fiber Optic Emitter	150w				Power

Instrument Schedule

1/1/19

YOSHIMI 11.16.12 CD (Ver 6).lw6

SCROLLS

1. L-130, L-201, L-161, R-68, R-80, R-73, R-52, R-58, R-03, R-34, R-41, R-44, R-09, R-14, L-147, R-25