

Christian DeAngelis
Lighting Designer

2005 East Franklin St. #404
Richmond, VA. 23223
Voice -- (917) 225-8580

“New Morality”

SHOP ORDER 07/16/15 Rev 5

Producer: Mint Theatre
Jonathan Bank
e-mail: jbank@minttheater.org

Lighting Designer: Christian DeAngelis
2005 East Franklin St. #404
Richmond, VA. 23223
Phone (917) 225-8580
E-mail: cdeangelisd77@gmail.com

Theatre: The Mint Theatre
311 West 43rd Street
3rd Floor
New York, NY. 10036



“New Morality”

Date: July 10th, 2015
Load In: August 3rd, 2015
Focus: August 17th, 2015
Opening: September 21st, 2015
Closing: October 18th, 2015. Possible Extension October 25th, 2015
Venue: The Mint Theatre

General Responsibility:

- The implementation of this lighting design must comply with the most stringent applicable federal and local safety and fire codes. All light plots, drawings, and this equipment list represent design intent and visual concepts only. The lighting designer is unqualified to determine structural appropriateness of this design and will not assume responsibility for improper engineering, construction, handling, or use of the lighting equipment that implements this design.
- Absolutely no substitutions or alterations in materials or methods will be acceptable, unless specifically approved by the designer and production electrician.
- Any revisions or substitutions must be disclosed at the time of the bid.
- Entire package is to be made ready by supplier and is to include all connectors, cables, controls, frames, etc. so as to comprise a complete working system.
- All units, gel frames, mounting hardware, and safety chains should be painted flat black, front and back.

Moving Lights:

Changes

- 2 Rosco I-Cue Mirrors
- 2 City Theatrical DMX Iris

NOTES:

- All Automated Fixtures to be controlled by the Express 24/48
- Supply all necessary Control Cables, Distribution & Interface to comprise a full working system.

Accessories

Changes

- 8 DHA Double gobo rotator **or** Rev Pro-Whichever is quieter

NOTES:

- All Automated Fixtures to be controlled by the Express 24/48
- Supply all necessary Control Cables, Distribution & Interface to comprise a full working system.

Lighting Fixtures:

Changes

- 2 36° Source Four @ 575 watts, 120v, w/ clamps and frames
- 4 50° Source Four @ 575 watts, 120v, w/ clamps and frames
- 6 26° Source Four @ 575 watts, 120v, w/ clamps and frames

Strip Lights:

Changes

- 5 L&E 6'-3" MR16 Striplight, 3-CIR EYC @ 75W w/ trunions, frames
- 1 L&E 4'-3" MR16 Striplight, 2-CIR EYC @ 75W w/ trunions, frames

Iron:

- 22 12" Sidearms with Tees
- 10 18" Sidearms with Tees

Dimmers:

- 1 Hi-Density Racks of 24 x 1.2kw Dimmers