

SAFETY DATA SHEET

1. Identification

Product identifier

Oatey Pipe Joint Lubricant

Other means of identification

Product code

Synonyms

Part Numbers: 30599, 30600, 30601, 30602

Recommended use

Lubricant

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name

Oatey Inc.

Address

4700 West 160th Street

Cleveland, OH 44135

Telephone

216-267-7100

E-mail

info@oatey.com

Transport Emergency

Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)

Emergency First Aid

1-877-740-5015

Contact person

MSDS Coordinator

2. Hazard(s) identification

Physical hazards

Not Classified.

Health hazards

Skin Irritant

Cat 3

Eve Irritation

Cat 2B

OSHA defined hazards

This chemical is considered non-hazardous according to the OSHA Hazard Communication

Standard 2012 (29 CFR 1910.1200)

Label elements

Hazard symbol

None.

Signal word

Warning

Hazard statement

Causes mild skin irritation. Causes eye irritation.

Precautionary statement

Prevention

Wash skin thoroughly after handling.

Response

If skin irritation occurs; Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Storage

Not applicable.

Disposal

Not applicable.

Hazard(s) not otherwise

classified (HNOC)

Chemical name

None.

3. Composition/information on ingredients

The product contains no substances which at their given concentration, are considered to be hazardous to health.

CAS number

%

Mixed sodium and potassium salts of tall oil (soap)

68606-06-4

15 - 25

4. First-aid measures

Inhalation

SDS#

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

Skin contact

Wash off immediately with soap and water. If skin irritation persists, call a physician.

Oatey Pipe Joint Lubricant Revision date:

Version #: 01

Issue date: 12-May-2015

SDS US

Page 1 of 6

Eye contact

Ingestion

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get medical attention if irritation occurs.

Do NOT induce vomiting. Drink plenty of water. Rinse mouth. Never give anything by mouth to

an unconscious person. Call a physician or poison control center immediately

Most important Direct contact with eyes may cause temporary irritation. Prolonged or repeated skin contact may cause irritation.

symptoms/effects, acute and

delaved Indication of immediate medical attention and special treatment

needed.

Immediate medical attention is not required.

General information

Note to physician, treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for

small fires only.

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Do not use water in a jet. No information available.

Special protective equipment

and precautions for firefighters Fire fighting

equipment/instructions

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

None

Specific methods General fire hazards

None

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Avoid contact with the skin and the eyes. Evacuate personnel to safe areas. Use personal protective equipment. Keep people away from and upwind of spill/leak.

Methods and materials for containment and cleaning up Dike to collect large liquid spills. Prevent leakage or spillage if safe to do so. Dam up. Soak up with inert absorbent material Place the bulk of any spilled material into properly labeled containers. Rinse any remaining material to sewage treatment facility. Clean up in accordance with all applicable regulations.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional **Ecological information**

7. Handling and storage

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Ensure adequate ventilation. Use only in area provided with appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not take internally.

Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep out of the reach of children.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Type Value Components

Biological limit values

Data Not available.

Appropriate engineering controls

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure

SDS US Oatey Pipe Joint Lubricant Page 2 of 6 SDS# Version #: 01 Revision date: Issue date: 12-May-2015

limits, use process enclosures, local exhaust ventilation or other engineering controls to keep

worker exposure below any recommended or statutory limits.

Individual protection measures, such as personal protective equipment

Eyelface protection Safety eyewear complying with an approved standard should be used when a risk assessment

indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Other

Hand Chemical-resistant, impervious gloves complying with an approved standard should be worn at

all times when handling chemical products if a risk assessment indicates this is necessary. Appropriate footwear and any additional skin protection measures should be selected based on

the task being performed and the risks involved and should be approved by a specialist before

handling this product.

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

Thermal hazards None.

General hygiene considerations

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

9. Physical and chemical properties

Appearance

Physical state Liquid
Form Paste
Color Off-White
Odor Slight
Odor threshold Not available.

pH 9 (5% Solution)

Melting point/freezing point No data available.

Initial boiling point and boiling Not determined

range

Flash point > 220 °F (> 104°C)

Upper/lower flammability or explosive limits
Flammability limit – lower (%) Not available
Flammability limit – upper (%) Not available
Explosive limit - lower (%) Not available
Explosive limit - upper (%) Not available
Vapor pressure Not applicable
Vapor density Not applicable

Relative density 1.3

Solubility(ies)

Solubility (water)

Completely soluble.

Partition coefficient

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity, kinematic

Not determined.

Not available

Not determined/

Other information

VOC (Weight %) < 1% by weight, < 12 g/L

10. Stability and reactivity

Reactivity Not reactive under normal conditions

Chemical stability The product is stable.

Possibility of hazardous reaction

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials Strong Oxidizing Agents.

Hazardous decomposition

nazardous decomposition

Carbon oxides.

products

Oatey Pipe Joint Lubricant
SDS US
SDS # Version #: 01 Revision date: Issue date: 12-May-2015
Page 3 of 6

11. Toxicological information

Information on likely routes of exposure

Inhalation Not a likely route

Skin contact May cause mild skin irritation.

Eye contact Causes Eye irritation

Ingestion No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Prolonged or repeated

contact may dry skin and cause irritation

Information on likely routes of exposure

Acute Toxicity

Components Species Results

Skin corrosion/irritation

Prolonged exposure may cause skin irritation.

Serious eye damage/eye

Expected to be slightly irritating.

irritation

Respiratory or skin sensitization

Respiratory sensitization Inhalation of vapors or mists may cause irritation to the respiratory system.

Skin sensitization

This product is not expected to cause skin irritation.

Germ cell mutagenicity

Not considered a mutagenic hazard

Carcinogenicity

No component of this product is identified as a probable, possible, or confirmed carcinogen by

IARC, NTP, Monographs, or OSHA.

Reproductive toxicity

No known significant effects or critical hazards.

Specific target organ toxicity

Single exposure
Repeated exposure
Aspiration Hazard
Not expected to be a hazard.
Not expected to be a hazard.
Not expected to be a hazard

Chronic effects Not Classified.

Further information None Provided.

12. Ecological information

Ecotoxicity

Product/ingredient name Results Species Exposure

Persistence and degradability Not Available.

Bio accumulative potential Not Available.

Mobility in soil Not determined.

Other adverse effects No known significant effects of critical hazards.

13. Disposal considerations

Disposal instructions The generation of waste should be avoided or minimized wherever possible. Disposal of this

product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers.

Local disposal regulations Not Applicable

Hazardous waste code Not Applicable

14. Transportation information

Oatey Pipe Joint Lubricant SDS US SDS # Version #: 01 Revision date: Issue date: 12-May-2015 Page 4 of 6

DOT Not Regulated

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

IATA

Not Regulated

Not Regulated

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

IMDG

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

Environmental hazards Marine polluntant

15. Regulatory information

TSCA 12(b) - Chemical export notification: None required. U.S. Federal regulations

TSCA 5(a)2 - Final significant new use rules: Not listed TSCA 5(a)2 - Proposed significant new use rules: Not listed

TSCA 5(e) - Substances consent order: Not listed

US Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes Chronic Health Hazard No Fire Hazard No Sudden Release of Pressure Hazard No Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42): None known

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302): None Known

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth California Prop 65

defects, or other reproductive harm.

International regulations

On inventory list (yes/no)* Country(s) or region **Inventory Name**

Yes DSL/NDSL Canada Yes Toxic Substances Control Act (TSCA 8b) United States & Puerto Rico

SDS US Oatey Pipe Joint Lubricant Issue date: 12-May-2015 Page 5 of 6 Version #: 01 Revision date:

16. Other information, including date of preparation or last revision

Issue Date

12-May-2015

Revision Date

01

Version#

Health: 1

HMIS Rating

Flammability: 0

Physical Hazards: 0

Disclaimer

Oatey Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Oatey Pipe Joint Lubricant SDS # Version #: 01 Revision date:

SDS US Page 6 of 6

Issue date: 12-May-2015