Date Tuesday, July 25, 2023

Project or Site Name Turners Crossing Booster Pump

Project or Site Address Entrance: 6511 Velvet Leaf Ln

Buda, TX, 78610

County the Project is In Travis

GPS Coordinates if no Address 30°06'15.4"N 97°46'48.4"W

Your Name George Bunker

Your Email gbunker@integratedwaterservices.com

Emergency Phone number 9706324917

Sheriff/Police Dispatch phone

Number

Enter dispatch number and [save] to add additional departments

(512) 854-9770

Nearest Hospital Name, Number, and Address

Hospital Name	Phone	Address
Concentra Urgent Care	(512) 440-0555	10001 S I-35 Frontage Rd Suite 300, Austin, TX 78747
St. David's South Austin Medical Center	(512) 447-2211	901 W Ben White Blvd, Austin, TX 78704

Nearest Fire Department Name & Number

FD Name	Phone
Travis County ESD 11 Fire Station 1102	(512) 243-3211

Site Manager(s)

Name	Phone
Roland Vargas	210-788-2842

Safety Manager(s)

Name	Phone
George Bunker	9706324917

EMERGENCY ACTION PLAN

Scope

This Plan covers the designated actions the Company and employees must take to ensure employee safety from fire and other emergencies.

Evacuation

Muster Points

In case of an emergency on this site, all workers must exit away from the emergency and toward the Primary or Secondary muster point.

Primary Muster Point: Job Trailer

Secondary Muster Point: Entrance to Facility

Evacuation and Exit Pathway Drawing(s)

For sites that require visual instruction regarding exit routes and emergency muster points, a site emergency evacuation plan drawing shall be developed and attached here:

Drawing Board

Emergency Procedures

Employees and workers who remain in the emergency area to operate critical site functions and/or manage the emergency shall follow the following procedures. If the procedures loose their effectiveness, new procedures shall be developed by using the form [edit] function:

1. Identify the tasks associated with response personnel actions

Note Task and [save] to add additional task

Emergency responders could possibly be involved with conficed space rescue

Emergency responders may be required to extinguish a fire

Emergency responders might need to respond to a medical emergency

2. Identify the hazards associated with with the above response personnel tasks

Note Hazard and [save] to add additional hazards

Check in with the site Superintendent or the Safety Steward before entering any confined spaces.

See SDS inventory prior to fighting any liquid fires.

Onsite worker will relay any known information about the nature of medical emergencies

3. Identify the Personal Protective Equipment (PPE)required for response personnel

Note Hazard and [save] to add additional PPE

Confined space requires atmosphere monitoring, SCBA, Intrinsically safe lighting, communications, rescue standby, communication with attendant.

4. Identify means of communication that shall be used by emergency workers

Note Communication method(s) and [save] to add additional methods

To be determined by responders. In most cases there will be handheld radio communications.

5. What are the emergency rescue plans in case emergency workers need to be rescued?

Note element of the Rescue Plan and [save] to add additional elements

To be determined by emergency workers. 911 must be called in the event of any serious emergency.

STOP WORK

- 1. It is the obligation of every employee, contractor, and visitor to **STOP** observed or assumed unsafe acts, conditions, or behaviors when they are observed or discovered. If you see a risky situation, you own that situation until you stop the cycle of risk.
- 2. In addition, it is the obligation of every employee, contractor, and visitor to **STOP** and exit the immediate emergency when something does not go as planned, and reassess and replan before reentering the emergency.

Alarm System

The designated employee Alarm for this site is:

Air Horn, Cellular Device, Gas Detector Alarm, Hand Signals

Site management shall implement an employee alarm system or tool that provides adequate warning for necessary emergency action for reaction time for safe escape of employees from the workplace or the immediate work area, or both.

The employee alarm shall be capable of being perceived above ambient noise or light levels by all employees in the affected portions of the workplace. Tactile devices may be used to alert those employees who would not otherwise be able to recognize the audible or visual alarm.

The employee alarm shall be distinctive and recognizable as a signal to evacuate the work area.