



CATALOGUE EQUIPMENTS

CONFERENCE

Interpreter - Booth Interpreter - Delegate
Mic - HT - Intercom - Pointer - Etc.



CONFERENCE MEETING



Booth Interpreter



- Soundproof Interpretation
- Ventilation system consists of 2 noiseless ventilation fans
- LCD Monitor
- Working table surface
- Light and complete electronics



CONFERENCE MEETING



SIS Digital Receiver



- FM Transmitter
- FM Receiver
- Interpreter Control Console
- Stereo Headset for Interpreter
- Stereo Headphone for Participant



CONFERENCE MEETING



Delegate Microphone

BOSCH CCS 900S



- Dimension : 71 x 220 x 140 mm
(2.8 x 8.7 x 5.5 in)
- 313 mm (12.3 in)
- Possible-To-Speak indicator
(white LED)



CONFERENCE MEETING



Power Supply

**BOSCH CCS 800S
Ultra**



- Kapasitas kontrol mencapai 150 delegate unit.
- Dapat dihubungkan dengan Equalizer, Sound System, Tape Recorder dan Interpreter System.
- Pilihan untuk mengatur jumlah maksimal pembicaraan secara bersamaan.



CONFERENCE MEETING



Handy Talkie HT ICOM V80



- 5.5W RF output power
- Frequency coverage :
Tx 144 – 148MHz Rx 136 –
174MHz
- Sensitivity : (at 12dB SINAD)
0.14V type



CONFERENCE MEETING



Intercomm

Eartec UL5S
ULSM Ultra Lite 1



- Power Consumption : 110 to 140 VAC, 50 / 60 Hz
- Eliminates Wires and Belt-Worn Radios
- Provides Hands-Free Communication
- 5-Hour Runtime



CONFERENCE MEETING



Intercomm Earcom Headset CC-15



- Impedance: 40 Ohms +15% (1kHz)
- Max Power: 100mW (2.0V RMS)
- Frequency Range: 20Hz – 20kHz (–15dB/1kHz)
- Input: 1mW (0.2V RMS)



CONFERENCE MEETING



Pointer

**Perfect Cue
D'san**



- Light / Sound Signaling System
- Belt Pack Integration Support
- Dual Programmable USB Ports
- 4-pin Input/Output XLR Jacks
- Volume Control





CONTACT US



**Serpong Green Park
– BSD City**

**Blok E1, Serua, Ciputat,
Tangerang Selatan.**



info@arkmedia.id



- **Office**
- **Milan**
- **Ranti**

**021-2279 4072
0811-9707-797
0811-1184-4970**



arkmediakomunika