

ark media
Multimedia & Production

CATALOGUE EQUIPMENTS

SOUNDSYSTEM

Sound System Package - Wall Mounting
- Microphone - Etc.



SOUND SYSTEM

SPEAKER MONITOR



HK Polar 112 Xi



- Max. SPL Peak @ 10 % THD : 127 dB half space
- Frequency response -10 dB : 54 Hz – 20 kHz
- Amplifier output (Peak Power) : 1200 W
- Audio inputs : 2x XLR/jack combo balanced, 1 x Aux In 3.5 mm mini jack
- Dimensions (WxHxD) : 36.5 x 62.9 x 35.5 cm | 12"



SOUND SYSTEM

SPEAKER MONITOR



JBL Control 25-1-WH



- Frequency Range (-10 dB) : 60 Hz to 20 kHz
- Frequency response (+/-3 dB) : 85Hz - 17 kHz
- Power Rating : 200 W
- Voltase inputs : 25.3 V RMS (2 jam), 50.6 V peak
- Dimensions : 243 x 188 x 145 mm | 5"



SOUND SYSTEM

MIXER AUDIO



MIDAS M32

Live Mixing Console



- Input : 32 Input Channels, 8 Aux Channels, 8 FX Return Channels
- Output : 16 Output Channels
- Frequency Response @ 48 kHz Sample Rate : 0 dB to -1 dB (20 Hz-20 kHz)
- Main Screen : 7" TFT LCD, 800 x 480 Resolution, 262k Colours



SOUND SYSTEM

MIXER AUDIO



YAMAHA MG12XU Mixing Console



- Input : 12 Input Channer
- Output : 4 Output Channels
- Frequency Response : +0.5 dB/-1.5 dB (20 Hz to 48 kHz) , refer to the nominal output level @ 1 kHz, GAIN knob: Min



SOUND SYSTEM

MIXER AUDIO



Behringer **XENYX Q1204** **Analog Mixer**



- Input : Mic Preamps:4 x XLR, Line:8 x TRS, 2 x RCA
- Output : Main:2 x XLR, 2 x TRS, Other:2 x RCA
- Ultra-high quality Klark Teknik FX processor



SOUND SYSTEM AMPLIFIER



Midas DL 16 Amplifier



- Channel : 16 Channel In, 8 Channel Out
- Inputs – Preamp: 16 x XLR
- Data I/O: 2 x EtherCON (AES50), 1 x EtherCON (Ultranet)
- Konektivitas Comp: USB, Ethernet



SOUND SYSTEM AMPLIFIER



VPK PAS-80U Amplifier



- 80watt
- 100v
- 4-16 ohm
- input usb/aux/mic/fm/bluetooth



SOUND SYSTEM

ACCESSORIES



Handled Microphone

**QA Electronic
HMD46PRO**



- Frequency Range (-10 dB) : 60 Hz to 20 kHz
- Frequency response (+/-3 dB) : 85Hz - 17 kHz
- Power Rating : 200 W
- Voltase inputs : 25.3 V RMS (2 jam), 50.6 V peak



SOUND SYSTEM

ACCESSORIES



Headset Microphone

Shure DH5T




- 5 mm omnidirectional subminiature design
- IP57 dust-resistant, waterproof rated
- Advanced 1.6 mm Shure Plex cable
- 3-4 dB boost near 10 kHz



SOUND SYSTEM

ACCESSORIES



Gooseneck Microphone



SOUND SYSTEM PACKAGE



Sound System Package 1000 Watt



- Sound active monitor 12" : 2 unit
- DL Series Midas Stage Box 16 Channel
- QA Electronic Mic Wireless
- Mixer USB Behringer Xenyx Q1204



SOUND SYSTEM PACKAGE



Sound System Package 3000 Watt



- Sound active monitor 12" : 4 unit
- DL Series Midas Stage Box 16 Channel
- QA Electronic Mic Wireless
- Mixer USB Behringer Xenyx Q1204



SOUND SYSTEM PACKAGE



Sound System

**Package 5000
Watt**



- D.A.S Subwoofer
- D.A.S Fullrange
- D.A.S Mackey / Delay Speaker
- Shure Mic Wireless
- Mic Gooseneck
- Midas Mixer Digital



SOUND SYSTEM PACKAGE



Sound System

**Package 10.000
Watt**



- D.A.S Subwoofer
- D.A.S Fullrange
- D.A.S Mackey / Delay Speaker
- Shure Mic Wireless
- Mic Gooseneck
- Midas Mixer Digital





CONTACT US



**Serpong Green Park
– BSD City**

**Blok E1, Serua, Ciputat,
Tangerang Selatan.**



info@arkmedia.id



- **Office**
- **Milan**
- **Ranti**

**021-2279 4072
0811-9707-797
0811-1184-4970**



arkmediakomunika