



WASTEWATER SYSTEM CONSTRUCTION PERMIT
 COUNTY OF NEVADA - COMMUNITY DEVELOPMENT AGENCY
 950 MAIDU AVENUE | SUITE 170 | NEVADA CITY, CA
 (530) 265-1222 | FAX (530) 470-2939 | https://www.nevadacountyca.gov/EH

Permit # EH26-0131 **APN:** 023010001 **Job Address:** 13668 AUBURN ROAD, Grass Valley, CA 95949

Owner: County Of Nevada	Mailing Address: 10014 North Bloomfield Rd, Nevada City, CA 95959	Phone Number:
Applicant: Eric Zibbel	Mailing Address: 950 Maidu Ave, Nevada City, CA 95959	Phone Number: 530 913-5590
Contractor/Installer : Marc Lindbloom	License Number: 717036	Phone Number: 530-273-2964
Designer: Navo & Sons	Existing Building(s): Yes Desc: Property Acreage: 2.00 Water Source: Well	# Bedrooms: 5 <i>5 Occupant Rooming House</i>

SEWAGE DISPOSAL

Purpose of Application: New OWTS Category: Non-Standard with M&M	System Type: Advantex Desc: New Pressure Dose w/UV System for Rooming House; 5 Occupants
Septic Tank Size: 1500 G - New Pump Tank Size: 1500 G - New Septic/Pump Tank Combo: No	Disposal Field Specifications: Length: 395 ft Width: 36 in Depth: 42 in Sq. Ft.:

Special Design System Specifications / Remarks: System to be installed per approved septic design and site plan, in accordance with county code. Must be installed by a licensed Contractor: Class A, B-1 (if meets requirements per the CSLB), C-42, C-36 in CA. With Orenco Advantex certification.

Installation shall not occur during periods of rain and/or snow when ground has become saturated enough to cause trench sidewall or bottom area degradation of soil structure and porosity (which appears as smearing and compaction). T-052(13)E Existing tank and leach lines to be abandoned per county code. Provide Septic Pumpers Receipt. Do not backfill tank prior to inspection.

Septic Tanks shall be level and bedded in 6" sand or 3/4" minus aggregate. Septic Tank shall have watertight inlets, outlets, and risers, sanitary inlet tee and effluent filter in outlet tee.

Install sewer warning tape along pressure line from pump tank to leach field. Sleeve tight line if crossing under any driveway.

Install all leach lines level on contour with observation ports at each end.

Maintain 15' setback for 30" deep Curtain Drain. Curtain Drain to daylight 50' down slope of leach field and repair area.

Inspection of curtain drain prior to any rock and pipe installation by Designer.

The pump and alarm shall be on separate circuits. It is the property owner's responsibility to ensure that all required electrical inspections and permits are obtained prior to septic permit final.

REQUIRED INSPECTIONS:

Pre-Construction inspection by Designer with leach lines, curtain drain, and well setback staked out.

Inspection by Designer of watertight tanks and open trench leach lines before addition of rock or pipe. Leave sides of tank exposed.

Call County EH and Designer for inspection of leach lines with pipe and gravel installed and pump and alarm functions with squirt test.

REQUIRED ITEMS FOR PERMIT FINAL APPROVAL

- Accurate 'as-built' drawing. Date Received: _____
 - Consultant's Certification of Installation. Date Received: _____
 - Septic pumper's inspection report / receipt. Date Received: _____
 - Building Septic Electrical Sign Off. Date Received: _____
 - Advantex Certification. Date Received: _____
 - Contingency Plans. Date Received: _____
 - Monitoring and Maintenance
 - 'Right of Entry' Document must be recorded, and a copy provided to this Department for approval. Date Received: _____
 - Annual Operating Permit (Certificate of Operation) application & fee. Date Received: _____
 - CSSP Contract. Date Received: _____
 - CSSP Start Up. Date Received: _____
- Building Permit #260934

CALL ENVIRONMENTAL HEALTH DEPARTMENT FOR INSPECTION PRIOR TO ANY BACKFILL (530) 265-1599
 Minimum of 48 Hours Advance Notice Required



WASTEWATER SYSTEM CONSTRUCTION PERMIT
COUNTY OF NEVADA - COMMUNITY DEVELOPMENT AGENCY
950 MAIDU AVENUE | SUITE 170 | NEVADA CITY, CA
(530) 265-1222 | FAX (530) 470-2939 | <https://www.nevadacountyca.gov/EH>

BY MY SIGNATURE, I AFFIRM THAT I UNDERSTAND THE SYSTEM MUST CONFORM TO THE CURRENT NEVADA COUNTY LAND USE AND DEVELOPMENT CODE, CHAPTER VI (SEWAGE DISPOSAL ORDINANCE AND REGULATIONS), AND THAT I AM RESPONSIBLE FOR COMPLIANCE WITH THE CODE, THIS PERMIT AND PERMIT CONDITIONS. I HEREBY CERTIFY THAT THE PROPERTY OWNER HAS AUTHORIZED THIS APPLICATION FOR A CONSTRUCTION PERMIT

Applicant's Signature: Eric Zibbel _____ **Date:** _____

A COPY OF THIS PERMIT AND APPROVED SITE PLAN MUST BE ON THE JOB SITE DURING SYSTEM CONSTRUCTION. THIS PERMIT EXPIRES 1 YEARS AFTER ISSUE DATE. PERMIT MAY BE RENEWED ONE TIME FOR ONE ADDITIONAL YEAR IF RENEWAL APPLICATION IS MADE PRIOR TO DATE PERMIT EXPIRES.

Issued By: *Eric Zibbel* 05/26/2026 **Final Approval By:** _____

Nothing in this permit shall be construed to set aside applicable building, electrical, or other codes. If applicable, an electrical permit and inspection by the local Building Authority shall be obtained. You are advised to contact the Building Authority if you have any questions prior to the start of work.