



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-002392/D003.R000
Report Date: 03/07/2023
ORELAP#: OR100028
Purchase Order:
Received: 02/28/23 09:34

Customer: Lifted Made
Product identity: Urb: D9 Gummies- 020123Dp// 020123SB// 020123PM// 020123LPPW
Client/Metric ID: .
Laboratory ID: 23-002392-0001

Summary

Potency:

Analyte per 3.75g	Result	Limits	Units	Status	
Δ8-THC per 3.75g	0.829		mg/3.75g		THC-Total per Serving Size 9.83 mg/3.75g
Δ9-THC per 3.75g	9.83		mg/3.75g		
					CBD-Total per Serving Size <LOQ
					(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-002392/D003.R000
Report Date: 03/07/2023
ORELAP#: OR100028
Purchase Order:
Received: 02/28/23 09:34

Customer: Lifted Made

Product identity: Urb: D9 Gummies- 020123Dp// 020123SB// 020123PM// 020123LPPW

Client/Metric ID: .

Sample Date:

Laboratory ID: 23-002392-0001

Evidence of Cooling: No

Temp: 18.1

Relinquished by: fedex

Serving Size #1: 3.75 g

Sample Results

Potency per 3.75g		Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se	Batch: 2301892	Analyze: 3/1/23 11:29:00 PM
Analyte	Result	Limits	Units	LOQ	Notes	
CBC per 3.75g	< LOQ		mg/3.75g	0.118		
CBC-A per 3.75g	< LOQ		mg/3.75g	0.118		
CBC-Total per 3.75g	< LOQ		mg/3.75g	0.221		
CBD per 3.75g	< LOQ		mg/3.75g	0.118		
CBD-A per 3.75g	< LOQ		mg/3.75g	0.118		
CBD-Total per 3.75g	< LOQ		mg/3.75g	0.221		
CBDV per 3.75g	< LOQ		mg/3.75g	0.118		
CBDV-A per 3.75g	< LOQ		mg/3.75g	0.118		
CBDV-Total per 3.75g	< LOQ		mg/3.75g	0.220		
CBE per 3.75g	< LOQ		mg/3.75g	0.118		
CBG per 3.75g	< LOQ		mg/3.75g	0.118		
CBG-A per 3.75g	< LOQ		mg/3.75g	0.118		
CBG-Total per 3.75g	< LOQ		mg/3.75g	0.220		
CBL per 3.75g	< LOQ		mg/3.75g	0.118		
CBL-A per 3.75g	< LOQ		mg/3.75g	0.118		
CBL-Total per 3.75g	< LOQ		mg/3.75g	0.221		
CBN per 3.75g	< LOQ		mg/3.75g	0.118		
CBT per 3.75g	< LOQ		mg/3.75g	0.118		
Δ8-THCV per 3.75g	< LOQ		mg/3.75g	0.118		
Δ10-THC-9R per 3.75g	< LOQ		mg/3.75g	0.118		
Δ10-THC-9S per 3.75g	< LOQ		mg/3.75g	0.118		
Δ10-THC-Total per 3.75g	< LOQ		mg/3.75g	0.235		
Δ8-THC per 3.75g	0.829		mg/3.75g	0.118		
Δ9-THC per 3.75g	9.83		mg/3.75g	0.118		
exo-THC per 3.75g	< LOQ		mg/3.75g	0.118		
THC-A per 3.75g	< LOQ		mg/3.75g	0.118		
THC-Total per 3.75g	9.83		mg/3.75g	0.221		
THCV per 3.75g	< LOQ		mg/3.75g	0.118		
THCV-A per 3.75g	< LOQ		mg/3.75g	0.118		
THCV-Total per 3.75g	< LOQ		mg/3.75g	0.221		
Total Cannabinoids per 3.75g	10.7		mg/3.75g			



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-002392/D003.R000
Report Date: 03/07/2023
ORELAP#: OR100028
Purchase Order:
Received: 02/28/23 09:34

Solvents											Method: Residual Solvents by GC/MS ^b					Units $\mu\text{g/g}$	Batch 2302027	Analyze 03/07/23 11:11 AM				
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes											
1,2-Dichloroethane	< LOQ	1.00	1.00	pass		2-Propanol (IPA)	< LOQ	5000	200	pass												
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass												
Benzene	< LOQ	1.00	1.00	pass		Chloroform	< LOQ	1.00	1.00	pass												
Ethyl acetate	< LOQ	5000	200	pass		Ethyl ether	< LOQ	5000	200	pass												
Ethylene oxide	< LOQ	1.00	1.00	pass		m,p-Xylene	< LOQ		200													
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	1.00	1.00	pass												
n-Butane	< LOQ	5000	200	pass		n-Heptane	< LOQ	5000	200	pass												
n-Hexane	< LOQ	290	30.0	pass		n-Pentane	< LOQ	5000	200	pass												
o-Xylene	< LOQ		200			Propane	< LOQ	5000	200	pass												
Toluene	< LOQ	890	100	pass		Total Xylenes	< LOQ	2170	400	pass												
Trichloroethylene	< LOQ	1.00	1.00	pass																		



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-002392/D003.R000
Report Date: 03/07/2023
ORELAP#: OR100028
Purchase Order:
Received: 02/28/23 09:34

Pesticides											
Method: AOAC 2007.01 & EN 15662 (mod)						Units mg/kg		Batch 2301993		Analyze 03/06/23 03:28 PM	
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.300	0.100	pass		Acephate	< LOQ	5.00	0.100	pass	
Acequinocyl	< LOQ	4.00	0.100	pass		Acetamiprid	< LOQ	5.00	0.100	pass	
Aldicarb	< LOQ	0.100	0.100	pass		Azoxystrobin	< LOQ	40.0	0.100	pass	
Bifenazate	< LOQ	5.00	0.100	pass		Bifenthrin	< LOQ	0.500	3.00	pass	
Boscalid	< LOQ	10.0	0.100	pass		Captan	< LOQ	5.00	0.700	pass	
Carbaryl	< LOQ	0.500	0.500	pass		Carbofuran	< LOQ	0.100	0.100	pass	
Chlorantraniliprole	< LOQ	40.0	3.00	pass		Chlordane	< LOQ	0.1	0.100	pass	
Chlorfenapyr	< LOQ	0.100	0.100	pass		Chlorpyrifos	< LOQ	0.100	0.100	pass	
Clofentezine	< LOQ	0.500	0.100	pass		Coumaphos	< LOQ	0.100	0.100	pass	
Cyfluthrin	< LOQ	1.00	2.00	pass		Cypermethrin	< LOQ	1.00	1.00	pass	
Daminozide	< LOQ	0.100	0.100	pass		Diazinon	< LOQ	0.200	0.100	pass	
Dichlorvos	< LOQ	0.100	0.100	pass		Dimethoate	< LOQ	0.100	0.100	pass	
Dimethomorph	< LOQ	20.0	2.00	pass		Ethoprophos	< LOQ	0.100	0.100	pass	
Etofenprox	< LOQ	0.100	0.100	pass		Etoxazole	< LOQ	1.50	0.100	pass	
Fenhexamid	< LOQ	10.0	0.100	pass		Fenoxycarb	< LOQ	0.100	0.100	pass	
Fenpyroximate	< LOQ	2.00	0.100	pass		Fipronil	< LOQ	0.100	0.100	pass	
Flonicamid	< LOQ	2.00	0.100	pass		Fludioxonil	< LOQ	30.0	0.100	pass	
Hexythiazox	< LOQ	2.00	0.100	pass		Imazalil	< LOQ	0.100	0.100	pass	
Imidacloprid	< LOQ	3.00	3.00	pass		Kresoxim-methyl	< LOQ	1.00	0.100	pass	
Malathion	< LOQ	5.00	0.500	pass		Metalaxyl	< LOQ	15.0	2.00	pass	
Methiocarb	< LOQ	0.100	0.100	pass		Methomyl	< LOQ	0.100	1.00	pass	
Mevinphos	< LOQ	0.100	0.100	pass		Myclobutanil	< LOQ	9.00	0.100	pass	
Naled	< LOQ	0.500	0.100	pass		Oxamyl	< LOQ	0.200	0.500	pass	
Paclbutrazole	< LOQ	0.100	0.100	pass		Parathion-Methyl	< LOQ	0.100	0.100	pass	
Permethrin	< LOQ	20.0	0.500	pass		Phosmet	< LOQ	0.200	0.100	pass	
Piperonyl butoxide	< LOQ	8.00	3.00	pass		Prallethrin	< LOQ	0.400	0.100	pass	
Propiconazole	< LOQ	20.0	0.100	pass		Propoxur	< LOQ	0.100	0.100	pass	
Pyrethrins (total)	< LOQ	1.00	0.500	pass		Pyridaben	< LOQ	3.00	0.100	pass	
Quintozene	< LOQ	0.200	0.100	pass		Spinetoram	< LOQ	3.00	0.100	pass	
Spinosad	< LOQ	3.00	0.100	pass		Spiromesifen	< LOQ	12.0	0.100	pass	
Spirotetramat	< LOQ	13.0	0.100	pass		Spiroxamine	< LOQ	0.100	0.100	pass	
Tebuconazole	< LOQ	2.00	0.100	pass		Thiacloprid	< LOQ	0.100	0.100	pass	
Thiamethoxam	< LOQ	4.50	3.00	pass		Trifloxystrobin	< LOQ	30.0	0.100	pass	

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method		Status	Notes	
Arsenic*	< LOQ	0.20	mg/kg	0.0174	2301995	03/06/23	AOAC 2013.06 (mod.) ^p	pass		
Cadmium*	< LOQ	0.20	mg/kg	0.0174	2301995	03/06/23	AOAC 2013.06 (mod.) ^p	pass		
Lead*	< LOQ	0.50	mg/kg	0.0174	2301995	03/06/23	AOAC 2013.06 (mod.) ^p	pass		
Mercury*	< LOQ	0.10	mg/kg	0.00871	2301995	03/06/23	AOAC 2013.06 (mod.) ^p	pass		



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-002392/D003.R000
Report Date: 03/07/2023
ORELAP#: OR100028
Purchase Order:
Received: 02/28/23 09:34

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B2 [†]	< LOQ		µg/kg	5.00	2301862	03/02/23 AOAC 2007.01 & EN 15662 (mod) [†]		
Aflatoxin B1 [†]	< LOQ		µg/kg	5.00	2301862	03/02/23 AOAC 2007.01 & EN 15662 (mod) [†]		
Aflatoxin G1 [†]	< LOQ		µg/kg	5.00	2301862	03/02/23 AOAC 2007.01 & EN 15662 (mod) [†]		
Aflatoxin G2 [†]	< LOQ		µg/kg	5.00	2301862	03/02/23 AOAC 2007.01 & EN 15662 (mod) [†]		
Ochratoxin A [†]	< LOQ		µg/kg	5.00	2301862	03/02/23 AOAC 2007.01 & EN 15662 (mod) [†]		
Total Aflatoxins [†]	0.000		µg/kg	20.0		03/03/23 AOAC 2007.01 & EN 15662 (mod) [†]		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-002392/D003.R000
Report Date: 03/07/2023
ORELAP#: OR100028
Purchase Order:
Received: 02/28/23 09:34

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

Ⓜ = TNI accredited analyte.

Units of Measure

g = g

μg/g = Microgram per gram

μg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/3.75g = Milligram per 3.75g

% = Percentage of sample

% wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-002392/D003.R000
Report Date: 03/07/2023
ORELAP#: OR100028
Purchase Order:
Received: 02/28/23 09:34

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V98-6 Batch ID: 2301892

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0327	0.033	%	98.7	80.0	- 120	Acceptable	
CBDV	2	0.0349	0.035	%	98.6	80.0	- 120	Acceptable	
CBE	2	0.0342	0.034	%	100	80.0	- 120	Acceptable	
CBDA	1	0.0328	0.032	%	102	90.0	- 110	Acceptable	
CBGA	1	0.0325	0.032	%	102	80.0	- 120	Acceptable	
CBG	1	0.0344	0.033	%	103	80.0	- 120	Acceptable	
CBD	1	0.0332	0.033	%	99.7	90.0	- 110	Acceptable	
THCV	2	0.0331	0.033	%	99.4	80.0	- 120	Acceptable	
d8THCV	2	0.0352	0.036	%	97.3	80.0	- 120	Acceptable	
THCVA	2	0.0324	0.033	%	99.1	80.0	- 120	Acceptable	
CBN	1	0.0344	0.033	%	103	80.0	- 120	Acceptable	
exo-THC	2	0.0325	0.034	%	96.9	80.0	- 120	Acceptable	
d9THC	1	0.0345	0.033	%	105	90.0	- 110	Acceptable	
d8THC	1	0.0342	0.034	%	101	90.0	- 110	Acceptable	
9S-d10THC	1	0.0347	0.034	%	102	80.0	- 120	Acceptable	
CBL	2	0.0325	0.033	%	97.5	80.0	- 120	Acceptable	
9S-HHC	3	0.0312	0.033	%	93.5	80.0	- 120	Acceptable	
9R-d10THC	1	0.0323	0.032	%	101	80.0	- 120	Acceptable	
CBG	2	0.0353	0.036	%	98.9	80.0	- 120	Acceptable	
9R-HHC	3	0.0299	0.033	%	89.7	80.0	- 120	Acceptable	
THCA	1	0.0330	0.032	%	102	90.0	- 110	Acceptable	
CBGA	2	0.0337	0.035	%	96.7	80.0	- 120	Acceptable	
CBLA	2	0.0335	0.035	%	96.0	80.0	- 120	Acceptable	
d8THCO	3	0.0335	0.033	%	100	80.0	- 120	Acceptable	
CBT	2	0.0331	0.036	%	92.8	80.0	- 120	Acceptable	
d9THCO	3	0.0319	0.033	%	95.6	80.0	- 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.003	%	< 0.003	Acceptable	
CBDV	<LOQ	0.003	%	< 0.003	Acceptable	
CBE	<LOQ	0.003	%	< 0.003	Acceptable	
CBDA	<LOQ	0.003	%	< 0.003	Acceptable	
CBGA	<LOQ	0.003	%	< 0.003	Acceptable	
CBG	<LOQ	0.003	%	< 0.003	Acceptable	
CBD	<LOQ	0.003	%	< 0.003	Acceptable	
THCV	<LOQ	0.003	%	< 0.003	Acceptable	
d8THCV	<LOQ	0.003	%	< 0.003	Acceptable	
THCVA	<LOQ	0.003	%	< 0.003	Acceptable	
CBN	<LOQ	0.003	%	< 0.003	Acceptable	
exo-THC	<LOQ	0.003	%	< 0.003	Acceptable	
d9THC	<LOQ	0.003	%	< 0.003	Acceptable	
d8THC	<LOQ	0.003	%	< 0.003	Acceptable	
9S-d10THC	<LOQ	0.003	%	< 0.003	Acceptable	
CBL	<LOQ	0.003	%	< 0.003	Acceptable	
9S-HHC	<LOQ	0.003	%	< 0.003	Acceptable	
9R-d10THC	<LOQ	0.003	%	< 0.003	Acceptable	
CBG	<LOQ	0.003	%	< 0.003	Acceptable	
9R-HHC	<LOQ	0.003	%	< 0.003	Acceptable	
THCA	<LOQ	0.003	%	< 0.003	Acceptable	
CBGA	<LOQ	0.003	%	< 0.003	Acceptable	
CBLA	<LOQ	0.003	%	< 0.003	Acceptable	
d8THCO	<LOQ	0.003	%	< 0.003	Acceptable	
CBT	<LOQ	0.003	%	< 0.003	Acceptable	
d9THCO	<LOQ	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-002392/D003.R000
Report Date: 03/07/2023
ORELAP#: OR100028
Purchase Order:
Received: 02/28/23 09:34

Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JACOAC2015 V98-6		Batch ID: 2301892						
Sample Duplicate		Sample ID: 23-002375-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	0.0133	0.0131	0.003	%	1.07	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBN	0.124	0.125	0.003	%	0.403	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
d9THC	0.247	0.248	0.003	%	0.155	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
9S-HHC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CB	0.0159	0.0159	0.003	%	0.224	< 20	Acceptable	
9R-HHC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
d8THCO	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
d9THCO	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-002392/D003.R000
 Report Date: 03/07/2023
 ORELAP#: OR100028
 Purchase Order:
 Received: 02/28/23 09:34



Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2302027						
Method Blank				Laboratory Control Sample						
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes	
Propane	ND	< 200		377	572	µg/g	65.9	60 - 120		
Isobutane	ND	< 200		492	731	µg/g	67.3	60 - 120		
Butane	ND	< 200		495	731	µg/g	67.7	60 - 120		
2,2-Dimethylpropane	ND	< 200		607	936	µg/g	64.9	60 - 120		
Methanol	ND	< 200		1070	1610	µg/g	66.5	60 - 120		
Ethylene Oxide	ND	< 30		40.9	56.2	µg/g	72.8	60 - 120		
2-Methylbutane	ND	< 200		1170	1600	µg/g	73.1	60 - 120		
Pentane	ND	< 200		1170	1610	µg/g	72.7	60 - 120		
Ethanol	ND	< 200		1090	1600	µg/g	68.1	70 - 130		
Ethyl Ether	ND	< 200		1100	1610	µg/g	68.3	60 - 120		
2,2-Dimethylbutane	ND	< 30		119	173	µg/g	68.8	60 - 120		
Acetone	ND	< 200		1100	1620	µg/g	67.9	60 - 120		
2-Propanol	ND	< 200		1060	1600	µg/g	66.3	60 - 120		
Ethyl Formate	ND	< 500		1880	1610	µg/g	116.8	70 - 130		
Acetonitrile	ND	< 100		333	488	µg/g	68.2	60 - 120		
Methyl Acetate	ND	< 500		1520	1600	µg/g	95.0	70 - 130		
2,3-Dimethylbutane	ND	< 30		113	165	µg/g	68.5	60 - 120		
Dichloromethane	ND	< 60		299	487	µg/g	61.4	60 - 120		
2-Methylpentane	ND	< 30		109	160	µg/g	68.1	60 - 120		
MTBE	ND	< 500		1550	1630	µg/g	95.1	70 - 130		
3-Methylpentane	ND	< 30		99.4	161	µg/g	61.7	60 - 120		
Hexane	ND	< 30		130	162	µg/g	80.2	60 - 120		
1-Propanol	ND	< 500		1630	1600	µg/g	101.9	70 - 130		
Methylethylketone	ND	< 500		1580	1610	µg/g	98.1	70 - 130		
Ethyl acetate	ND	< 200		1050	1600	µg/g	65.6	60 - 120		
2-Butanol	ND	< 200		1050	1610	µg/g	65.2	60 - 120		
Tetrahydrofuran	ND	< 100		311	483	µg/g	64.4	60 - 120		
Cyclohexane	ND	< 200		1020	1610	µg/g	63.4	60 - 120		
2-methyl-1-propanol	ND	< 500		1660	1600	µg/g	103.8	70 - 130		
Benzene	ND	< 1		4.08	4.98	µg/g	81.9	60 - 120		
Isopropyl Acetate	ND	< 200		1020	1610	µg/g	63.4	60 - 120		
Heptane	ND	< 200		1040	1620	µg/g	64.2	60 - 120		
1-Butanol	ND	< 500		1780	1610	µg/g	110.6	70 - 130		
Propyl Acetate	ND	< 500		1600	1600	µg/g	100.0	70 - 130		
1,4-Dioxane	ND	< 100		296	494	µg/g	59.9	60 - 120	Q6	
2-Ethoxyethanol	ND	< 30		110	165	µg/g	66.7	60 - 120		
Methylisobutylketone	ND	< 500		1570	1610	µg/g	97.5	70 - 130		
3-Methyl-1-butanol	ND	< 500		1620	1620	µg/g	100.0	70 - 130		
Ethylene Glycol	ND	< 200		430	486	µg/g	88.5	60 - 120		
Toluene	ND	< 100		290	513	µg/g	56.5	60 - 120	Q6	
Isobutyl Acetate	ND	< 500		1560	1610	µg/g	96.9	70 - 130		
1-Pentanol	ND	< 500		1660	1630	µg/g	101.8	70 - 130		
Butyl Acetate	ND	< 500		1560	1620	µg/g	96.3	70 - 130		
Ethylbenzene	ND	< 200		558	967	µg/g	57.7	60 - 120	Q6	
m,p-Xylene	ND	< 200		562	994	µg/g	56.5	60 - 120	Q6	
o-Xylene	ND	< 200		557	992	µg/g	56.1	60 - 120	Q6	
Cumene	ND	< 30		92.2	171	µg/g	53.9	60 - 120	Q6	
Anisole	ND	< 500		1530	1630	µg/g	93.9	70 - 130		
DMSO	ND	< 500		1610	1610	µg/g	100.0	70 - 130		
1,2-dimethoxyethane	ND	< 50		171	173	µg/g	98.8	70 - 130		
Triethylamine	ND	< 500		1580	1620	µg/g	97.5	70 - 130		
N,N-dimethylformamide	ND	< 150		483	493	µg/g	98.0	70 - 130		
N,N-dimethylacetamide	ND	< 150		454	518	µg/g	87.6	70 - 130		
Pyridine	ND	< 50		163	186	µg/g	87.6	70 - 130		
Sulfone	ND	< 50		142	168	µg/g	84.5	70 - 130		
1,2-Dichloroethane	ND	< 1		1.11	1	µg/g	111.0	70 - 130		
Chloroform	ND	< 1		1.04	1	µg/g	104.0	70 - 130		
Trichloroethylene	ND	< 1		1.04	1	µg/g	104.0	70 - 130		
1,1-Dichloroethane	ND	< 1		1.07	1	µg/g	107.0	70 - 130		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-002392/D003.R000
Report Date: 03/07/2023
ORELAP#: OR100028
Purchase Order:
Received: 02/28/23 09:34

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

QC - Sample Duplicate		Sample ID: 23-002305-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methyl ethyl ketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation
Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-002392/D003.R000
Report Date: 03/07/2023
ORELAP#: OR100028
Purchase Order:
Received: 02/28/23 09:34





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.



Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

1 of 3

ICAL ID: 20230622-019
Sample: CA230622-005-011
Urb: D9 300mg Gummies
Strain: Urb: D9 300mg Gummies
Category: Ingestible
Type: Other

Urb
Lic. #
5511 95th Ave, Kenosha, WI, 53144
Kenosha, WI 53144
Lic. #

Batch#: 051523KL // 051523PMW // 051523DL
Batch Size Collected:
Total Batch Size:
Collected: 06/26/2023; Received: 06/26/2023
Completed: 06/26/2023

Moisture NT Water Activity NT	Δ 9-THC NT	CBD NT	Total Cannabinoids NT	Total Terpenes NT
--	-----------------------------	------------------	---------------------------------	-----------------------------

Summary	SOP Used	Date Tested	
Batch			Pass
Residual Solvents	RS-PREP-001	06/22/2023	Pass
Microbials	MICRO-PREP-001	06/23/2023	Pass
Mycotoxins	PESTMICO-LC-PREP-001	06/22/2023	Pass
Heavy Metals	HM-PREP-001	06/23/2023	Pass
Pesticides	PESTMICO-LC-PREP-001 / PEST-GC-PREP-001	06/22/2023	Pass



Scan to see results

Cannabinoid Profile

Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g
---------	------------	------------	---	------	---------	------------	------------	---	------

Total THC=THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD. LOD= Limit of Detection, LOQ= Limit of Quantitation, ND= Not Detected, NR= Not Reported. Potency is reported on a dry weight basis. Instrumentation and analysis SOPs used: Cannabinoids:UHPLC-DAD(POT-INST-005),Moisture:Moisture Analyzer(MOISTURE-001),Water Activity:Water Activity Meter(WA-INST-002), Foreign Material:Microscope(FOREIGN-001). Density measured at 19-24 °C, Water Activity measured at 0-90% RH. All QA submitted by the client, All CA State Compliance sampled using SAMPL-SOP-001.

Terpene Profile

Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g
---------	------------	------------	---	------	---------	------------	------------	---	------

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP TERP-INST-003.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000047-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
06/26/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

2 of 3

ICAL ID: 20230622-019
Sample: CA230622-005-011
Urb: D9 300mg Gummies
Strain: Urb: D9 300mg Gummies
Category: Ingestible
Type: Other

Urb
Lic. #
5511 95th Ave, Kenosha, WI, 53144
Kenosha, WI 53144
Lic. #

Batch#: 051523KL // 051523PMW // 051523DL
Batch Size Collected:
Total Batch Size:
Collected: 06/26/2023; Received: 06/26/2023
Completed: 06/26/2023

Residual Solvent Analysis

Category 1	LOQ	LOD	Limit	Status	Category 2	LOQ	LOD	Limit	Status	Category 2	LOQ	LOD	Limit	Status			
	µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g	µg/g			
1,2-Dichloro-Ethane	ND	0.264	0.088	1	Pass	Acetone	<LOQ	51.246	0.716	5000	Pass	n-Hexane	ND	0.281	0.027	290	Pass
Benzene	ND	0.052	0.017	1	Pass	Acetonitrile	ND	0.42	0.14	410	Pass	Isopropanol	ND	2.86	0.614	5000	Pass
Chloroform	ND	0.076	0.025	1	Pass	Butane	ND	4.849	0.748	5000	Pass	Methanol	ND	2.602	0.867	3000	Pass
Ethylene Oxide	ND	0.579	0.179	1	Pass	Ethanol	ND	7.575	2.525	5000	Pass	Pentane	ND	5.075	1.692	5000	Pass
Methylene-Chloride	ND	0.729	0.08	1	Pass	Ethyl-Acetate	ND	2.288	0.175	5000	Pass	Propane	ND	9.709	3.236	5000	Pass
Trichloroethene	ND	0.145	0.028	1	Pass	Ethyl-Ether	ND	2.869	0.389	5000	Pass	Toluene	ND	0.864	0.067	890	Pass
						Heptane	ND	2.859	0.496	5000	Pass	Xylenes	ND	2.572	0.326	2170	Pass

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP RS-INST-003.

Heavy Metal Screening


	LOQ	LOD	Limit	Status	
µg/g	µg/g	µg/g	µg/g		
Arsenic	ND	0.009	0.003	1.5	Pass
Cadmium	ND	0.002	0.001	0.5	Pass
Lead	0.018	0.004	0.001	0.5	Pass
Mercury	ND	0.014	0.005	3	Pass

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: ICP-MS; samples analyzed according to SOP HM-INST-003.

Microbiological Screening

	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus		NR	NT
Aspergillus fumigatus		NR	NT
Aspergillus niger		NR	NT
Aspergillus terreus		NR	NT
STEC		Not Detected	Pass
Salmonella SPP		Not Detected	Pass

ND=Not Detected. Analytical instrumentation used:qPCR; samples analyzed according to SOP MICRO-INST-001.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-0000047-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
06/26/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

3 of 3

ICAL ID: 20230622-019
Sample: CA230622-005-011
Urb: D9 300mg Gummies
Strain: Urb: D9 300mg Gummies
Category: Ingestible
Type: Other

Urb
Lic. #
5511 95th Ave, Kenosha, WI, 53144
Kenosha, WI 53144
Lic. #

Batch#: 051523KL // 051523PMW // 051523DL
Batch Size Collected:
Total Batch Size:
Collected: 06/26/2023; Received: 06/26/2023
Completed: 06/26/2023

Chemical Residue Screening

Category 1	LOQ	LOD	Status	Mycotoxins	LOQ	LOD	Limit	Status		
	µg/g	µg/g	µg/g		µg/kg	µg/kg	µg/kg			
Aldicarb	ND	0.065	0.022	Pass	B1	ND	7.88	2.6	Tested	
Carbofuran	ND	0.030	0.009	Pass	B2	ND	6.18	2.04	Tested	
Chlordane	ND	0.075	0.025	Pass	G1	ND	8.99	2.97	Tested	
Chlorfenapyr	ND	0.075	0.025	Pass	G2	ND	5.72	1.89	Tested	
Chlorpyrifos	ND	0.053	0.018	Pass	Ochratoxin A	ND	11.72	3.87	20	Pass
Coumaphos	ND	0.056	0.018	Pass	Total Aflatoxins	ND		20	Pass	
Daminozide	ND	0.079	0.026	Pass						
Dichlorvos	ND	0.067	0.022	Pass						
Dimethoate	ND	0.036	0.012	Pass						
Ethoprophos	ND	0.053	0.017	Pass						
Etofenprox	ND	0.030	0.008	Pass						
Fenoxycarb	ND	0.043	0.014	Pass						
Fipronil	ND	0.045	0.015	Pass						
Imazalil	ND	0.047	0.016	Pass						
Methiocarb	ND	0.047	0.016	Pass						
Mevinphos	ND	0.042	0.014	Pass						
Paclbutrazol	ND	0.040	0.013	Pass						
Parathion Methyl	ND	0.024	0.008	Pass						
Propoxur	ND	0.047	0.016	Pass						
Spiroxamine	ND	0.032	0.011	Pass						
Thiacloprid	ND	0.042	0.014	Pass						

Category 2	LOQ	LOD	Limit	Status	Category 2	LOQ	LOD	Limit	Status		
	µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g	µg/g		
Abamectin	ND	0.030	0.010	0.3	Pass	Kresoxim Methyl	ND	0.038	0.012	1	Pass
Acephate	ND	0.050	0.016	5	Pass	Malathion	ND	0.035	0.012	5	Pass
Acequinocyl	ND	0.059	0.019	4	Pass	Metalaxyl	ND	0.031	0.010	15	Pass
Acetamiprid	ND	0.044	0.015	5	Pass	Methomyl	ND	0.048	0.016	0.1	Pass
Azoxystrobin	ND	0.029	0.010	40	Pass	Myclobutanil	ND	0.055	0.018	9	Pass
Bifenazate	ND	0.035	0.012	5	Pass	Naled	ND	0.051	0.017	0.5	Pass
Bifenthrin	ND	0.040	0.013	0.5	Pass	Oxamyl	ND	0.046	0.015	0.3	Pass
Boscalid	ND	0.060	0.020	10	Pass	Pentachloronitrobenzene	ND	0.054	0.018	0.2	Pass
Captan	ND	0.358	0.120	5	Pass	Permethrin	ND	0.030	0.008	20	Pass
Carbaryl	ND	0.049	0.016	0.5	Pass	Phosmet	ND	0.038	0.012	0.2	Pass
Chlorantraniliprole	ND	0.063	0.021	40	Pass	Piperonyl Butoxide	ND	0.030	0.008	8	Pass
Clofentezine	ND	0.039	0.013	0.5	Pass	Prallethrin	ND	0.068	0.023	0.4	Pass
Cyfluthrin	ND	0.056	0.019	1	Pass	Propiconazole	ND	0.059	0.019	20	Pass
Cypermethrin	ND	0.044	0.015	1	Pass	Pyrethrins	ND	0.030	0.004	1	Pass
Diazinon	ND	0.030	0.006	0.2	Pass	Pyridaben	ND	0.035	0.012	3	Pass
Dimethomorph	ND	0.042	0.014	20	Pass	Spinetoram	ND	0.030	0.006	3	Pass
Etoxazole	ND	0.030	0.008	1.5	Pass	Spinosad	ND	0.030	0.004	3	Pass
Fenhexamid	ND	0.039	0.013	10	Pass	Spiromesifen	ND	0.042	0.014	12	Pass
Fenpyroximate	ND	0.030	0.010	2	Pass	Spirotetramat	ND	0.041	0.013	13	Pass
Flonicamid	ND	0.081	0.027	2	Pass	Tebuconazole	ND	0.044	0.014	2	Pass
Fludioxonil	ND	0.046	0.015	30	Pass	Thiamethoxam	ND	0.055	0.018	4.5	Pass
Hexythiazox	ND	0.078	0.026	2	Pass	Trifloxystrobin	ND	0.031	0.010	30	Pass
Imidacloprid	ND	0.071	0.023	3	Pass						

Other Analyte(s):

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs
8312 Miramar Mall
San Diego, CA
(858) 623-2740
www.infiniteCAL.com
Lic# C8-000047-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
06/26/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.