

Prepared for:

Delmarva Health thru CBD

10445 Old Ocean City Blvd
Berlin, MD US 21811

**400mg CBD:400mg D8:750mg CBG:750mg
CBC/30mL-FS**

Batch ID or Lot Number:
25WG020605

Test, Test ID and Methods:
Various

Matrix:
Concentrate

Page 1 of 2

Reported:
12May2025

Started:
09May2025

Received:
07May2025

Cannabinoids

Test ID: T000304533

Methods: TM14 (HPLC-DAD)

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.018	0.060	2.540	25.40	
Cannabichromenic Acid (CBCA)	0.016	0.055	ND	ND	
Cannabidiol (CBD)	0.056	0.154	1.310	13.10	
Cannabidiolic Acid (CBDA)	0.057	0.158	ND	ND	
Cannabidivarin (CBDV)	0.013	0.036	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.024	0.066	ND	ND	
Cannabigerol (CBG)	0.010	0.034	2.650	26.50	
Cannabigerolic Acid (CBGA)	0.042	0.142	ND	ND	
Cannabinol (CBN)	0.013	0.044	ND	ND	
Cannabinolic Acid (CBNA)	0.028	0.097	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.050	0.169	1.310	13.10	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.045	0.153	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.040	0.136	ND	ND	
Tetrahydrocannabivarin (THCV)	0.009	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.035	0.120	ND	ND	
Total Cannabinoids			7.810	78.10	
Total Potential THC			0.000	0.00	
Total Potential CBD			1.310	13.10	

Final Approval



Judith Marquez
12May2025
08:49:00 AM MDT

PREPARED BY / DATE



Sam Smith
12May2025
08:52:00 AM MDT

APPROVED BY / DATE

Prepared for:

Delmarva Health thru CBD

10445 Old Ocean City Blvd
Berlin, MD US 21811

**400mg CBD:400mg D8:750mg CBG:750mg
CBC/30mL-FS**

Batch ID or Lot Number: 25WG020605	Test, Test ID and Methods: Various	Matrix: Concentrate	Page 2 of 2
Reported: 12May2025	Started: 09May2025	Received: 07May2025	


Microbial Contaminants


Test ID: T000304534

Methods: TM25 (PCR) TM24, TM26,
TM27 (Culture Plating)

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval


Nora Langer
11May2025
02:44:00 PM MDT
PREPARED BY / DATE


Aimee Lowe
12May2025
10:28:00 AM MDT
APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/fb8ca7a5-0f63-40e2-9cef-3fd85a21d47b>

Definitions

LOD = Limit of Detection, ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation, PPB = Parts per Billion, % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty. Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Total THC = THC + (THCa *(0.877)). ALOQ = Above Limit Of Quantitation (defined by dynamic range of the method), CFU/g = Colony Forming Units per Gram. Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological. Some tests listed on this COA may not be within our scope of A2LA accreditation. Please visit [A2LA for more details](#).



Cert #4329.02
fb8ca7a50f6340e29cef3fd85a21d47b.1