

Test Verification of Conformity

Verification Number: 210831105GZU-VOC001

On the basis of the tests undertaken, the sample<s> of the below product have been found to comply with the requirements of the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>.

Enteligent Power (Hong Kong) Limited Applicant Name & Address:

Flat/Rm 3911 39/F, Cable TV Tower 9 Hoi Shing Road,

Tsuen Wan N.T. HK Hong Kong SAR

Product Description: Photovoltaic rapid shutdown system equipment

M900A1 Models/Type References:

Ratings & Principle Maximum system voltage on Controlled Conductors (dc): 1500V Characteristics:

Range of input operating voltage (dc):18-80V

Max input current (dc): 12.5A Max Input short circuit current: 15A Rapid shutdown time limit: <30s

Normal operation temperature range: -40°C to +85°C

Type of PVRSE: RS2

Enclosure Ratings: NEMA6P Software Version Rev: 1.0

Brand Name<s>: **Enteligent Nmax**

Specification<s>/

Standard<s>

CFR 47, FCC Part 15, Subpart B:2019

Verification Issuing Office

Name & Address:

Date of Tests:

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

Room 02, & 101/E201/E301/E401/E501/E601/E701/E801 of Room 01 1-8/F., No. 7-2. Caipin Road, Science City, GETDD, Guangzhou, Guangdong, China

14 September 2021 to 15 September 2021

Test Report Number<s>: 210831105GZU-001

Signature

Name: Sky Zhu

Position: Team Leader Date: 27-October-2021

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, oroduct or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program