

## Section 1 - Identification of Chemical Product and Company

GuardIt Solutions Pty Ltd P.O. Box 369 Pascoe Vale South Vic 3044	Tel: 03 9907 6444 Fax: (03) 9354 3324 Emergency Tel: 0431 096 330
---	---

**Substance:** Proprietary blend of fluorinated resin in water  
**Trade Name:** **GuardIt All Stone Sealer - Porous**  
**Product Use:** Water-based Penetrating Sealer for Porous Stone Surfaces.  
**Issue Date:** **1 May 2021**  
**Supersedes:** **August 2015**

## Section 2 - Hazards Identification

### Statement of Hazardous Nature

This product is classified as: Not classified as hazardous according to the criteria of SWA.  
Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

### GHS Signal Word:

WARNING

### GHS Hazard Pictogram:



### Hazard Statement:

H316 May cause mild skin irritation  
H320 May cause mild eye irritation

### Precautionary Statements:

#### Prevention:

P280 Wear protective gloves/protective clothing/eye protection/face protection  
P305+P351+P338 IF IN EYES, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.  
P264 Wash hands and face thoroughly after handling.

#### Response:

P302+P352 IF ON SKIN, wash with plenty of soap and water.  
P321 Specific treatment (refer to First Aid Measures). P332+P313 If skin irritation occurs, get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before re-use.

### Storage:

No storage statements.

### Disposal:

P501 Dispose of contents / container in accordance with local and national regulations.

**Poison Schedule (Australia):** Not scheduled.

**SUSMP Signal Word(s):** None.

**Other hazards which do not result in classification:** None known.

## Emergency Overview

**Physical Description & colour:** Clear amber coloured liquid.

**Odour:** Slight pungent odour.

**Major Health Hazards:** no significant risk factors have been found for this product.

## Potential Health Effects

### Inhalation:

**Short term exposure:** Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

**Long Term exposure:** No data for health effects associated with long term inhalation.

### Skin Contact:

**Short term exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. In addition product is unlikely to cause any discomfort in normal use.

**Long Term exposure:** No data for health effects associated with long term skin exposure.

### Eye Contact:

**Short term exposure:** This product is believed to be mildly irritating, to eyes, but is unlikely to cause anything more than mild transient discomfort.

**Long Term exposure:** No data for health effects associated with long term eye exposure.

### Ingestion:

**Short term exposure:** Significant oral exposure is considered to be unlikely. However, this product is believed to be mildly irritating to mucous membranes but is unlikely to cause anything more than mild transient discomfort.

**Long Term exposure:** No data for health effects associated with long term ingestion.

### Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

## Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Fluorinated Polymer – Non Hazardous	Trade Secret	1-50	not set	not set
Water	7732-18-5	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

## Section 4 - First Aid Measures

### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

**Inhalation:** No first aid measures normally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Gently blot away excess liquid. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed, while holding the eyelid(s) open. No effects expected. Obtain medical advice immediately if irritation occurs. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

## Section 5 - Fire Fighting Measures

**Fire and Explosion Hazards:** This product is classified as non flammable. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Fire decomposition products from this product are likely to be toxic and corrosive if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Preferred extinguishing media are carbon dioxide(CO<sub>2</sub>), dry chemical, foam, water fog.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.

**Flash point:** No flashpoint from 20°C to the boiling point

**Upper Flammability Limit:** No data

**Lower Flammability Limit:** No data

**Autoignition temperature:** No data.

**Flammability Class:** Not Flammable

## Section 6 - Accidental Release Measures

**Accidental release:** Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, Viton. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Store packages of this product in a cool place. Make sure that containers of this product are kept tightly closed. Keep containers of this product in a well ventilated area. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

## Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

ASCC Exposure Limits	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
----------------------	--------------------------	---------------------------

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves when skin contact is likely.

**Protective Material Types:** There is no specific recommendation for any particular protective material type.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise not normally necessary.

## Section 9 - Physical and Chemical Properties:

**Physical Description & colour:** Clear amber coloured liquid.

**Odour:** Slight pungent odour.

**Boiling Point:** 100-102°C at 100kPa

**Freezing/Melting Point:** Below 0°C

**Volatiles:** No data.

<b>Vapour Pressure:</b>	23.39 hPa at 20°C (vapour pressure of liquid water).
<b>Vapour Density:</b>	No data.
<b>Specific Gravity:</b>	No data.
<b>Water Solubility:</b>	Completely soluble.
<b>pH:</b>	No data.
<b>Volatility:</b>	No data.
<b>Odour Threshold:</b>	No data.
<b>Evaporation Rate:</b>	No data.
<b>Coeff Oil/water distribution:</b>	No data
<b>Autoignition temp:</b>	No data.
<b>Flammability (solid, gas):</b>	Non-Flammable
<b>Upper/lower flammability:</b>	UEL: No data available      LEL: No data available

## Section 10 - Stability and Reactivity

**Chemical Stability:**

Stable under normal conditions and use.

**Conditions to Avoid:**

Heat, flames, ignition sources, direct sunlight, and incompatibles.

**Incompatible Materials:**

Strong acids, strong bases, strong oxidising agents.

**Hazardous Decomposition Products:**

On combustion, (following evaporation of water), toxic gases are released - oxides of Carbon (CO + CO<sub>2</sub>); Nitrogen oxides (NO<sub>x</sub>); occasionally hydrogen cyanide gas in reducing atmospheres; hydrogen fluoride gas and other compounds of fluorine; water.

Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Hazardous Reactions:**

Hazardous Polymerization will not occur.

## Section 11 - Toxicological Information

**Local Effects:****Target Organs:**

There is no data to hand indicating any particular target organs.

## Classification of Hazardous Ingredients

**Ingredient****Risk Phrases**

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

## Section 12 - Ecological Information

This product is readily biodegradable.

## Section 13 - Disposal Considerations

**Disposal:** Each user must refer to and comply with the relevant laws and regulations operating in their particular state, territory or area. This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable, consider controlled incineration, or landfill.

## Section 14 - Transport Information

**UN Number:** None allocated

**Proper Shipping Name:** None allocated

**Dangerous Goods Class:** None allocated

**Subsidiary risk:** None allocated

**Packing Group:** None allocated

**Hazchem Code:** None allocated

**Road and Rail Transport: (Australia)**

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by

Road and Rail (ADG Code) for transport by road and rail.

**IMDG:**

Not classified as Dangerous Goods according to the International Maritime Organization Rules (Maritime Dangerous Goods Code - IMDG Code) for transport by sea.

**IATA:**

Not classified as Dangerous Goods according to the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**NOTE:** The above regulatory prescriptions are those valid on the date of publication of this SDS. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.

## Section 15 - Regulatory Information

**Poison Schedule (Australia):** Not scheduled.

**Inventory Status**

Australia (AICS) Y

Y = All ingredients are on the inventory.

E = All ingredients are on the inventory or exempt from listing.

P = One or more ingredients fall under the polymer exemption or are on the no longer polymer list. All other ingredients are on the inventory or exempt from listing.

N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing.

**NOTE:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the Safety Data Sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

## Section 16 - Other Information

**This MSDS contains only safety-related information. For other data see product literature.**

**Acronyms:**

<b>ADG Code</b>	Australian Code for the Transport of Dangerous Goods by Road and Rail
<b>AICS</b>	Australian Inventory of Chemical Substances
<b>CAS Number</b>	Chemical Abstracts Service Registry Number
<b>Hazchem Code</b>	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
<b>IARC</b>	International Agency for Research on Cancer
<b>NOS</b>	Not otherwise specified
<b>NTP</b>	National Toxicology Program (USA)
<b>SWA</b>	Safe Work Australia, formally ASCC and NOHSC
<b>R-Phrase</b>	Risk Phrase
<b>SUSDP</b>	Standard for the Uniform Scheduling of Drugs & Poisons
<b>UN Number</b>	United Nations Number

## End of Safety Data Sheet

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST VIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

GuardIt Solutions Pty Ltd does not make or give any warranty or guarantee whatsoever (other than any implied by statute which may not be excluded) with respect to the information, and by using the information the user undertakes not to hold GuardIt Solutions Pty Ltd liable or responsible in any way whatsoever in relation or consequential to such use. Although care has been taken in compiling the information, GuardIt Solutions Pty Ltd hereby expressly disclaims any liability whatsoever in respect of any negligent misstatement forming part of the information