Did you know?

"CROOKED TEETH" OR MALOCCLUSION, AFFECTS 74% OF ADULTS. WITH CROOKED TEETH, IT'S OFTEN MORE DIFFICULT TO REMOVE PLAQUE AND DEBRIS FROM BETWEEN YOUR TEETH.

If left untreated, there is an increased risk for tooth decay and periodontal disease. With advances in orthodontic technology, we now have the ability to straighten teeth in significantly less time.

Propel is a micro-invasive treatment that uses microosteoperforations to stimulate the bone to remodel faster therefore "Excellerate" your tooth movement.2

MICRO-OSTEOPERFORATION WITH PROPEL IS:

- Clinically proven safe and effective³
- · Doctor-performed in just a few minutes during your regularly scheduled office visit
- Can be used with braces or clear aligners

My doctor saw I wasn't wearing my rubber bands enough, and that was slowing down my braces. She told me about Propel and how I could get back on track to get my braces off in time for prom, so I thought it was a great idea.

-Maria, Propel orthodontic patient

A BETTER WAY FORWARD

Micro-osteoperforation with Propel offers a straightforward solution to your orthodontic needs in just a few steps.

- using an x-ray.
- a disinfectant.
- Propel where needed.
- and you can get back to your busy schedule!





BENEFITS OF MICRO-OSTEOPERFORATION WITH PROPEL

- See faster results without added discomfort or inconvenience.2
- Use Propel with any type of orthodontic appliance, whether braces or aligners.
- · Receive Propel treatment during your regular office visit
- Save time with fewer office visits.4
- · Forget surgery. Micro-Osteoperforation requires no recovery time.

- 1 Prevalance and distribution of selected occlusal characteristics in the US population, 1988-1991. Brunelle, et. Al. Journal of Dental Research (2/96)
- 2 John M. Pobanz, (2014). Orthodontic Acceleration. The Progressive Orthodontist. July 2014; Q3.
- 3 Mani Alikhani, Markos Raptis, Billie Zoldan, Chinapa Sangsuwon, Yoo B. Lee, Bandar Alyami, Corey Corpodian, Luz M. Barrera, Sarah Alansari, Edmund Khoo, Cristina Teixeira. Effect of micro-osteoperforations on the rate of tooth movement: American Journal of Orthodontics and Dentofacial Orthopedics, Volume 144, Issue 5, 639-648
- 4 Thomas Shipley (2014). The use of Propel to increase the rate of aligner progression. Orthodontic Practice US. Marh/April 2014; 5-2

Which do you have?





Estimated treatment time without Propel 15 months

Actual treatment time

7 months





Estimated treatment time without Propel 24 months

Actual treatment time

10.5 months





Estimated treatment time without Propel

9 months


Actual treatment time

4 months

walked down the aisle with a smile I was not happy or

Ask your doctor about Propel today!

Picture-perfect selfies **DELIVERED** ahead of schedule!



To learn more, go to: propelorthodontics.com

EXCELLERATION

