

# **PRODUCT** CATALOG

\*Trademark of Sumner Manufacturing Co., LLC. Registered in the U.S. Copyright © Sumner Manufacturing Co., LLC

## **OUR STORY**

Sumner, a Southwire Company, is a recognized leading manufacturer of material lifts, jack stands, welding tools, material carts and other tools and equipment for the construction market. We are a key supplier to the welding and mechanical contracting industries and have a market presence in more than 50 countries around the world. We maintain manufacturing and sales operations in Texas, Canada, China, and the Netherlands.

Founded in 1965, our operations began to meet the need for good welding tools and lifting equipment to make pipe installations easier and safer. Early success in the business led the way for us to continually meet the needs of a wide variety of contractors, and we continue to provide a range of equipment options that promote safety and efficiency on the jobsite.

## **SUMNER MANUFACTURING**

At Sumner Manufacturing, our welding customers are very important to us. One of our primary goals as a manufacturer is to provide our customers with high quality, competitively priced tools. Welders are not only our customers, we learn from welders in the field what products are needed to make their jobs easier. These ideas help us to design and build new and better products. In essence, our customers are part of our Research & Development department, and without their input, we would be unable to continually offer great new products.

Another important part of our philosophy at Sumner is our commitment to safety. All Sumner employees are dedicated to the safety of the individuals who use our products. We understand that price is always a concern to our users, but we will never sacrifice quality or safety just to save costs. We know the demands expected of all Sumner products, and each is built for years of use. It could be said that Sumner tools are built the way the welder would make them. As a result, our tools are not only considered the best in the market, but also the most reliable to get the job done efficiently and safely.

## **TABLE OF CONTENTS**

#### **PIPE FITTING**

| Center Punches                | 5  |
|-------------------------------|----|
| Clamps                        |    |
| ULTRA Clamp <sup>*</sup>      | 6  |
| ULTRA Qwik <sup>™</sup> Clamp | 6  |
| ULTRA Fit*                    | 7  |
| ULTRA Qwik™ Fit               | 7  |
| Clamp Champ <sup>™</sup>      | 8  |
| DX Clamp                      | 9  |
| Internal Fit-Up               | 9  |
| Flange Pins                   | 10 |
| Flange Spreaders              |    |
| Adjust-A-Fit <sup>™</sup>     |    |
| Adjust-A-Flange <sup>™</sup>  | 12 |
| Expansion Plugs               |    |
| Purges                        | 14 |
| Weld Gas Analyzer             | 14 |
| Purge Star*                   |    |
| Purge Buddy <sup>™</sup>      |    |
| Welding Gage                  |    |
| Fit Kit™                      |    |
| Squares                       |    |
| Magnetic Fixtures             |    |
| Levels                        |    |
| Welder's Stool                | 23 |
|                               |    |

| JACKS                      |    |
|----------------------------|----|
| Heavy Duty Jacks           | 25 |
| "Pro-Jack"*                | 26 |
| Fold-A-Jack*               | 27 |
| FAT Jack <sup>™</sup>      | 28 |
| Hi Boy™                    | 29 |
| FAB SAF <sup>™</sup>       | 30 |
| Adjust-A-Roll <sup>™</sup> | 31 |
| Mini-Roll <sup>™</sup>     | 32 |
| Pro Roll <sup>™</sup>      | 33 |
| Big V*                     | 34 |
|                            |    |

| MAX JAX*              | 35 |
|-----------------------|----|
| MAX JAX* 2            |    |
| Beam JAX <sup>™</sup> |    |
| Reel Mac <sup>™</sup> |    |
| Hold Down Device      |    |
| Hold-E*               |    |

#### **CARTS & STORAGE**

| Cricket*                 | 44 |
|--------------------------|----|
| Grasshopper*             | 45 |
| Pipe Mac <sup>™</sup>    | 46 |
| Hanger Mac <sup>™</sup>  | 47 |
| Mac Rack <sup>™</sup>    | 48 |
| Mac Rack II <sup>™</sup> | 48 |
| Bundle Mac <sup>™</sup>  | 48 |
| Cylinder Carts           | 49 |

#### LIFTS

| EL-405 Stacker            | 53 |
|---------------------------|----|
| Series 1900               | 53 |
| Roust-A-Bout <sup>™</sup> | 54 |
| FAB-MATE <sup>™</sup>     | 55 |
| Short Stack <sup>™</sup>  | 56 |
| Series 2000               | 57 |
| Series 2100               | 58 |
| Series 2300               | 59 |
| Series 2400               | 60 |
| Series 2600               | 61 |
| Eventer <sup>™</sup>      | 62 |
|                           |    |

#### GANTRIES

| GH3/4T | 67 |
|--------|----|
| GH2T   | 68 |
| GH5T   | 69 |
|        |    |

#### **MATERIAL HANDLING**

| Pallet Jacks            | 71 |
|-------------------------|----|
| 6 Pac Mac <sup>™</sup>  | 72 |
| 10 Pac Mac <sup>™</sup> | 72 |
| Caddy Mac <sup>™</sup>  | 73 |
| Spool Mac <sup>™</sup>  | 73 |
| Stor Mac <sup>™</sup>   | 74 |
| Weldbox <sup>™</sup>    | 75 |
| Storage Cabinets        | 76 |
| Piano Box               | 77 |
| Field Office            | 78 |
| Compact Chest           | 79 |
|                         |    |

#### HOISTS

| Lever Hoists               | 81 |
|----------------------------|----|
| Premium Lever Hoists       | 82 |
| Premium Lever Hoists       |    |
| w/ Overload Protection     | 83 |
| Chain Block Hoists         | 84 |
| Premium Chain Block Hoists | 85 |
| Premium Chain Block Hoists |    |
| w/ Overload Protection     | 87 |

#### **WELDING HAND TOOLS**

| Locking Pliers     | 90  |
|--------------------|-----|
| Locking Clamps     |     |
| Locking Metal Tool | 97  |
| Chipping Hammer    |     |
| Wire Brushes       | 99  |
| Clamps             | 100 |
| Combination Square | 102 |

# PIPE FITTING PRODUCTS

Sumner's line of pipe fitting products includes Universal Center Punches, Ultra Clamps, Ultra Fit, Clamp Champs, Flange Spreaders and more. Pipefitters need reliable tools, and our goal is to provide excellent products to exceed customer expectations.




### **UNIVERSAL CENTER PUNCH**



The Sumner Center punches have magnetic arms that attach to the steel surface to assure accurate location when using the punches spring-loaded striking hammer.

#### **SPECIAL FEATURES:**

- Available with fixed or adjustable magnet arms to accommodate steel pipe or tanks
- Push-button spring-loaded striking hammer
- Removable digital leveling gauge with magnetic base
- Alignment marks for centering
- Digital gauge can be used as angle finder



| ITEM #  | DESCRIPTION                              | MODEL #   | UPC          | MINIMUM PIPE DIAMETER | MAXIMUM PIPE DIAMETER |
|---------|--|-----------|--------------|-----------------------|-----------------------|
| 784590  | Universal Center Punch with Inclinometer | UCPUNCH   | 661165845907 | 4"                    | UNLIMITED             |
| 784520  | Center Punch with Inclinometer           | CPUNCH    | 661165845204 | 4"                    | 8"                    |
| OPTIONA | L ACCESSORY                              |           |              |                       |                       |
| 779546  | Inclinometer Digital Angle Finder        | CPINCLINE | 661165795462 |                       |                       |

## ULTRA CLAMP<sup>\*</sup>



The Sumner ULTRA Clamp\* device is a fast, accurate fit-up tool for pipe to pipe, pipe to fitting and other fit-up needs.

#### **SPECIAL FEATURES:**

- Accurate fit-up of 1" through 12" pipe
- Rugged frame, built for jobsite use
- Stainless steel alignment screws
- Operating handle repositions for close work
- Fine adjustment screws for quick fit-up
- Lightweight for overhead work
- Available in three sizes



#### **SPECIFICATIONS**

| ITEM # | DESCRIPTION                  | MODEL # | UPC          | MINIMUM PIPE DIAMETER | MAXIMUM PIPE DIAMETER |
|--------|------------------------------|---------|--------------|-----------------------|-----------------------|
| 781130 | ULTRA Clamp* for 1-2.5" Pipe | UC1-2.5 | 661165811308 | 1"                    | 2.5"                  |
| 781150 | ULTRA Clamp* for 2-6" Pipe   | UC2-6   | 661165811506 | 2"                    | 6"                    |
| 781170 | ULTRA Clamp* for 5-12" Pipe  | UC5-12  | 661165811704 | 5"                    | 12"                   |

## ULTRA QWIK<sup>™</sup> CLAMP



The Sumner ULTRA Qwik<sup>™</sup> Clamp is a fast, accurate fit-up tool for pipe to pipe, pipe to fitting and other fit-up needs with a quick button release.

#### **SPECIAL FEATURES:**

- Push button design allows for rapid action setting and fine tune thread adjustment
- Accurate fit-up of 1" through 12" pipe
- Rugged frame, built for jobsite use
- Stainless steel alignment screws
- Operating handle repositions for close work
- Fine adjustment screws for quick fit-up
  - Lightweight for overhead work
  - Available in three sizes



| ITEM # | DESCRIPTION                       | MODEL #  | UPC          | MINIMUM PIPE DIAMETER | MAXIMUM PIPE DIAMETER |
|--------|-----------------------------------|----------|--------------|-----------------------|-----------------------|
| 781510 | ULTRA Qwik™ Clamp for 1-2.5" Pipe | UQC1-2.5 | 661165815108 | 1"                    | 2.5"                  |
| 781520 | ULTRA Qwik™ Clamp for 2-6" Pipe   | UQC2-6   | 661165815207 | 2"                    | 6"                    |
| 781530 | ULTRA Qwik™ Clamp for 5-12" Pipe  | UQC5-12  | 661165815306 | 5"                    | 12"                   |

## **ULTRA FIT**\*



The Sumner ULTRA Fit\* is a fast, accurate fit-up tool for pipe to pipe, pipe to fitting and other fit-up needs.

#### **SPECIAL FEATURES:**

- Accurate fit-up of 1" through 12" pipe
- Rugged frame, built for jobsite use
- Stainless steel alignment screws
- Operating handle repositions for close work
- Fine adjustment screws for quick fit-up
- Lightweight for overhead work
- Available in three sizes



#### **SPECIFICATIONS**

| ITEM # | DESCRIPTION                | MODEL # | UPC          | MINIMUM PIPE DIAMETER | MAXIMUM PIPE DIAMETER |
|--------|----------------------------|---------|--------------|-----------------------|-----------------------|
| 781265 | ULTRA Fit* for 1-2.5" Pipe | UF1-2.5 | 661165812657 | 1"                    | 2.5"                  |
| 781275 | ULTRA Fit* for 2-6" Pipe   | UF2-6   | 661165812756 | 2"                    | 6"                    |
| 781285 | ULTRA Fit* for 5-12" Pipe  | UF5-12  | 661165812855 | 5"                    | 12"                   |

## ULTRA QWIK<sup>™</sup> FIT



The Sumner ULTRA Qwik<sup>™</sup> Fit is a fast, accurate fit-up tool for pipe to pipe, pipe to fitting and other fit-up needs with a quick button release.

#### **SPECIAL FEATURES:**

- Push button design allows for rapid action setting and fine tune thread adjustment
- Accurate fit-up of 1" through 12" pipe
- Rugged frame, built for jobsite use
- Stainless steel contacts & alignment screws
- Operating handle repositions for close work
- Fine adjustment screws for quick fit-up
- Lightweight for overhead work
- Available in three sizes



| ITEM # | DESCRIPTION                     | MODEL #  | UPC          | MINIMUM PIPE DIAMETER | MAXIMUM PIPE DIAMETER |
|--------|---------------------------------|----------|--------------|-----------------------|-----------------------|
| 781540 | ULTRA Qwik™ Fit for 1-2.5" Pipe | UQF1-2.5 | 661165815405 | 1"                    | 2.5"                  |
| 781550 | ULTRA Qwik™ Fit for 2-6" Pipe   | UQF2-6   | 661165815504 | 2"                    | 6"                    |
| 781560 | ULTRA Qwik™ Fit for 5-12" Pipe  | UQF5-12  | 661165815603 | 5"                    | 12"                   |

### **CLAMP CHAMP**<sup>™</sup>





The Sumner Clamp Champ<sup>™</sup> kit is an advanced solution for today's problem fit ups! The Clamp Champ<sup>™</sup> kit is built for the welder who takes pride in doing his job right the first time. Constructed from years of trouble free job site use, the versatile Clamp Champ<sup>™</sup> kit makes pipe fit-up simple and accurate – without the need of a helper. The Clamp Champ<sup>™</sup> kit is similar to a pipe vise with fast, easy set up and solid chain engagement.

#### **SPECIAL FEATURES:**

- Easy grip knurled adjustment knob works with gloved hands for precision alignment
- Leveling and supporting device quickly and accurately sets gap
- Drop forged handle and wing nuts designed for rough field use and easy adjustment with gloved hands
- Fast action chain lock system for fast set-up
- Flared jack bars are easy to add or remove to accommodate a wide range of pipe diameters
- · Jack bar screws allows welder to square and space the fit-up easily

| ITEM # | DESCRIPTION   | MODEL #      | UPC          | MINIMUM PIPE DIAMETER | MAXIMUM PIPE DIAMETER |
|--------|---|--------------|--------------|-----------------------|-----------------------|
| 781000 | Clamp Champ™ Standard Kit for 1"-10"<br>Pipe            | CCKIT1-10    | 661165810004 | 1"                    | 10"                   |
| 780999 | Clamp Champ™ Stainless Steel Kit for<br>1"-10" Pipe     | CCKITSS1-10  | 661165809992 | 1"                    | 10"                   |
| 780998 | Clamp Champ™ Standard Kit for 1"-16"<br>Pipe            | CCKIT1-16    | 661165809985 | 1"                    | 16"                   |
| 780997 | Clamp Champ™ Stainless Steel Kit for<br>1"-16" Pipe     | CCKITSS1-16  | 661165809978 | 1"                    | 16"                   |
| 781250 | Clamp Champ™ Standard Kit II for<br>10"-36" Pipe        | CCKIT10-36   | 661165812503 | 10"                   | 36"                   |
| 781251 | Clamp Champ™ Stainless Steel Kit li For<br>10"-36" Pipe | CCKITSS10-36 | 661165812510 | 10"                   | 36"                   |

### **DX CLAMP**



The Sumner DX Clamp is a lightweight drop forged pipe fit-up tool.

#### **SPECIAL FEATURES:**

- Fit-up tool for 1-14" pipe
- Adjustment screws offer hardened steel ball contact with pipe
- Available in five sizes

#### **SPECIFICATIONS**

| ITEM # | DESCRIPTION               | MODEL # | UPC          | MINIMUM PIPE DIAMETER | MAXIMUM PIPE DIAMETER |
|--------|---------------------------|---------|--------------|-----------------------|-----------------------|
| 781570 | DX Clamp for 1"-3" Pipe   | DX1-3   | 661165815702 | 1"                    | 3"                    |
| 781571 | DX Clamp for 2"-5" Pipe   | DX2-5   | 661165815719 | 2"                    | 5"                    |
| 781572 | DX Clamp for 4"-7" Pipe   | DX4-7   | 661165815726 | 4"                    | 7"                    |
| 781573 | DX Clamp for 5"-9" Pipe   | DX5-9   | 661165815733 | 5"                    | 9"                    |
| 781574 | DX Clamp for 10"-14" Pipe | DX10-14 | 661165815740 | 10"                   | 14"                   |

## **INTERNAL FIT-UP CLAMP**



The Sumner Internal Fit-Up Clamp is an internal pipe alignment tool that can be used on all standard weld neck and slip-on flanges.

#### **SPECIAL FEATURES:**

- Independent adjustment allows for alignment even if internal dimensions differ
- One-piece construction the Internal Fit-Up Clamp is built for durability and reliability
- Simple and quick one-man operation allows for one jaw to clamp the pipe inside diameter and the second jaw to clamp on the flange
- Stainless Steel contact points
- Available in three sizes
- NOTE: The Internal Fit-Up Clamp is an alignment tool. A separate lifting device to support the flange weight is recommended.

| ITEM # | DESCRIPTION                           | MODEL # | UPC          | MINIMUM PIPE DIAMETER | MAXIMUM PIPE DIAMETER |
|--------|---------------------------------------|---------|--------------|-----------------------|-----------------------|
| 784100 | Internal Fit-Up Clamp for 2"-4" Pipe  | IFC2-4  | 661165841008 | 2"                    | 4"                    |
| 784102 | Internal Fit-Up Clamp for 4"-8" Pipe  | IFC4-8  | 661165841022 | 4"                    | 8"                    |
| 784103 | Internal Fit-Up Clamp for 8"-12" Pipe | IFC8-12 | 661165841039 | 8"                    | 12"                   |

### **FLANGE PINS**



The Sumner Flange Pins are designed for fast, accurate alignment of pipe flanges.

#### **SPECIAL FEATURES:**

- Available Quick installing pins options works to level flange (two-hole) for tack and weld-out
- Toolless install pins work as convenient reference points to level flange for tack and weld-out
- Hardened pins automatically center on 5/8" to 2-5/8" holes
- Features Acme threads for maximum clamping power
- Uses push-button Qwik pin nuts for fast action alignment



| ITEM # | DESCRIPTION  | MODEL #   | UPC          | MINIMUM FLANGE HOLE | MAXIMUM FLANGE HOLE |
|--------|--|-----------|--------------|---------------------|---------------------|
| 781235 | Qwik Pins* for 5/8" to 1-5/8" Flange<br>Holes (set of 2)                   | QWIKP     | 661165812350 | 5/8"                | 1-5/8"              |
| 780430 | Flange Pins for 5/8" to 1-5/8" Flanges<br>Holes (set of 2)                 | ST-106    | 661165804300 | 5/8"                | 1-5/8"              |
| 780429 | Stainless Steel Flange Pins for 5/8" to<br>1-5/8" Flanges Holes (set of 2) | ST-206    | 661165804294 | 5/8"                | 1-5/8"              |
| 780650 | Flange Pins for 1-1/2" to 2-5/8" Flanges<br>Holes (set of 2)               | ST-258    | 661165806502 | 1-1/2"              | 2-5/8"              |
| 781240 | Qwik Pins* Flange Leveler for 5/8" to<br>1-5/8" Flange Holes (set of 2)    | FLANGLVLR | 661165812404 | 5/8"                | 1-5/8"              |

FLANGE CLASS

## **FLANGE SPREADER**



The Sumner manual flange spreader is designed for use in most pipe fitting applications.

#### **SPECIAL FEATURES:**

- Can be used for 150 lbs to 1,500 lbs flanges
- Hardened wedge for safe splitting
- Large feed screw
- Drive can be rotated by 1-3/8" wrench or 1/2" (12 mm) bar
- Compact design strong enough for touch jobs
- 4 models available to cover flange ranges from 1" to 24"

#### **SPECIFICATIONS**

|        |                        |         |              |        |                 |         | I LANGE OLAGO |            |         |         |           |
|--------|------------------------|---------|--------------|--------|-----------------|---------|---------------|------------|---------|---------|-----------|
| ITEM # | DESCRIPTION            | MODEL # | UPC          | SPREAD | PIN<br>Diameter | 150 LBS | 300 LBS       | 400 LBS    | 600 LBS | 900 LBS | 1,500 LBS |
| 784003 | 3" Flange Spreader     | ST-301  | 661165840032 | 3"     | 5/8"            | 1"-6"   | 3/4"-4"       | 1/2"-2"    |         |         |           |
| 784002 | 4" Flange Spreader     | ST-302  | 661165840025 | 4"     | 3/4"            | 2"-12"  | 1/1/2"-8"     | 1"-4"      | 1"-4"   | 1"-2"   | 1"-2"     |
| 784001 | 5" Flange Spreader     | ST-303  | 661165840018 | 5"     | 7/8"            | 5"-24"  | 2-1/2"-12"    | 1-1/2"-8"  | 2"-6"   | 1"-4"   | 1"-3"     |
| 784000 | 6-3/8" Flange Spreader | ST-304  | 661165840001 | 6-3/8" | 1"              | 10"-24" | 7"-24"        | 3-1/2"-16" | 4"-10"  | 1"-8"   | 1"-5"     |

### **HYDRAULIC FLANGE SPREADER**



The Sumner hydraulic flange spreader is designed for use in most heavy duty pipe fitting applications.

#### **SPECIAL FEATURES:**

- 10 ton flange splitter to tackle the tough jobs
- Spreader arms adjust from 2-3/4" to 8-1/2"
- Spring return, single action cylinder
- Hardened wedge for safe splitting
- Hand pump and 6' hose available as accessories

| SPEC    | SPECIFICATIONS   |            |              |           |                      |                    |                    |             | FLANGE CLASS |             |             |            |              |
|---------|--|------------|--------------|-----------|----------------------|--------------------|--------------------|-------------|--------------|-------------|-------------|------------|--------------|
| ITEM #  | DESCRIPTION  | MODEL #    | UPC          | CAPACITY  | CYLINDER<br>Capacity | CYLINDER<br>Stroke | FLANGE<br>PIN SIZE | 150<br>LBS  | 300<br>LBS   | 400<br>LBS  | 600<br>LBS  | 900<br>LBS | 1,500<br>LBS |
| 784004  | Hydraulic Flange<br>Spreader   | ST-310     | 661165840049 | 9 X 92 MM | 10 TON               | 2"                 | 1-1/4"-1-<br>5/8"  | 22"-<br>42" | 16"-<br>28"  | 14"-<br>24" | 12"-<br>20" | 8"-<br>16" | 4"-8"        |
| OPTIONA | L HYDRAULIC FLA  | NGE SPREAD | ER ACCESSORY |           |                      |                    |                    |             |              |             |             |            |              |
| ITEM #  | DESCRIPTION  | MODEL #    | UPC          | CAPACITY  |                      |                    |                    |             |              |             |             |            |              |
| 777010  | Hand Hydraulic<br>Pump for Flange<br>Spreader with<br>Quick Disconnect | HHYDPUMP   | 661165770100 | 6 FT      |                      |                    |                    |             |              |             |             |            |              |

## ADJUST-A-FIT<sup>™</sup>



The Sumner Adjust-A-Fit<sup>™</sup> alignment tool uses gravity to make lining up fittings a trouble-free, one man operation.

#### **SPECIAL FEATURES:**

- Uses gravity to align fittings for loads up to 45 degrees
- Fastens directly onto fittings for loads up to 1,000 lbs.
- Threaded shaft assembly is hardened for long tool life
- Cloverleaf setscrew and threaded shaft handle work from either side

#### **SPECIFICATIONS**

| ITEM # | DESCRIPTION   | MODEL # | UPC          | LOAD CAPACITY |
|--------|---------------|---------|--------------|---------------|
| 780420 | Adjust-A-Fit™ | ST-104  | 661165804201 | 1,000 lbs.    |


## ADJUST-A-FLANGE<sup>™</sup>



The Sumner Adjust-A-Flange<sup>™</sup> tool, when used with the Adjust-A-Fit<sup>™</sup> tool, is an alignment tool for fittings that uses gravity to make lining up fittings a trouble-free, one man operation.

#### **SPECIAL FEATURES:**

- Fits all flanges for 5" pipe and larger with bolt holes 3/4" to 1-5/8" (19 to 42 mm)
- Used in combination with the Adjust-A-Fit to bring pipe flanges to exact plumb for tack and weld-out
- Handles loads up to 1,000 lbs.
- Flange nuts serve as convenient reference points to check level



| ITEM # | DESCRIPTION      | MODEL # | UPC          | LOAD CAPACITY | MINIMUM FLANGE HOLE | MAXIMUM FLANGE HOLE |
|--------|------------------|---------|--------------|---------------|---------------------|---------------------|
| 780425 | Adjust-A-Flange™ | ST-105  | 661165804256 | 1,000 lbs.    | 3/4"                | 1-5/8"              |

## **NYLON EXPANSION PLUGS**



Sumner Nylon Expansion Plugs are ideal for pipework leak testing of drains, pools, spas and purging.

#### **SPECIAL FEATURES:**

- Rubber rings are resistant to many chemicals and sea water corrosion
- Hollow shaft with screw cap for sealing or venting
- Available individually or as a kit



#### **SPECIFICATIONS**

| ITEM #     | DESCRIPTION                  | MODEL #      | UPC          | RANGE (INCH) | LENGTH OF SEAL |
|------------|------------------------------|--------------|--------------|--------------|----------------|
| 786055     | 3/4 - 4" Expansion Plug Kit* | NEP3/4-4KIT  | 661165860559 | .7-4.33      | .78-1.38"      |
| 786060     | 3/4" Nylon Expansion Plugs   | NEP3/4       | 661165860603 | .795         | .78"           |
| 786061     | 1" Nylon Expansion Plugs     | NEP1         | 661165860610 | .90-1.26     | 1"             |
| 786062     | 1-1/4" Nylon Expansion Plugs | NEP1-1/4     | 661165860627 | 1.22-1.65    | 1.22"          |
| 786063     | 1-1/2" Nylon Expansion Plugs | NEP1-1/2     | 661165860634 | 1.46-2.13    | 1.22"          |
| 786064     | 2" Nylon Expansion Plugs     | NEP2         | 661165860641 | 1.89-2.56    | 1.18"          |
| 786065     | 2 1/2" Nylon Expansion Plugs | NEP2-1/2     | 661165860658 | 2.36-3.03    | 1.26"          |
| 786066     | 3" Nylon Expansion Plugs     | NEP3         | 661165860665 | 2.76-3.43    | 1.18"          |
| 786067     | 3 1/2" Nylon Expansion Plugs | NEP3-1/2     | 661165860672 | 3.27-3.82    | 1.18"          |
| 786068     | 4" Nylon Expansion Plugs     | NEP4         | 661165860689 | 3.74-4.33    | 1.38"          |
| 779395     | 10MM X 1/4" HOSE BARB        | HBARB10X1/4  | 661165793956 |              |                |
| 779396     | 1/2" BSP X 3/8" HOSE BARB    | HBARB1/2X3/8 | 661165793963 |              |                |
| OPTIONAL P | LUG                          |              |              |              |                |
| 786070     | 6" Aluminum Expansion Plugs  | NEP6         | 661165860702 | 5.83-6.38    | 1.46"          |

\*Includes 2 of each of the Nylon Plugs and Hose Barbs (does not include the 786070)

### **WELD GAS ANALYZER**



The Sumner Argo-Naught Oxygen Analyzer for welding with accuracy to .1%.

#### **SPECIAL FEATURES:**

- Compact but durable housing
- Air and water-tight storage case included
- High measurement accuracy
- Quick response time
- Clear, large display

| ITEM # | DESCRIPTION                           | MODEL # | UPC          |  |
|--------|---------------------------------------|---------|--------------|--|
| 779281 | Argo-Naught Weld Gas Analyzer         | WGA     | 661165792812 |  |
| 779330 | Argo-Naught Replacement Oxygen Sensor | OXYSENS | 661165793307 |  |

### **INFLATABLE PURGE STAR\***



The Sumner two bag fast install inflatable Purge Star\* systems are ideal for pipes 2" to 16".

#### **SPECIAL FEATURES:**

- Purge 2"-16" pipe in less than 3 minutes to less than 1% oxygen content
- Reduce argon usage
- Increase weld production rate
- Improve weld quality
- Designed for years of use
- Single inflation or double inflation

| ITEM # | DESCRIPTION                | MODEL # | UPC          | MAXIMUM PIPE<br>Capacity | HOSE TYPE |
|--------|----------------------------|---------|--------------|--------------------------|-----------|
| 788001 | 2" Inflatable Purge Star*  | SHPS2   | 661165792607 | 2"                       | SINGLE    |
| 788003 | 3" Inflatable Purge Star*  | SHPS3   | 661165792614 | 3"                       | SINGLE    |
| 788004 | 4" Inflatable Purge Star*  | SHPS4   | 661165792621 | 4"                       | SINGLE    |
| 788006 | 6" Inflatable Purge Star*  | SHPS6   | 661165792638 | 6"                       | SINGLE    |
| 788007 | 8" Inflatable Purge Star*  | SHPS8   | 661165792645 | 8"                       | SINGLE    |
| 788008 | 10" Inflatable Purge Star* | SHPS10  | 661165792652 | 10"                      | SINGLE    |
| 788009 | 12" Inflatable Purge Star* | DHPS12  | 661165792669 | 12"                      | DOUBLE    |
| 788010 | 14" Inflatable Purge Star* | DHPS14  | 661165792676 | 14"                      | DOUBLE    |
| 788011 | 16" Inflatable Purge Star* | DHPS16  | 661165792683 | 16"                      | DOUBLE    |

### **PURGE BUDDY™ SYSTEMS**



Save time and argon with the Sumner Purge Buddy<sup>™</sup> systems.

#### **SPECIAL FEATURES:**

- Inflatable Pipe Stopper for pipes between 2"- 36"
- Latex bladder surrounded by fire resistant fabric
- Pull loops for inside of the pipe
- 4.8' inflation hose
- Includes Spreader Valve for easy inflation
- Heat resistant to 210° F

| ITEM # | DESCRIPTION     | MODEL # | UPC          | MAXIMUM PIPE CAPACITY |
|--------|-----------------|---------|--------------|-----------------------|
| 786080 | 2" Purge Buddy  | PB2     | 661165860801 | 2"                    |
| 786081 | 3" Purge Buddy  | PB3     | 661165860818 | 3"                    |
| 786082 | 4" Purge Buddy  | PB4     | 661165860825 | 4"                    |
| 786083 | 5" Purge Buddy  | PB5     | 661165860832 | 5"                    |
| 786084 | 6" Purge Buddy  | PB6     | 661165860849 | 6"                    |
| 786085 | 8" Purge Buddy  | PB8     | 661165860856 | 8"                    |
| 786086 | 10" Purge Buddy | PB10    | 661165860863 | 10"                   |
| 786087 | 12" Purge Buddy | PB12    | 661165860870 | 12"                   |
| 786088 | 14" Purge Buddy | PB14    | 661165860887 | 14 <sup>n</sup>       |
| 786089 | 16" Purge Buddy | PB16    | 661165860894 | 16"                   |
| 786090 | 18" Purge Buddy | PB18    | 661165860900 | 18"                   |
| 786091 | 20" Purge Buddy | PB20    | 661165860917 | 20"                   |
| 786092 | 22" Purge Buddy | PB22    | 661165860924 | 22"                   |
| 786093 | 24" Purge Buddy | PB24    | 661165860931 | 24"                   |
| 786094 | 28" Purge Buddy | PB28    | 661165860948 | 28"                   |
| 786095 | 30" Purge Buddy | PB30    | 661165860955 | 30"                   |
| 786096 | 32" Purge Buddy | PB32    | 661165860962 | 32"                   |
| 786097 | 36" Purge Buddy | PB36    | 661165860979 | 36"                   |

#### **WELDING GAGE**



The Sumner welding gage measures internal hi-lo misalignment and root gap spacing.

#### **SPECIAL FEATURES:**

- Accurate quick check of internal hi-lo
- Root weld spacing with little effort
- Available in both imperial and metric

| ITEM # | DESCRIPTION           | MODEL # | UPC          |
|--------|-----------------------|---------|--------------|
| 781900 | Welding Gage Imperial | WGAGEI  | 661165819007 |
| 781901 | Welding Gage Metric   | WGAGEM  | 661165819014 |

## FIT KITS<sup>™</sup> TOOLS



The professional pipe fitter's welding clamp kit.

#### FIT KIT<sup>™</sup> 2 - 6"

- A compact pipe fit-up kit containing Sumner's most commonly used fit-up tools
- Each Fit Kit<sup>™</sup> 2 6" contains:
  - 2-6" Ultra Clamp\* (Stock # 781150)
  - 2-6" Ultra Fit\* (Stock # 781275)
  - 4-8" Internal Fit-Up Clamp (Stock # 784102)
  - Set of carbon steel Flange Pins (Stock # 780430)
  - MCB Level (Stock # 58281640)
  - Weldbox<sup>™</sup> 2008 for storage (Stock # 779910)

#### FIT KIT<sup>™</sup> 2 - 12<sup>™</sup>

- The Sumner Fit Kit<sup>™</sup> 2 12" provides everything the pipe fitter needs, complete with Weldbox<sup>™</sup> 3617 for storage
- Each Fit Kit<sup>™</sup> 2 12" contains:
  - Four (4) Fold-A-Jack\* (Stock # 781300)
  - 2-6" Ultra Clamp\* (Stock # 781150)
  - 5-12" Ultra Clamp\* (Stock # 781170)
  - 2-6" Ultra Fit\* (Stock # 781275)
  - 5-12" Ultra Fit\* (Stock # 781285)
  - 2-4" Internal Fit-Up Clamp (Stock # 784100)
  - 4-8" Internal Fit-Up Clamp (Stock # 784102)
  - 8-12" Internal Fit-Up Clamp (Stock # 784103)
  - MCB Level (Stock # 58281640)
  - Steel Square (Stock # 781920)
  - Set of Qwik Pins\* (Stock # 781235)
  - Weldbox<sup>™</sup> 3617 for storage (Stock # 779928)

| ITEM # | DESCRIPTION             | MODEL # | UPC          |
|--------|-------------------------|---------|--------------|
| 780324 | Fit Kit™ for 2-6" Pipe  | FK2-6   | 661165803242 |
| 780315 | Fit Kit™ for 2-12" Pipe | FK2-12  | 661165803150 |

### **MUL-T-SQUARE\***



The Sumner Mul-T-Square\* tool consists of two 45 degree blades that slide effortlessly in an industrial-strength plastic handle.

#### **SPECIAL FEATURES:**

- Lightweight durable aluminum construction
- Handles up to 8" flanges and up to 14" fittings
- Versatile for measuring 45° and 90° angle
- Blades marked with both imperial and metric units
- Comes with 10" and 14" arms
- Also available with 30" arms



#### **SPECIFICATIONS**

| ITEM # | DESCRIPTION                            | MODEL #     | UPC          | ARM LENGTH  |
|--------|--|-------------|--------------|-------------|
| 790000 | Mul-T-Square* w/Standard Blades        | MTS         | 661165900002 | 10" AND 14" |
| 790030 | Mul-T-Square* w/Extended Blade         | MTSE        | 661165900309 | 30"         |
| 790021 | Mul-T-Square* Blades only (2)          | MTSBLADE    | 661165900217 | 10" AND 14" |
| 790026 | Mul-T-Square* Extended Blades only (2) | MTSEXTBLADE | 661165900262 | 30"         |
| 790001 | Mul-T-Square* Handle Only              | 790001      | 661165900019 |             |

### **ALUMINUM SQUARE**



Aluminum standard squares from Sumner are marked with both imperial and metric units.

#### **SPECIAL FEATURES:**

• 24" x 16" standard square

| ITEM # | DESCRIPTION     | MODEL # | UPC          |
|--------|-----------------|---------|--------------|
| 781921 | Aluminum Square | ALSQ    | 661165819212 |

## **MAGNETIC HOLDER**



Sumner\* magnetic holders can be used to position a standard builder's square for layout work or to create an ideal burning guide.

#### **SPECIAL FEATURES:**

- Use Magnetic Holders with a standard square to create an ideal torch guide
- Sold in packages of three (3)
- Holds squares up to 1/8" thick



#### **SPECIFICATIONS**

| ITEM # | DESCRIPTION          | MODEL # | UPC          |
|--------|----------------------|---------|--------------|
| 781895 | Magnetic Holders (3) | MAGHOLD | 661165818956 |

## **MULTI PURPOSE MAGNETIC FIXTURES**



The Sumner Angle Welding Fixture accurately positions flat and round ferrous metal for welding and assembly.

#### **SPECIAL FEATURES:**

- $\bullet$  Holds angles at 30°, 45°, 60°, 75° and 90°
- Strong magnets allow for a hands-free hold
- Capable of 48.5 lbs. of holding force
- Available in 4 options: small, medium, large and multiple angle fixtures

| ITEM # | DESCRIPTION                    | MODEL # | UPC          |
|--------|--------------------------------|---------|--------------|
| 781885 | Multiple Angle Welding Fixture | MZWF    | 661165818857 |
| 781886 | Small Angle Welding Fixture    | SAWF    | 661165818864 |
| 781887 | Medium Angle Welding Fixture   | MAWF    | 661165818871 |
| 781888 | Large Angle Welding Fixture    | LAWF    | 661165818888 |



## **MAGNETIC TORCH GUIDE KIT**

Sumner magnetic torch guide can be used to layout work or to create an ideal burning guide.



#### **SPECIAL FEATURES:**

- Use to create an ideal burning guide
- Kit includes a 24" stainless steel cutting rail and (2) magnetic holders

| ITEM # | DESCRIPTION          | MODEL # | UPC          |
|--------|----------------------|---------|--------------|
| 781896 | Magnetic Torch Guide | MAGTRCH | 661165818963 |

## **POCKET LEVEL**



## ACCU-LEVEL

The Sumner Pocket Level is compact to accommodate many fit-up tasks.

#### **SPECIAL FEATURES:**

- Twin vial construction reads 0° and 90°
- Tough ABS plastic with a strong magnetic base
- Easy to read high impact acrylic bubble vials



The Sumner Accu-level is a high-accuracy, portable level designed for pipe fitting and welding applications.

#### **SPECIAL FEATURES:**

- $\bullet$  Features three vials (0°, 45° and 90°)
- Made with rugged die cast aluminum
- Grooved based that fits on pipe and conduit
- Earthen magnetic base
- Comes with belt holster

## **TORPEDO LEVEL**

The Southwire<sup>™</sup> Conduit Bending Level has high-visibility vials that are easy to read.

#### **SPECIAL FEATURES:**

- Three leveling vials set at 0°, 45°, and 90°
- Integrated light illuminates vials for better visibility
- Lightweight and durable aluminum construction
- Easy to read high impact acrylic bubble vials
- V-grooved edge helps hold the level in place on pipe or conduit
- Water and impact resistant

### **MCBLEVEL**



The Sumner Pocket Level is compact to accommodate many fit-up tasks.

#### **SPECIAL FEATURES:**

- Four leveling vials set at 0°, 30°, 45°, and 90°
- Four powerful magnets for hands-free operation
- Easy to read high impact acrylic bubble vials
- V-grooved edge helps hold the level in place on pipe or conduit
- Lightweight and durable aluminum construction
- · Set screw secures level to conduit

### **SPECIFICATIONS**

| ITEM #   | DESCRIPTION              | MODEL #  | UPC          |
|----------|--------------------------|----------|--------------|
| 781947   | Pocket Level             | PLVL     | 661165819472 |
| 781950   | Accu-level               | ALVL     | 661165819502 |
| 58281840 | Torpedo Level 9"         | LVLTOR9  | 032886911026 |
| 58281640 | Conduit Bending Level 6" | MCBLEVEL | 032886908606 |

#### **WELDER'S STOOL**



The Sumner tractor style welder's stool is designed specifically for fabrication shops.

#### **SPECIAL FEATURES:**

- Stamped steel seat with air holes
- Designed for comfort even during 8 hour shifts
- High strength steel construction
- Uses Sumner lock washer for quick height adjustment
- 300 lbs. capacity
- Max. height: 22"
- Min. height: 15"

| ITEM # | DESCRIPTION    | MODEL # | UPC          |
|--------|----------------|---------|--------------|
| 785800 | Welder's Stool | WS1     | 661165858006 |

# JACK STANDS

Sumner's line of Heavy Duty Jacks, sets a new industry standard. With superior support, our product line of Jack Stands can accomplish your goals while saving time and energy.



#### **HEAVY DUTY JACKS**



The Sumner Heavy Duty jacks are a fixed leg stand constructed of rugged 1" steel tubing.

#### **SPECIAL FEATURES:**

- Designed for large loads up to 2,500 lbs. depending on the head option
- Patented Fall Guard™ feature allows 1" safety zone around lock washer
- Set screw can lock jack head to stand for transportation no loose pieces
- 1.5" ACME fine adjustment thread with large, convenient adjustment handle
- Breaks down for easy storage
- Available with 7 head options

| ITEM #        | DESCRIPTION                                   | MODEL #  | UPC          | LOAD CAPACITY |
|---------------|---|----------|--------------|---------------|
| HI HEAVY DUTY | ,   |          |              |               |
| 780375        | Hi Heavy Duty Jack w/Vee Head                 | ST-801   | 661165803754 | 2500 lbs.     |
| 780376        | Hi Heavy Duty Jack w/Roller Head              | ST-802   | 661165803761 | 2500 lbs.     |
| 780377        | Hi Heavy Duty Jack w/Bar Stock Head           | ST-803   | 661165803778 | 2000 lbs.     |
| 780378        | Hi Heavy Duty Jack w/Stainless Steel Rollers  | ST-804   | 661165803785 | 2000 lbs.     |
| 780379        | Hi Heavy Duty Jack w/Stainless Steel Vee Head | ST-805   | 661165803792 | 2500 lbs.     |
| 780380        | Hi Heavy Duty Jack w/Ball Transfer Head       | ST-806   | 661165803808 | 1000 lbs.     |
| 780381        | Hi Heavy Duty Jack w/Rubber Wheels            | ST-807   | 661165803815 | 1200 lbs.     |
| LOW-HEAVY DU  | ΙΤΥ   |          |              |               |
| 780385        | Lo Heavy Duty Jack w/Vee Head                 | ST-901   | 661165803853 | 2500 lbs.     |
| 780386        | Lo Heavy Duty Jack w/Roller Head              | ST-902   | 661165803860 | 2500 lbs.     |
| 780387        | Lo Heavy Duty Jack w/Bar Stock Head           | ST-903   | 661165803877 | 2000 lbs.     |
| 780388        | Lo Heavy Duty Jack w/Stainless Steel Rollers  | ST-904   | 661165803884 | 2000 lbs.     |
| 780389        | Lo Heavy Duty Jack w/Stainless Steel Vee Head | ST-905   | 661165803891 | 2500 lbs.     |
| 780390        | Lo Heavy Duty Jack w/Ball Transfer Head       | ST-906   | 661165803907 | 1000 lbs.     |
| 780391        | Lo Heavy Duty Jack w/Rubber Wheels            | ST-907   | 661165803914 | 1200 lbs.     |
| HI HEAVY DUTY | PLUS  |          |              |               |
| 780326        | Hi Heavy Duty Jack Plus w/Ribbed Vee          | HIHDPLUS | 661165803266 | 3500 lbs.     |

### "PRO-JACK"\*



The Sumner "Pro-Jack"\* stand is an economical fixed leg support stand.

#### **SPECIAL FEATURES:**

- Designed for large loads up to 2,500 lbs.
- Patented Fall Guard<sup>™</sup> feature allows 1" safety zone around lock washer.
- Set screw can lock jack head to stand for transportation no loose pieces.
- 1.5" ACME fine adjustment thread with large, convenient adjustment handle.
- Available with 7 head options.

| ITEM # | DESCRIPTION                               | MODEL # | UPC          | LOAD CAPACITY |
|--------|---|---------|--------------|---------------|
| 780471 | Hi "Pro-Jack"* w/Vee Head                 | ST-871  | 661165804713 | 2500 lbs.     |
| 780472 | Hi "Pro-Jack"* w/Roller Head              | ST-872  | 661165804720 | 2500 lbs.     |
| 780473 | Hi "Pro-Jack"* w/Bar Stock Head           | ST-873  | 661165804737 | 2000 lbs.     |
| 780474 | Hi "Pro-Jack"* w/Stainless Steel Rollers  | ST-874  | 661165804744 | 2000 lbs.     |
| 780475 | Hi "Pro-Jack"* w/Stainless Steel Vee Head | ST-875  | 661165804751 | 2500 lbs.     |
| 780476 | Hi "Pro-Jack"* w/Ball Transfer Head       | ST-876  | 661165804768 | 1000 lbs.     |
| 780477 | Hi "Pro-Jack"* w/Rubber Wheels            | ST-877  | 661165804775 | 1200 lbs.     |

#### FOLD-A-JACK\*



The Sumner Fold-A-Jack\* stand is a light weight, collapsible, tri-leg pipe stand available in two heights to serve most fabrication sites.

#### **SPECIAL FEATURES:**

- Designed for large loads up to 2,500 lbs.
- Patented Fall Guard™ feature allows 1" safety zone around lock washer
- Easy grip carrying handle for breakdown and transportation
- Set screw can lock jack head to stand for transportation no loose pieces
- 1.5" ACME fine adjustment thread with large, convenient adjustment handle
- Available with 7 head options

| ITEM #       | DESCRIPTION                                   | MODEL # | UPC          | LOAD CAPACITY |
|--------------|---|---------|--------------|---------------|
| HI FOLD-A-JA | SK*   |         |              |               |
| 781300       | Hi Fold-A-Jack* w/Vee Head                    | ST-881  | 661165813005 | 2500 lbs.     |
| 781301       | Hi Fold-A-Jack* w/Roller Head                 | ST-882  | 661165813012 | 2500 lbs.     |
| 781302       | Hi Fold-A-Jack* w/Bar Stock Head              | ST-883  | 661165813029 | 2000 lbs.     |
| 781303       | Hi Fold-A-Jack* w/Stainless Steel Rollers     | ST-884  | 661165813036 | 2000 lbs.     |
| 781304       | Hi Fold-A-Jack* w/Stainless Steel Vee Head    | ST-885  | 661165813043 | 2500 lbs.     |
| 781305       | HI Fold-A-Jack* w/Ball Transfer Head          | ST-886  | 661165813050 | 1000 lbs.     |
| 781306       | Hi Fold-A-Jack* w/Rubber Wheels               | ST-887  | 661165813067 | 1200 lbs.     |
| LOW FOLD-A-  | ACK*  |         |              |               |
| 781310       | Lo Fold-A-Jack* w/Vee Head                    | ST-981  | 661165813104 | 2500 lbs.     |
| 781311       | Lo Fold-A-Jack* w/Roller Head                 | ST-982  | 661165813111 | 2500 lbs.     |
| 781313       | Lo Fold-A-Jack* w/Stainless Steel Roller Head | ST-983  | 661165813135 | 2000 lbs.     |
| 781314       | Lo Fold-A-Jack* w/Stainless Steel Vee Head    | ST-984  | 661165813142 | 2500 lbs.     |
| 781315       | Lo Fold-A-Jack* w/Ball Transfer Head          | ST-985  | 661165813159 | 1000 lbs.     |
| 781316       | Lo Fold-A-Jack* w/Rubber Wheels               | ST-986  | 661165813166 | 1200 lbs.     |

### FAT JACK<sup>™</sup>



The Sumner Fat Jack<sup>™</sup> stand is a collapsible base constructed of rugged 1.25" steel tubing.

#### **SPECIAL FEATURES:**

- Designed for large loads up to 6,000 lbs.
- Easy grip carrying handle for breakdown and transportation
- · Double locking pin system for fast height adjustment
- 1.5" ACME fine adjustment thread with large, convenient adjustment handle
- Breaks down for easy storage
- Available with 2 head options and 2 sizes

| ITEM #        | DESCRIPTION                   | MODEL #  | UPC          | LOAD CAPACITY |  |  |
|---------------|-------------------------------|----------|--------------|---------------|--|--|
| MAXI FAT JACH | MAXI FAT JACK™                |          |              |               |  |  |
| 787900        | Maxi FAT Jack™ w/ Vee Head    | MAXIFJVH | 661165852509 | 6000 lbs.     |  |  |
| 787903        | Maxi FAT Jack™ w/ Roller Head | MAXIFJRH | 661165852554 | 6000 lbs.     |  |  |
| MIDI FAT JACK | TM                            |          |              |               |  |  |
| 787901        | Midi FAT Jack™ w/ Vee Head    | MIDIFJVH | 661165852516 | 6000 lbs.     |  |  |
| 787904        | Midi FAT Jack™ w/ Roller Head | MIDIFJRH | 661165852561 | 6000 lbs.     |  |  |
| MINI FAT JACK | TM                            |          |              |               |  |  |
| 787902        | Mini FAT Jack™ w/ Vee Head    | MINIFJVH | 661165852523 | 6000 lbs.     |  |  |
| 787905        | Mini FAT Jack™ w/ Roller Head | MINIFJRH | 661165852578 | 6000 lbs.     |  |  |
| OPTIONAL ACC  | OPTIONAL ACCESSORY            |          |              |               |  |  |
| 785220        | Roller Head                   | 785220   | 661165852202 | 6000 lbs.     |  |  |

### HI BOY™



The Sumner Hi Boy<sup>™</sup> stand is a collapsible base constructed of rugged 1.25" steel tubing

#### **SPECIAL FEATURES:**

- Designed for loads up to 1,000 lbs.
- Height range of 39" to 72"
- Easy grip carrying handle for breakdown and transportation
- Double locking pin system for fast height adjustment
- 1.5" ACME fine adjustment thread with large, convenient adjustment handle
- Breaks down for easy storage



| ITEM # | DESCRIPTION             | MODEL # | UPC          | LOAD CAPACITY |
|--------|-------------------------|---------|--------------|---------------|
| 783250 | Hi Boy™ Jack w/Vee Head | HIBOY   | 661165832501 | 1000 lbs.     |

### FAB SAF<sup>™</sup> JACK



The Sumner FAB SAF<sup>™</sup> jacks are a fixed leg wide base stand constructed of rugged 1" steel tubing.

#### **SPECIAL FEATURES:**

- Designed for large loads up to 3,500 lbs. capacity on the vee head and 2,500 lbs. capacity on the roller head
- 30" Wide Heavy Duty Base for added stability
- Patented Fall Guard<sup>™</sup> feature allows 1" safety zone around lock washer
- Set screw can lock jack head to stand for transportation no loose pieces
- 1.5" ACME fine adjustment thread with large, convenient adjustment handle
- Breaks down for easy storage
- Available with 2 head options

| ITEM # | DESCRIPTION                 | MODEL #  | UPC          | LOAD CAPACITY |
|--------|-----------------------------|----------|--------------|---------------|
| 780395 | FAB SAF™ Jack w/Vee Head    | FABSAFV  | 661165803952 | 3500 lbs.     |
| 780400 | FAB SAF™ Jack w/Roller Head | FABSAFRH | 661165804003 | 2500 lbs.     |

### ADJUST-A-ROLL<sup>™</sup>



ADJUST-A-ROLL

ADJUST-A-ROLL

The Sumner\* Adjust-A-Roll<sup>™</sup> stand has a wide four legged base and quick change head making it ideal for pipe rotation and fabrication.

#### **SPECIAL FEATURES:**

- Large 1/2" to 36" or 2,500 lbs. pipe capacity
- 30" Wide Heavy Duty Base for added stability
- Bronze bearing design reduces arcing
- Large handle makes for easy adjustment even with a gloved hand
- Smooth roller adjustment accessible from either side
- Quick change head and fine adjustment screw for precise pipe rotation
- Available with 5 head attachments and 3 sizes



#### **SPECIFICATIONS**

SUMNER

| ITEM #        | DESCRIPTION                                   | MODEL #  | UPC          | LOAD CAPACITY |  |
|---------------|---|----------|--------------|---------------|--|
| HI ADJUST-A-R | OLLTM   |          |              |               |  |
| 780365        | Hi Adjust-A-Roll™ w/ AL Roller Wheels         | ST-601   | 661165803655 | 2500 lbs.     |  |
| 780366        | Hi Adjust-A-Roll™ w/Ball Transfer Head        | ST-602   | 661165803662 | 1000 lbs.     |  |
| 780367        | Hi Adjust-A-Roll™ w/Rubber Wheels             | ST-603   | 661165803679 | 1200 lbs.     |  |
| 780368        | Hi Adjust-A-Roll™ w/Stainless Steel Wheels    | ST-604   | 661165803686 | 2000 lbs.     |  |
| 780369        | Hi Adjust-A-Roll™ w/Bar Stock Head            | ST-605   | 661165803693 | 2000 lbs.     |  |
| 780399        | Hi Adjust-A-Roll™ Hi, Base Only               | ST60BASE | 661165803990 | 2500 lbs.     |  |
| LO ADJUST-A-F | ROLL™   |          |              |               |  |
| 780370        | Lo Adjust-A-Roll™ w/ AL Roller Wheels         | ST-701   | 661165803709 | 2500 lbs.     |  |
| 780371        | Lo Adjust-A-Roll™ w/Ball Transfer Head        | ST-702   | 661165803716 | 1000 lbs.     |  |
| 780372        | Lo Adjust-A-Roll™ w/Rubber Wheels             | ST-703   | 661165803723 | 1200 lbs.     |  |
| 780373        | Lo Adjust-A-Roll™ w/Stainless Steel Wheels    | ST-704   | 661165803730 | 2000 lbs.     |  |
| 780359        | Lo Adjust-A-Roll™ w/Bar Stock Head            | ST-705   | 661165803594 | 2000 lbs.     |  |
| 780405        | Lo Adjust-A-Roll™ Base Only                   | ST70BASE | 661165804058 | 2500 lbs.     |  |
| TABLE ADJUST  | -A-ROLL™                                      |          |              |               |  |
| 780360        | Table Adjust-A-Roll™ w/ AL Roller Wheels      | ST-501   | 661165803600 | 2500 lbs.     |  |
| 780361        | Table Adjust-A-Roll™ w/Ball Transfer Head     | ST-502   | 661165803617 | 1000 lbs.     |  |
| 780362        | Table Adjust-A-Roll™ w/Rubber Wheels          | ST-503   | 661165803624 | 1200 lbs.     |  |
| 780363        | Table Adjust-A-Roll™ w/Stainless Steel Wheels | ST-504   | 661165803631 | 2000 lbs.     |  |
| 780364        | Table Adjust-A-Roll™ w/Bar Stock Head         | ST-505   | 661165803648 | 2000 lbs.     |  |
| 780500        | Table Adjust-A-Roll™ Base Only                | ST50BASE | 661165805000 | 2500 lbs.     |  |
|               |   |          | ·            | ñ             |  |

### MINI-ROLL<sup>™</sup>



The Sumner Mini-Roll<sup>™</sup> roller has a wide four legged base and quick change head making it ideal for pipe rotation and fabrication.

#### **SPECIAL FEATURES:**

- Large 1/2" to 36" or 3,500 lbs. pipe capacity
- Small footprint of 11" wide by 22" long
- Bronze bearing design reduces arcing
- Large handle makes for easy adjustment even with a gloved hand
- Smooth roller adjustment accessible from either side
- Quick change head and fine adjustment screw for precise pipe rotation
- Available with 5 head attachments

| ITEM # | DESCRIPTION                         | MODEL #   | UPC          | LOAD CAPACITY |
|--------|-------------------------------------|-----------|--------------|---------------|
| 785280 | Mini-Roll w/ AL Roller Wheels       | ST-551    | 661165852806 | 3500 lbs.     |
| 785282 | Mini-Roll w/ Rubber Wheels          | ST-553    | 661165852820 | 1200 lbs.     |
| 785283 | Mini-Roll w/ Stainless Steel Wheels | ST-554    | 661165852837 | 2000 lbs.     |
| 785285 | Mini-Roll, Base Only                | ST-55BASE | 661165852851 | 3500 lbs.     |

### **PRO ROLL**<sup>™</sup>



The Sumner Pro Roll<sup>™</sup> stand has a wide four legged base and adjustable height making it ideal for pipe rotation and fabrication.

#### **SPECIAL FEATURES:**

- Large 1/2" to 36" or 2,500 lbs. pipe capacity
- Bronze bearing design reduces arcing
- Large handle makes for easy adjustment even with a gloved hand
- Smooth roller adjustment accessible from either side
- Quick change head and fine adjustment screw for precise pipe rotation
- Available with 5 head attachments

| ITEM # | DESCRIPTION                        | MODEL #   | UPC          | LOAD CAPACITY |
|--------|------------------------------------|-----------|--------------|---------------|
| 780441 | Pro Roll™ w/ AL Roller Wheels      | ST-401    | 661165804416 | 2500 lbs.     |
| 780442 | Pro Roll™ w/Ball Transfer Head     | ST-402    | 661165804423 | 1000 lbs.     |
| 780443 | Pro Roll™ w/Rubber Wheels          | ST-403    | 661165804430 | 1200 lbs.     |
| 780444 | Pro Roll™ w/Stainless Steel Wheels | ST-404    | 661165804447 | 2000 lbs.     |
| 780446 | Pro Roll™ w/Bar Stock Head         | ST-405    | 661165804461 | 2000 lbs.     |
| 780440 | Pro Roll™ , Base Only              | ST-40BASE | 661165804409 | 2500 lbs.     |

#### **BIG V**\*



The Sumner Big V\* jack stand is a heavy duty jack stand and is built tough for the demands of larger pipes.

#### **SPECIAL FEATURES:**

- Designed for large pipe the Big V\* can hold up to 2,500 lbs.
- The large 12" vee head supports pipe sizes ranging from 4" to 36"
- Fast action adjustment handle
- Wide base tri-stand provides superior balance
- 8 different head options available



| ITEM #              | DESCRIPTION                               | MODEL # | UPC          | LOAD CAPACITY |  |
|---------------------|---|---------|--------------|---------------|--|
| 780260              | Big V* (Basic) with Standard Big Vee Head | BIGVB   | 661165802603 | 2500 lbs.     |  |
| <b>OPTIONAL BIG</b> | OPTIONAL BIG VTM ACCESSORIES              |         |              |               |  |
| 781382              | Stainless Steel Sleeves (4)               | MJ-SS   | 661165813821 | 2500 lbs.     |  |
| 781383              | Ball Transfers (2)                        | MJ-BT   | 661165813838 | 1000 lbs.     |  |
| 781394              | Rubber Wheel Kit (4)                      | MJ-RB   | 661165813944 | 1200 lbs.     |  |
| 781397              | Stainless Steel Ball Transfers (2)        | MJ-BTSS | 661165813975 | 1000 lbs.     |  |
| 781406              | Aluminum Roller Head Kit (4)              | MJ-RH   | 661165814064 | 2500 lbs.     |  |
| 781407              | Stainless Steel Roller Head Kit (4)       | MJ-RHSS | 661165814071 | 2000 lbs.     |  |

#### **MAX JAX\***



781403

The Sumner MAX JAX\* fabrication stands are the ideal 5-legged stand for fit-up, rotating and welding.

#### **SPECIAL FEATURES:**

- Designed for loads up to 4,500 lbs.
- Designed to hold 6" to 36" pipe (781403) or 4" to 36" pipe (781460)
- Large 12" roller vee head included
- 5-leg base construction ensures stability
- Available in fixed base design or with 8" casters
- Optional head attachments available



| ITEM #       | DESCRIPTION   | MODEL #  | UPC          | LOAD CAPACITY |  |  |
|--------------|---|----------|--------------|---------------|--|--|
| 781460       | MAX JAX* Basic - includes vee head & leveling pads        | MJAXB    | 661165814606 | 4500 lbs.     |  |  |
| 781403       | MAX JAX* Kit No. 1 - includes roller head kit and casters | MJAXKIT1 | 661165814033 | 4500 lbs.     |  |  |
| OPTIONAL MAX | OPTIONAL MAX JAX* ACCESSORIES                             |          |              |               |  |  |
| 781382       | Stainless Steel Sleeves (4)                               | MJ-SS    | 661165813821 | 4500 lbs.     |  |  |
| 781383       | Ball Transfers (2)  | MJ-BT    | 661165813838 | 1000 lbs.     |  |  |
| 781394       | Rubber Wheel Kit (4)                                      | MJ-RB    | 661165813944 | 1200 lbs.     |  |  |
| 781397       | Stainless Steel Ball Transfers (2)                        | MJ-BTSS  | 661165813975 | 1000 lbs.     |  |  |
| 781406       | Aluminum Roller Head Kit (4)                              | MJ-RH    | 661165814064 | 4500 lbs.     |  |  |
| 781407       | Stainless Steel Roller Head Kit (4)                       | MJ-RHSS  | 661165814071 | 2000 lbs.     |  |  |
| 781464       | Caster Kit (5) Standard                                   | MJ-CK    | 661165814644 | 4500 lbs.     |  |  |
| 781465       | Caster Kit (5) Steel Casters                              | MJ-CKS   | 661165814651 | 4500 lbs.     |  |  |
| 781050       | Hold Down Device  | HDD-01   | 661165810509 |               |  |  |
| 781056       | Hold Down Device Chain Ext. Kit (12")                     | HDD-EXT  | 661165810561 |               |  |  |

### **MAX JAX\* 2 STAND**



The Sumner MAX JAX\* 2 upgraded fabrication stands are the ideal high and low stand for fit-up, rotating and welding.

#### **SPECIAL FEATURES:**

- Designed for loads up to 4,500 lbs.
- Designed to hold 4" to 36" pipe
- Dual height range of 21.5" to 32" low or 26.5" to 36" high
- 5-leg base construction with adjustable 6" casters ensure stability
- Optional head attachments available



786450

786451

| ITEM #     | DESCRIPTION                           | MODEL # | UPC          | LOAD CAPACITY |
|------------|---------------------------------------|---------|--------------|---------------|
| 786451     | MAX JAX* Kit 2 w/Drop Slot Head       | MJAX2RR | 661165864519 | 4500 lbs.     |
| 786450     | MAX JAX* Kit 2 w/Large Vee & Rollers  | MJAX2   | 661165864502 | 4500 lbs.     |
| OPTIONAL N | MAX JAX* ACCESSORIES                  |         |              |               |
| 781382     | Stainless Steel Sleeves (4)           | MJ-SS   | 661165813821 | 4500 lbs.     |
| 781383     | Ball Transfers (2)                    | MJ-BT   | 661165813838 | 1000 lbs.     |
| 781394     | Rubber Wheel Kit (4)                  | MJ-RB   | 661165813944 | 1200 lbs.     |
| 781397     | Stainless Steel Ball Transfers (2)    | MJ-BTSS | 661165813975 | 1000 lbs.     |
| 781406     | Aluminum Roller Head Kit (4)          | MJ-RH   | 661165814064 | 4500 lbs.     |
| 781407     | Stainless Steel Roller Head Kit (4)   | MJ-RHSS | 661165814071 | 2000 lbs.     |
| 781464     | Caster Kit (5) Standard               | MJ-CK   | 661165814644 | 4500 lbs.     |
| 781465     | Caster Kit (5) Steel Casters          | MJ-CKS  | 661165814651 | 4500 lbs.     |
| 781050     | Hold Down Device                      | HDD-01  | 661165810509 |               |
| 781056     | Hold Down Device Chain Ext. Kit (12") | HDD-EXT | 661165810561 |               |

#### **BEAM JAX**<sup>™</sup>



781486

#### The Sumner Beam $Jax^{\ensuremath{\mathsf{TM}}}$ stand is designed to secure beams for fabrication.

#### **SPECIAL FEATURES:**

- Designed for loads up to 2,500 lbs.
- Designed for beams up to 24"
- Clamping device centers load on stand and holds material in place
- 5-leg base construction ensures stability
- Reversible beam fork design
- Detachable handle can be rotated out of operator's way
- Available as a kit with leveling pads or casters 8" casters



781485

| ITEM # | DESCRIPTION  | MODEL # | UPC          | LOAD CAPACITY |
|--------|--|---------|--------------|---------------|
| 781485 | Basic Beam Jax <sup>™</sup> - includes leveling pads | BJAX    | 661165814859 | 2500 lbs.     |
| 781486 | Beam Jax™ Kit - includes casters                     | BJAXKIT | 661165814866 | 2500 lbs.     |

#### **REEL MAC**<sup>™</sup>



The Sumner Reel Mac<sup>™</sup> jack stands are a heavy duty version of the traditional reel stand with capacity up to 3,750 lbs.

#### **SPECIAL FEATURES:**

- Designed for large loads up to 3,750 lbs.
- Height range of 13" 45" depending on jack
- Extra strength double locking pin for quick set up
- 1.5" ACME fine adjustment thread with large, convenient adjustment handle
- Designed to work with the Sumner Reel/Econo Mac Spindles

| ITEM #               | DESCRIPTION                                | MODEL # | UPC          | LOAD CAPACITY |
|----------------------|--|---------|--------------|---------------|
| REEL MAC™            |  |         |              |               |
| 780941               | Reel Mac™ No. 60                           | CJ02    | 661165809411 | 2500 lbs.     |
| 780942               | Reel Mac™ No. 70                           | CJ01    | 661165809428 | 2500 lbs.     |
| 780943               | Reel Mac™ No. 80                           | CJ03    | 661165809435 | 3750 lbs.     |
| <b>OPTIONAL REEL</b> | MACTM ACCESSORIES                          |         |              |               |
| 780229               | No. 61 Reel Mac <sup>™</sup> Spindle (62") | SA60    | 661165802290 | 5000 lbs.     |
| 780230               | No. 71 Reel Mac™ Spindle (76")             | SA70    | 661165802306 | 5000 lbs.     |

#### **HOLD DOWN DEVICE**



The Sumner Hold Down Device is ideal for securing material on vee head jacks for transportation and fit-ups.

#### **SPECIAL FEATURES:**

- Designed for use on up to 12" pipe
- · Heavy duty design featuring high tensile strength chain
- 12" chain extensions available for increased capacity

#### **SPECIFICATIONS**

| ITEM # | DESCRIPTION                           | MODEL # | UPC          | MAXIMUM PIPE DIAMETER |
|--------|---------------------------------------|---------|--------------|-----------------------|
| 781050 | Hold Down Device                      | HDD-01  | 661165810509 | 12"                   |
| 781056 | Hold Down Device Chain Ext. Kit (12") | HDD-EXT | 661165810561 | 12"                   |

#### HOLD-E\*



The Sumner Hold-E\* Pipe Clamp is designed to quickly secure pipe or tubing to vee head jack stands.

#### **SPECIAL FEATURES:**

- Designed for .75" to 6" pipe or 1" to 6.5" tubing
- Push button design allows for rapid action setting and fine tune thread adjustment
- Jobsite ready with a heavy duty design
- Large threads and vee jaw provide a secure clamping force
- Available in 2 options

| ITEM # | DESCRIPTION             | MODEL # | UPC          | MINIMUM PIPE DIAMETER | MAXIMUM PIPE DIAMETER |
|--------|-------------------------|---------|--------------|-----------------------|-----------------------|
| 785000 | Hold-E*                 | HOLDE   | 661165850000 | 3/4"                  | 6"                    |
| 784999 | Stainless Steel Hold-E* | HOLDESS | 661165849998 | 3/4"                  | 6"                    |

| PIPE STAND                          | PART # | DESCRIPTION          | LOAD<br>Capacity | MIN PIPE<br>Capacity | MAX PIPE<br>Capacity | MIN.<br>HEIGHT | MAX<br>HEIGHT   | WIDTH              | LENGTH             | WEIGH   |
|-------------------------------------|--------|----------------------|------------------|----------------------|----------------------|----------------|-----------------|--------------------|--------------------|---------|
| OLD-A-JACK <sup>*</sup>             | м      |                      |                  |                      |                      |                |                 |                    |                    |         |
| <                                   | 781300 | HI FAJ - Vee         | 2,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         |                |                 |                    |                    | 25 lbs. |
| - <del>• • •</del>                  | 781301 | HI FAJ - AL Roller   | 2,500 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         |                |                 |                    |                    | 28 lbs. |
| 10                                  | 781302 | HI FAJ - Bar Stock   | 2,000 lbs.       | 1/8" (3 mm)          | 10" (250 mm)         |                |                 |                    |                    | 25 lbs. |
|                                     | 781303 | HI FAJ - SS Roller   | 2,000 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         | 28"<br>(71 cm) | 49"<br>(125 cm) | 22"<br>(56 cm)     | 22"<br>(56 cm)     | 29 lbs. |
|                                     | 781304 | HI FAJ - SS Vee      | 2,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         |                |                 |                    |                    | 24 lbs. |
| 1                                   | 781305 | HI FAJ - Ball Trans  | 1,000 lbs.       | 3/8" (10 mm)         | 12" (300 mm)         |                |                 |                    |                    | 29 lbs. |
| 1                                   | 781306 | HI FAJ - Rubber Whis | 1,200 lbs.       | 1-1/2" (40 mm)       | 24" (600 mm)         |                |                 |                    |                    | 26 lbs. |
| $\boldsymbol{\boldsymbol{\preceq}}$ | 781310 | LO FAJ - Vee         | 2,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         |                |                 |                    |                    | 21 lbs. |
|                                     | 781311 | LO FAJ - AL Roller   | 2,500 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         |                |                 |                    |                    | 24 lbs. |
|                                     | 781313 | LO FAJ - SS Roller   | 2,000 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         | 21"            | 36"             | 15-1/2"            | 15-1/2"            | 24 lbs. |
| A                                   | 781314 | LO FAJ - SS Vee      | 2,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         | (51 cm)        | (89 cm)         | (39 cm)            | (39 cm)            | 22 lbs. |
|                                     | 781315 | LO FAJ - Ball Trans  | 1,000 lbs.       | 3/8" (10 mm)         | 12" (300 mm)         |                |                 |                    |                    | 25 lbs. |
|                                     | 781316 | LO FAJ - Rubber Whis | 1,200 lbs.       | 1-1/2" (40 mm)       | 24" (600 mm)         |                |                 |                    |                    | 22 lbs. |
| HEAVY DUTY J                        | ACK™   |                      |                  |                      |                      |                |                 |                    |                    |         |
| X                                   | 781375 | HI HD - Vee          | 2,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         |                |                 |                    |                    | 24 lbs. |
| •                                   | 781376 | HI HD - AL Roller    | 2,500 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         | 7              |                 | 22"<br>(56 cm)     |                    | 27 lbs. |
| 1                                   | 781377 | HI HD- Bar Stock     | 2,000 lbs.       | 1/8" (3 mm)          | 10" (250 mm)         | 7              |                 |                    |                    | 24 lbs. |
|                                     | 781378 | HI HD - SS Roller    | 2,000 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         | 28"<br>(71 cm) | 49"<br>(125 cm) |                    | 22"<br>(56 cm)     | 28 lbs. |
| AL                                  | 781379 | HI HD - SS Vee       | 2,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         |                | (,              | (,                 |                    | 24 lbs. |
|                                     | 781380 | HI HD - Ball Trans   | 1,000 lbs.       | 3/8" (10 mm)         | 12" (300 mm)         |                |                 |                    |                    | 27 lbs. |
| 1                                   | 781381 | HI HD - Rubber Whis  | 1,200 lbs.       | 1-1/2" (40 mm)       | 24" (600 mm)         |                |                 |                    |                    | 26 lbs. |
|                                     | 781385 | LO HD - Vee          | 2,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         |                |                 | 15-1/2"<br>(39 cm) | 15-1/2"<br>(39 cm) | 19 lbs. |
| •                                   | 781386 | LO HD - AL Roller    | 2,500 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         |                |                 |                    |                    | 22 lbs. |
| 20                                  | 781387 | LO HD - Bar Stock    | 2,000 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         |                |                 |                    |                    | 18 lbs. |
|                                     | 781388 | LO HD - SS Roller    | 2,000 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         | 21"<br>(51 cm) | 36"<br>(89 cm)  |                    |                    | 22 lbs. |
|                                     | 781389 | LO FAJ - SS Vee      | 2,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         |                | (,              |                    | (,                 | 19 lbs. |
| Y V                                 | 781390 | LO FAJ - Ball Trans  | 1,000 lbs.       | 3/8" (10 mm)         | 12" (300 mm)         | 1              |                 |                    |                    | 22 lbs. |
| •                                   | 781391 | LO FAJ - Rubber Whis | 1,200 lbs.       | 1-1/2" (40 mm)       | 24" (600 mm)         | 1              |                 |                    |                    | 21 lbs. |
| IEAVY DUTY J                        |        | S                    |                  |                      |                      |                |                 |                    |                    | ļ       |
| Ă                                   | 780326 | HD PLUS - Vee        | 3,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         | 28"<br>(71 cm) | 49"<br>(125 cm) | 22"<br>(56 cm)     | 22"<br>(56 cm)     | 24 lbs. |
| PRO-JACK™                           |        |                      |                  |                      |                      |                |                 |                    |                    |         |
|                                     | 780471 | HI PRO - Vee         | 2,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         |                |                 |                    |                    | 23 lbs. |
| -Ť-                                 | 780472 | HI PRO - AL Roller   | 2,500 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         |                |                 |                    |                    | 26 lbs. |
| 0                                   | 780473 | HI PRO - Bar Stock   | 2,000 lbs.       | 1/8" (3 mm)          | 10" (250 mm)         |                |                 |                    |                    | 23 lbs. |
|                                     | 780474 | HI PRO - SS Roller   | 2,500 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         | 28"<br>(71 am) | 49"             | 24"<br>(61 om)     | 24"<br>(61 am)     | 26 lbs. |
|                                     | 780475 | HI PRO - SS Vee      | 2,500 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         | (71 cm)        | (125 cm)        | (61 cm)            | (61 cm)            | 24 lbs. |
|                                     | 780476 | HI PRO - Ball Trans  | 1,000 lbs.       | 3/8" (10 mm)         | 12" (300 mm)         | -              |                 |                    |                    | 28 lbs. |
|                                     |        | HI PRO - Rubber Whis | 1,200 lbs.       | 1-1/2" (40 mm)       |                      | -              |                 |                    |                    |         |

| PIPE STAND<br>FAT JACK™   | PART # | DESCRIPTION                            | LOAD<br>Capacity | MIN PIPE<br>Capacity | MAX PIPE<br>Capacity | MIN.<br>HEIGHT     | MAX<br>HEIGHT   | WIDTH              | LENGTH             | WEIGHT  |
|---|--------|--|------------------|----------------------|----------------------|--------------------|-----------------|--------------------|--------------------|---------|
|   | 787900 | Maxi Fat Jack™ - Vee                   |                  |                      |                      | 36"                | 61" (154.9 cm)  | 34" (86.3 cm)      | 34" (86.3 cm)      | 47 lbs. |
| ¥   | 787901 | Midi Fat Jack™ - Vee                   | -                |                      | 36" (900 mm)         | 26.5"              | 44.5" (113 cm)  | 21" (53.3 cm)      | 21" (53.3 cm)      | 37 lbs. |
|   | 787902 | Mini Fat Jack™ - Vee                   | -                |                      |                      | 16"                | 28.5" (72.4 cm) | 19" (48.3 cm)      | 19" (48.3 cm)      | 28 lbs. |
|   | 787903 | Maxi Fat Jack™ - AL Roller             | 6,000 lbs.       | 1/8" (3 mm)          |                      | 36"                | 61" (154.9 cm)  | 34" (86.3 cm)      | 34" (86.3 cm)      | 47 lbs. |
| PA  | 787904 | Midi Fat Jack™- AL Roller              | -                |                      | 24" (600 mm)         | 26.5"              | 44.5" (113 cm)  | 21" (53.3 cm)      | 21" (53.3 cm)      | 37 lbs. |
| -   | 787905 | Mini Fat Jack <sup>™</sup> - AL Roller | -                |                      |                      | 16"                | 28.5" (72.4 cm) | 19" (48.3 cm)      | 19" (48.3 cm)      | 28 lbs. |
| FAB SAF™ JAC  | ж      |  |                  |                      |                      |                    |                 | ,                  | l.                 |         |
| Ť   | 780395 | FAB SAF™ - Vee                         | 3,500 lbs.       | 1/8" (3 mm)          | 36" (900 mm)         | 32"<br>(01 am)     | 52"             | 30"                | 30"                | 26 lbs. |
|   | 780400 | FAB SAF™ - Roller                      | 2,500 lbs.       | 1-1/4" (30 mm)       | 24" (600 mm)         | (81 cm)            | (132 cm)        | (76 cm)            | (76 cm)            | 26 lbs. |
| НІ ВОҮ™   |        |  |                  |                      |                      |                    |                 |                    |                    |         |
| Ă   | 783250 | НІ ВОУ''                               | 1,000 lbs.       | 1/8" (3 mm)          | 24" (600 mm)         | 39"<br>(98 cm)     | 72"<br>(180 cm) | 38"<br>(97 cm)     | 38"<br>(97 cm)     | 45 lbs. |
| ADJUST-A-ROLI   | тм     |  |                  |                      |                      |                    |                 |                    |                    |         |
| 1   | 780365 | HI AAR - Alum Whis                     | 2,500 lbs.       |                      | ) 36" (900 mm)       |                    |                 |                    |                    | 35 lbs. |
|   | 780366 | HI AAR - Ball Trans                    | 1,000 lbs.       |                      |                      |                    |                 |                    |                    | 38 lbs. |
|   | 780367 | HI AAR - Rubber Whis                   | 1,200 lbs.       | 1/2" (12 mm)         |                      | 31                 | 31" (78 cm)     |                    | 32" (81 cm)        | 34 lbs. |
|   | 780368 | HI AAR - SS Whis                       | 2,000 lbs.       |                      |                      |                    |                 |                    |                    | 35 lbs. |
| 1   | 780369 | HI AAR - Bar Stock                     | 2,000 lbs.       |                      |                      |                    |                 |                    |                    | 39 lbs. |
|   | 780370 | LO AAR - Alum Whis                     | 2,500 lbs.       |                      |                      |                    |                 |                    |                    | 24 lbs. |
| <u>20.01</u>  | 780371 | LO AAR - Ball Trans                    | 1,000 lbs.       |                      |                      |                    |                 | 22" (56 cm)        | 31" (79 cm)        | 24 lbs. |
|   | 780372 | LO AAR - Rubber Whis                   | 1,200 lbs.       | 1/2" (12 mm)         | 36" (900 mm)         | 24                 | " (61 cm)       |                    |                    | 32 lbs. |
| The second se | 780373 | LO AAR - SS Whis                       | 2,000 lbs.       |                      |                      |                    |                 |                    |                    | 34 lbs. |
| - L   | 780359 | LO AAR - Bar Stock                     | 2,000 lbs.       |                      |                      |                    |                 |                    |                    | 37 lbs. |
|   | 780360 | TBL AAR - Alum Whis                    | 2,500 lbs.       |                      |                      | 7'                 | ' (18 cm)       |                    |                    | 22 lbs. |
| _0  | 780361 | TBL AAR - Ball Trans                   | 1,000 lbs.       |                      |                      | 5-3/               | '4" (15 cm)     |                    |                    | 22 lbs. |
| La Sta  | 780362 | TBL AAR - Rubber Whis                  | 1,200 lbs.       | 1/2" (12 mm)         | 36" (900 mm)         | 7'                 | ' (18 cm)       | 6-1/4" (16 cm)     | 22" (56 cm)        | 20 lbs. |
| ~   | 780363 | TBL AAR - SS Whis                      | 2,000 lbs.       |                      |                      | 7'                 | ' (18 cm)       |                    |                    | 22 lbs. |
|   | 780364 | TBL AAR - Bar Stock                    | 2,000 lbs.       |                      |                      | 5-3/               | '4" (15 cm)     |                    |                    | 24 lbs. |
| PRO ROLL™   |        |  |                  |                      |                      |                    |                 |                    |                    |         |
|   | 780441 | PRO ROLL <sup>™</sup> - Alum Whis      | 2,500 lbs.       |                      |                      |                    |                 |                    |                    | 47 lbs. |
|   | 780442 | PRO ROLL <sup>™</sup> - Ball Trans     | 1,000 lbs.       |                      |                      |                    |                 |                    |                    | 49 lbs. |
|   | 780443 | PRO ROLL <sup>™</sup> - Rubber Whis    | 1,200 lbs.       | 1/2" (12 mm)         | 36" (900 mm)         | 29" (79 cm)        | 43" (109 cm)    | 23" (58 cm)        | 32" (81 cm)        | 45 lbs. |
| $ A \uparrow \rangle$   | 780444 | PRO ROLL <sup>™</sup> - SS Whis        | 2,000 lbs.       |                      |                      |                    |                 |                    |                    | 47 lbs. |
| 1   | 780446 | PRO ROLL <sup>™</sup> - Bar Stock      | 2,000 lbs.       |                      |                      |                    |                 |                    |                    | 49 lbs. |
| <b>BIG V* JACK</b>  |        |  |                  |                      |                      |                    |                 |                    |                    |         |
| X   | 780260 | BIG V*                                 | 2,500 lbs.       | 4" (100 mm)          | 36"<br>(900 cm)      | 29-1/2"<br>(75 cm) | 41"<br>(109 cm) | 29-1/2"<br>(75 cm) | 29-1/2"<br>(75 cm) | 36 lbs. |

| PIPE STAND             | PART #      | DESCRIPTION                                    | LOAD<br>Capacity | MIN PIPE<br>Capacity                 | MAX PIPE<br>Capacity | MIN.<br>HEIGHT     | MAX<br>HEIGHT       | WIDTH             | LENGTH           | WEIGH    |  |
|------------------------|-------------|--|------------------|--------------------------------------|----------------------|--------------------|---------------------|-------------------|------------------|----------|--|
| MAX JAX* & M           | AX JAX* 2   |  |                  |                                      |                      |                    |                     |                   |                  |          |  |
| ¥                      | 781460      | Max Jax* Basic                                 |                  |                                      |                      | 21" (53 cm)        | 33" (84 cm)         | 29-5/8" (75 cm)   | 29-5/8" (75 cm)  | 68 lbs.  |  |
| **                     | 781403      | Max Jax* Kit Includes<br>Casters (Roller Head) |                  |                                      |                      | 30-1/2"<br>(78 cm) | 42-1/2"<br>(108 cm) | 34"<br>(100 cm)   | 34"<br>(100 cm)  | 144 lbs. |  |
| Y                      | 781450      | Max Jax* 2 Kit #1 (Vee<br>Head)                | 4,500 lbs.       | 4" (100 mm) 36" (900 mm) -           | 52"<br>(133 cm)      | 74"<br>(188 cm)    | 37.5"<br>(95 cm)    | 37.5"<br>(95 cm)  | 106 lbs.         |          |  |
| 27                     | 781451      | Max Jax* 2 Kit #2 (Drop<br>Slot Head)          |                  |                                      |                      | 20"<br>(58 cm)     | 35"<br>(91 cm)      | 37.5"<br>(95 cm)  | 37.5"<br>(95 cm) | 127 lbs. |  |
| MAX JAX* & M           | AX JAX* 2 I | HEAD STYLES                                    |                  |                                      |                      |                    |                     |                   |                  |          |  |
|                        | 781382      | SS Sleeves                                     | 4,500 lbs.       | 4" (100 mm)                          | 36" (900 mm)         |                    |                     |                   |                  | 8 lbs.   |  |
|                        | 781383      | Ball Trans                                     | 1,000 lbs.       | 3/8" (9 mm)                          | 36" (900 mm)         |                    |                     |                   |                  | 8 lbs.   |  |
| Charles and the second | 781394      | Rubber Whis                                    | 1,200 lbs.       | 4" (100 mm)                          | 36" (900 mm)         |                    |                     |                   |                  | 8 lbs.   |  |
| -                      | 781397      | SS Ball Trans                                  | 1,000 lbs.       | 3/8" (9 mm)                          | 36" (900 mm)         |                    |                     |                   |                  | 5 lbs.   |  |
|                        | 781406      | AL Roller                                      | 4,500 lbs.       | 4" (100 mm)                          | 36" (900 mm)         |                    |                     |                   |                  | 8 lbs.   |  |
|                        | 781407      | SS Roller                                      | 2,000 lbs.       | 4" (100 mm)                          | 36" (900 mm)         |                    |                     |                   |                  | 8 lbs.   |  |
| EAD STYLES             | FOR SUMNE   | R'S PRO JACK*, HEAVY                           | DUTY & FOLI      | D-A-JACK* STAI                       | NDS                  |                    |                     |                   |                  |          |  |
| EAD STYLE              |             | PART #   |                  | DESCRIPTION                          |                      |                    |                     | CAPACITY          | PIPE SIZE MA     | XIMUM    |  |
| Y                      |             | 780518   |                  | Standard Vee Head                    | I                    |                    |                     | - 2,500 lbs.      | 24"              |          |  |
| -1                     | -           | 780498   |                  | Standard Vee Head w/SS Sleeve        |                      |                    |                     |                   | (600 m           | m)       |  |
| 40                     | 0.          | 780551   |                  | Ball Transfer Head                   |                      |                    |                     | — 1,000 lbs.      | 12"              |          |  |
| TY                     | R           | 780274   |                  | Ball Transfer Head (Stainless Steel) |                      |                    |                     |                   | (300 m           | (300 mm) |  |
|                        | •           | 780514   |                  | Roller Head Assy. v                  | v/Aluminum Wheels    |                    |                     | 2,500 lbs.        | 24"              |          |  |
| -                      |             | 780517   |                  | Roller Head Assy. w/SS Wheels        |                      |                    | 2,000 lbs.          | (600 mm)          |                  |          |  |
| 4                      |             | 780499   |                  | Rubber Roller Whe                    | el Head              |                    |                     | 1,200 lbs.        | 24"<br>(600 m    |          |  |
| 4                      |             | 780519   |                  | Bar Stock Head for Hi Jack           |                      |                    |                     | 24"               | 24"              |          |  |
| -                      | In          | 780944   |                  | Bar Stock Head for                   | Low Jack             |                    |                     | - 2,000 lbs. (600 |                  | m)       |  |

Sumner offers a line of products to store and transport materials. With products like the Grasshopper, Handi-Benches, Pipe Macs, Bundle Macs and many more, we set the standard for carts and storage.



#### **CRICKET**\*

The Sumner Cricket\* cart is a versatile material and pipe cart.

#### **SPECIAL FEATURES:**

- Transports 20' pipe lengths up to 1,000 lbs.
- Comes with ratchet hold-down strap and 16" tubed tires
- Weights only 82 lbs. and can be shipped UPS
- Quick handle disconnect for compact storage
- Carries up to 12" diameter pipe
- Also available with Flat Free Tires



| ITEM # | DESCRIPTION                | MODEL # | UPC          | MAXIMUM PIPE DIAMETER | LOAD CAPACITY |
|--------|----------------------------|---------|--------------|-----------------------|---------------|
| 782699 | Cricket*                   | CRKT    | 661165826999 | 12"                   | 1,000 lbs.    |
| 782685 | Cricket* w/Flat Free Tires | CRKTFF  | 661165826852 | 12"                   | 1,000 lbs.    |

#### **GRASSHOPPER\***

The Sumner Grasshopper\* dolly is a large capacity manual pipe dolly.

#### **SPECIAL FEATURES:**

- Enables one person to lift 2,000 lbs. unassisted
- Special sliding chain block design accommodates long and short loads
- Carries up to 20" diameter pipe, tool boxes, fittings and valves
- Fits through 35" openings
- Large diameter tire allows for construction site mobility
- Chains can be used to lock wheels for security

| ITEM # | DESCRIPTION  | MODEL # | UPC          | MAXIMUM PIPE DIAMETER | LOAD CAPACITY |
|--------|--------------|---------|--------------|-----------------------|---------------|
| 780351 | Grasshopper* | ST-401  | 661165803518 | 20"                   | 2,000 lbs.    |



#### **PIPE MAC**<sup>™</sup>



783230



The Sumner Pipe Mac<sup>™</sup> cart is purpose built to transport large pipes and pipe bundles.

#### **SPECIAL FEATURES:**

- Transports 2,000 lbs. of pipe individually or up to a height of 34"
- Six 6" heavy duty casters
- Center-positioned casters make rolling the Pipe Mac\* cart easy and enables quick cart rotation for tight turns
- Removable posts for compact storage
- · Stacks when not in use
- · Simple but rugged attachment prevents pipe from rolling while the Pipe Mac\* cart is in motion
- Included Vee Attachment easily slips over the four post holders no tools required



| ITEM #                 | DESCRIPTION                               | MODEL # | UPC          | LOAD CAPACITY |
|------------------------|---|---------|--------------|---------------|
| 783230                 | 83230 Pipe Mac™ w/Vee                     |         | 661165832303 | 2,000 lbs.    |
| <b>OPTIONAL ACCESS</b> | ORY                                       |         |              |               |
| 783240                 | Pipe Mac <sup>™</sup> Vee Attachment only | PMACVEE | 661165832402 |               |

#### HANGER MAC<sup>™</sup>



The Sumner Hanger Mac<sup>™</sup> cart is a patented pipe hanger and transportation solution.

#### **SPECIAL FEATURES:**

- Eliminates multiple handling and reduces fabrication transport costs
- Available with or without wire mesh base
- Patented stacking feature: Stack similar carts together or with other Stacking Mac cart
- Hanger Mac<sup>™</sup> cart holds (40) 6-8" and (120) 2-4" pipe hangers
- Folds for compact storage and transportation without tools



| ITEM # | DESCRIPTION                               | MODEL # | UPC          |
|--------|---|---------|--------------|
| 785650 | Hanger Mac <sup>™</sup> without mesh base | HMACI   | 661165856507 |
| 785651 | Hanger Mac™ with mesh base                | HMACII  | 661165856514 |

#### MAC RACK I<sup>™</sup> & MAC RACK II<sup>™</sup>



The Sumner Mac Rack™ cart is a mobile jobsite conduit and pipe storage cart.

#### **SPECIAL FEATURES:**

- 1,000 lbs. weight capacity
- Double wall square tubing
- Eight storage sections
- Arms fold easily with plunger pins for compact storage
- Shipped assembled with 6" heavy duty casters
- Durable powder coat finish
- Patented stacking feature: Stack similar carts together or with other Stacking Mac carts
- Mac Rack II<sup>™</sup> cart has a mesh deck for material storage

#### **SPECIFICATIONS**

| ITEM # | DESCRIPTION  | MODEL # | UPC          | LOAD CAPACITY |
|--------|--------------|---------|--------------|---------------|
| 783317 | Mac Rack I™  | MRACKI  | 661165833171 | 1,000 lbs.    |
| 783299 | Mac Rack II™ | MRACKII | 661165832990 | 1,000 lbs.    |

#### BUNDLE MAC<sup>™</sup>



The Sumner Bundle Mac<sup>™</sup> cart is designed to transport large quantities of conduit, strut, threaded rod, pvc pipe or copper tubing in one large cradle.

#### **SPECIAL FEATURES:**

- Arms fold easily with plunger pins for compact storage
- 1,000 lbs. load capacity
- Patented stacking feature: stack similar carts together or with other Stacking Mac Rack products
- Shipped assembled with 6" heavy duty casters
- Durable powder coat finish

|   | ITEM # | DESCRIPTION             | MODEL # | UPC          | LOAD CAPACITY |
|---|--------|-------------------------|---------|--------------|---------------|
| [ | 783320 | Bundle Mac <sup>™</sup> | BMAC    | 661165833201 | 1,000 lbs.    |

#### **MEDIUM DOUBLE CYLINDER CARTS**



The Sumner 213 cylinder carts are rated to carry (2) cylinders up to 13" in diameter.

#### **SPECIAL FEATURES:**

- The cylinder carts feature a balanced design for comfortable handling on smooth, level surfaces
- Carts come in a variety of configurations including wheel, accessory and tank support options
- Handle grips offer better control and stability
- Supports a 244-330 CF oxygen tank
- Supports 145 CF acetylene tank
- Includes Tool Tray
- \*\*Lifting eye carts comply with ASME B30.20, AWS D14.1 and AISC codes
- \*\*\*Fire-rated wall complies with OSHA 1926.350 & OSHA 1910.253

| ITEM #         | DESCRIPTION               | MODEL #     | UPC          |
|----------------|---------------------------|-------------|--------------|
| 782476         | Cylinder Cart - 25" wheel | 213-25W     | 661165824759 |
| 782480         | Cylinder Cart - 14" wheel | 213-14S     | 661165824803 |
| 782476** / *** | Cylinder Cart - 25" wheel | 213-25WB-LF | 661165824766 |
| 782491** / *** | Cylinder Cart - 14" wheel | 213-14SB-LF | 661165824919 |
| 782493** / *** | Cylinder Cart - 14" wheel | 213-14SB-L  | 661165824933 |
| 782495** / *** | Cylinder Cart - 16" wheel | 213-16PB-LF | 661165824957 |
| 782496** / *** | Cylinder Cart - 16" wheel | 213-16FB-LF | 661165824964 |
| 782497** / *** | Cylinder Cart - 25" wheel | 213-25PB-LF | 661165824971 |
| 782496         | Cylinder Cart - 16" wheel | 213-16P     | 661165824827 |
| 782483         | Cylinder Cart - 16" wheel | 213-16PB    | 661165824834 |

#### **SINGLE CYLINDER CART**




The Sumner 108 cylinder cart is rated to carry (1) cylinder up to 8" in diameter and the Sumner 112 cylinder cart is rated to carry (1) cylinder up to 12" in diameter.

#### **SPECIAL FEATURES:**

- The cylinder carts feature a balanced design for comfortable handling on smooth, level surfaces
- Carts come in a variety of configurations including wheel, accessory and tank support options
- Handle grips offer better control and stability
- Supports 50-80 CF oxygen tank or 40 CF acetylene tank

| ITEM # | DESCRIPTION                         | MODEL # | UPC          |
|--------|-------------------------------------|---------|--------------|
| 782375 | Cylinder Cart - 108-8S - 8" wheel   | 108-8S  | 661165823752 |
| 782385 | Cylinder Cart - 112-10S - 10" wheel | 112-10S | 661165823851 |
| 782386 | Cylinder Cart - 112-10P - 10" wheel | 112-10P | 661165823868 |

#### **HOW TO READ SUMNER CYLINDER CART PRODUCT DESCRIPTIONS**



|                        | PART #      | DESCRIPTION                  | DIAMETER        | WIDTH            | BORE             | BEARING                      | LOAD CAPACITY         | FITS CARTS               |
|------------------------|-------------|------------------------------|-----------------|------------------|------------------|------------------------------|-----------------------|--------------------------|
| CYLINDER CART          | 779024      | Semi-pneumatic               | 8"<br>(200 mm)  | 1.75"<br>(44 mm) | 0.5"<br>(13 mm)  | Powder<br>Metal<br>Bushing   | 80 lbs.               | 108<br>207<br>208        |
| $\odot$                | 779031      | Semi-pneumatic               | 8"<br>(200 mm)  | 2"<br>(50 mm)    | 0.5"<br>(13 mm)  | Steel<br>Bushing             | 400 lbs.              | 207<br>208               |
| 0                      | 779011      | Semi-pneumatic               | 10"<br>(250 mm) | 2.75"<br>(70 mm) | 5/8"<br>(16 mm)  | Bronze<br>Bushing            | 400 lbs.              | 112<br>207<br>208<br>209 |
|                        | 779027      | Pneumatic                    | 10"<br>(250 mm) | 3.5"<br>(89 mm)  | 5/8"<br>(16 mm)  | Bronze<br>Bushing            | 350 lbs.              | 112<br>209               |
|                        | 779028      | Semi-pneumatic               | 14"<br>(355 mm) | 1.75"<br>(44 mm) | 5/8"<br>(16 mm)  | Bronze<br>Bushing            | 150 lbs.              | 209<br>213               |
| $\odot$                | 779104      | Flat Free                    | 16"<br>(400 mm) | 4.8"<br>(120 mm) | 1"<br>(25 mm)    | Powder<br>Metal Bush-<br>ing | 380 lbs.              | 209<br>213               |
| $\bigcirc$             | 779107      | Pneumatic                    | 16"<br>(400 mm) | 4.8"<br>(120 mm) | 1"<br>(25 mm)    | Powder<br>Metal<br>Bushing   | 380 lbs.              | 209<br>213               |
|                        | 780521      | Pneumatic                    | 25"<br>(50 mm)  | 4"<br>(100 mm)   | 1.25"<br>(32 mm) | Bronze<br>Bushing            | 800 lbs.              | 213                      |
| $\bigcirc$             | 782575      | Steel                        | 25"<br>(50 mm)  | 2"<br>(50 mm)    | 1.25"<br>(32 mm) | Bronze<br>Bushing            | 800 lbs.              | 213                      |
| 2 = Carries two cyline | iers 13 = 1 | 3" Maximum cylinder diameter | 16 = 16" Whe    | el size F =      | Flat free tire   | B = Belly bar                | L = Lifting eye F = I | irewall                  |

## 

Sumner continues its tradition of quality, reliability and value with its line of lifts. Built and designed for the jobsite, these products help position materials safely and easily.



#### **EL-405 STACKER LIFT**



The Sumner EL-405 Stacker lift is ideal for warehouse and service departments.

#### **SPECIAL FEATURES:**

- Designed for loads up to 400 lbs.
- Lifting height of up to 53"
- Two speed winch handle allows for onsite flexibility
- Quick action wheel brake immobilizes load
- Large lifting surface for boxes and materials
- Extension strap kit available



| ITEM #                 | DESCRIPTION                     | MODEL # | UPC          | LIFTING HEIGHT | LOAD CAPACITY |  |  |
|------------------------|---------------------------------|---------|--------------|----------------|---------------|--|--|
| 784650                 | EL-405 Stacker Lift             | EL-405  | 661165846508 | 53"            | 400 lbs.      |  |  |
| <b>OPTIONAL STACKE</b> | OPTIONAL STACKER LIFT ACCESSORY |         |              |                |               |  |  |
| 794695                 | Extension Stran Kit             | ESK6600 | 661165946950 |                |               |  |  |

#### **SERIES 1900**

**SPECIFICATIONS** 



The Sumner Series 1900 lifts are designed for shipping and receiving, lifting heavy materials on and off shelves and HVAC work.

#### **SPECIAL FEATURES:**

- Designed for loads up to 350 lbs. or 400 lbs.
- Forks reverse to maximize lifting height
- Easily breaks down for transport and storage
- · 2-position straddle base
- 5" wheels to transport over rough terrain
- Two-speed winch handle offers leverage and speed
- Available in 2 models

| ITE | EM # | DESCRIPTION | MODEL # | UPC          | LIFTING HEIGHT | LOAD CAPACITY |
|-----|------|-------------|---------|--------------|----------------|---------------|
| 782 | 050  | Series 1908 | 1908    | 661165820508 | 8 ft.          | 400 lbs.      |
| 782 | 2051 | Series 1910 | 1910    | 661165820515 | 10 ft.         | 350 lbs.      |

#### **ROUST-A-BOUT**<sup>™</sup>



The Sumner Roust-A-Bout<sup>™</sup> lift enables one man to lift and place loads in tight locations that would be impossible with other lifts.

#### **SPECIAL FEATURES:**

- Designed for loads up to 1,500 lbs.
- Rugged 8" casters for horizontal movement
- Vertical adjustments made by 2-winch system allowing for separate operation of load and mast elevation
- Variable 4-speed load winch
- Ideal for use in the shop or on the jobsite
- Quickly breaks down for storage and transportation
- Available in 4 models in powder coating or galvanized finish



| ITEM #              | DESCRIPTION                                   | MODEL #    | UPC          | LIFTING HEIGHT | LOAD CAPACITY |
|---------------------|---|------------|--------------|----------------|---------------|
| 780300              | R-100 Roust-A-Bout™                           | R-100      | 661165803006 | 15 ft.         | 1,500 lbs.    |
| 780301              | R-150 Roust-A-Bout™                           | R-150      | 661165803013 | 15 ft.         | 1,500 lbs.    |
| 780302              | R-180 Roust-A-Bout™                           | R-180      | 661165803020 | 18 ft.         | 1,500 lbs.    |
| 780303              | R-250 Roust-A-Bout™                           | R-250      | 661165803037 | 25 ft.         | 1,500 lbs.    |
| 780195              | R-100G Roust-A-Bout <sup>™</sup> - Galvanized | R-100G     | 661165801958 | 15 ft.         | 1,500 lbs.    |
| 780194              | R-150G Roust-A-Bout <sup>™</sup> - Galvanized | R-150G     | 661165801941 | 15 ft.         | 1,500 lbs.    |
| 780197              | R-180G Roust-A-Bout <sup>™</sup> - Galvanized | R-180G     | 661165801972 | 18 ft.         | 1,500 lbs.    |
| 780196              | R-250G Roust-A-Bout <sup>™</sup> - Galvanized | R-250G     | 661165801965 | 25 ft.         | 1,500 lbs.    |
| <b>OPTIONAL ROU</b> | ST-A-BOUT™ ACCESSORIES                        |            |              |                |               |
| 781060              | R/Z-100/Z-150 Tee Head Ext.                   | THE100/150 | 661165810608 |                |               |
| 781061              | R/Z-180/Z-200 Tee Head Ext.                   | THE180/200 | 661165810615 |                |               |
| 781062              | R/Z-250 Tee Head Ext.                         | THE250     | 661165810622 |                |               |

#### **FAB-MATE<sup>™</sup> LIFT**



The Sumner FAB-MATE<sup>™</sup> lift is a versatile lift designed so one person can position fittings, align flanges or move plate.

#### **SPECIAL FEATURES:**

- Sumner built winch with lifting capacity up to 1,000 lbs.
- Lifting height of up to 7 ft.
- Rugged 8" casters for horizontal movement
- Designed for use with the Sumner Adjust-A-Fit<sup>™</sup> and Adjust-A-Flange<sup>™</sup> lifts

| ITEM # | DESCRIPTION    | MODEL # | UPC          | LIFTING HEIGHT | LOAD CAPACITY |
|--------|----------------|---------|--------------|----------------|---------------|
| 783900 | FAB-MATE™ Lift | FMATE   | 661165839005 | 7 ft.          | 1,000 lbs.    |

#### **SHORT STACK**



The Sumner 2000 Series Short Stack Lifts offer a more compact design without compromising lifting capacity.

#### **SPECIAL FEATURES:**

- Designed for loads up to 800 lbs & fits easily through doorways
- Easily flown in using the integrated lifting eye
- Pulley Guard provides 360° of cable protection
- Forks reverse to maximize lifting height
- Plunger pins eliminate extra tools and loose parts
- Quickly breaks down for storage and transportation
- Load cable that feeds inside mast No more exposed cable just inches away from operator's face
- Multiple accessories available
- Available in 2 models in powder coating or galvanized finish

| ITEM #       | DESCRIPTION                         | MODEL #  | UPC          | LIFTING HEIGHT | LOAD CAPACITY |
|--------------|-------------------------------------|----------|--------------|----------------|---------------|
| 786382       | 2012S Short Stack Lift              | 2012S    | 661165840940 | 12 ft.         | 800 lbs.      |
| 786382       | 2016S Short Stack Lift              | 2016S    | 661165840858 | 16 ft.         | 800 lbs.      |
| 784093       | 2012S Short Stack Lift - Galvanized | 2012SG   | 661165840933 | 12 ft.         | 800 lbs.      |
| 784087       | 2016S Short Stack Lift - Galvanized | 2016SG   | 661165840865 | 16 ft.         | 800 lbs.      |
| OPTIONAL ACC | ESSORIES                            |          |              |                |               |
| 783881       | Mast Brake Kit                      | 2000MBK  | 661165838817 |                |               |
| 783705       | Pipe Cradle (pair)                  | PCRADLE  | 661165837056 |                |               |
| 783642       | Boom Assembly                       | BOOMA    | 661165836424 |                |               |
| 786320       | Tray Assembly                       | TA       | 661165863208 |                |               |
| 783691       | Fork Extension Kit                  | CFEXTKIT | 661165836912 |                |               |

#### **SERIES 2000**



The Sumner Series 2000 lifts are ideal for wider, heavier loads in the construction and HVAC markets

#### **SPECIAL FEATURES:**

- Designed for loads up to 650 lbs., 800 lbs., or 1000 lbs.
- Fits easily through doorways
- Easily flown in using the integrated lifting eye
- Pulley Guard provides 360° of cable protection
- Forks reverse to maximize lifting height
- Plunger pins eliminate extra tools and loose parts
- Quickly breaks down for storage and transportation
- Load cable that feeds inside mast No more exposed cable just inches away from operator's face
- Multiple accessories available
- Available in 4 models in powder coating or galvanized finish

| ITEM #        | DESCRIPTION                     | MODEL #  | UPC          | LIFTING HEIGHT | LOAD CAPACITY |
|---------------|---------------------------------|----------|--------------|----------------|---------------|
| 783700        | 2010 Material Lift              | 2010     | 661165837001 | 10 ft.         | 1,000 lbs.    |
| 783701        | 2015 Material Lift              | 2015     | 661165837018 | 15 ft.         | 800 lbs.      |
| 783702        | 2020 Material Lift              | 2020     | 661165837025 | 20 ft.         | 800 lbs.      |
| 783703        | 2025 Material Lift              | 2025     | 661165837032 | 25 ft.         | 650 lbs.      |
| 783223        | 2010 Material Lift              | 2010G    | 661165832235 | 10 ft.         | 1,000 lbs.    |
| 786781        | 2015 Material Lift - Galvanized | 2015G    | 661165832242 | 15 ft.         | 800 lbs.      |
| 786782        | 2020 Material Lift              | 2020G    | 032886293559 | 20 ft.         | 800 lbs.      |
| 786783        | 2025 Material Lift - Galvanized | 2025G    | 032886299636 | 25 ft.         | 650 lbs.      |
| OPTIONAL ACCE | SSORIES                         |          |              |                |               |
| 783881        | Mast Brake Kit                  | 2000MBK  | 661165838817 |                |               |
| 783705        | Pipe Cradle (pair)              | PCRADLE  | 661165837056 |                |               |
| 783642        | Boom Assembly                   | воома    | 661165836424 |                |               |
| 786320        | Tray Assembly                   | ТА       | 661165863208 |                |               |
| 783691        | Fork Extension Kit              | CFEXTKIT | 661165836912 |                |               |

#### **SERIES 2100**



The Sumner Series 2100 Contractor lifts are ideal for construction, HVAC and industrial work.

#### **SPECIAL FEATURES:**

- Designed for loads up to 650 lbs.
- Fits easily through doorways
- Easily flown in using the integrated lifting eye
- Pulley Guard provides 360° of cable protection
- Forks reverse to maximize lifting height
- Plunger pins eliminate extra tools and loose parts
- Quickly breaks down for storage and transportation
- Load cable that feeds inside mast No more exposed cable just inches away from operator's face
- Multiple accessories available
- Available in 3 models in powder coating or galvanized finish

| ITEM #             | DESCRIPTION                            | MODEL #  | UPC          | LIFTING HEIGHT | LOAD CAPACITY |
|--------------------|--|----------|--------------|----------------|---------------|
| 783650             | 2112 Contractor Lift                   | 2112     | 661165836509 | 12 ft.         | 650 lbs.      |
| 783651             | 2118 Contractor Lift                   | 2118     | 661165836516 | 18 ft.         | 650 lbs.      |
| 783652             | 2124 Contractor Lift                   | 2124     | 661165836523 | 24 ft.         | 650 lbs.      |
| 783225             | 2112 Contractor Lift - Galvanized      | 2112G    | 661165832259 | 12 ft.         | 650 lbs.      |
| 783226             | 2118 Contractor Lift - Galvanized      | 2118G    | 661165832266 | 18 ft.         | 650 lbs.      |
| 783227             | 2124 Contractor Lift - Galvanized      | 2124G    | 661165832273 | 24 ft.         | 650 lbs.      |
| <b>OPTIONAL AC</b> | CESSORIES                              |          |              |                |               |
| 783881             | Mast Brake Kit                         | 2000MBK  | 661165838817 |                |               |
| 783881             | Mast Brake Kit                         | 2000MBK  | 661165838817 |                |               |
| 783705             | Pipe Cradle (pair)                     | PCRADLE  | 661165837056 |                |               |
| 783642             | Boom Assembly                          | BOOMA    | 661165836424 |                |               |
| 786320             | Tray Assembly                          | TA       | 661165863208 |                |               |
| 783691             | Fork Extension Kit                     | CFEXTKIT | 661165836912 |                |               |
| 783765             | Two Speed Winch Handle Kit (2100 only) | 2SWHKIT  | 661165837650 |                |               |

#### **SERIES 2300**



The Sumner Series 2300 Drywall/HVAC lift are ideal for lifting drywall and lighter HVAC ducts.

#### **SPECIAL FEATURES:**

- Lifts loads up to 150 lbs. up to 11' 2-3/4" or 14' 9-3/4"
- Solid, safe construction
- Lightweight 99 lbs.
- Two speed winch handle
- Quick, tool free assembly
- One person operation
- Tilts 65 degrees for drywall installation
- Available in 2 models



| ITEM # | DESCRIPTION                 | MODEL #       | UPC          | LIFTING HEIGHT | LOAD CAPACITY |
|--------|-----------------------------|---------------|--------------|----------------|---------------|
| 710010 | 2311 DRYWALL LIFT with CART | 2311KIT       | 661165100105 | 11' - 2.75"    | 150 lbs.      |
| 710011 | 2315 DRYWALL LIFT with CART | 2315KIT       | 661165900484 | 14' - 9.75"    | 150 lbs.      |
| 710012 | 2311 HVAC LIFT with CART    | 2311-HVAC KIT | 032886301162 | 11' - 2.75"    | 150 lbs.      |
| 710013 | 2315 HVAC LIFT with CART    | 2315-HVAC KIT | 032886300189 | 14' - 9.75"    | 150 lbs.      |

#### **SERIES 2400**

The Sumner Series 2400 Contractor lifts are compact with a rugged design for a variety of construction applications

#### **SPECIAL FEATURES:**

- Designed for loads up to 450 lbs.
- Easily breaks down to just over 5' for easy storage and transportation
- Plunger pins eliminate extra tools and loose parts
- Compact design fits in most vans and SUVs
- Forks reverse to maximize lifting height
- Pulley Guard provides 360° of cable protection
- Load cable that feeds inside mast No more exposed cable just inches away from operator's face
- Multiple accessories available
- Available in 2 models in powder coating or galvanized finish



| ITEM #         | DESCRIPTION                       | MODEL #     | UPC          | LIFTING HEIGHT | LOAD CAPACITY |
|----------------|-----------------------------------|-------------|--------------|----------------|---------------|
| 784750         | 2412 Contractor Lift              | 2412        | 661165847505 | 12 ft.         | 450 lbs.      |
| 784751         | 2416 Contractor Lift              | 2416        | 661165847512 | 16 ft.         | 450 lbs.      |
| 784752         | 2412 Contractor Lift - Galvanized | 2412G       | 661165847529 | 12 ft.         | 450 lbs.      |
| 784763         | 2416 Contractor Lift - Galvanized | 2416G       | 661165847536 | 16 ft.         | 450 lbs.      |
| OPTIONAL ACCES | SSORIES                           |             |              |                |               |
| 784695         | Fork Extension Install Kit        | FEXTKIT2400 | 661165846959 |                |               |
| 784830         | Mast Hold-Down, Bar Type 2412     | MHDBAR2412  | 661165848304 |                |               |
| 783705         | Pipe Cradle (pair)                | PCRADLE     | 661165837056 |                |               |
| 784320         | Steel Tray                        | STRAY2400   | 661165843200 |                |               |

#### **SERIES 2600**



The Sumner Series 2600 Big Lifts is ideal for any job with confined spaces and large lifting requirements.

#### **SPECIAL FEATURES:**

- Designed for loads up to 1,100 lbs.
- Forks reverse to maximize lifting height
- Sumner built 2-speed winch system
- Quickly breaks down for storage and transportation
- Fast adjusting steering handle for centering lift
- Plunger pins eliminate extra tools and loose parts
- Multiple accessories available
- Available in 2 models in powder coating or galvanized finish

| ITEM #         | DESCRIPTION                              | MODEL #    | UPC          | LIFTING HEIGHT | LOAD CAPACITY |  |
|----------------|--|------------|--------------|----------------|---------------|--|
| 783067         | 2615 The Big Lift                        | 2615       | 661165830675 | 15 ft.         | 1,100 lbs.    |  |
| 783068         | 2615 The Big Lift - Galvanized           | 2615G      | 661165830682 | 15 ft.         | 1,100 lbs.    |  |
| OPTIONAL ACCES | OPTIONAL ACCESSORIES                     |            |              |                |               |  |
| 783883         | Safety Brake Assy for 2615               | SBA2615/15 | 661165838831 |                |               |  |
| 783163         | Fork Extension Kit, 2600 Series Lifts    | FEK2600    | 661165831634 |                |               |  |
| 784569         | Pipe Cradle Assembly, 2600 Lift (1 Pair) | PCA2600    | 661165845693 |                |               |  |

#### **EVENTER<sup>™</sup> SERIES**




The Sumner Eventer<sup>™</sup> black bodied lift series is specifically designed to meet the needs of theatrical and entertainment industries.


#### **SPECIAL FEATURES:**

- Available accessories for lifting and support speakers, lights and other stage equipment
- Eventer<sup>™</sup> has a lifting capacity of 500 lbs. to 800 lbs.
- · Compact design with quick assembly and breakdown
- Forks reverse to maximize lifting height
- Included leveling pads to ensure stability
- Black, anodized aluminum telescoping masts fade out on the stage
- Available in 3 models

| ITEM #        | DESCRIPTION                                   | MODEL # | UPC          | LIFTING HEIGHT | LOAD CAPACITY |  |
|---------------|---|---------|--------------|----------------|---------------|--|
| 784760        | Eventer™ 16 ft.                               | EV16    | 661165847604 | 16 ft.         | 500 lbs.      |  |
| 783801        | Eventer™ 20 ft.                               | EV20    | 661165838015 | 20 ft.         | 800 lbs.      |  |
| S783800       | Eventer™ 25 ft.                               | EV25    | 661165838008 | 25 ft.         | 650 lbs.      |  |
| OPTIONAL EVEN | OPTIONAL EVENTER™ 16 FT ACCESSORIES           |         |              |                |               |  |
| 784880        | Eventer™ 16 ft. Boom (fully extended)         | B00M16  | 661165848809 |                |               |  |
| 784915        | Eventer™ 16 ft. Hook Block Kit                | HBK16   | 661165849158 |                |               |  |
| 784055        | Eventer™ 16 ft. Sound Array Bar               | SAB16   | 661165840551 |                |               |  |
| OPTIONAL EVEN | OPTIONAL EVENTER™ 20 FT AND 25 FT ACCESSORIES |         |              |                |               |  |
| 783766        | Eventer™ 20 ft. and 25 ft. Hook Block Kit     | HBK20   | 661165837667 |                |               |  |
| 784060        | Eventer™ 20 ft. and 25 ft. Sound Array Bar    | SAB20   | 661165840605 |                |               |  |







Sumner offers a full line of Gantries that can fit a variety of applications. With industry leading compact design, this line of products make a difference on real-world jobsites.



#### GH3/4T



The Sumner 3/4 Ton Gantry offers an industry leading compact 3-piece design to fit a variety of applications.

#### **SPECIAL FEATURES:**

- Designed for loads up to 3/4 metric tons (1,650 lbs.)
- Lightweight & portable; aluminum frames & beam
- Quick two-person assembly & pinch point free
- Adjustable span
- Minimum pieces (2) A-Frames with casters, trolley, cross beam and attaching hardware \*Chain hoist not included
- Available with 8" locking casters or 10" flat free double locking casters
- Unassisted height adjustment
- Available in 8 models

| ITEM #             | DESCRIPTION                        | MODEL #      | UPC          | LOAD CAPACITY |  |
|--------------------|------------------------------------|--------------|--------------|---------------|--|
| 785305             | GANTRY GH-3/4T 10FT/3M W/8" CSTR   | GH3/4T-8x15  | 661165853018 | 3/4 TON       |  |
| 785304             | GANTRY GH-3/4T 10FT/3M W/FF TIRES  | GH3/4T-8X12  | 661165853032 | 3/4 TON       |  |
| 785303             | GANTRY GH-3/4T 13FT/4M W/8" CSTR   | GH3/4T-8x10  | 661165853056 | 3/4 TON       |  |
| 785302             | GANTRY GH-3/4T 13FT/4M W/FF TIRES  | GH3/4T-8x8   | 661165853070 | 3/4 TON       |  |
| 785301             | GANTRY GH-3/4T 16FT/5M W/8" CSTR   | GH3/4T-10X15 | 661165853001 | 3/4 TON       |  |
| 785300             | GANTRY GH-3/4T 16FT/5M W/FF TIRES  | GH3/4T-10X12 | 661165853025 | 3/4 TON       |  |
| 785307             | GANTRY GH-3/4T 8FT W/8" CSTR       | GH3/4T-10X10 | 661165853049 | 3/4 TON       |  |
| 785306             | GANTRY GH-3/4T 8FT W/FF TIRES      | GH3/4T-10X8  | 661165853063 | 3/4 TON       |  |
| <b>OPTIONAL GH</b> | OPTIONAL GH3/4T GANTRY ACCESSORIES |              |              |               |  |
| 786960             | GANTRY CART 3/4T, 2T               | GSS-01       | 661165869606 |               |  |

#### GH2T



The Sumner 2 Ton Gantry offers an industry leading compact 3-piece design to fit a variety of applications.

#### **SPECIAL FEATURES:**

- Designed for loads up to 2 metric tons (4,400 lbs.)
- Lightweight & portable; aluminum frames & beam
- Quick two-person assembly, pinch point free & adjustable span
- Minimum pieces (2) A-Frames with casters, trolley, cross beam and attaching hardware \*Chain hoist not included
- 8" locking casters & available in 4 models

| ITEM #               | DESCRIPTION                      | MODEL #    | UPC          | LOAD CAPACITY |  |  |
|----------------------|----------------------------------|------------|--------------|---------------|--|--|
| 785102               | GANTRY GH-2T 10FT/3M             | GH2T-10x10 | 661165851021 | 2.0 TON       |  |  |
| 785101               | GANTRY GH-2T 13FT/4M             | GH2T-12x12 | 661165851014 | 2.0 TON       |  |  |
| 785100               | GANTRY GH-2T 16FT/5M             | GH2T-15x15 | 661165851007 | 2.0 TON       |  |  |
| 785103               | GANTRY GH-2T 8FT                 | GH2T-8x8   | 661165851038 | 2.0 TON       |  |  |
| <b>OPTIONAL GH2T</b> | OPTIONAL GH2T GANTRY ACCESSORIES |            |              |               |  |  |
| 786960               | GANTRY CART 3/4T, 2T             | GSS-01     | 661165869606 |               |  |  |

#### GH5T



The Sumner 5 Ton Gantry offers an industry leading compact 3-piece design to fit a variety of applications.

#### **SPECIAL FEATURES:**

- Designed for loads up to 5 metric tons (11,000 lbs.)
- Lightweight & portable; Aluminum frames & beam
- Quick two-person assembly & pinch point free & adjustable span
- Minimum pieces (2) A-Frames with casters, trolley, cross beam and attaching hardware \*Chain hoist not included
- 8" locking casters & available in 3 models

| ITEM #               | DESCRIPTION                      | MODEL #    | UPC          | LOAD CAPACITY |  |  |
|----------------------|----------------------------------|------------|--------------|---------------|--|--|
| 785807               | GANTRY GH-5T 10FT/3M             | GH2T-15x15 | 661165858051 | 5 TON         |  |  |
| 785806               | GANTRY GH-5T 13FT/4M             | GH2T-12X12 | 661165858068 | 5 TON         |  |  |
| 785805               | GANTRY GH-5T 16FT/5M             | GH2T-10x10 | 661165858075 | 5 TON         |  |  |
| <b>OPTIONAL GH5T</b> | OPTIONAL GH5T GANTRY ACCESSORIES |            |              |               |  |  |
| 785895               | GH5T Trolley Assembly            | GH5TROL    | 661165858952 |               |  |  |

## MATERIAL Handling

Sumner has provided material handling solutions that move material quickly, easily, and safely. Transport, lift, store, and secure any item you need with our line of Material Handling products.



## **MATERIAL HANDLING**

#### **PALLET JACKS**



The Sumner low profile 20" or 27" pallet jack will handle heavy lifting for you with it's 2.5" low profile fork height allowing for easy engagement of most pallets.

#### **SPECIAL FEATURES:**

- 6,600 lbs weight capacity
- Three-function handle controls raising, lowering and neutral
- Welded all-steel frame and tough powder coat finish provides maximum durability and protection
- Minimum Fork height of 2.5"
- Maximum lift height of 6.25"
- 180° turning radius
- 2.5" inch low profile allows for easy engagement of pallets

| ITEM # | DESCRIPTION           | MODEL # | UPC          | LOAD CAPACITY |
|--------|-----------------------|---------|--------------|---------------|
| 779765 | 27" x 48" Pallet Jack | PJ27    | 661164797657 | 6,600 lbs.    |
| 779766 | 20" x 48" Pallet Jack | PJ20    | 661164797664 | 6,600 lbs.    |

## **MATERIAL HANDLING**

#### 6 PAC MAC<sup>™</sup>



Mobile wire dispensing cart.

#### **SPECIAL FEATURES:**

- · Stores in one-third the space of conventional dispensers
- Reel Spindles fold and lock for convenient storage
- Fits through 30" doorway
- Two 10" wheels with locking 8" caster for easy maneuverability
- Welded wire guides for easy payoff
- Stores up to (6) 2,500 ft. spools (18" diameter) of wire



#### **SPECIFICATIONS**

| ITEM # D | DESCRIPTION | MODEL # | UPC          |
|----------|-------------|---------|--------------|
| 783350 6 | 6 PACK MAC™ | PM06    | 661165833508 |

#### **10 PAC MAC**<sup>TM</sup>



Mobile wire dispensing cart.

#### **SPECIAL FEATURES:**

- · Handle/Guide loop position controlled by plunger: 4-positions, no loose parts
- Spindles fold up and lock
- Mast swivels 360 degrees, but can be locked in a fixed position
- Stores up to (10) 2500 ft. spools (18" diameter) of wire
- 4-heavy duty, 8" locking casters
- · Feed handle and guide loops are built into one part



| ITEM # | DESCRIPTION               | MODEL # | UPC          |
|--------|---------------------------|---------|--------------|
| 783366 | 10 PACK MAC <sup>TM</sup> | 10PMAC  | 661165833669 |

#### CADDY MAC<sup>™</sup>



#### **SPECIFICATIONS**

| ITEM #              | DESCRIPTION                   | MODEL # | UPC          |  |  |  |  |  |  |
|---------------------|-------------------------------|---------|--------------|--|--|--|--|--|--|
| 783398              | CADDY MAC <sup>TM</sup> #1    | CMAC1   | 661165833980 |  |  |  |  |  |  |
| 783395              | CADDY MAC™ #2                 | CMAC2   | 661165833959 |  |  |  |  |  |  |
| 783400              | CADDY MAC™ #3                 | CMAC3   | 661165834000 |  |  |  |  |  |  |
| OPTIONAL CADDY MAC™ | OPTIONAL CADDY MAC™ ACCESSORY |         |              |  |  |  |  |  |  |
| 783490              | HANDI MAC™ WIRE DISPENSER     | HM-01   | 661165834901 |  |  |  |  |  |  |



**SPECIFICATIONS** 

Security Storage Cabinet

#### **SPECIAL FEATURES:**

- Made in America
- Tall steel frame construction
- 10" wheels for easy transport over rough terrain
- · Rollers on spool arm allow for smooth reel rotation and easy payoff
- No loose pieces to account for
- · Folding design allows for compact storage
- Fits through 32" doorways



### ITEM # DESCRIPTION MODEL # UPC 783444 SPOOL MAC<sup>TM</sup> SM-01 661165834444

#### **STOR MAC**<sup>™</sup>

**SM60** 



Security Storage Cabinet

#### **SPECIAL FEATURES:**

- Made in America
- Four 6" heavy duty casters (standard)
- · For high visibility storage
- · Reinforced frame and door
- · Removable shelves
- Lockable doors
- Load capacity 1,500 lbs.



**SM48** 



| ITEM # | DESCRIPTION              | MODEL # | UPC          | HEIGHT | WIDTH | DEPTH  | WEIGHT   |
|--------|--------------------------|---------|--------------|--------|-------|--------|----------|
| 784920 | STOR MAC <sup>™</sup> 60 | SMAC60  | 661165849202 | 58.5"  | 62.5" | 32"    | 362 lbs. |
| 785921 | STOR MAC <sup>™</sup> 48 | SMAC48  | 661165859218 | 58"    | 51.5" | 33.75" | 310 lbs. |
| 785920 | STOR MAC <sup>™</sup> 30 | SMAC30  | 661165859201 | 58"    | 31.5" | 33.75" | 210 lbs. |

#### **WELDBOX**<sup>TM</sup>

#### WB3617





The ideal storage chest for all welders and electricans.

#### **SPECIAL FEATURES:**

- Two-point latching system
- requires only one lock
- Caster ready
- 16-gauge steel construction
- Reinforced frame and door
- Power-coat finish for superior durability and corrosion resistance

WB2008

| ITEM # | DESCRIPTION   | MODEL # | UPC          | HEIGHT | WIDTH   | DEPTH | WEIGHT    |
|--------|---------------|---------|--------------|--------|---------|-------|-----------|
| 779928 | WELDBOX™ 3617 | WB3617  | 661165799286 | 17"    | 36"     | 22.5" | 97.9 lbs. |
| 779911 | WELDB0X™ 2812 | WB2812  | 661165799118 | 12"    | 28.375" | 11"   | 30.8 lbs. |
| 779910 | WELDB0X™ 2008 | WB2008  | 661165799101 | 8.5"   | 20.125" | 9.5"  | 12.1 lbs. |

#### **STORAGE CABINETS**

#### CB603065





The Southwire storage cabinets have heavy duty shelves and large vertical storage area, you can easily organize and secure your tools.

#### **SPECIAL FEATURES:**

- · Recessed locking system for protection against theft with one-time lock installation
- · Heavy-duty 16-gauge steel construction with fully arc-welded seams
- Powder-coat finish for superior durability and corrosion resistance
- The Southwire Bi-Fold Cabinet includes casters





| ITEM # | DESCRIPTION      | MODEL #  | UPC          | HEIGHT | WIDTH | DEPTH | WEIGHT   |
|--------|------------------|----------|--------------|--------|-------|-------|----------|
| 598227 | Bi-Fold Cabinet  | CB603065 | 032886959943 | 65"    | 120"  | 14"   | 470 lbs. |
| 598228 | Two-Door Cabinet | CB602460 | 032886959950 | 60"    | 60"   | 24"   | 385 lbs. |

#### **PIANO BOX**

#### PB603049



PB603034



#### **SPECIFICATIONS**

Piano Boxes feature shelves, an interior storage grid for hanging items, gas spring guards to protect springs from shifting-load damage and at-a-glance easy access for small, big and in-between tools, equipment and supplies. With 3 size options available, this box is ideal for storage and security on the jobsite, workshop or in the plant.

#### **SPECIAL FEATURES:**

- Recessed locking system for protection against theft with one-time lock installation
- Heavy-duty 16-gauge steel construction with fully arc-welded seams
- Powder-coat finish for superior durability and corrosion resistance
- Four-way caster ready skids allow access from any side, making it easier and faster to transport (Casters not included)
- Gas spring guards to prevent damage from shifting loads



PB483048

| ITEM # | DESCRIPTION | MODEL #  | UPC          | HEIGHT | WIDTH | DEPTH | WEIGHT   |
|--------|-------------|----------|--------------|--------|-------|-------|----------|
| 598224 | Piano Box   | PB603049 | 032886959912 | 48.5"  | 60"   | 30"   | 337 lbs. |
| 598223 | Piano Box   | PB483048 | 032886959905 | 48"    | 48"   | 30"   | 287 lbs. |
| 598222 | Piano Box   | PB603034 | 032886959899 | 34"    | 60"   | 30"   | 282 lbs. |

#### **FIELD OFFICE**



Field office offers a large workstation with shelved storage and a single locking point, allowing you to control and secure any jobsite.

#### **SPECIAL FEATURES:**

- Field office offers a large workstation with shelved storage and a single locking point, allowing you to control and secure any jobsite.
- Heavy-duty 16-gauge steel construction with fully arc-welded seams
- Powder-coat finish for superior durability and corrosion resistance
- Four-way caster ready skids allow access from any side, making it easier and faster to transport (Casters not included)
- Dual gas springs for smooth, one-handed lift, one spring locks securely in place
- Adjustable and removable split shelves let you organize your storage in the lower cabinets

#### F0604482



| ITEM # | DESCRIPTION  | MODEL #  | UPC          | HEIGHT | WIDTH | DEPTH | WEIGHT   |
|--------|--------------|----------|--------------|--------|-------|-------|----------|
| 598225 | Field Office | F0604482 | 032886959929 | 82"    | 60"   | 44"   | 678 lbs. |

#### **COMPACT CHEST**

#### CC482423



The Southwire compact chests are highly mobile storage solution that stores easily in about any location.

#### **SPECIAL FEATURES:**

- Recessed locking system for protection against theft with one-time lock installation
- Heavy-duty 16-gauge steel construction with fully arc-welded seams
- Powder-coat finish for superior durability and corrosion resistance
- Four-way caster ready skids allow access from any side, making it easier and faster to transport (Casters not included)
- The Mini Compact Chest includes a built-in tool tray



| ITEM # | DESCRIPTION        | MODEL #  | UPC          | HEIGHT | WIDTH | DEPTH | WEIGHT   |
|--------|--------------------|----------|--------------|--------|-------|-------|----------|
| 598226 | Compact Chest      | CC482423 | 032886959936 | 22.5"  | 48"   | 24"   | 145 lbs. |
| 630360 | Mini Compact Chest | CC191932 | 032886963612 | 19"    | 19"   | 32"   | 73 lbs.  |

Sumner's line of Hoists offer an innovative, heavy-duty, manual design to tackle your toughest lifts. Our Hoist line includes a variety of options such as standard Lever and Chain hoists, Premium Lever and Chain hoists, Premium Lever and Chain hoists with overload protection, and more.



#### **LEVER HOIST**



Sumner Lift Lever Hoists arm you with the strength you need to lift, move and hold heavy materials on a jobsite or in a work shop! Sumner lever hoists all come with a steel construction and 360° ratchet with short strokes. Available in 1/4 to 6 ton lifting weight capacities.

#### **SPECIAL FEATURES:**

- Meet all ANSI/ASME, OSHA and CE Hoisting Standards
- Top Hook is easily removable
- Hard Steel Load Sheave Rollers
- 1.5x Safety Tested

| ITEM # | STOCK #  | DESCRIPTION                                  | LIFTING<br>WEIGHT<br>CAPACITY |
|--------|----------|--|-------------------------------|
| 787536 | LH025C05 | 1/4 Ton Lever Hoist with 5 ft. Chain Fall    | 1/4 TON                       |
| 787537 | LH025C10 | 1/4 Ton Lever Hoist with 10 ft. Chain Fall   | 1/4 TON                       |
| 787538 | LH025C15 | 1/4 Ton Lever Hoist with 15 ft. Chain Fall   | 1/4 TON                       |
| 787539 | LH050C05 | 1/2 Ton Lever Hoist with 5 ft. Chain Fall    | 1/2 TON                       |
| 787540 | LH050C10 | 1/2 Ton Lever Hoist with 10 ft. Chain Fall   | 1/2 TON                       |
| 787541 | LH050C15 | 1/2 Ton Lever Hoist with 15 ft. Chain Fall   | 1/2 TON                       |
| 787542 | LH075C05 | 3/4 Ton Lever Hoist with 5 ft. Chain Fall    | 3/4 TON                       |
| 787543 | LH075C10 | 3/4 Ton Lever Hoist with 10 ft. Chain Fall   | 3/4 TON                       |
| 787544 | LH075C15 | 3/4 Ton Lever Hoist with 15 ft. Chain Fall   | 3/4 TON                       |
| 787545 | LH075C20 | 3/4 Ton Lever Hoist with 20 ft. Chain Fall   | 3/4 TON                       |
| 787546 | LH150C05 | 1-1/2 Ton Lever Hoist with 5 ft. Chain Fall  | 1-1/2 TON                     |
| 787547 | LH150C10 | 1-1/2 Ton Lever Hoist with 10 ft. Chain Fall | 1-1/2 TON                     |
| 787548 | LH150C15 | 1-1/2 Ton Lever Hoist with 15 ft. Chain Fall | 1-1/2 TON                     |
| 787549 | LH150C20 | 1-1/2 Ton Lever Hoist with 20 ft. Chain Fall | 1-1/2 TON                     |
| 787550 | LH300C05 | 3 Ton Lever Hoist with 5 ft. Chain Fall      | 3 TON                         |
| 787551 | LH300C10 | 3 Ton Lever Hoist with 10 ft. Chain Fall     | 3 TON                         |
| 787552 | LH300C15 | 3 Ton Lever Hoist with 15 ft. Chain Fall     | 3 TON                         |
| 787553 | LH300C20 | 3 Ton Lever Hoist with 20 ft. Chain Fall     | 3 TON                         |
| 787554 | LH600C05 | 6 Ton Lever Hoist with 5 ft. Chain Fall      | 6 TON                         |
| 787555 | LH600C10 | 6 Ton Lever Hoist with 10 ft. Chain Fall     | 6 TON                         |
| 787556 | LH600C15 | 6 Ton Lever Hoist with 15 ft. Chain Fall     | 6 TON                         |
| 787557 | LH600C20 | 6 Ton Lever Hoist with 20 ft. Chain Fall     | 6 TON                         |

#### **PREMIUM LEVER HOISTS**



Sumner Lift Premium Lever Hoists offer an innovative and heavy-duty design to tackle your toughest lifts of various sizes! Our premium lever hoists include a single fused brake design and zinc phosphate load chain for superior corrosion resistance. Available in .8 to 9 ton lifting weight capacities.

#### **SPECIAL FEATURES:**

- No Preload Required
- Meet all ANSI/ASME, OSHA and CE Hoisting Standards
- Top Hook is easily removable
- Hard Steel Load Sheave Rollers
- 1.5x Safety Tested
- Unique zinc phosphate chain design

| ITEM # | STOCK #   | DESCRIPTION                                | LIFTING<br>WEIGHT<br>CAPACITY |
|--------|-----------|--|-------------------------------|
| 787480 | PLH080C05 | .8 Ton Lever Hoist with 5 ft. Chain Fall   | .8 TON                        |
| 787481 | PLH080C10 | .8 Ton Lever Hoist with 10 ft. Chain Fall  | .8 TON                        |
| 787482 | PLH080C15 | .8 Ton Lever Hoist with 15 ft. Chain Fall  | .8 TON                        |
| 787483 | PLH080C20 | .8 Ton Lever Hoist with 20 ft. Chain Fall  | 1 TON                         |
| 787484 | PLH100C05 | 1 Ton Lever Hoist with 5 ft. Chain Fall    | 1 TON                         |
| 787485 | PLH100C10 | 1 Ton Lever Hoist with 10 ft. Chain Fall   | 1 TON                         |
| 787486 | PLH100C15 | 1 Ton Lever Hoist with 15 ft. Chain Fall   | 1 TON                         |
| 787487 | PLH100C20 | 1 Ton Lever Hoist with 20 ft. Chain Fall   | 1 TON                         |
| 787488 | PLH160C05 | 1.6 Ton Lever Hoist with 5 ft. Chain Fall  | 1.6 TON                       |
| 787489 | PLH160C10 | 1.6 Ton Lever Hoist with 10 ft. Chain Fall | 1.6 TON                       |
| 787490 | PLH160C15 | 1.6 Ton Lever Hoist with 15 ft. Chain Fall | 1.6 TON                       |
| 787491 | PLH160C20 | 1.6 Ton Lever Hoist with 20 ft. Chain Fall | 1.6 TON                       |
| 787496 | PLH320C05 | 3.2 Ton Lever Hoist with 5 ft. Chain Fall  | 3.2 TON                       |
| 787497 | PLH320C10 | 3.2 Ton Lever Hoist with 10 ft. Chain Fall | 3.2 TON                       |
| 787498 | PLH320C15 | 3.2 Ton Lever Hoist with 15 ft. Chain Fall | 3.2 TON                       |
| 787499 | PLH320C20 | 3.2 Ton Lever Hoist with 20 ft. Chain Fall | 3.2 TON                       |
| 787500 | PLH630C05 | 6.3 Ton Lever Hoist with 5 ft. Chain Fall  | 6.3 TON                       |
| 787501 | PLH630C10 | 6.3 Ton Lever Hoist with 10 ft. Chain Fall | 6.3 TON                       |
| 787502 | PLH630C15 | 6.3 Ton Lever Hoist with 15 ft. Chain Fall | 6.3 TON                       |
| 787503 | PLH630C20 | 6.3 Ton Lever Hoist with 20 ft. Chain Fall | 6.3 TON                       |
| 787504 | PLH900C05 | 9 Ton Lever Hoist with 5 ft. Chain Fall    | 9 TON                         |
| 787505 | PLH900C10 | 9 Ton Lever Hoist with 10 ft. Chain Fall   | 9 TON                         |
| 787506 | PLH900C15 | 9 Ton Lever Hoist with 15 ft. Chain Fall   | 9 TON                         |
| 787507 | PLH900C20 | 9 Ton Lever Hoist with 20 ft. Chain Fall   | 9 TON                         |

#### PREMIUM LEVER HOIST WITH OVERLOAD PROTECTION



Sumner Lift Premium Lever Hoists with Overload Protection offers an innovative and heavy-duty design to tackle your toughest lifts of various sizes! Our Premium Lever Hoists include a single fused brake design and zinc phosphate load chain for superior corrosion resistance. Available in .8 to 9 ton lifting weight capacities.

#### **SPECIAL FEATURES:**

- No Preload Required
- Meet all ANSI/ASME, OSHA and CE Hoisting Standards
- Top Hook is easily removable
- Hard Steel Load Sheave Rollers
- 1.5x Safety Tested
- Unique zinc phosphate chain design

| ITEM # | STOCK #     | DESCRIPTION   | LIFTING<br>WEIGHT<br>CAPACITY |
|--------|-------------|---|-------------------------------|
| 787508 | PLH080C05W0 | .8 Ton Lever Hoist with 5 ft. Chain Fall w/ Overload Protection   | .8 TON                        |
| 787509 | PLH080C10W0 | .8 Ton Lever Hoist with 10 ft. Chain Fall w/ Overload Protection  | .8 TON                        |
| 787510 | PLH080C15W0 | .8 Ton Lever Hoist with 15 ft. Chain Fall w/ Overload Protection  | .8 TON                        |
| 787511 | PLH080C20W0 | .8 Ton Lever Hoist with 20 ft. Chain Fall w/ Overload Protection  | .8 TON                        |
| 787512 | PLH100C05W0 | 1 Ton Lever Hoist with 5 ft. Chain Fall w/ Overload Protection    | 1 TON                         |
| 787513 | PLH100C10W0 | 1 Ton Lever Hoist with 10 ft. Chain Fall w/ Overload Protection   | 1 TON                         |
| 787514 | PLH100C15W0 | 1 Ton Lever Hoist with 15 ft. Chain Fall w/ Overload Protection   | 1 TON                         |
| 787515 | PLH100C20W0 | 1 Ton Lever Hoist with 20 ft. Chain Fall w/ Overload Protection   | 1 TON                         |
| 787516 | PLH160C05W0 | 1.6 Ton Lever Hoist with 5 ft. Chain Fall w/ Overload Protection  | 1.6 TON                       |
| 787517 | PLH160C10W0 | 1.6 Ton Lever Hoist with 10 ft. Chain Fall w/ Overload Protection | 1.6 TON                       |
| 787518 | PLH160C15W0 | 1.6 Ton Lever Hoist with 15 ft. Chain Fall w/ Overload Protection | 1.6 TON                       |
| 787519 | PLH160C20W0 | 1.6 Ton Lever Hoist with 20 ft. Chain Fall w/ Overload Protection | 1.6 TON                       |
| 787524 | PLH320C05W0 | 3.2 Ton Lever Hoist with 5 ft. Chain Fall w/ Overload Protection  | 3.2 TON                       |
| 787525 | PLH320C10W0 | 3.2 Ton Lever Hoist with 10 ft. Chain Fall w/ Overload Protection | 3.2 TON                       |
| 787526 | PLH320C15W0 | 3.2 Ton Lever Hoist with 15 ft. Chain Fall w/ Overload Protection | 3.2 TON                       |
| 787527 | PLH320C20W0 | 3.2 Ton Lever Hoist with 20 ft. Chain Fall w/ Overload Protection | 3.2 TON                       |
| 787528 | PLH630C05W0 | 6.3 Ton Lever Hoist with 5 ft. Chain Fall w/ Overload Protection  | 6.3 TON                       |
| 787529 | PLH630C10W0 | 6.3 Ton Lever Hoist with 10 ft. Chain Fall w/ Overload Protection | 6.3 TON                       |
| 787530 | PLH630C15W0 | 6.3 Ton Lever Hoist with 15 ft. Chain Fall w/ Overload Protection | 6.3 TON                       |
| 787531 | PLH630C20W0 | 6.3 Ton Lever Hoist with 20 ft. Chain Fall w/ Overload Protection | 6.3 TON                       |
| 787532 | PLH900C05W0 | 9 Ton Lever Hoist with 5 ft. Chain Fall w/ Overload Protection    | 9 TON                         |
| 787533 | PLH900C10W0 | 9 Ton Lever Hoist with 10 ft. Chain Fall w/ Overload Protection   | 9 TON                         |
| 787534 | PLH900C15W0 | 9 Ton Lever Hoist with 15 ft. Chain Fall w/ Overload Protection   | 9 TON                         |
| 787535 | PLH900C20W0 | 9 Ton Lever Hoist with 20 ft. Chain Fall w/ Overload Protection   | 9 TON                         |

#### **CHAIN BLOCK HOISTS**



Sumner Lift Chain Block Hoists are designed to thrive in light industrial applications work with capacities ranging from 1/2-10 tons. Sumner Lift Chain Block Hoist build on our legacy of reliable vertical lifting.

#### **SPECIAL FEATURES:**

- Meet all ANSI/ASME, OSHA and CE Hoisting Standards
- Top Hook is easily removable
- Hard Steel Load Sheave Rollers
- 1.5x Safety Tested

| ITEM # | STOCK #  | DESCRIPTION                                  | LIFTING WEIGHT<br>CAPACITY |
|--------|----------|--|----------------------------|
| 787558 | CB050C10 | 1/2 Ton Chain Hoist with 10 ft. Chain Fall   | 1/2 TON                    |
| 787559 | CB050C15 | 1/2 Ton Chain Hoist with 15 ft. Chain Fall   | 1/2 TON                    |
| 787560 | CB050C20 | 1/2 Ton Chain Hoist with 20 ft. Chain Fall   | 1/2 TON                    |
| 787561 | CB050C30 | 1/2 Ton Chain Hoist with 30 ft. Chain Fall   | 1/2 TON                    |
| 787562 | CB100C10 | 1 Ton Chain Hoist with 10 ft. Chain Fall     | 1 TON                      |
| 787563 | CB100C15 | 1 Ton Chain Hoist with 15 ft. Chain Fall     | 1 TON                      |
| 787564 | CB100C20 | 1 Ton Chain Hoist with 20 ft. Chain Fall     | 1 TON                      |
| 787565 | CB100C30 | 1 Ton Chain Hoist with 30 ft. Chain Fall     | 1 TON                      |
| 787566 | CB150C10 | 1-1/2 Ton Chain Hoist with 10 ft. Chain Fall | 1-1/2 TON                  |
| 787567 | CB150C15 | 1-1/2 Ton Chain Hoist with 15 ft. Chain Fall | 1-1/2 TON                  |
| 787568 | CB150C20 | 1-1/2 Ton Chain Hoist with 20 ft. Chain Fall | 1-1/2 TON                  |
| 787569 | CB150C30 | 1-1/2 Ton Chain Hoist with 30 ft. Chain Fall | 1-1/2 TON                  |
| 787570 | CB200C10 | 2 Ton Chain Hoist with 10 ft. Chain Fall     | 2 TON                      |
| 787571 | CB200C15 | 2 Ton Chain Hoist with 15 ft. Chain Fall     | 2 TON                      |
| 787572 | CB200C20 | 2 Ton Chain Hoist with 20 ft. Chain Fall     | 2 TON                      |
| 787573 | CB200C30 | 2 Ton Chain Hoist with 30 ft. Chain Fall     | 2 TON                      |
| 787574 | CB300C10 | 3 Ton Chain Hoist with 10 ft. Chain Fall     | 3 TON                      |
| 787575 | CB300C15 | 3 Ton Chain Hoist with 15 ft. Chain Fall     | 3 TON                      |
| 787576 | CB300C20 | 3 Ton Chain Hoist with 20 ft. Chain Fall     | 3 TON                      |
| 787577 | CB300C30 | 3 Ton Chain Hoist with 30 ft. Chain Fall     | 3 TON                      |
| 787578 | CB500C10 | 5 Ton Chain Hoist with 10 ft. Chain Fall     | 5 TON                      |
| 787579 | CB500C15 | 5 Ton Chain Hoist with 15 ft. Chain Fall     | 5 TON                      |
| 787580 | CB500C20 | 5 Ton Chain Hoist with 20 ft. Chain Fall     | 5 TON                      |
| 787581 | CB500C30 | 5 ton Chain Hoist with 30 ft. Chain Fall     | 5 TON                      |
| 787582 | CB1KC10  | 10 ton Chain Hoist with 10 ft. Chain Fall    | 10 TON                     |
| 787583 | CB1KC15  | 10 ton Chain Hoist with 15 ft. Chain Fall    | 10 TON                     |
| 787584 | CB1KC20  | 10 ton Chain Hoist with 20 ft. Chain Fall    | 10 TON                     |
| 787585 | CB1KC30  | 10 ton Chain Hoist with 30 ft. Chain Fall    | 10 TON                     |

#### PREMIUM CHAIN BLOCK HOISTS



Sumner Lift Premium Chain Block Hoists low headroom design is ideal for your 1/4-20 ton lifting needs. Meets all ANSI/ASME, OSHA and CE Hoisting Standards.

#### **SPECIAL FEATURES:**

- Top Hook is easily removable
- Hard Steel Load Sheave Rollers
- 1.5x Safety Tested
- Unique zinc phosphate chain design

| ITEM # | STOCK #   | DESCRIPTION                                  | LIFTING<br>WEIGHT<br>CAPACITY |
|--------|-----------|--|-------------------------------|
| 787400 | PCB025C10 | 1/4 Ton Chain Hoist with 10 ft. Chain Fall   | 1/4 TON                       |
| 787401 | PCB025C15 | 1/4 Ton Chain Hoist with 15 ft. Chain Fall   | 1/4 TON                       |
| 787402 | PCB025C20 | 1/4 Ton Chain Hoist with 20 ft. Chain Fall   | 1/4 TON                       |
| 787403 | PCB025C30 | 1/4 Ton Chain Hoist with 30 ft. Chain Fall   | 1/4 TON                       |
| 787404 | PCB050C10 | 1/2 Ton Chain Hoist with 10 ft. Chain Fall   | 1/2 TON                       |
| 787405 | PCB050C15 | 1/2 Ton Chain Hoist with 15 ft. Chain Fall   | 1/2 TON                       |
| 787406 | PCB050C20 | 1/2 Ton Chain Hoist with 20 ft. Chain Fall   | 1/2 TON                       |
| 787407 | PCB050C30 | 1/2 Ton Chain Hoist with 30 ft. Chain Fall   | 1/2 TON                       |
| 787408 | PCB100C10 | 1 Ton Chain Hoist with 10 ft. Chain Fall     | 1 TON                         |
| 787409 | PCB100C15 | 1 Ton Chain Hoist with 15 ft. Chain Fall     | 1 TON                         |
| 787410 | PCB100C20 | 1 Ton Chain Hoist with 20 ft. Chain Fall     | 1 TON                         |
| 787411 | PCB100C30 | 1 Ton Chain Hoist with 30 ft. Chain Fall     | 1 TON                         |
| 787412 | PCB150C10 | 1-1/2 Ton Chain Hoist with 10 ft. Chain Fall | 1-1/2 TON                     |
| 787413 | PCB150C15 | 1-1/2 Ton Chain Hoist with 15 ft. Chain Fall | 1-1/2 TON                     |
| 787414 | PCB150C20 | 1-1/2 Ton Chain Hoist with 20 ft. Chain Fall | 1-1/2 TON                     |
| 787415 | PCB150C30 | 1-1/2 Ton Chain Hoist with 30 ft. Chain Fall | 1-1/2 TON                     |
| 787416 | PCB200C10 | 2 Ton Chain Hoist with 10 ft. Chain Fall     | 2 TON                         |
| 787417 | PCB200C15 | 2 Ton Chain Hoist with 15 ft. Chain Fall     | 2 TON                         |
| 787418 | PCB200C20 | 2 Ton Chain Hoist with 20 ft. Chain Fall     | 2 TON                         |
| 787419 | PCB200C30 | 2 Ton Chain Hoist with 30 ft. Chain Fall     | 2 TON                         |
| 787420 | PCB300C10 | 3 Ton Chain Hoist with 10 ft. Chain Fall     | 3 TON                         |
| 787421 | PCB300C15 | 3 Ton Chain Hoist with 15 ft. Chain Fall     | 3 TON                         |
| 787422 | PCB300C20 | 3 Ton Chain Hoist with 20 ft. Chain Fall     | 3 TON                         |
| 787423 | PCB300C30 | 3 Ton Chain Hoist with 30 ft. Chain Fall     | 3 TON                         |
| 787424 | PCB500C10 | 5 Ton Chain Hoist with 10 ft. Chain Fall     | 5 TON                         |
| 787425 | PCB500C15 | 5 Ton Chain Hoist with 15 ft. Chain Fall     | 5 TON                         |
| 787426 | PCB500C20 | 5 Ton Chain Hoist with 20 ft. Chain Fall     | 5 TON                         |
| 787427 | PCB500C30 | 5 Ton Chain Hoist with 30 ft. Chain Fall     | 5 TON                         |

#### PREMIUM CHAIN BLOCK HOISTS CONT.



| ITEM # | STOCK #    | DESCRIPTION                               | LIFTING<br>Weight<br>Capacity |
|--------|------------|---|-------------------------------|
| 787428 | PCB1KC10   | 10 Ton Chain Hoist with 10 ft. Chain Fall | 10 TON                        |
| 787429 | PCB1KC15   | 10 Ton Chain Hoist with 15 ft. Chain Fall | 10 TON                        |
| 787430 | PCB1KC20   | 10 Ton Chain Hoist with 20 ft. Chain Fall | 10 TON                        |
| 787431 | PCB1KC30   | 10 Ton Chain Hoist with 30 ft. Chain Fall | 10 TON                        |
| 787432 | PCB1.5KC10 | 15 Ton Chain Hoist with 10 ft. Chain Fall | 15 TON                        |
| 787433 | PCB1.5KC15 | 15 Ton Chain Hoist with 15 ft. Chain Fall | 15 TON                        |
| 787434 | PCB1.5KC20 | 15 Ton Chain Hoist with 20 ft. Chain Fall | 15 TON                        |
| 787435 | PCB1.5KC30 | 15 Ton Chain Hoist with 30 ft. Chain Fall | 15 TON                        |
| 787436 | PCB2KC10   | 20 Ton Chain Hoist with 10 ft. Chain Fall | 20 TON                        |
| 787437 | PCB2KC15   | 20 Ton Chain Hoist with 15 ft. Chain Fall | 20 TON                        |
| 787438 | PCB2KC20   | 20 Ton Chain Hoist with 20 ft. Chain Fall | 20 TON                        |
| 787439 | PCB2KC30   | 20 Ton Chain Hoist with 30 ft. Chain Fall | 20 TON                        |

#### **PREMIUM CHAIN BLOCK HOISTS WITH OVERLOAD PROTECTION**



Sumner Lift Premium Chain Block Hoists low headroom design is ideal for your 1-20 ton lifting needs. Meets all ANSI/ASME, OSHA and CE Hoisting Standards.

#### **SPECIAL FEATURES:**

- Top Hook is easily removable
- Hard Steel Load Sheave Rollers
- 1.5x Safety Tested
- Unique zinc phosphate chain design

| ITEM # | STOCK #     | DESCRIPTION   | LIFTING<br>WEIGHT<br>CAPACITY |
|--------|-------------|---|-------------------------------|
| 787448 | PCB100C10W0 | 1 Ton Chain Hoist with 10 ft. Chain Fall w/ Overload Protection     | 1 TON                         |
| 787449 | PCB100C15W0 | 1 Ton Chain Hoist with 15 ft. Chain Fall w/ Overload Protection     | 1 TON                         |
| 787450 | PCB100C20W0 | 1 Ton Chain Hoist with 20 ft. Chain Fall w/ Overload Protection     | 1 TON                         |
| 787451 | PCB100C30W0 | 1 Ton Chain Hoist with 30 ft. Chain Fall w/ Overload Protection     | 1 TON                         |
| 787452 | PCB150C10W0 | 1-1/2 Ton Chain Hoist with 10 ft. Chain Fall w/ Overload Protection | 1-1/2 TON                     |
| 787453 | PCB150C15W0 | 1-1/2 Ton Chain Hoist with 15 ft. Chain Fall w/ Overload Protection | 1-1/2 TON                     |
| 787454 | PCB150C20W0 | 1-1/2 Ton Chain Hoist with 20 ft. Chain Fall w/ Overload Protection | 1-1/2 TON                     |
| 787455 | PCB150C30W0 | 1-1/2 Ton Chain Hoist with 30 ft. Chain Fall w/ Overload Protection | 1-1/2 TON                     |
| 787456 | PCB200C10W0 | 2 Ton Chain Hoist with 10 ft. Chain Fall w/ Overload Protection     | 2 TON                         |
| 787457 | PCB200C15W0 | 2 Ton Chain Hoist with 15 ft. Chain Fall w/ Overload Protection     | 2 TON                         |
| 787458 | PCB200C20W0 | 2 Ton Chain Hoist with 20 ft. Chain Fall w/ Overload Protection     | 2 TON                         |
| 787459 | PCB200C30W0 | 2 Ton Chain Hoist With 30 ft. Chain Fall w/ Overload Protection     | 2 TON                         |
| 787460 | PCB300C10W0 | 3 Ton Chain Hoist With 10 ft. Chain Fall w/ Overload Protection     | 3 TON                         |
| 787461 | PCB300C15W0 | 3 Ton Chain Hoist With 15 ft. Chain Fall w/ Overload Protection     | 3 TON                         |
| 787462 | PCB300C20W0 | 3 Ton Chain Hoist With 20 ft. Chain Fall w/ Overload Protection     | 3 TON                         |
| 787463 | PCB300C30W0 | 3 Ton Chain Hoist With 30 ft. Chain Fall w/ Overload Protection     | 3 TON                         |
| 787464 | PCB500C10W0 | 5 Ton Chain Hoist With 10 ft. Chain Fall w/ Overload Protection     | 5 TON                         |
| 787465 | PCB500C15W0 | 5 Ton Chain Hoist With 15 ft. Chain Fall w/ Overload Protection     | 5 TON                         |
| 787466 | PCB500C20W0 | 5 Ton Chain Hoist With 20 ft. Chain Fall w/ Overload Protection     | 5 TON                         |
| 787467 | PCB500C30W0 | 5 Ton Chain Hoist With 30 ft. Chain Fall w/ Overload Protection     | 5 TON                         |
| 787468 | PCB1KC10W0  | 10 Ton Chain Hoist With 10 ft. Chain Fall w/ Overload Protection    | 10 TON                        |
| 787469 | PCB1KC15W0  | 10 Ton Chain Hoist With 15 ft. Chain Fall w/ Overload Protection    | 10 TON                        |
| 787470 | PCB1KC20W0  | 10 Ton Chain Hoist With 20 ft. Chain Fall w/ Overload Protection    | 10 TON                        |
| 787471 | PCB1KC30W0  | 10 Ton Chain Hoist With 30 ft. Chain Fall w/ Overload Protection    | 10 TON                        |

#### PREMIUM CHAIN BLOCK HOISTS WITH OVERLOAD PROTECTION CONT.



| ITEM # | STOCK #      | DESCRIPTION  | LIFTING<br>WEIGHT<br>Capacity |
|--------|--------------|--|-------------------------------|
| 787472 | PCB1.5KC10W0 | 15 Ton Chain Hoist With 10 ft. Chain Fall w/ Overload Protection | 15 TON                        |
| 787473 | PCB1.5KC15W0 | 15 Ton Chain Hoist With 15 ft. Chain Fall w/ Overload Protection | 15 TON                        |
| 787474 | PCB1.5KC20W0 | 15 Ton Chain Hoist With 20 ft. Chain Fall w/ Overload Protection | 15 TON                        |
| 787475 | PCB1.5KC30W0 | 15 Ton Chain Hoist with 30 ft. Chain Fall w/ Overload Protection | 15 TON                        |
| 787476 | PCB2KC10W0   | 20 Ton Chain Hoist with 10 ft. Chain Fall w/ Overload Protection | 20 TON                        |
| 787477 | PCB2KC15W0   | 20 Ton Chain Hoist with 15 ft. Chain Fall w/ Overload Protection | 20 TON                        |
| 787478 | PCB2KC20W0   | 20 Ton Chain Hoist with 20 ft. Chain Fall w/ Overload Protection | 20 TON                        |
| 787479 | PCB2KC30W0   | 20 Ton Chain Hoist with 30 ft. Chain Fall w/ Overload Protection | 20 TON                        |

At Sumner Manufacturing, our welding customers are very important to us. One of our primary goals as a manufacturer is to provide our customers with high quality, competitively priced tools. We learn from welders in the field what products are needed to make their jobs easier. These ideas help us to design and build new and better products. In essence, our customers are part of our Research & Development department, and without their input, we would be unable to continually offer great new products.



#### **CURVED LOCKING PLIERS**

CLP4W

Perfect for gripping and torquing various surface shapes, including round pipes, square or hex bolts, and more.

- · Curved jaw with hardened teeth to grip a variety of shapes from any angle
- Trigger release for maximum locking force
- Includes wire cutter
- Constructed of high-grade heat-treated alloy steel for durability

**CLP7W** 





| ITEM # | DESCRIPTION                          | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH | WEIGHT   | # ITEMS IN<br>MASTER PACK |
|--------|--------------------------------------|---------|--------------|--------|------------------|-------|----------|---------------------------|
| 781612 | 4" Curved Locking Pliers with Cutter | CLP4W   | 661165816129 | 4.33"  | 0.4"             | 1.37" | 0.2 lbs  | 12                        |
| 781615 | 5" Curved Locking Pliers with Cutter | CLP5W   | 661165816150 | 5.51"  | 0.4"             | 1.57" | 0.34 lbs | 12                        |
| 781614 | 7" Curved Locking Pliers with Cutter | CLP7W   | 661165816143 | 7.08"  | 0.79"            | 2.36" | 0.7 lbs  | 6                         |
| 781613 | 10" Curved Locking Plier with Cutter | CLP10W  | 661165816136 | 9.05"  | 1"               | 2.36" | 1.11 lbs | 6                         |

#### **STRAIGHT JAW LOCKING PLIERS**



| ITEM # | DESCRIPTION                     | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH | WEIGHT   | # ITEMS IN<br>MASTER PACK |
|--------|---------------------------------|---------|--------------|--------|------------------|-------|----------|---------------------------|
| 781617 | 7" Straight Jaw Locking Pliers  | SLP7    | 661165816174 | 7.08"  | 0.79"            | 2.36" | 0.83 lbs | 6                         |
| 781616 | 10" Straight Jaw Locking Pliers | SLP10   | 661165816167 | 9.06"  | 1"               | 2.36" | 1.2 lbs  | 6                         |

#### **MIG PLIERS**



Perfect for spatter removal (inside or outside a nozzle), bushing installation and removal, and wire cutting.

- · Specially-designed nose for easy removal of welding spatter
- Induction-hardened cutting edge stays sharp longer
- · Multiple jaws for drawing out wire and removing tips and nozzles

| ITEM # | DESCRIPTION   | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH | WEIGHT   | # ITEMS IN<br>Master Pack |
|--------|---------------|---------|--------------|--------|------------------|-------|----------|---------------------------|
| 781618 | 8" MIG Pliers | MIGP8   | 661165816181 | 8.46"  | 0.5"             | 1.97" | 0.66 lbs | 12                        |

#### **LOCKING CLAMPS**



Wide-opening jaws provide more flexibility than standard locking clamps.

- · Strong rivet connecting arms to prevent joint integrity from being compromised
- · Jaw opening capacity provides versatility in clamping a variety of shapes
- Trigger release for maximum locking force
- · Constructed of high-grade heat-treated alloy steel for durability
- · Stays adjusted for repetitive use



| ITEM # | DESCRIPTION                  | MODEL # | UPC          | HEIGHT | LENGTH/<br>DEPTH | WIDTH | WEIGHT   | # ITEMS IN<br>MASTER PACK |
|--------|------------------------------|---------|--------------|--------|------------------|-------|----------|---------------------------|
| 781621 | 6" Locking Clamp             | LC6     | 661165816211 | 7.1"   | 1"               | 3.35" | 0.46 lbs | 6                         |
| 781619 | 11" Locking Clamp            | LC11    | 661165816198 | 10.83" | 0.79"            | 5.51" | 1.63 lbs | 6                         |
| 781623 | 18" Locking Clamp            | LC18    | 661165816235 | 18.3"  | 0.79"            | 5.9"  | 3 lbs    | 6                         |
| 781624 | 18" Deep Reach Locking Clamp | LCDR18  | 661165816242 | 18.3"  | 0.79"            | 9.6"  | 3.15 lbs | 6                         |

#### LOCKING CLAMPS WITH SWIVEL PADS




Swivel pads provide a larger and more stable gripping surface to hold your work securely.

- Strong rivet connecting arms to prevent joint integrity from being compromised
- Jaw opening capacity provides versatility in clamping a variety of shapes
- Trigger release for maximum locking force
- · Constructed of high-grade heat-treated alloy steel for durability
- Stays adjusted for repetitive use



| ITEM # | DESCRIPTION                        | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH | WEIGHT   | # ITEMS IN<br>Master Pack |
|--------|------------------------------------|---------|--------------|--------|------------------|-------|----------|---------------------------|
| 781622 | 6" Locking Clamp with Swivel Pads  | LCS6    | 661165816228 | 7.1"   | 1"               | 3.35" | 0.46 lbs | 6                         |
| 781626 | 9" Locking Clamp with Swivel Pads  | LCS9    | 661165816266 | 9.45"  | 1.18"            | 4.33" | 1.28 lbs | 6                         |
| 781620 | 11" Locking Clamp with Swivel Pads | LCS11   | 661165816204 | 10.83" | 0.79"            | 5.51" | 1.63 lbs | 6                         |
| 781625 | 18" Locking Clamp with Swivel Pads | LCS18   | 661165816259 | 18.3"  | 0.79"            | 5.9"  | 3 lbs    | 6                         |

#### LOCKING WELDING CLAMP



- Strong rivet connecting arms to prevent joint integrity from being compromised
- Jaw opening capacity provides versatility in clamping a variety of shapes
- Trigger release for maximum locking force
- · Constructed of high-grade heat-treated alloy steel for durability
- Stays adjusted for repetitive use

| ITEM # | DESCRIPTION              | MODEL # | UPC          | HEIGHT | LENGTH/<br>DEPTH | WIDTH | WEIGHT   | # ITEMS IN<br>Master Pack |
|--------|--------------------------|---------|--------------|--------|------------------|-------|----------|---------------------------|
| 781627 | 9" Locking Welding Clamp | LWC9    | 661165816273 | 9.06"  | 2.56"            | 3.35" | 1.21 lbs | 6                         |

#### LOCKING CHAIN CLAMP



The Locking Chain Clamp holds and locks around any shape or any size of object and adjusts quickly.

- Strong rivet connecting arms to prevent joint integrity from being compromised
- Jaw opening capacity provides versatility in clamping a variety of shapes
- Trigger release for maximum locking force
- · Constructed of high-grade heat-treated alloy steel for durability
- Stays adjusted for repetitive use

| ITEM # | DESCRIPTION             | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH | WEIGHT   | # ITEMS IN<br>Master Pack |
|--------|-------------------------|---------|--------------|--------|------------------|-------|----------|---------------------------|
| 781628 | 20" Locking Chain Clamp | LCCH20  | 661165816280 | 17.7"  | 0.79"            | 2.4"  | 1.55 lbs | 6                         |

#### LOCKING SHEET METAL TOOL



The Locking Sheet Metal tool locks on to flat surfaces with a secure grip.

- · Strong rivet connecting arms to prevent joint integrity from being compromised
- · Jaw opening capacity provides versatility in clamping a variety of shapes
- Trigger release for maximum locking force
- · Constructed of high-grade heat-treated alloy steel for durability
- Stays adjusted for repetitive use

| ITEM # | DESCRIPTION                 | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH | WEIGHT  | # ITEMS IN<br>Master Pack |
|--------|-----------------------------|---------|--------------|--------|------------------|-------|---------|---------------------------|
| 781629 | 8" Locking Sheet Metal Tool | LSM8    | 661165816297 | 8.07"  | 2.56"            | 3.15" | 1.1 lbs | 6                         |

#### **CHIPPING HAMMERS**



Solid construction yet lightweight, this chipping hammer provides excellent balance and control for precise chipping.

- Forged in one piece for durability
- Ergonomic grip that reduces impact vibration

| IT | EM # | DESCRIPTION     | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH | WEIGHT  | # ITEMS IN<br>Master Pack |
|----|------|-----------------|---------|--------------|--------|------------------|-------|---------|---------------------------|
| 78 | 1630 | Chipping Hammer | CHMR    | 661165816303 | 11"    | 1.38"            | 6.1"  | 1.1 lbs | 12                        |

#### **WIRE BRUSHES**



These wire brushes are comfortable to use and built to last

#### **CHIPPING HAMMER WITH WIRE BRUSH**

- Durable hardened head construction for long life
- Replaceable wire brush
- Vibration reducing spring handle

#### **BRASS WIRE BRUSH**

- · Strong and durable with securely imbedded brass bristles
- · Long curved wood handle with pre-drilled hole for hanging
- Will not rust

#### **STEEL WIRE BRUSH**

- Durable scratch brush with securely imbedded stainless steel bristles.
- Long curved wood handle with pre-drilled hang hole.

#### **SPECIFICATIONS**

| ITEM # | DESCRIPTION                     | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH  | WEIGHT   | # ITEMS IN<br>Master Pack |
|--------|---------------------------------|---------|--------------|--------|------------------|--------|----------|---------------------------|
| 781631 | Chipping Hammer with Wire Brush | WBCH    | 661165816310 | 11"    | 1.38"            | 6.1"   | 1.2 lbs  | 12                        |
| 781632 | Brass Wire Brush                | BWB     | 661165816327 | 13.8"  | 1"               | 1.968" | 0.35 lbs | 12                        |
| 781633 | Steel Wire Brush                | SWB     | 661165816334 | 13.8"  | 1"               | 1.77"  | 0.33 lbs | 12                        |



SWB

#### **GROUND CLAMPS**



These ground clamps provide a secure connection between the ground cable and your work piece. Large contact surface provides positive grounding.

#### **500 AMP STEEL GROUND CLAMP**

- Rugged and reliable steel lever design
- 500-Amp Capacity

#### 200 AMP COPPER GROUND CLAMP

- Rugged and reliable copper cast design
- Ball point screw secures the welding cable to the ground clamp
- 200-AMP Capacity
- Heavy duty insulated spring

| ITEM # | DESCRIPTION                 | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH | WEIGHT   | # ITEMS IN<br>MASTER PACK |
|--------|-----------------------------|---------|--------------|--------|------------------|-------|----------|---------------------------|
| 781634 | 500 Amp Steel Ground Clamp  | SGC500  | 661165816341 | 7.48"  | 1"               | 3.15" | 0.4 lbs  | 12                        |
| 781635 | 200 Amp Copper Ground Clamp | CGC200  | 661165816358 | 6.9"   | 1"               | 3.1"  | 0.87 lbs | 12                        |

#### **F** CLAMP



Professional grade F-clamp offers smooth adjustment and high clamping capacity.

- · Copper-coated steel screw with pivoting pressure cap
- Large 4-3/4" throat depth
- 1000 lb. maximum clamping capacity

| ITEM # | DESCRIPTION | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH | WEIGHT   | # ITEMS IN<br>MASTER PACK |
|--------|-------------|---------|--------------|--------|------------------|-------|----------|---------------------------|
| 781637 | 12" F Clamp | FC12    | 661165816372 | 15"    | 1.38"            | 7.87" | 3.95 lbs | 3                         |

#### **COMBINATION SQUARE**



A precise, easy to read, and well-built combination square for professional results every time.

- Hi-Contrast Black precision-etched scales
- Rust proof stainless steel blade

|   | ITEM # | DESCRIPTION            | MODEL # | UPC          | HEIGHT | LENGTH/<br>Depth | WIDTH | WEIGHT   | # ITEMS IN<br>Master Pack |
|---|--------|------------------------|---------|--------------|--------|------------------|-------|----------|---------------------------|
| [ | 781636 | 12" Combination Square | CSQ12   | 661165816365 | 12"    | 0.79"            | 4.7"  | 0.13 lbs | 6                         |

### NOTES

Southwire®

### SUMNER<sup>\*</sup> PRODUCT CATALOG

### **GET SOCIAL WITH US:**



/SOUTHWIRETOOLS







@SOUTHWIRETOOLS

@SOUTHWIRETOOLS @SUMNERCO

# SCAN TO LEARN MORE

WWW.SOUTHWIRE.COM | 1-855-SWTOOLS

SUMNER - U.S. | 281-999-6900 SUMNER - NETHERLANDS | +31 (0) 85 489 0284 SUMNER - CANADA | (519) 653-5300