



WILTON

B.A.S.H.TM
UNBREAKABLETM
HANDLE TECHNOLOGY

B.A.S.H.[®] SLEDGE HAMMERS

IDEAL FOR

STANDARD HAMMERS

- Demolition Work
- Fracturing Stone and Concrete
- Driving Fence Posts
- Police, Fire & Rescue

SOFT FACE HAMMERS

- Maintenance on hard metal surfaces
- Mining
- Cutting Tools

B.A.S.H.[®] SLEDGE HAMMERS



SOFT FACE SLEDGE HAMMER
SCAN TO LEARN MORE!



SLEDGE HAMMER
SCAN TO LEARN MORE!

FEATURES

A. UNBREAKABLE[®] HANDLE TECHNOLOGY:

Steel core eliminates breaking during overstrikes

B. TRADEMARK GREEN HEAD:

Patented hi-vis, drop-forged 46 HRC head endures the most demanding applications*

*Soft-face models are 30 HRC

C. SAFETY PLATE:

Secures head to handle, preventing head from dislodging

D. ANTI-VIBE NECK:

Thick, tapered neck absorbs vibration, reducing worker fatigue

E. NO-SLIP GRIP:

Vulcanized rubber handle for secure grip while striking

F. LANYARD HOLE:

Safely secure hammer to wrist or stationary object




SPECS

STOCK NO.	HEAD SIZE (lbs.)	HANDLE SIZE (in.)	NET WEIGHT (lbs.)
B.A.S.H.[®] SLEDGE HAMMERS (46 HRC)			
20212	2-1/2	12	4
20412	4	12	5
20416	4	16	6
20424	4	24	6
20616	6	16	8
20624	6	24	9
20630	6	30	10
20636	6	36	11
20816	8	16	11
20824	8	24	11
20830	8	30	12
20836	8	36	13

STOCK NO.	HEAD SIZE (lbs.)	HANDLE SIZE (in.)	NET WEIGHT (lbs.)
21016	10	16	13
21024	10	24	13
21030	10	30	15
21036	10	36	15
21224	12	24	16
21230	12	30	17
21236	12	36	18
21424	14	24	18
21430	14	30	19
21436	14	36	20
22024	20	24	24
22030	20	30	25
22036	20	36	27

STOCK NO.	HEAD SIZE (lbs.)	HANDLE SIZE (in.)	NET WEIGHT (lbs.)
B.A.S.H.[®] SOFT FACE SLEDGE HAMMERS (30 HRC)			
21016	10	16	13
21024	10	24	13
21030	10	30	15
21036	10	36	15
21224	12	24	16
21230	12	30	17
21236	12	36	18
21424	14	24	18
21430	14	30	19
21436	14	36	20
22024	20	24	24
22030	20	30	25



UNBREAKABLE[®] HANDLE TECHNOLOGY



SAFETY PLATE



ANTI-VIBE NECK



LANYARD HOLE



B.A.S.H.[®] BRASS SLEDGE HAMMERS

IDEAL FOR

- Use near combustible materials
- Where surface protection is required
- Oil & gas
- Mining
- Aerospace

B.A.S.H.[®] BRASS SLEDGE HAMMERS



FEATURES

A. UNBREAKABLE[®] HANDLE TECHNOLOGY:

Steel core eliminates breaking during overstrikes

B. BRASS HEAD:

Non-sparking for use near combustible materials and non-marring to reduce work damage

C. SAFETY PLATE:

Secures head to handle, preventing head from dislodging

D. ANTI-VIBE NECK:

Thick, tapered neck absorbs vibration, reducing worker fatigue

E. NO-SLIP GRIP:

Vulcanized rubber handle for secure grip while striking

F. LANYARD HOLE:

Safely secure hammer to wrist or stationary object



SCAN THE CODE
TO ORDER YOUR
BRASS SLEDGE
HAMMER!

SPECS

STOCK NO.	HEAD SIZE (lbs.)	HANDLE SIZE (in.)	NET WEIGHT (lbs.)
90212	2.5	12	4
90412	4	12	5
90416	4	16	6
90616	6	16	8
90816	8	16	10
90830	8	30	12



UNBREAKABLE[®]
HANDLE TECHNOLOGY



SAFETY PLATE



ANTI-VIBE NECK



NON-SPARKING BRASS
HEAD



B.A.S.H.[®] BALL & CROSS PEIN HAMMERS

IDEAL FOR

- Light Forging
- Bending
- Forming
- Peining

B.A.S.H.[®] BALL & CROSS PEIN HAMMERS



SCAN THE CODE
TO ORDER YOUR
BALL PEIN!

FEATURES

A. UNBREAKABLE[®] HANDLE TECHNOLOGY:

Steel core eliminates breaking during overstrikes

B. SAFETY PLATE:

Secures head to handle, preventing head from dislodging

C. ANTI-VIBE NECK:

Thick, tapered neck absorbs vibration, reducing worker fatigue

D. NO-SLIP GRIP:

Vulcanized rubber handle for secure grip while striking

E. TRADEMARK GREEN HEAD:

Patented hi-vis, drop-forged 46 HRC head endures the most demanding applications

F. LANYARD HOLE:

Safely secure hammer to wrist or stationary object



BALL PEIN

CROSS PEIN



SCAN THE CODE
TO ORDER YOUR
CROSS PEIN!

SPECS

STOCK NO.	HEAD SIZE (lbs.)	HANDLE SIZE (in.)	NET WEIGHT (lbs.)
B.A.S.H.[®] BALL PEIN HAMMERS			
32414	24	14	2
33214	32	14	3
34014	40	14	3
B.A.S.H.[®] CROSS PEIN HAMMERS			
30216	24	16	3
30316	32	16	4



UNBREAKABLE[®] HANDLE
TECHNOLOGY



SAFETY PLATE



ANTI-VIBE NECK



B.A.S.H.[®] DEAD BLOW HAMMERS

IDEAL FOR

- Automotive
- Metal Fabrication
- Oil and Mining
- Wood and Metal Assembly
- Aerospace Industry

B.A.S.H.[®] DEAD BLOW HAMMERS



SCAN THE CODE
TO ORDER YOUR
DEAD BLOW
HAMMER!

FEATURES

A. DEAD BLOW:

Eliminates bounce-back when striking hardened surfaces

B. SPARK-RESISTANT:

Safe for use near combustible materials - no exposed metal on face, head or shaft

C. SOFT FACE:

Helps prevent marring

D. UNBREAKABLE[®] HANDLE TECHNOLOGY:

Steel core eliminates breaking during overstrikes

E. ERGONOMIC HANDLE:

Shaped and thickened for improved comfort and less vibration

F. NO-SLIP GRIP:

Vulcanized rubber handle for secure grip while striking


G. LANYARD HOLE:

Safely secure hammer to wrist or stationary object




SPECS


STOCK NO.	HEAD SIZE (lbs.)	HANDLE SIZE (in.)	NET WEIGHT (lbs.)
55114	1-1/2	14	4
55214	2	14	5
55314	3	14	6
55416	4	16	8
55830	8	30	10



UNBREAKABLE[®] HANDLE
TECHNOLOGY



SOFT FACE



SPARK-RESISTANT



WILTON

B.A.S.H.TM
UNBREAKABLETM
HANDLE TECHNOLOGY

B.A.S.H.[®]
BEAD BREAKING
WEDGE

IDEAL FOR

- Heavy Truck
- Farm & Ag

B.A.S.H.[®] BEAD BREAKING WEDGE



FEATURES

The world's most durable bead breaking wedges are designed for heavy-duty use in removing tires from rims. And like all B.A.S.H. tools, our bead breaking wedges feature Unbreakable Handle Technology, a safety plate to secure the head, a no-slip grip, an anti-vibe neck and the B.A.S.H. trademark green head.

A. UNBREAKABLE[®] HANDLE TECHNOLOGY:

Steel core design prevents breaking during overstrikes

B. SAFETY PLATE:

Locks head firmly to handle, eliminating dislodging

C. NO-SLIP GRIP:

Textured handle for secure grip while in use



SCAN THE CODE TO ORDER YOUR BEAD BREAKING WEDGE!

SPECS


STOCK NO.	HEAD SIZE (lbs.)	HANDLE SIZE (in.)	NET WEIGHT (lbs.)
51136	11	36	11



UNBREAKABLE[®] HANDLE TECHNOLOGY



SAFETY PLATE



NO-SLIP GRIP



ANTI-VIBE NECK



WILTON

B.A.S.H.™

UNBREAKABLE™
HANDLE TECHNOLOGY

B.A.S.H.®
SPIKE
MAUL

IDEAL FOR

- Driving Railroad Spikes

B.A.S.H.[®] SPIKE MAULS



FEATURES

The world's most durable Spike Maul is designed for driving railroad spikes. And like all B.A.S.H.[®] tools, our spike maul features Unbreakable[®] Handle Technology, a safety plate to secure the head, no slip grip, an anti-vibe neck and the trademark B.A.S.H.[®] green head.

A. UNBREAKABLE[®] HANDLE TECHNOLOGY:

Steel core design prevents breaking during overstrikes

B. SAFETY PLATE:

Locks head firmly to handle, eliminating dislodging

C. NO-SLIP GRIP:

Textured handle for secure grip while in use



SCAN THE CODE
TO ORDER YOUR
SPIKE MAUL!

SPECS


STOCK NO.	HEAD SIZE (in.)	HANDLE SIZE (in.)	NET WEIGHT (lbs.)
31036	15	36	10



UNBREAKABLE[®] HANDLE
TECHNOLOGY



SAFETY PLATE



NO-SLIP GRIP



ANTI-VIBE NECK



WILTON

B.A.S.H.™
UNBREAKABLE™
HANDLE TECHNOLOGY

B.A.S.H.® SPLITTING MAUL

IDEAL FOR

- Splitting wood

B.A.S.H.[®] SPLITTING MAULS

FEATURES

The world's most durable Splitting Mauls are designed for wood splitting and striking wedges. And like all B.A.S.H.[®] tools, our splitting mauls feature Unbreakable[®] Handle Technology, a safety plate to secure the head, no slip grip, an anti-vibe neck and the trademark B.A.S.H.[®] green head.

A. UNBREAKABLE[®] HANDLE TECHNOLOGY:

Steel core design prevents breaking during overstrikes

B. SAFETY PLATE:

Locks head firmly to handle, eliminating dislodging

C. NO-SLIP GRIP:

Textured handle for secure grip while in use



SPECS


STOCK NO.	HEAD SIZE (lbs.)	HANDLE SIZE (in.)
50636	6	36
50836	8	36



UNBREAKABLE[®] HANDLE TECHNOLOGY



SAFETY PLATE



NO-SLIP GRIP



ANTI-VIBE NECK

B.A.S.H.[®] HAMMER KITS



B.A.S.H. 8 PC. MASTER HAMMER KIT

11108

STOCK NO.	DESCRIPTION	QTY.
11108	B.A.S.H 8 pc. Master Hammer Kit	1
KIT CONTENTS		
20212	2-1/2 lb. Head, 12" B.A.S.H [®] Sledge Hammer	1
20412	4 lb. Head, 12" B.A.S.H [®] Sledge Hammer	1
55114	1-1/2 lb. Head, 14" B.A.S.H [®] Dead Blow Hammer	1
55214	2 lb. Head, 14" B.A.S.H [®] Dead Blow Hammer	1
30216	2 lb. Head, 16" B.A.S.H [®] Cross Pein Hammer	1
32414	24 oz. Head, 14" B.A.S.H [®] Ball Pein Hammer	1
33214	32 oz. Head, 14" B.A.S.H [®] Ball Pein Hammer	1
34014	40 oz. Head, 14" B.A.S.H [®] Ball Pein Hammer	1



SCAN THE CODE
TO ORDER YOUR
B.A.S.H. HAMMER KIT!

B.A.S.H. 6 PC. MASTER HAMMER KIT

11109

STOCK NO.	DESCRIPTION	QTY.
11109	B.A.S.H 6 pc. Master Hammer Kit	1
KIT CONTENTS		
20212	2-1/2 lb. Head, 12" B.A.S.H [®] Sledge Hammer	1
20412	4 lb. Head, 12" B.A.S.H [®] Sledge Hammer	1
55114	1-1/2 lb. Head, 14" B.A.S.H [®] Dead Blow Hammer	1
55214	2 lb. Head, 14" B.A.S.H [®] Dead Blow Hammer	1
30216	2 lb. Head, 16" B.A.S.H [®] Cross Pein Hammer	1
32414	24 oz. Head, 14" B.A.S.H [®] Ball Pein Hammer	1





B.A.S.H BALL PEIN HAMMER KIT

11110

STOCK NO.	DESCRIPTION	QTY.
11110	B.A.S.H Ball Pein Hammer Kit	1
KIT CONTENTS		
32414	24 oz. Head, 14" B.A.S.H® Ball Pein Hammer	1
33214	32 oz. Head, 14" B.A.S.H® Ball Pein Hammer	1
34014	40 oz. Head, 14" B.A.S.H® Ball Pein Hammer	1



B.A.S.H MECHANICS HAMMER KIT

11111

STOCK NO.	DESCRIPTION	QTY.
11111	B.A.S.H Mechanics Hammer Kit	1
KIT CONTENTS		
20412	4 lb. Head, 12" Handle B.A.S.H® Sledge Hammer	1
33214	32 oz. Head, 14" Handle B.A.S.H® Ball Pein Hammer	1
30216	2 lb. Head, 16" Handle B.A.S.H® Cross Pein Hammer	1



B.A.S.H SHOP HAMMER KIT

11112

STOCK NO.	DESCRIPTION	QTY.
11112	B.A.S.H Shop Hammer Kit	1
KIT CONTENTS		
20412	4 lb. Head, 12" Handle B.A.S.H® Sledge Hammer	1
33214	32 oz. Head, 14" Handle B.A.S.H® Ball Pein Hammer	1
55416	4 lb. Head, 16" Handle B.A.S.H® Dead Blow Hammer	1



B.A.S.H DEAD BLOW HAMMER KIT

11113

STOCK NO.	DESCRIPTION	QTY.
11113	B.A.S.H Dead Blow Hammer Kit	1
KIT CONTENTS		
55214	2 lb. Head, 14" Handle B.A.S.H® Dead Blow Hammer	1
55314	3 lb. Head, 14" Handle B.A.S.H® Dead Blow Hammer	1
55416	4 lb. Head, 16" Handle B.A.S.H® Dead Blow Hammer	1