



Cosen's engineering department offers innovative solutions to all your cutting needs. We can custom engineer sawing solutions to overcome complex and difficult sawing applications. Cosen also offers complete material handling systems. Contact Cosen for all your sawing needs!

Programmable Automatic Saws:

Smart NC Series: C-260NC, C325NC, C-460NC, G320, C-320NC, C-420NC, C-520NC, C-620NC, C-780FNC, C-800NC, C-1000NC

C-Tech Series: C2, C3, C4, C5, C11

Fabrication Production Mitering:

Manual: MH-270M, MH-300DM, MH-460M

Programmable-Automatic: C-300MNC, C-510MNC, NC-510MG, C-650MNC, M8

Semi-Automatic: SH-460M, SH-500M, SH-510LDM, SH-650M, SH-700DM, SH-710LDM, SH-1000DM, SH-1100LDM, SH-1300LDM, SH-1500DM

Vertical Tilt Frame Miter-Cutting Saws: V-1822, V-2026NC, AV-2026NC, V-2230NC

Utility Saws:

Manual/Semi-Automatic: MH-1018JA, SH-250R

Circular Cold Saws: SC-275, SC-350

Vertical Contour Saws:

VCS Series: VCS-310, VCS-600, VCS-600H, VCS-1000

Fabrication Production - Straight Cutting Structural Saws:

SH-1000F, SH-1300F

Billet Saws:

SH-4030, SH-5542, SH-7550S, SH-7662, SH-8580D, SH-1080D, SH-1010W, SH-1313, SH-1713, SH-1817, SH-2020D

Vertical Plate Series:

Traversing Head: AV-40150, SV-3055H, SV-4060, SV-86110, SV-130160

Cross Cutting Plate Series: SVC-30120H, SVC-40130H, SVC-50220, SVC-60260, SVC-170150H

High Speed Traversing Table Band Saw: SVT-5075, SVT-6070S

Material Handling:

Roller Conveyers and Complete Material Handling systems

Technology:

Software: V_Drive, Q-Qut

*Machine may be shown with some optional accessories.

*Design & specification are subject to change without notice.

Performance
Dedication
Productivity

COSEN SAWS | North America

The Pinnacle of Cutting Performance



cat. no. general-USA_HP05 COPYRIGHT 2024 ©



Address:
4527 Dwight Evans Rd
Charlotte, NC 28217
United States

Phone:
+1-(704) 943-1030

E-mail:
info@cosensaws.com

Programmable Automatic Production Saws

Smart NC Series

▶ SNC-100 FEATURES INCLUDE:

- 5.7" touch screen
- Mitsubishi PLC controller
- Stored program(s) can be easily recalled and executed at will
- Blade speed display
- Blade life indicator
- Error Code display for simplified self-diagnostics
- Blade life timer



◀ C-460NC



C-260NC ▶

Model	C-260NC	C-325NC	C-460NC
Capacity Round	10.2"	12.7"	18.1"
Capacity Rectangular (HxW)	10.2" x 11.8"	12.7" x 14.9"	18.1" x 18.1"
Blade Size (LxWxT)	12' 1.25" x .042"	12' 6.4" x 1.25" x .042"	15' 4" x 1.5" x .050"
Blade Motor	5 HP	5 HP	10 HP
Height of Work Bed	28.9"	28.7"	33.8"
Weight	3,218 lbs	3,836 lbs	5,247 lbs
Floor Space (LxWxH)	84" x 86" x 51"	82" x 91" x 53"	104" x 98" x 62"



◀ G320



C-520NC ▶



C-420NC ▶

▶ SNC SERIES

Cosen's Smart NC-100 (SNC) technology provides many of the benefits of NC controlled saws at a fraction of the cost. SNC-100 controls are programmable up to 100 different jobs, including quantity and length of cut. The control automatically compensates for Kerf loss after data input and requires no manual calculation of times indexed.

Every SNC-100 saw is rugged, dependable, and equipped with advanced technology.

Model	C-800NC	C-1000NC	G320
Capacity Round	31.4"	39.3"	12.7"
Capacity Rectangular (HxW)	31.4" x 32.4"	39.3" x 39.3"	12.7" x 14.9"
Blade Size (LxWxT)	27'2" x 2.625" x .063	30' 10" x 1.25" x .042"	13'10" x 1.25" x .042"
Blade Motor	15 HP	15 HP	5 HP
Height of Work Bed	25"	24.8"	31"
Weight	17,526 lbs	22,046 lbs	3,880 lbs
Floor Space (LxWxH)	83" x 166" x 112"	83" x 185" x 146"	88" x 94" x 66"

Model	C-320NC	C-420NC	C-520NC	C-620NC	C-780FNC
Capacity Round	12.5"	16.5"	20.4"	24.4"	21.6"
Capacity Rectangular (HxW)	12.5" x 14.9"	16.5" x 16.5"	20.4" x 22"	24.4" x 29.9"	21.6" x 30.7"
Blade Size (LxWxT)	13' 11" x 1.25" x .042"	15'7" x 1.5" x .50"	20'10" x 2" x .063"	23'7" x 2" x .063"	23'7" x 2" x .063"
Blade Motor	5 HP	10 HP	10 HP	10 HP	10 HP
Height of Work Bed	31.1"	28.9"	30.1"	29.7"	29.9"
Weight	3,765 lbs	5,183 lbs	8,404 lbs	10,630 lbs	11,340 lbs
Floor Space (LxWxH)	82" x 93" x 68"	101" x 95" x 70"	87" x 142" x 84"	109" x 162" x 101"	207" x 161" x 101"

*See images of C-780FNC & long bed configuration on page 20

Programmable Automatic Production Saws C-Tech Series

C2 ▶



▶ C-Tech SERIES

Most all C-Tech series saw frames ride on linear guide ways (rails), and depending on the model will utilize a ball screw or a hydraulic system. These designs help to give the frame a rigid base thereby ensuring the smoothest feeding, highest precision, and lowest friction guide system available today. With their rugged and dependable enclosed frame designed for safety, and their advanced technology, Cosen's C-Tech Series band saws are the perfect enclosed saws for mass production settings.

Model	C2
Capacity Round	10.2"
Capacity Rectangular (HxW)	10.2" x 11.8"
Blade Size (LxWxT)	13'5" x 1.25" x .042"
Blade Motor	5 HP
Height of Work Bed	31.4"
Weight	3,509 lbs
Floor Space (LxWxH)	80" x 99" x 64"

Programmable Automatic Production Saws C-Tech Series



◀ C4

C5 ▶



Model	C3	C4	C5	C11
Capacity Round	14.1"	18.1"	22"	43.3"
Capacity Rectangular (HxW)	14.1" x 15.7"	18.1" x 19.6"	22" x 22"	43.3" x 43.3"
Blade Size (LxWxT)	16' x 1.5" x .050"	19' 9" x 2" x .063"	23'9" x 2" x .063"	39.5" x 3" x .063"
Blade Motor	7.5 HP	7.5 HP	10 HP	20 HP
Height of Work Bed	32.9"	27.7"	25.5"	29.7"
Weight	5,507 lbs	9,149 lbs	10,582 lbs	34,951 lbs
Floor Space (LxWxH)	90" x 143" x 79"	71" x 116" x 92"	79" x 135" x 93"	88" x 244" x 149"

Fabrication Production Horizontal Miter Saws

Model	MH-270M			MH-300DM				C-300MNC		
Capacity Angle	0°	+45°	+60°	0°	+45°	+60°	-45°	0°	+45°	+60°
Capacity Round	8.6"	5.7"	3.5"	10.2"	9.4"	6.29"	7.4"	10.2"	9"	6.3"
Capacity Rectangular (HxW)	8.6" x 7.8"	5.7" x 8.2"	3.5" x 7"	10" x 10"	8.4" x 8.4"	7.4" x 7.4"	5.1" x 5.1"	9" x 11.5"	8.4" x 8.8"	5" x 6"
Blade Size (LxWxT)	8' x 1" x .035"			9'8" x 1" x .035"				9'8" x 1" x .035"		
Blade Motor	1.5 HP			1.6 HP				2.2 HP		
Height of Work Bed	36"			36"				36.25"		
Weight	584 lbs			749 lbs				1,360 lbs		
Floor Space (LxWxH)	53" x 28" x 52"			53" x 28" x 52"				110.25" x 70.9" x 70.9"		



Model	MH-460M/SH-460M			SH-500M			SH-510LDM			SH-650M		
Capacity Angle	0°	+45°	+60°	0°	+45°	+60°	0°	+45°	+60°	0°	+45°	+60°
Capacity Round	9.8"	9"	4.3"	13"	11.8"	8.6"	12.5"	12.5"	7.8"	16.5"	15.7"	9.8"
Capacity Rectangular (HxW)	9" x 18.1"	9" x 9"	9" x 4.3"	5.5" x 19.6"	9.4" x 9.4"	9.4" x 8.6"	13" x 20"	13" x 12.5"	13" x 7.8"	14.9" x 15.5"	14.9" x 15.7"	14.9" x 9.8"
Blade Size (LxWxT)	11'5" x 1" x .035"			13'7" x 1" x .035"			16'4" x 1.25" x .042"			17'4.6" x 1.25" x .042"		
Blade Motor	2 HP			3 HP			3 HP			5 HP		
Height of Work Bed	25.1"			32.6"			30.7"			29.5"		
Weight	1,360 lbs			1,980 lbs			2,998 lbs			3,977 lbs		
Floor Space (LxWxH)	43" x 68" x 41"			42" x 81" x 58"			62" x 97" x 79"			62" x 112" x 69"		

SWIVEL-HEAD MITER SERIES

Cosen offers a variety of functional band saws with capacities from 18" to over 59" in manual, semi-automatic, and NC automatic types. Mitering is available from 45° - 60°, in single or double sided mitering.

NC-510MG



Model	C-510MNC			NC-510MG			C-650MNC		
Capacity Angle	0°	+45°	+60°	0°	+45°	+60°	0°	+45°	+60°
Capacity Round	14"	13"	7.9"	14"	13"	7.9"	16.5"	15.7"	10"
Capacity Rectangular (HxW)	13" x 20"	13" x 13.7"	12.5" x 7.9"	13" x 20"	13" x 13"	12.5" x 7.9"	14.9" x 25.5"	14.9" x 15.7"	14.9" x 9.8"
Blade Size (LxWxT)	16'1" x 1.25" x .042"			16'1" x 1.25" x .042"			17'4" x 1.5" x .050"		
Blade Motor	5 HP			5 HP			7.5 HP		
Height of Work Bed	31.4"			31.4"			29.5"		
Weight	4,707lbs			4,675 lbs			6,344 lbs		
Floor Space (LxWxH)	100.8" x 107.8" x 75"			101.4" x 123.5" x 86.6"			123" x 112" x 75"		

Model	SH-700DM			SH-710LDM			M8		
Capacity Angle	0°	±45°	+60°	0°	±45°	±60°	0°	±45°	+60°
Capacity Round	17.7"	17.7"	11.8"	18.5"	16.5"	11.8"	19.6"	18.8"	12.5"
Capacity Rectangular (HxW)	17.7" x 27.5"	17.7" x 17.7"	11.8" x 17.7"	16.5" x 28"	16.5" x 18"	16.5" x 11.8"	19.6" x 31.4"	19.6" x 18.8"	19.6" x 12.5"
Blade Size (LxWxT)	19' x 1.5" x .050"			21'5.5" x 1.5" x .050"			25' x 2" x .063"		
Blade Motor	7.5 HP			7.5 HP			10 HP		
Height of Work Bed	29.5"			29.7"			33.6"		
Weight	5,092 lbs			6,393 lbs			12,874 lbs		
Floor Space (LxWxH)	112" x 76" x 68"			128" x 126" x 76"			161" x 158" x 116"		

Model	SH-1000DM			SH-1100LDM			SH-1300LDM			SH-1500DM		
Capacity Angle	0°	±45°	-60°	0°	±45°	±60°	0°	±45°	±60°	0°	±45°	-60°
Capacity Round	25.9"	24.4"	20.4"	26"	26"	15.7"	25.9"	25.9"	19.4"	33.4"	31.4"	22.8"
Capacity Rectangular (HxW)	20.4" x 40.1"	20.4" x 24.4"	21.2" x 15.7"	26" x 44"	26" x 27.6"	26" x 15.7"	25.9" x 51.1"	25.9" x 32.2"	25.9" x 19.4"	29.5" x 59"	29.5" x 35.4"	29.5" x 22.8"
Blade Size (LxWxT)	27'2.8" x 2" x .063"			33'2" x 2.625" x .063"			34'6" x 2.625" x .063"			38'8.6" x 2.625" x .063"		
Blade Motor	10 HP			15 HP			20 HP			15 HP		
Height of Work Bed	32.6"			33.5"			33.6"			50.9"		
Weight	10,385 lbs			24,200 lbs			22,324 lbs			40,128 lbs		
Floor Space (LxWxH)	161" x 173" x 114"			191" x 193" x 134"			216" x 205" x 114"			133" x 226" x 164"		

Fabrication Production Vertical Miter Saws

Utility Saws Manual/Semi-Automatic

AV-2026NC ▼



V-2230NC ▶



▶ MANUAL SERIES

Cosen's MH series saws offer the best value of any manual general purpose saws made today. These reliable and affordable saws allow any job shop, tool rooms, or secondary production job to be handled efficiently and precisely. SH series machines offer the added values of automatic head return and hydraulic clamping (select models).

◀ MH-1018JA

Model	AV-2026NC		V-2026NC		V-2230NC	
	60° Left – 60° Right		60° Left – 60° Right		60° Left – 60° Right	
Miter Degree	0° Blade Cant	5° Blade Cant	0° Blade Cant	5° Blade Cant	0° Blade Cant	5° Blade Cant
Capacity 90°	20" x 26.3"	20" x 24.8"	20" x 26.4"	20" x 26"	22" x 30"	22" x 27.8"
Capacity 45° Left	20" x 18.1"	20" x 16.9"	20" x 18.3"	20" x 17.9"	22" x 21"	20" x 19"
Capacity 60° Left	20" x 12.2"	20" x 11.4"	20" x 13"	20" x 12"	22" x 14"	20" x 13"
Capacity 45° Right	20" x 16.5"	20" x 14.9"	20" x 18.3"	20" x 16.5"	22" x 19.7"	20" x 18"
Capacity 60° Right	20" x 11.2"	20" x 9.0"	20" x 11.2"	20" x 9.8"	22" x 12"	20" x 10.8"
Blade Size (LxWxT)	17' 1" x 1.25" x .042"		17' 1.9" x 1.25" x .042"		17' 4.6" x 1.25" x .042"	
Blade Motor	7.5 HP		7.5 HP		7.5 HP	
Work Bed Height	40.5"		40.6"		41"	
Weight	4,489 lbs		4,520 lbs		5,093 lbs	
Floor Space	205" x 147" x 102"		102" x 98.4" x 102.6"		122.8" x 109.5" x 101.2"	

Model	V-1822	
	60° Left – 60° Right	
Miter Degree	0° Blade Cant	5° Blade Cant
Capacity 90°	18" x 22.2"	18" x 20.15"
Capacity 45° Left	18" x 15.15"	18" x 13.46"
Capacity 60° Left	18" x 9.76"	18" x 8.66"
Capacity 45° Right	18" x 14.84"	18" x 13.18"
Capacity 60° Right	18" x 9.21"	18" x 8.38"
Blade Size (LxWxT)	15' 4.5" x 1.25" x .042"	
Blade Motor	5 HP	
Work Bed Height	37.4"	
Weight	2,480 lbs	
Floor Space (LxWxH)	108.9" x 106.2" x 95"	

V-1822 ▶



SH-250R ▶



Model	MH-1018JA	SH-250R
Capacity Round 90°/45°	9.8" / 9.8"	9.8"
Capacity Rectangular (HxW) 90°/45°	9' x 16.5" / 9" x 10"	9" x 11.8"
Blade Size (LxWxT)	11' 6" x 1" x .035"	11' x 1" x .035"
Blade Motor	2 HP	2 HP
Height of Work Bed	25.1"	25"
Weight	873 lbs	1,351 lbs
Floor Space (LxWxH)	29" x 72" x 69"	42" x 80" x 63"

Utility Saws Circular Cold Saws



► Our selection of circular cold saws offers an exceptional range of capabilities, making them essential tools for a wide variety of cutting tasks. These saws excel when your project demands precision cuts.



Model	SC-275		SC-350	
Capacity Angle	0°	+45°	0°	+45°
Solid Round	1.5"	1.5"	1.5"	1.5"
Tubing Round	2.75"	2.165"	2.75"	2.165"
Tubing Square	2.75"	2.165"	2.75"	2.165"
Blade Size	10" - 11" Diameter		10" - 11" Diameter	
Blade Motor	5 HP		5 HP	
Height of Work Bed	29.5"		29.5"	
Weight	726 lbs		880 lbs	
Floor Space (LxWxH)	55" x 42" x 69"		55" x 42" x 69"	


Vertical Contour Saws VCS Series



Model	VCS-310	VCS-600	VCS-600H	VCS-1000
Capacity Height	8.6"	12"	12"	13"
Capacity Throat	11.96"	23.5"	23.5"	36"
Blade Size	8' 4.79" x 1.4" or .5"	14'2" x .25"/.5" x .025"	14' 2" x 1" x .035"	17' 6.2" x 1.25" x .042"
Blade Motor	1 HP	3 HP	3 HP	3 HP
Height of Work Bed	19.7" x 19.7"	26.75" x 29.5"	26.75" x 29.5"	19.8" x 40"
Weight	441 lbs	1,342 lbs	1,542 lbs	1,764 lbs
Floor Space (LxWxH)	35.03" x 25.78" x 60.5"	37.13" x 52.75" x 81.5"	37.13" x 52.75" x 81.5"	40" x 72" x 108"

Fabrication Production Straight Cutting Structural Saws

Billet Saws



SH-1000F



SH-7662

Model	SH-1000F	SH-1300LF
Capacity Round	25.9"	25.9"
Capacity Rectangular (HxW)	20.4" x 39.3"	21.2" x 51.1"
Blade Size (LxWxT)	26' 3" x 2" x .063"	33' 7.9" x 2.625" x .063"
Blade Motor	10 HP	20 HP
Height of Work Bed	25.5"	29.9"
Weight	7,889 lbs	17,820 lbs
Floor Space (LxWxH)	54" x 157" x 102"	109" x 200" x 106"

Model	SH-4030	SH-5542	SH-7550S	SH-7662
Capacity Round	11.8"	16.5"	19.6"	24.4"
Capacity Rectangular (HxW)	11.8" x 15.7"	16.5" x 21.6"	19.6" x 29.5"	24.4" x 29.9"
Blade Size (LxWxT)	12' 6.4"x1.25"x.042"	17' 4"x 1.5"x .050"	19' 9" x 2" x .063"	23' 7.5" x 2" x .063"
Blade Motor	5 HP	7.5 HP	7.5 HP	10 HP
Height of Work Bed	29.1"	27.5"	27.5"	23.6"
Weight	2,259 lbs	4,219 lbs	4,978 lbs	7,658 lbs
Floor Space (LxWxH)	72" x 42" x 53"	43"x 109"x 72"	43"x 122"x 82"	48" x 155" x 94"

Billet Saws


▶ Solid, dependable, and precise are just a few words that describe Cosen's Billet Series saws. Available in capacities up to 126"x126", there is nothing that a Cosen Billet Saw can't cut.



SH-5542 ▶

Model	SH-8580D	SH-1080D	SH-1010W
Capacity Round	31.4"	31.4"	39.3"
Capacity Rectangular (HxW)	31.4" x 33.4"	31.4" x 39.3"	39.3" x 39.3"
Blade Size (LxWxT)	27' 2.8" x 2.625" x .063"	28' 10" x 2.625" x .063"	30' 10" x 2.625" x .063"
Blade Motor	10 HP	15 HP	15 HP
Height of Work Bed	24.8"	25"	25"
Weight	13,287 lbs	22,000 lbs	26,924 lbs
Floor Space (LxWxH)	153" x 92" x 116"	84" x 170" x 112"	86" x 188" x 137"


Billet Saws



◀ SH-8580D



◀ SH-1080D



◀ SH-1010W

Model	SH-1313	SH-1713	SH-1817	SH-2020D
Capacity Round	51"	51.2"	66.9"	80"
Capacity Rectangular (HxW)	51" x 51.1"	51.2" x 66.9"	66.9" x 70.9"	80" x 80"
Blade Size (LxWxT)	40' 4.3" x 3" x .063"	42' 8" x 3.1" x .063"	47' 2.9" x 3" x .063"	52' 2" x 2.625" x .063"
Blade Motor	20 HP	20 HP	25 HP	25 HP
Height of Work Bed	25"	24.4"	25.3"	32.6"
Weight	38,115 lbs	48,500 lbs	65,697 lbs	40,650 lbs
Floor Space (LxWxH)	118" x 218" x 153"	118" x 232" x 166.5"	145" x 296" x 201"	250" x 260" x 228"

Traversing Head Plate Saws Vertical Plate Series



Fully Automatic
▼ **AV-40150**

Model	AV-40150
Capacity Height	15.7"
Capacity Throat	63"
Capacity Cutting Length	161.4"
Blade Size (LxWxT)	25' 7.1" x 1.5" x .050"
Blade Motor	10 HP
Height of Work Bed	59.05"
Weight	47,597 lbs
Floor Space (WxH)	344" x 287" x 120"



▲ **SV-3055H**

Model	SV-3055H	SV-6066H	SV-86110	SV-130160
Capacity Height	11.8"	23.6"	33.8"	51.1"
Capacity Throat	21.6"	26"	43.3"	62.9"
Capacity Cutting Length	Custom (Max 118")	Custom (Max 98")	Custom (Max 255.9")	Custom (Max 315")
Blade Size (LxWxT)	14' 7.2" x 1.5" x .050"	20' 1.7" x 2" x .063"	24' 4.9" x 2.625" x .063"	32' 8" x 3" x .063"
Blade Motor	7.5 HP	10 HP	15 HP	20 HP
Height of Work Bed	48.9"	56.7"	33.8"	68.8"
Weight	11,067 lbs	16,093 lbs	54,565 lbs	64,859 lbs
Floor Space (WxH)	340" x 138" x 98"	255" x 133" x 132"	416" x 144" x 159"	434" x 190" x 185"

*Cosen platesaws are customizable. Height and throat capacities, as well as bed length can be manufactured to meet customers cutting needs.

Cross Cutting Plate Saws Vertical Plate Series

The SVC series' superior design and rigid construction offers lower operation overhead while making no compromise to deliver fast cutting rates.



Model	SVC-30120H	SVC-40130H	SVC-50220	SVC-60260	SVC-170150H
Capacity Height	11.8"	15.7"	19.6"	23.6"	67"
Capacity Throat	47.2"	51.2"	86.6"	102.3"	59"
Blade Size (LxWxT)	21' 9.8" x 1.5" x .050"	22' 9" x 1.5" x .050"	31' 1" x 2" x .063"	35' 0.5" x 2" x .063"	39' 10" x 3" x .063"
Blade Motor	7.5 HP	7.5 HP	10 HP	10 HP	20 HP
Height of Work Bed	55.1"	53"	63.8"	63.9"	78.7"
Weight	22,046 lbs	19,841 lbs	35,273 lbs	36,851 lbs	48,810 lbs
Floor Space (WxH)	183" x 78.7 x 108.3"	181" x 118" x 114"	296" x 94" x 149"	128" x 333" x 153"	334" x 314" x 236"

*Cosen platesaws are customizable. Height and throat capacities, as well as bed length can be manufactured to meet customers cutting needs.

High Speed Traversing Table Band Saws

Model	SVT-5075	SVT-6070S
Capacity Height	19.7"	23.6"
Capacity Throat	29.5"	27.5"
Capacity Cutting Length	19.7"	49.2"
Blade Size (LxWxT)	20' 0.2" x 1.25" x .042"	18' 8" x 2" x .063"
Blade Motor	10 HP	10 HP
Height of Work Bed	51.2"	46.6"
Weight	6,389 lbs	11,794 lbs
Floor Space (LxWxH)	79" x 86" x 122.4"	139" x 132" x 121"



◀ **SVT-5075**

Material Handling Roller Tables



▶ Standard Stock Roller Tables

- Available in 5ft, 7ft, and 10ft.
- Adjustable height
- Easy Assembly


Technology Software Packages

V_Drive

- ▶ Cosen's ROI-boosting V_Drive is an exclusive, proprietary technology that significantly improves blade life, and metal cutting speed. V_Drive, accessed by Cosen's simple intuitive touch screen, allows you to monitor cut rates, horsepower and other details of each job.


This technology facilitates cutting difficult materials like Titanium, Hastelloy and other nickel-based materials at significantly increased rates. As a result, V_Drive reduces tooling costs per piece by up to 25% in savings and increase your production by 25% to 50%.

*V_Drive is a standard featured on all Cosen band saws, where applicable



▶ Customizable Solutions

Cosen offers a various amount of customizable material handling options to fit your saw cutting needs. With solutions able to reach any desired length and support various material types and weights, our material handling capabilities are perfect additions to your facility.



Q-CUT™
POWERED BY MECHALOGIX

- Cosen's proprietary QR generating software
- Easy to use windows dashboard
- Convenient handheld QR scanner
- Scans up to 15 jobs into the HMI
- Reduce input errors and increase efficiency

