



STRUT & THREADED ROD SHEAR



WILTON SHR™ STRUT & THREADED ROD SHEAR



WILTON SHR™ STRUT & THREADED ROD SHEAR. CLEANER. FASTER. SAFER.

EXPERIENCE THE **SHEAR** DIFFERENCE.

The WILTON SHR™ Strut & Threaded Rod Shear is engineered to give you a shear cut – which is cleaner, faster and safer than a jagged saw cut. It can quickly slice through Unistrut®, Powerstrut®, B-Line®, Superstrut®, back-to-back strut, and threaded rod without the need for deburring or other secondary operations.

Designed for portability, durability, and overall ease of use, the precision machined ductile iron frame and powerful 30 Ton hydraulic cylinder deliver the industrial strength needed for any job. This advanced combination proves why the WILTON SHR™

Strut & Threaded Rod Shear is beyond any doubt, **THE SHEAR DIFFERENCE** IN A JOB WELL DONE.



FEATURES

FAST & POWERFUL

- 30 Ton hydraulic cylinder shears tough materials with ease
- 3 second cut with no need for deburring or other secondary operations
- Quick coupler connects to any 10,000 psi power supply

EASY TO USE

- Quick blade set change requires no extra tools
- Shear marker notch to monitor cut lengths using standard tape measure
- Portable to move with you to wherever the work needs done
- Includes two support rods with 17" measurement scale from backstop to cut
- Support rods can be replaced with standard 1" O.D. pipe for longer shearing applications

CLEAN, DURABLE & SAFE

- No mess and no spark means increased safety and maximum productivity
- Produces clean straight cuts every time
- Precision machined ductile iron frame built to withstand rugged use

BLADE SET OPTIONS

- Standard blade set shears 1-5/8" and 13/16" strut
- Blade sets available for shearing Back-to-Back, Deep Only and Cooper B-Line® 4D21 & 4D22 strut
- Single blade set available for shearing 1/4", 3/8", 1/2" and 5/8" threaded rod

SPECS

STOCK NO.	DEEP STRUT (in.)	SHALLOW STRUT (in.)	MAX. CAPACITY	CYLINDER	CYLINDER STROKE (in.)	HYDRAULIC PRESSURE (PSI)	DIMENSIONS (L x W x H / in.)	NET WEIGHT (lbs.)
28910	1-5/8 x 1-5/8	1-5/8 x 13/16	12 Gauge Mild Steel	30 Tons	1	10,000	26-1/8 x 17-1/32 x 10-3/8	71.5



IDEAL FOR

- Electrical
- Construction
- Mechanical Contractors



POWERFUL 30 TON
HYDRAULIC CYLLINDER



QUICK BLADE SET CHANGES



SHEAR MARKER NOTCH



ADJUSTABLE BACKSTOP


WILTON SHR™ STRUT & THREADED ROD SHEAR

CUT STRUT THE RIGHT WAY THE FIRST TIME

NO BURR OR POST PROCESSING

Save time and money! The shearing action of the WILTON SHR™ Strut & threaded Rod Shear provides a burr free cut that requires no post processing, finishing, or burr removal.

GO DIRECTLY FROM CUT TO INSTALLATION WITH THE WILTON SHR STRUT & ROD THREADED SHEAR



VS. THE COMPETITION




RECIPROCATING SAW



ABRASIVE SAW



PORTABAND SAW



METAL CUTTING SAW

BLADE SET COMPATIBILITY



STANDARD BLADE SET – NO. 28930

CUTS 1-5/8" x 1-5/8" and 13/16" x 1-5/8"

Included as part of 28910 SHR™ Strut & Threaded Rod Shear

AVAILABLE AS ACCESSORIES



B-LINE 4D21 SET – NO. 28931

CUTS 1-1/16" x 2-1/8"



B-LINE 4D22 SET – NO. 28932

CUTS 2-1/8" x 2-1/8"



THREADED ROD SET – NO. 28933

CUTS ROD 1/4" - 20; 3/8" - 16; 1/2" - 13 and 5/8" - 11



BACK-TO-BACK SET – NO. 28934

CUTS 1-5/8" x 3-1/4"



DEEP ONLY SET – NO. 28935

CUTS 1-5/8" x 1-5/8"

COMPATIBLE STRUT PROFILES

STOCK NO.	COMPATIBLE WITH
28930	B-Line B22, B22SH, B22S, B22H17/8, B22TH, B22S58, B24, B24SH, B24S, B24H17/8, B24TH, B24S58, B52, B52SH, B52S, B52H17/8, B52TH, B52S58, B54, B54SH, B54S, B54H17/8, B54TH, B54S58 Unistrut P1000, P1100, P1000T, P1000SL, P1000HS, P1000H3, P2000 & P4520, P4100, P4100T, P4100SL, P4100HS, P4000, PA158 Powerstrut PS 200, PS 210 & PS 560, 520, PS 500 Superstrut A-1200, A-1400 & B-1200, B-1400
28931	B-Line 4D21
28932	B-Line 4D22
28933	All Mild Steel Rod
28934	B-Line B22A, B24A, B26A Unistrut P1001, P1101, P2001 Powerstrut PS 200 2T3, PS 210 2T3 Superstrut A-1202
28935	B-Line B22, B24, B26 Unistrut P1000, P1100, P1000T, P1000SL, P1000HS, P1000H3, P2000 Powerstrut PS 200, PS 210 Superstrut A-1200, A-1400

STOCK NO.	PRODUCT DESCRIPTION
28920	WILTON SHR™ Starter Kit including Shear and Power Pack
28990	WILTON SHR™ Power Pack with 6 ft Hose





WILTONTOOLS.COM



HOLDING STRONG SINCE 1941