

peerless-AV®

Healthcare Collection



Mounting and Digital Signage Solutions for Healthcare Applications

Since 1964, when we developed the first TV mounts for hospital use, to today with our array of innovative carts, flat panel display mounts, video wall systems and kiosks, Peerless-AV® continues to provide innovative products to meet the demands of today's hospitals and healthcare facilities. With more than 3,600 revolutionary products designed to exacting standards, Peerless-AV is dedicated to providing reliable AV solutions that offer a supreme balance of form and function.

- Products are tested by Peerless-AV to **UL 2442** standard to provide a trusted level of safety.
- Whether you're in a seismic area or not, you're covered because Peerless-AV products are **OSHPD approved**.
- Peerless-AV products also meet the **ADA guidelines**.
- Optional **Agion® antimicrobial finish** is available to assist in controlling the spread of infections within healthcare facilities.
- Our **Custom Solutions Team** can help you solve even the most complex design and technology integration challenges.

LOOK FOR LOGOS TO SEE
APPROVED PRODUCTS:



UL® Listed



OSHPD



ADA



Kiosk Solutions

Choose from a versatile array of sleek, slim and attractive kiosk enclosures for virtually any application, any size order. Peerless-AV® kiosks are customizable in every way—from the choice of technology to custom paint and vinyl wraps. If you can envision it, we can make it happen.



KIPICT2555

All-in-One Kiosk Powered by BrightSign®

Comes fully integrated with 55" display, 10-point IR touch overlay, and a BrightSign® XT1144 Expanded I/O Player



KIPC2555 shown in silver

Floor Standing Portrait Kiosks

For 40"-65" displays

- Fast screen set-up
- Range of sizes—from tablet to 90" screens*
*Some sizes may require custom design
- Security features such as key-locked or combination locked doors



KILH542 shown in black

Floor Standing Landscape Kiosk

For 40"-55" displays



KIL655 shown in silver

Wall Kiosk, Portrait & Landscape models

For 40"-55" displays



Don't see a design or size you're looking for?

Contact our dedicated **Kiosk Design Team** to develop a solution that perfectly matches your vision at 630-375-5100 or info@peerless-av.com

- Additional add-ons include speakers, amplifier, interactive technology, screen protection, antimicrobial paint finishes, power management, and more

Stands and Carts

Peerless-AV® stands and carts are compatible with a wide range of display sizes and are perfect for portability or when mounting to a wall is not an option. These stands and carts provide safe and secure solutions for displaying digital content in public areas such as conference rooms, lobbies or teaching rooms.



RoHS
2002/95/EC



Flat Panel Floor Stand



SMARTMOUNT.
Flat Panel Cart



SMARTMOUNT.
Flat Panel Cart



FPZ-600	SR560M	SR598
<p>Display Size Up to 75"</p>	<p>Display Size 32" to 75"</p>	<p>Display Size 55" to 98"</p>
<p>Max Load 200lb (90.7kg) per display up to four displays</p>	<p>Max Load 150lb (68.2kg) display 10lb (4.55kg) shelf</p>	<p>Max Load 300lb (136.1kg)</p>
<p>VESA® Pattern 100, 200 x 100 and 200 x 200mm Supports additional VESA® patterns with PLP display adaptor, sold separately</p>	<p>Mounting Pattern 200 x 200 up to 600 x 400mm</p>	<p>VESA® Pattern 200 x 200 up to 900 x 600mm</p>

- Fits single or back-to-back displays (up to four with additional dual-display cartridge)

- Display and component shelf can be located anywhere along the column for perfect component placement & viewing height

- Pre-assembled base provides rigidity, stability and quick assembly

Ligature Resistant Display Enclosure

Peerless-AV's on-wall enclosure offers the safety features needed for use in environments such as hospitals, but more specifically, mental health facilities. The Ligature Resistant Enclosures are a cost effective way of enhancing patient care and safety.



RoHS
COMPLIANT



Ligature Resistant Display Enclosure



Ligature Resistant Display Enclosure

KLR62232

TV Size
22", 26" & 32"

Max Load
125lb (56kg)

VESA® Pattern
100 x 100, 200 x 100, 200 x 200mm

KLR64255

TV Size
42" & 55"

Max Load
150lb (68kg)

VESA® Pattern
400 x 400mm

- Ligature resistant design with sloped top to prevent self-harm
- Pre-assembled enclosure to simplify installation
- Ability to mount flush against the wall, which deters tampering, theft, and damage
- Impact resistant cover (6mm optical grade polycarbonate panel)
- Open back design protects cables and outlets

DesignerSeries™ Wall Mounts

The DesignerSeries™ line of wall mounts feature sleek and innovative designs for a clean installation. A visibly smooth transition from the wall to the TV with razor style arms, these mounts are designed exclusively for ultra-thin TVs. Additional features include vertical adjustment, internal cable management, and a glossy black finish.



Designer Series™
Universal Ultra Slim
Flat Wall Mount



SUF640P

TV Size
37" to 50" Ultra-thin TVs
less than 3" (76mm) deep

Max Load
150lb (68kg)

Mounting Pattern
450 x 402mm
(17.73"W x 15.82"H)

Designer Series™
Universal Ultra Slim
Flat Wall Mount



SUF650P

TV Size
37" to 75" Ultra-thin TVs
less than 3" (76mm) deep

Max Load
150lb (68kg)

Mounting Pattern
742 x 449mm
(29.23"W x 17.67"H)

Designer Series™
Universal Ultra Slim
Flat Wall Mount



SUF660P

TV Size
40" to 80" Ultra-thin TVs
less than 3" (76mm) deep

Max Load
150lb (68kg)

Mounting Pattern
825 x 449mm
(32.48"W x 17.67"H)

Designer Series™
Ultra Slim
Articulating
Wall Mount

SUA740P

TV Size
32" to 43"
Ultra-thin TVs

Max Load
60lb (27kg)

VESA® Pattern
200 x 100 and
200 x 200mm

Designer Series™
Universal Ultra
Slim Articulating
Wall Mount

SUA747PU

TV Size
32" to 50" Ultra-thin TVs
less than 3" (76mm) deep

Max Load
60lb (27kg)

Mounting Pattern
400 x 400mm
(15.75"W x 15.75"H)


- Ultra slim design holds TVs only 0.33" (8mm) from the wall

- Lateral shift adjustment for centering the TV on the wall

- Easy three step installation process

- One-Touch™ tilt mechanism allows adjustment of +15/-5° without the use of tools

- Up to ±0.5" (13mm) of vertical adjustment for post-installation leveling and height adjustment fine-tuning




Designer Series™
Universal Ultra Slim Articulating Wall Mount

SUA761PU

TV Size
37" to 65" Ultra-thin TVs less than 3" (76mm) deep

Max Load
80lb (36kg)

Mounting Pattern
600 x 400mm (23.62"W x 15.75"H)




Designer Series™
Universal Ultra Slim Articulating Wall Mount

SUA771PU

TV Size
42" to 90" Ultra-thin TVs less than 3" (76mm) deep

Max Load
125lb (57kg)

Mounting Pattern
800 x 400mm (31.50"W x 15.75"H)



Designer Series™
Articulating Mount with In-Wall Box

IM747PU

TV Size
37" to 65" Ultra-thin TVs less than 3" (76mm) deep

Max Load
Articulating Mount: 80lb (36.3kg)
In-Wall Box: 25lb (11.3kg)

Mounting Pattern
200 x 100 to 400 x 400mm

Accessories



IB14X9(-AC)-W
14" x 9" In-Wall Box for Recessed Power and AV Components



IB14X14(-AC)-W
14" x 14" In-Wall Box for Recessed Power and AV Components


- Up to $\pm 90^\circ$ of side-to-side swivel
- Added $\pm 5^\circ$ of roll for post-installation display leveling without the use of tools
- Internal cable management provides clean, professional installation finish
- Designed to provide a robust solution for low profile/recessed applications requiring access to power and ample space for AV electronics

Visit peerless-av.com for a complete line of accessories

SMARTMOUNT®

Flat & Tilt Wall Mounts

With Peerless-AV's line of SmartMount® flat and tilt wall mounts, you'll get versatile and easy to install solutions. The flat wall mounts offer a low-profile design that complement today's ultra slim TVs, while the tilt wall mounts are designed to create the optimal viewing angle.



SMARTMOUNT:
Flat Wall Mount

SMARTMOUNT:
Flat Wall Mount

SMARTMOUNT:
Universal
Flat Wall Mount



SF630(P)

SF632(P)

SF640(P)

SF650(P)

SF660(P)

SF670(P)

SF680(P)

TV Size
10" to 29"

TV Size
22" to 43"

TV Size
32" to 50"

TV Size
39" to 75"

TV Size
39" to 80"

TV Size
46" to 90"

TV Size
60" to 98"

Max Load
80lb (36kg)

Max Load
115lb (52kg)

Max Load
150lb (68kg)

Max Load
175lb (79kg)

Max Load
200lb (91kg)

Max Load
250lb (113kg)

Max Load
350lb (158kg)

VESA® Pattern
75 and 100mm

VESA® Pattern
75, 100, 200 x 100
and 200 x 200mm

Mounting Pattern
450 x 405mm
(17.72"W x 15.95"H)

Mounting Pattern
742 x 405mm
(29.21"W x 15.95"H)

Mounting Pattern
824 x 405mm
(32.44"W x 15.95"H)

Mounting Pattern
895 x 450mm
(35.25"W x 17.72"H)

Mounting Pattern
1100 x 650mm
(43.29"W x 25.59"H)

- Low-profile design holds TV 0.96" (24mm) away from the wall with SF630 and 1.02" (25mm) with SF632

- Low-profile design holds TV only 1.20" (30mm) from the wall

- Up to 0.25" (6mm) of vertical adjustment on each universal TV adaptor bracket for post-installation leveling and height adjustment fine-tuning

- Lateral display adjustment and 1" of post-installation vertical adjustment

- Adaptor rail latching feature securely locks the display in place with an audible click



*Portrait models also available (SFP680 & STP680)



SMARTMOUNT. Tilt Wall Mount	SMARTMOUNT. Tilt Wall Mount	SMARTMOUNT. Universal Tilt Wall Mount	SMARTMOUNT. Universal Tilt Wall Mount	SMARTMOUNT. Universal Tilt Wall Mount	SMARTMOUNT. Universal Tilt Wall Mount	SMARTMOUNT. Universal Tilt Wall Mount
		osbpd	osbpd	osbpd		
ST630(P)	ST632(P)	ST640(P)	ST650(P)	ST660(P)	ST670(P)	ST680(P)
TV Size 10" to 29"	TV Size 22" to 43"	TV Size 32" to 50"	TV Size 39" to 75"	TV Size 39" to 80"	TV Size 46" to 90"	TV Size 60" to 98"
Max Load 80lb (36kg)	Max Load 115lb (52kg)	Max Load 150lb (68kg)	Max Load 175lb (79kg)	Max Load 200lb (91kg)	Max Load 250lb (113kg)	Max Load 350lb (158kg)
VESA® Pattern 75 and 100mm	VESA® Pattern 75, 100, 200 x 100 and 200 x 200mm	Mounting Pattern 458 x 405mm (18.02"W x 15.95"H)	Mounting Pattern 742 x 405mm (29.21"W x 15.95"H)	Mounting Pattern 824 x 405mm (32.44"W x 15.95"H)	Mounting Pattern 895 x 450mm (35.25"W x 17.72"H)	Mounting Pattern 1061 x 650mm (41.76"W x 25.59"H)

- +15°/-5° tilt adjustment without the use of tools

- Universal tilt adaptors allow for +15°/-5° tilt adjustment in one easy motion

- Up to 0.25" (6mm) of vertical adjustment on each universal TV adaptor bracket for post-installation leveling and height adjustment fine-tuning

- Adjustable up to 15° of forward tilt and -5° of backward tilt with optional IncreLok™ feature

- Adaptor rail latching feature securely locks the display in place with an audible click

SMARTMOUNT®

Pivot & Articulating Wall Mounts

Peerless-AV's line of SmartMount® pivoting and articulating wall mounts offer versatility and sleek designs. These mounts allow for perfect viewing in any part of the room with $\pm 90^\circ$ of pivot and $\pm 0.5"$ vertical adjustment for post-installation leveling. Ranging from 10" to 90" TVs, the SmartMount line provides everything you need for the perfect installation.



SMARTMOUNT.
Pivoting Wall Mount

SMARTMOUNT.
Articulating Wall Mount

SMARTMOUNT.
Pivoting Wall Mount

SMARTMOUNT.
Articulating Wall Mount

SMARTMOUNT.
Pivoting Wall Mount



SP730P

SA730P

SP740P

SA740P

SP746PU

TV Size
10" to 29"

TV Size
10" to 29"

TV Size
22" to 43"

TV Size
22" to 43"

TV Size
32" to 50"

Max Load
25lb (11kg)

Max Load
25lb (11kg)

Max Load
80lb (36kg)

Max Load
80lb (36kg)

Max Load
80lb (36kg)

VESA® Pattern
75 x 100mm

VESA® Pattern
75 x 100mm

VESA® Pattern
100 x 100, 200 x 100
and 200 x 200mm

VESA® Pattern
100 x 100, 200 x 100
and 200 x 200mm

Mounting Pattern
400 x 400mm
(15.75"W x 15.75"H)




- $\pm 90^\circ$ of pivot allows for perfect TV positioning

- One-Touch™ tilt offers $\pm 35^\circ$ of viewing angle adjustment

- $\pm 90^\circ$ of pivot allows for perfect TV positioning

- One-Touch™ tilt offers $+15^\circ/-5^\circ$ of viewing angle adjustment

- Up to $\pm 0.5"$ (13mm) of vertical adjustment for post-installation leveling and height adjustment fine-tuning



SMARTMOUNT.

Articulating Wall Mount



SA746PU

TV Size
32" to 50"

Max Load
80lb (36kg)

Mounting Pattern
400 x 400mm
(15.75"W x 15.75"H)

SMARTMOUNT.

Articulating Wall Arm

SA752PU

TV Size
37" to 55"

Max Load
90lb (42kg)

Mounting Pattern
600 x 400mm
(23.62"W x 15.75"H)

SMARTMOUNT.

Articulating Wall Arm

SA761PU

TV Size
39" to 75"

Max Load
125lb (57kg)

Mounting Pattern
600 x 400mm
(23.62"W x 15.75"H)

SMARTMOUNT.

Articulating Wall Arm

SA771PU

TV Size
46" to 90"

Max Load
150lb (68kg)

Mounting Pattern
800 x 400mm
(31.50"W x 15.75"H)

- Internal cable management provides clean, professional installation finish

- ±90° of pivot allows for perfect TV positioning

- One-Touch™ tilt mechanism allows adjustment of +15/-5° without the use of tools

- ±0.5" (13mm) of vertical adjustment for post-installation height adjustment fine-tuning

- Internal cable management provides ample area to run cables to complete a clean, professional installation

Desktop Mounts

Peerless-AV® Desktop Swivel Mounts offer a secure, functional and sleek desktop surface mount for healthcare applications. These mounts seamlessly connect to a variety of monitors, with easy access to cable input connections and provide discreet security features. Combine with a Laptop or Keyboard Stand to give your desktop an upgrade.

RoHS
COMPLIANT



Monitor Desktop Stand



Single Monitor
Desktop Arm Mount



Dual Monitor
Desktop Arm Mount

LCT100S	LCT620A	LCT620A-G	LCT620AD	LCT620AF-G
Clamp Base and Grommet Base	Clamp Base	Grommet Base	Clamp Base	Grommet Base
Monitor Size up to 29"	Monitor Size up to 29"		Monitor Size up to 29"	
Max Load 20lb (9kg)	Max Load 8.4-17.8lb (3.8-8.1kg) per arm		Max Load 8.4-17.8lb (3.8-8.1kg) per arm	
VESA® Pattern 75 and 100mm	VESA® Pattern 75 and 100mm		VESA® Pattern 75 and 100mm	

- Height adjustment up to 12.6" (320mm)

- Arm extends up to 22.00" (559mm)

- Height adjustment up to 12.60" (320mm)

- Tilt - +45°/-90°
Swivel - 180°
Roll - 360°

- Rotate from landscape to portrait without removing the display



Single & Dual
Wall Mounted Desktop Arm

LCW620A

Single

Monitor Size
up to 29"

Max Load
8.4-17.8lb (3.8-8.1kg)
per arm

VESA® Pattern
75 and 100mm



Laptop Stand

MIS773

Surface size
15.2"L x 10.2"W



Keyboard Stand

MIS779

Surface size
20.0"L x 7.5"W

- Arm extends up to 22.00" (559mm)

- Height adjustment up to 12.60" (320mm)

- Minimalist 3 pc design allows for quick assembly

- Height adjustable to 6" and 3.4" to top of desktop


SMARTMOUNT®

Digital Menu Board Mounts

SmartMount® Digital Menu Board Mounts are perfect for cafeterias, cafes, lounges and more. With both wall and ceiling mounts available, you will be able to find the perfect mount for your environment. With a one-to-one ordering process and functionality features that reduce installation time and costs, these digital menu board mounts are the perfect solution for your digital signage needs.



RoHS
2002/95/EC



SMARTMOUNT.

Digital Menu Board Wall Mount
with Height & Depth Adjustment

SMARTMOUNT.

Digital Menu Board Ceiling Mount
with Height and Depth Adjustment - Landscape

Landscape	Landscape	Portrait	2x1 Configuration	2x1 Configuration	3x1 Configuration	3x1 Configuration
DS-MBZ642L	DS-MBZ647L	DS-MBZ647P	DS-MBZ942L-2X1	DS-MBZ947L-2X1	DS-MBZ942L-3X1	DS-MBZ947L-3X1
Display Size 40" to 42"	Display Size 46" to 48"	Display Size 42" to 48"	Display Size 40" to 42"	Display Size 46" to 48"	Display Size 40" to 42"	Display Size 46" to 48"
Max Load 100lb (45.5kg)	Max Load 100lb (45.5kg)	Max Load 100lb (45.5kg)	Max Load 200lb (90.9kg)	Max Load 200lb (90.9kg)	Max Load 300lb (136kg)	Max Load 300lb (136kg)
Mounting Pattern 880 x 400mm (34.65"W x 15.75"H)	Mounting Pattern 975 x 400mm (38.40"W x 15.75"H)	Mounting Pattern 550 x 400mm (21.65" x 15.75")	Mounting Pattern 1769 x 400mm (69.65"W x 15.75"H)	Mounting Pattern 1960 x 400mm (77.15"W x 15.75"H)	Mounting Pattern 2658 x 400mm (104.65"W x 15.75"H)	Mounting Pattern 2944 x 400mm (115.90"W x 15.75"H)

- Tool-less height adjustment and four-corner depth adjustment to alleviate issues with wall imperfections and fine-tuning

- Uses a one-to-one ordering process for an effortless digital signage solution

- Connecting wall plates create a continuous mounting surface for ease of display alignment

- Vertical adjustment on each bracket for post-installation leveling and height adjustment fine tuning

- Quick connect latch automatically engages the wall plate when mounting the display for a speedy set-up and peace of mind

SMARTMOUNT® Ceiling Mounts & Media Storage Wall/Ceiling Mounts

SmartMount® Ceiling Mounts offer a multitude of features to deliver versatility, device support and connection you need. Media device storage is made simple and effective with the SmartMount Media Storage Mounts. Available solutions include flat/tilt wall and ceiling mounts.



RoHS



SMARTMOUNT.
Universal Ceiling Mounts



PLCM-UNL-CP

TV Size
32" to 90"

Max Load
150lb (68kg)

Mounting Pattern
600 x 400mm
(23.62"W x 15.75"H)



**Flat/Tilt Wall Mount with
Media Device Storage**
Accommodates media device
up to 12" x 13" x 2.4"
(305 x 330 x 61mm)

DST660

Display Size
40" to 60"

Max Load
125lb (57kg)

VESA® Pattern
200 x 100 up to
400 x 400mm



**Flat/Tilt Universal Ceiling Mount
with Media Device Storage**
Accommodates media device
up to 16" x 11" x 3.25"
(406 x 279 x 83mm)

DST995

Display Size
40" to 95"

Max Load
225lb (102kg)

VESA® Pattern
In 100mm increments,
starting at 200 x 200
up to 400 x 400mm

- 360° of side-to-side swivel creates endless viewing possibilities from anywhere in the room
- Peerless-AV EXT103 Aluminum Extension Column included, providing a 36" drop

- Security hardware to deter tampering and theft
- Easy access to media player for maintenance or repair

SMARTMOUNT® Full Service Video Wall Mounts

The SmartMount® video wall series offers a comprehensive line of mounts ideal for any environment. Limitless configurations are possible with the ability to accommodate displays in both landscape and portrait orientations. With features such as tool-less micro-adjustment and reusable custom wall spacers, we give you the tools you need to create the perfect video wall.



RoHS
2002/95/EC



SMARTMOUNT.
Supreme Full Service
Video Wall Mount



DS-VW775

Display Size
46" to 60"

Max Load
125lb (56.8kg)

VESA® Pattern
200 x 200 up to
600 x 400mm



SMARTMOUNT.
Full Service
Video Wall Mount
with Quick Release

DS-VW795-QR

Display Size
65" to 95"

Max Load
225lb (102kg)

VESA® Pattern
200 x 200 up to
600 x 600mm

- Tool-less micro-adjustment with 1.5" of travel on each of the x, y and z axis

- Modular mount for unlimited video wall display configurations

- Quick release pop-out mechanism provides convenient display access in recessed applications

- Tool-less micro-adjustments at 8 points allows the mount to overcome uneven walls and creates a seamless video wall display

SMARTMOUNT® Video Wall Mounting Systems

for Direct View LED Displays

The SmartMount® Video Wall Mounting Systems offer slim, space-saving, and aesthetically appealing designs that can be adapted to support various LED display sizes and brands. With features such as cable management, easy-hang hardware, and a pop-out mechanism, installation and maintenance are simple so you can focus on what matters – Creating the perfect video wall to effortlessly communicate your digital message.



SMARTMOUNT®

Flat LED Video Wall Mount

DS-LEDF

KITTED SOLUTION

Designed and built to your video wall specifications


ADAPTORS ADJUST ON THE X, Y AND Z AXIS

Allows the installer to overcome uneven walls while simplifying the display and adaptor alignment

SCALABLE DESIGN

Engineered to any configuration for various brand and display sizes

*Pull-Out Video Wall Mount also available (DS-LEDP)



Visit peerless-av.com/SEAMLESS to get your LED project started!



For over 75 years, passion and innovation continue to drive Peerless-AV® forward.

We proudly design and manufacture the highest quality products, ranging from outdoor displays to complete kiosk solutions, digital signage mounts to wireless systems. Whether a full-scale global deployment or custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way.

For more information, visit peerless-av.com.

 peerless-av.com
 800-865-2112