



# macnaught

Built to last since 1948.

## GLOBAL FLUID HANDLING SOLUTIONS

Macnaught Aussie Tough  
Trusted for years in the harshest  
Australian environments.

## PRODUCT CATALOG



DISPENSING EQUIPMENT

GREASE & OIL  
LUBRICATION EQUIPMENT

FUEL EQUIPMENT

RETRACTABLE  
REELS

MACNAUGHT USA • MACNAUGHT CANADA

# About

## Macnaught Canada

## Macnaught USA

Macnaught Canada Inc is headquartered in Mississauga Ontario and services all of Canada. Product ships same day before 3:00 Eastern from our well stocked warehouse and service center.

Macnaught Fluid Handling Products are well suited for Industrial Canadian segments including; Farm & Agriculture Maintenance, Automotive, Truck, Bus and Heavy Equipment Repair Facilities, Rail, Mining, Plant MRO, Mobile Mechanics, Logging & Forestry, Power Generation, Oil & Gas, Machine Shops and many other Maintenance Professional related industries.

Macnaught USA Inc is located in Tampa Florida and oversees operations in USA, Mexico, South America, Central America and the Caribbean Basin marketplaces. Established in 1989, this facility is the Americas Industrial Oval Gear and Turbine center of excellence in addition to stocking our full Fluid Handling Product Line.

Both Macnaught entities are members of the Global Collection of Macnaught Companies.

## About Macnaught

Established in 1948 in Sydney Australia, Macnaught pioneered cutting edge Fuel, Grease and Oil conveyance technologies. Our grease gun design has been used by millions over the decades, as have our manual and pneumatic grease and oil pumps. Our Industrial Hose Reel Category has the highest cost of ownership benefit on the market – by far. Macnaught's renowned Australian Design and Engineering Group has consistently provided the Lubrication Equipment and Industrial Flow Meter space with true solution based products. Today, Macnaught is recognized as a leading global innovation provider to the Fluid Handling and Flow Measurement sectors.

**Built to Last since 1948**





Built to last since 1948.



**BUILT TO LAST AND SURVIVE  
AUSTRALIA'S TOUGHEST  
ENVIRONMENTS**

CELEBRATING **75** YEARS

## OUR PRODUCTS



**INDUSTRIAL  
FLOW METERS**



**GREASE & OIL  
DISPENSING  
EQUIPMENT**



**FUEL & DEF  
DISPENSING  
EQUIPMENT**



**RETRACTABLE  
HOSE & INDUSTRIAL  
REELS**

# TABLE OF CONTENTS



## OIL EQUIPMENT

Macnaught Air Operated Oil Pumps .....	4
Macnaught Oil Control Guns .....	7
Macnaught M3 Portable Oil Dispensing Kit .....	11
Macnaught M3 Air Operated Double Diaphragm Pump .....	13
Macnaught Manual Oil & Fuel Pumps .....	15
Oil Equipment Parts & Accessories .....	17
BOP Battery Operated Oil Pumps - 5 Gallon .....	22
BOP Battery Operated Oil Pumps - 16 - 55 Gallon .....	24
BOP Dispensing Guns & Accessories .....	26

## GREASE EQUIPMENT

Macnaught Air Operated Grease Pumps .....	29
Macnaught M3 Portable Grease Dispensing Kits .....	32
Macnaught Heavy Duty Grease Guns .....	34
Macnaught Manual Grease Pumps .....	36
Macnaught Grease Couplers .....	38
Grease Equipment Parts & Accessories .....	41

## FUEL & DEF EQUIPMENT

Macnaught M3 High Flow Fuel Transfer Pump System .....	48
Macnaught DEF Equipment .....	51

## RETRACTABLE REELS

Macnaught M3 Industrial Metal Hose Reels .....	53
M3 Slow Retraction Industrial Metal Safety Hose Reels .....	55
Macnaught R3 Retracta Engineered Thermoplastic Hose Reel .....	57
Macnaught Retractable Garden Hose Reel Industrial Design .....	60
Macnaught Retracta C1 Series Compact Retractable Reels .....	62
Retractable Hose Reel Parts & Accessories .....	64

## COMMERCIAL FLOW METERS

Macnaught In-Line Commercial Grade Flow Meters .....	67
Macnaught Industrial Flow Meters .....	69



**Macnaught Air Operated Oil Pumps**  
**Heavy Duty Global Australian Brand since 1948**

# Macnaught Air Operated Oil Pumps



## Macnaught M3 Series 3:1 – 16 Gallon Air Operated Oil Pump PN# OP163-1-001

Free Flow: 20 LPM / 5.3 GPM  
Air Pressure: 30-150 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 1/2" MNPT  
Suction tube Length: 28-3/4"  
Warranty: 3 Year

## Macnaught M3 Series 3:1 – 55 Gallon Air Operated Oil Pump PN# OP583-1-001

Free Flow: 20 LPM / 5.3 GPM  
Air Pressure: 30-150 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 1/2" MNPT  
Suction tube Length: 37"  
Warranty: 3 Year



## Macnaught M3 Series 5:1 – 16 Gallon Air Operated Oil Pump PN# OP165-1-001

Free Flow: 15 LPM / 4 GPM  
Air Pressure: 30-150 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 1/2" MNPT  
Suction tube Length: 28-3/4"  
Warranty: 3 Year

## Macnaught M3 Series 5:1 – 55 Gallon Air Operated Oil Pump PN# OP585-1-001

Free Flow: 15 LPM / 4 GPM  
Air Pressure: 30-150 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 1/2" MNPT  
Suction tube Length: 37"  
Warranty: 3 Year



## Macnaught 3:1 Air Operated Oil Pump - PN# T312-02

Free Flow: 15 LPM / 4 GPM  
Air Pressure: 60-150 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 3/4" FNPT  
Suction Tube: See PN# TB23S  
Warranty: 10 Year

## Macnaught 5:1 Air Operated Oil Pump - PN# T512-02

Free Flow: 13.2 LPM / 3.5 GPM  
Air Pressure: 60-150 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 1/2" FNPT  
Suction Tube: See PN# TB23S  
Warranty: 10 Year



## Macnaught Suction Tube Assembly for T312, T512, R300 & R500 Pumps - PN# TB23S

Telescopic Range: 24-12" to 40" Max  
Works with all T and R Series Pumps  
1" NPT Connection  
Warranty: 10 Year

## Macnaught 3:1 Air Operated Oil Stub Pump with Bung Adaptor - PN# R300S-02

Free Flow: 23 LPM / 6 GPM  
Air Pressure: 60-150 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 3/4" FNPT  
Suction Tube: See PN# TB23S  
Warranty: 10 Year



# Macnaught Air Operated Oil Pumps



## Macnaught 5:1 Air Operated Oil Stub Pump with Bung Adaptor PN# R500S-02

Free Flow: 30 LPM / 7.9 GPM  
Air Pressure: 60-150 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 3/4" FNPT  
Suction Tube: See PN# TB23S  
Warranty: 10 Year

## Macnaught 10:1 Air Operated Oil Stub Pump PN# R1000S-02

Free Flow: 17 LPM / 4.5 GPM  
Air Pressure: 60-150 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 3/4" FNPT  
Suction Tube: See PN# TB23S  
Warranty: 10 Year



## Macnaught 1:1 Air Operated Oil Pump with Fixed Suction Tube PN# R100T-02

Free Flow: 45 LPM / 12 GPM  
Air Pressure: 60-150 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 3/4" FNPT  
55 Gallon Fixed Suction Tube  
Warranty: 10 Year

## Macnaught M3 Filter Regulator and Gauge with Lubricator - PN# ARL-25

Inlet & Outlet: 1/4" FNPT  
Pressure Gauge Range: 0-150 PSI  
Operating Temp: 5°C to 60°C  
Filter Element: 40 Micron  
Lube Type: ISO VG 32 Comp Oil  
Warranty: 1 Year



## Macnaught M3 HVOP3 3:1 High Volume Oil Pump PN# HVOP3

Free Flow: 45 LPM / 12 GPM  
Air Pressure: 70-175 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 3/4" FNPT  
Suction Tube Length: 10 5/8"  
Warranty: 3 Year

## Macnaught M3 HVOP5 5:1 High Volume Oil Pump PN# HVOP5

Free Flow: 40 LPM / 10.6 GPM  
Air Pressure: 70-175 PSI  
Air Inlet: 1/4" FNPT  
Oil Outlet: 3/4" FNPT  
Suction Tube Length: 10 5/8"  
Warranty: 3 Year



## Macnaught M3 ST27 Suction Tube - PN# ST27

1 3/4" OD  
Carbon Steel, Affixed Bottom Filter  
27" long  
Fits HVOP3 & HVOP5 Oil Pumps  
With HVOP pumps fits 208L Drum  
Total Length 37"

## Macnaught M3 ST37 Suction Tube - PN# ST37

1 3/4" OD  
Carbon Steel, Affixed Bottom Filter  
37" long  
Fits HVOP3 & HVOP5 Oil Pumps  
With HVOP pumps fits 1041L Tote  
Total Length 47"





**Macnaught Oil Control Guns**  
**2 Year, 3 Year and 10 Year Warranty Products**

# Macnaught Oil Control Guns



**Macnaught 1/2" Mechanical Meter Oil Dispensing Gun**  
PN# HG40P-02

Flow Rate: 1 - 30LPM /  
Flow Rate: .26 - 8 GPM  
Meter Accuracy: +/- 1%  
Operating Pressure: Up to 1,000 PSI  
Operating Temp: -10°C to 60C  
Connection: 1/2" FNPT  
Warranty: 2 Year

**Macnaught M3 1/2" 9 GPM Digital Oil Control Gun**  
PN# OCVF-001

Flow Rate: 1.3 - 42LPM  
Flow rate: .3 – 9.25 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 725 PSI  
Operating Temp: -10°C to 60C  
Connection: 1/2" FNPT  
Warranty: 3 Year



**Macnaught M3 1/2" 9 GPM Digital Oil Control Gun**  
PN# OCVF-001S

Flow Rate: 1.3 - 42LPM  
Flow rate: .3 – 9.25 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 725 PSI  
Operating Temp: -10°C to 60C  
Connection: 1/2" FNPT  
Warranty: 3 Year

**Macnaught M3 1/2" 9 GPM Digital Preset Oil Control Gun**  
PN# OCVF-PS-001

Flow Rate: 1.3 - 42LPM  
Flow Rate: .3 – 9.25 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,000 PSI  
Operating Temp: -10°C to 60C  
Connection: 1/2" FNPT  
Warranty: 3 Year



**Macnaught M3 1/2" 9 GPM Digital Preset Oil Control Gun**  
PN# OCVF-PS-001S

Flow Rate: 1.3 - 42LPM  
Flow Rate: .3 – 9.25 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,000 PSI  
Operating Temp: -10°C to 60C  
Connection: 1/2" FNPT  
Warranty: 3 Year

**Macnaught M3 1/2" 9 GPM Digital High Flow Oil Control Gun - PN# OCVMFH-001**

Flow Rate: 1 - 80LPM  
Flow Rate: .26-21 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 725 PSI  
Operating Temp: -10°C to 60C  
Connection: 3/4" FNPT  
Warranty: 3 Year



**Macnaught 1/2" Electronic Preset Metered Oil Control Gun with Rigid Extension**  
PN# HG60R-02

Flow Rate: 1 - 30LPM  
Flow rate: .26-8 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,500 PSI  
Operating Temp: 0°C to 50C  
Connection: 1/2" FNPT  
Warranty: 10 Year

**Macnaught 3/4" High Flow Oil Control Gun w/ Digital Meter with Flex Extension**  
PN# HG100-019E-02

Flow Rate: 1 - 57LPM  
Flow Rate: .26-15 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,500 PSI  
Operating Temp: 0°C to 50C  
Connection: 3/4" FNPT  
Warranty: 10 Year



# Macnaught Oil Control Guns



## Macnaught 1/2" Electronic Metered Oil Control Gun with Rigid Extension PN# HG55R-02

Flow Rate: 1 - 30LPM  
Flow Rate: .26-8 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,500 PSI  
Operating Temp: 0°C to 50C  
Connection: 1/2" FNPT  
Warranty: 10 Year

## Macnaught 1/2" Electronic Preset Metered Oil Control Gun with Flex Extension PN# HG60F-02

Flow Rate: 1 - 30LPM  
Flow Rate: .26-8 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,500 PSI  
Operating Temp: 0°C to 50C  
Connection: 1/2" FNPT  
Warranty: 10 Year



## Macnaught 1/2" Electronic Metered Oil Control Gun with Flex Extension PN# HG55F-02

Flow Rate: 1 - 30LPM  
Flow Rate: .26-8 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,500 PSI  
Operating Temp: 0°C to 50C  
Connection: 1/2" FNPT  
Warranty: 10 Year

## Macnaught 1/2" Metered Oil Control Gun with Rigid Extension PN# HG20R-012E-02

Flow Rate: 1 - 30LPM  
Flow Rate: .26-8 GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,000 PSI  
Operating Temp: -14°C to 55C  
Connection: 1/2" FNPT  
Warranty: 10 Year



## Macnaught 1/2" Metered Oil Control Gun with Flex Extension PN# HG20F-012E-02

Flow Rate: 1 - 30LPM  
Flow rate: .26-8GPM  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,000 PSI  
Operating Temp: -14°C to 55C  
Connection: 1/2" FNPT  
Warranty: 10 Year

## Macnaught 1/2" Unmetered Oil Control Gun with Rigid Extension PN# HG20R-02

Flow Rate: 1 - 30LPM  
Flow Rate: .26-8 GPM  
Operating Pressure: Up to 1,000 PSI  
Operating Temp: -14°C to 55C  
Connection: 1/2" FNPT  
Warranty: 10 Year



## Macnaught M3 1/2" Oil Control Gun PN# OCVSF-001

Flow Rate: 1 - 34LPM  
Flow rate: .26-9 GPM  
Operating Pressure: Up to 1,500 PSI  
Operating Temp: -10°C to 60C  
Connection: 1/2" FNPT  
Warranty: 3 Year

## Macnaught 1/2" Unmetered Oil Control Gun with Flex Extension - PN# HG20F-02

Flow Rate: 1 - 30LPM  
Flow rate: .26-8 GPM  
Operating Pressure: Up to 1,000 PSI  
Operating Temp: 0°C to 50C  
Connection: 1/2" FNPT  
Warranty: 10 Year



# Macnaught Oil Control Guns



**Macnaught 3/4" High Flow Oil Control Gun Unmetered with Flex Extension  
PN# HG100-02**

Flow Rate: 1 - 57LPM  
Flow Rate: .26-15 GPM  
Operating Pressure: Up to 1,500 PSI  
Operating Temp: 0°C to 50C  
Connection: 3/4" FNPT  
Warranty: 10 Year

**Macnaught M3 3/4" 21 Gpm High Flow Oil Control Gun  
PN# OCVHF-001**

Flow Rate: 1 - 80LPM  
Flow rate: .26-21 GPM  
Operating Pressure: Up to 1,450 PSI  
Operating Temp: 0°C to 50C  
Connection: 3/4" FNPT  
Warranty: 3 Year



**Macnaught Automatic Non-Drip Nozzle - PN# HGNZL**

Automatic Nozzle Non-Drip  
Warranty: 2 Year

**Macnaught HG20 Flexible Extension with Auto Nozzle  
PN# IM078S**

Flexible Extension Automatic Nozzle  
Non-Drip  
For Macnaught HG20 Guns  
Warranty: 2 Year



**Macnaught 1/2" Oil Control Gun Extension  
PN# OCVFT-1/2**

Flow Rate: 1 - 38LPM  
Connection: 1/2" FNPT°95  
Automatic Tip  
Warranty: 2 Year

**Macnaught Oil Control Gun 90° Flexible Extension With Nozzle  
PN# HGFNZ**

90° Flexible Extension  
Non Drip Nozzle  
For HG Metered Handles  
Warranty: 2 Year



**Macnaught Oil Control Guns – Famous Australian Global Brand since 1948. 2 Year, 3 Year and 10 Year Warranty Products**





16 Gallon System



55 Gallon System



Built to last since 1948



# Macnaught M3 Portable Oil Dispensing Kit

# Macnaught M3 Portable Oil Dispensing Kits



**Macnaught M3 Portable 3:1 Oil Dispensing Kit - 13-16 Gallon**  
PN# M3OKT316-KIT

3:1 Oil Pump  
Free Flow: 11 LPM / 3 GPM  
Suction Tube Length: 28 3/4"  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,500 PSI  
Flow Range: 1 to 35 LPM  
Warranty: 3 Year

**Macnaught M3 Portable 3:1 Oil Dispensing Kit - 55 Gallon**  
PN# M3OKT355-KIT

3:1 Oil Pump  
Free Flow: 11 LPM / 3 GPM  
Suction Tube Length: 37"  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,500 PSI  
Flow Range: 1 to 35 LPM  
Warranty: 3 Year



**Macnaught M3 Portable 5:1 Oil Dispensing Kit - 13-16 Gallon**  
PN# M3OKT516-KIT

5:1 Oil Pump  
Free Flow: 15 LPM / 4 GPM  
Suction Tube Length: 28 3/4"  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,500 PSI  
Flow Range: 1 to 35 LPM  
Warranty: 3 Year

**Macnaught M3 Portable 5:1 Oil Dispensing Kit - 55 Gallon**  
PN# M3OKT555-KIT

5:1 Oil Pump  
Free Flow: 15 LPM / 4 GPM  
Suction Tube Length: 37"  
Meter Accuracy: +/- .5%  
Operating Pressure: Up to 1,500 PSI  
Flow Range: 1 to 35 LPM  
Warranty: 3 Year



**Heavy Duty Industrial Grade. Suitable for all grades of oil.  
Safety Trolley Included. 3 Year Warranty!**



 **macnaught**  
Built to last since 1945



**Macnaught M3 Air Operated  
Double Diaphragm Pumps**

# Macnaught M3 Air Operated Double Diaphragm Pumps



**Macnaught M3 3/4 Inch Air Operated Double Diaphragm Pump - PN# DP34-001**

Flow Rate: 60 LPM / 16 GPM  
Inlet/Outlet: 3/4" NPT  
Max Temp: 60°C  
Max Inlet Outlet Pressure: 115 PSI  
Max Head: 50m  
Max Suction Height: 3m  
Body: Aluminum  
Diaphragm: Nitrile  
Warranty: 5 Yrs

**Macnaught M3 1 Inch Air Operated Double Diaphragm Pump - PN# DP10-001**

Flow Rate: 91 LPM / 24 GPM  
Inlet/Outlet: 1" NPT  
Max Temp: 60°C  
Max Inlet Outlet Pressure: 115 PSI  
Max Head: 50m  
Max Suction Height: 3m  
Body: Aluminum  
Diaphragm: Nitrile  
Warranty: 5 Yrs



**Macnaught M3 1 Inch Air Operated Double Diaphragm Pump - PN# DP1-FPM**

Flow Rate: 91 LPM / 24 GPM  
Inlet/Outlet: 1" NPT  
Max Temp: 70°C  
Max Inlet Outlet Pressure: 115 PSI  
Max Head: 50m  
Max Suction Height: 3m  
Body: Polypropylene  
Diaphragm: Viton  
Warranty: 5 Yrs

**Macnaught M3 Filter Regulator with Gauge - PN# ARF-25**

Pressure Gauge Range: 0 - 150 PSI  
Inlet/Outlet: 1/4" NPT  
Operating Temp: 5°C to 60°C  
Filter Element: 40 Micron  
Warranty: 1 Year



**Macnaught established in 1948. Australian designed and engineered. Global reach with offices worldwide.**





Built to last since 1948

**2**  
YEARS  
MACNAUGHT  
WARRANTY\*

**10**  
YEARS  
MACNAUGHT  
WARRANTY\*

## Macnaught Manual Oil & Fuel Pumps

# Macnaught Manual Oil & Fuel Pumps



## Macnaught M3 High Flow Rotary Hand Pump PN# FPM-001

Flow Rate: 95 LPM / 25 GPM  
Inlet/Outlet: 1 1/4" O.D.  
Max Temp: 60°C  
Flow: .98L per Rotation  
Warranty: 2 Year

## Macnaught Premium Gear Oil 5 Gallon Hand Pump PN# C7-01

Hose Length: 6' w nozzle  
Adapters: 3 bung  
Flow: 100mL per Stroke  
Flow: .03 gallons per Stroke  
Warranty: 10 Year



## Macnaught Lever Action Gear Oil Pump for 25 and 55 Gallon Container - PN# C11-01

Hose Length: 6' w nozzle  
Flow: 75mL per Stroke  
Flow: .02 Gallons per Stroke  
Warranty: 10 Year

## Macnaught Oil & Fuel Lever Drum Pump Fits 16 – 55 Gallon - PN# A2H

Hose Length: 6' w nozzle  
Flow: 250mL per Stroke  
Flow: .07 Gallons per Stroke  
Warranty: 10 Year



## Macnaught All Purpose Oil Transfer Pump with Extender PN# MAOP20

Hose Length: 6' w nozzle  
Adapters: 2 sliding bung  
Warranty: 2 Year

## Macnaught Heavy Duty Hand Operated Suction Gun PN# C16-01

Flow: 500mL per Pump  
Flow: .13 gallons per Pump  
Hose Length: 12"  
Warranty: 10 Year



Quality Product

### Macnaught Premium Gear Oil 5 Gallon Hand Pump - PN# C7-01

I needed a quality pump to service our 50,000 Lb. excavator. I have had too many of the cheap tin pumps that struggle to do the job with heavy gear oil. This pump is a quality product. One look at the pump and you know its worth the price. It fit the 5 gallon oil buckets with no problems and worked flawlessly. I really liked the screw cut off on the nipple so that the oil doesn't continue to drip and make a mess of things. You won't be sorry for ordering this pump.

GV  
George V  
Waycross, GA



**macnaught**  
Built to last since 1948

**Oil Equipment- Parts & Accessories**

# **Oil Equipment Parts & Accessories**



## **Macnaught M3 Filter Regulator and Gauge with Lubricator PN# ARL-25**

Inlet & Outlet: 1/4"  
Pressure Gauge Range: 0-150 PSI  
Operating Temp: 5°C to 60°C  
Filter Element: 40 Micron  
Lube Type: ISO VG 32 Comp Oil  
Warranty: 1 Year

## **Macnaught M3 Filter Regulator with Gauge PN# ARF-25**

Hose Length: 6' w nozzle  
Adapters: 3 bung  
Flow: 100mL per Stroke  
Flow: .03 gallons per Stroke  
Warranty: 10 Years



## **Macnaught Filter, Regulator & Gauge Kit - PN# LA-7K**

Regulates Air Pressure 0-200 PSI  
Removes Dust, Dirt & Moisture Ideal with P3 Powerlube, P6 Minilube & P8 Maxilube  
Warranty: 1 Year

## **M3 Air regulator nipple to M3 Oil or Grease Pump 1/4" NPS x 1/4" NPL PN# M3ARF**

1/4" NPS x 1/4" FNPT  
1 3/4" Length  
Warranty: 1 Year



## **Macnaught M3 13 FL Oil Hose 1/2 inch MNPT x 1/2 inch FNPT Use with all M3 Oil Pumps PN# OP5013MF-001**

ID: 1/2"  
Length: 13'  
Working Pressure: 2320 PSI  
Male Fitting: SS 1/2" NPT  
Female Fitting: SS 1/2" Swivel NPT  
Warranty: 2 Years

## **Macnaught M3 13 FL Oil Hose 3/4" x 3/4" for T312 Oil Pump or all R-Series Pumps PN# OP7513MM-001**

ID: 3/4" MNPT x 3/4" MNPT  
Length: 13'  
Working Pressure: 2320 PSI  
Fitting MOC: 3/4" MNPT SS  
Warranty: 2 Years



## **Macnaught M3 13 FL Premium Grade High Flow Oil Hose 3/4 inch Male NPT x Female Swivel NPT - PN# OP7513MF-001**

ID: 3/4"  
Length: 13'  
Working Pressure: 1250 PSI  
Male Fitting: SS 3/4" NPT  
Female Fitting: SS 3/4" Swivel NPT  
Warranty: 2 Years

## **Macnaught 13 FL Oil Hose 1/2 inch x 1/2" MNPT. For T512 Oil Pumps. Ends are fixed MNPT PN# OP5013MM-001**

ID: 1/2"  
Length: 13'  
Working Pressure: 2320 PSI  
Male Fitting: SS 1/2" NPT  
Male Fitting: SS 1/2" NPT  
Warranty: 2 Years



# **Oil Equipment Parts & Accessories**



**Macnaught M3 13 FT Oil Hose**  
½" x ¾" for T312 Oil Pump or  
all R-Series Pumps  
PN# OH5013MM-001-RB

ID: ½ Inch MNPT x ¾ Inch MNPT  
Length: 13'  
Working Pressure: 2320 PSI  
Male Fitting: SS 3/4" NPT by Adapter  
Fitting: SS 1/2" NPT  
Warranty: 2 Years

**Macnaught M3 7 FT Oil Hose**  
½ Inch MNPT x ½ Inch  
FNPT Swivel  
PN# OH505MF-001

ID: ½ Inch MNPT x ½ Inch FNPT  
Length: 7'  
Working Pressure: 2320 PSI  
Male Fitting: SS 1/2 NPT  
Female Fitting: SS 1/2" NPT  
Warranty: 2 Years



**Macnaught M3 26 FT Oil Hose**  
½ Inch MNPT x ½ Inch  
FNPT Swivel  
PN# OH5026MF-001

ID: ½ inch  
Length: 26 ft  
Working Pressure: 2320 PSI  
Male Fitting: Stainless Steel  
½ inch MNPT  
Female Fitting: Stainless Steel ½" inch  
Swivel NPT

**Macnaught 5 FT Oil Lead Hose**  
for M3 Oil Reel ½"FS x ½" M  
PN# THOSE-5FT

5 Ft Long  
½" Female Swivel One End  
½" Male NPT One End  
Rated to 2320 PSI  
1 Year Warranty



**Macnaught 1/2" Oil Control Gun Extension - PN# OCVFT-1/2**

Oil Gun Extension rated  
for 10 GPM / 38 LPM 1/2" NPT  
95 degree with auto tip

**Macnaught Automatic Non-Drip Nozzle**  
PN# HGNZL

Automatic Non-Drip Nozzle  
Replacement Part



**Macnaught HG20 Flexible Extension with Auto Nozzle**  
PN# IM078S

Flexible Extension with Auto Nozzle  
for Macnaught HG20 Guns Only

**Macnaught Oil Control Gun 90° Flexible Extension With Nozzle - PN# HGFNZ**

For HG Metered Handles  
90° Flexible Extension  
Non-Drip Nozzle  
Warranty: 1 Year



# **Oil Equipment Parts & Accessories**



## **Macnaught Major Service Kit R1000 - PN# R1000-1K**

The R1000 pump kit is designed for the Macnaught R1000S & R1000T Oil Pumps

## **Macnaught Major Service Kit R300 - PN# R300-2K**

The R300 pump kit is designed for the Macnaught R300S Oil Pump



## **Macnaught Valve Body Assembly - PN# PA30S**

Complete Valve Body Assembly for: P3-TR, P6-TR, P8-11 Grease Pumps & T312-02, T512-02 Oil Pumps  
Warranty: 1 Year

## **Macnaught T312-02 Stub Pump Kit - PN# T312-1K**

Pump Kit for T312 Oil Pump Series  
Warranty: 1 Year



## **Macnaught T512-02 Stub Pump Kit - PN# T512-2K**

Pump Kit for T512 Oil Pump Series  
Warranty: 1 Year

## **Macnaught M3 5:1 Oil Pump Repair Kit - PN# RRKOP5-103**

RRKOP5-103 repair kit is designed for all M3 Series 5:1 Oil Pumps



## **Macnaught M3 3:1 Oil Pump Repair Kit - PN# RRKOP3-102**

RRKOP3-102 repair kit is designed for all M3 Series 3:1 Oil Pumps

## **Macnaught Major Service Kit R500 - PN# R500-2K**

The R500 pump kit is designed for the Macnaught R500S Oil Pump



# BOP Battery Operated Oil Pumps - 5 Gallon



**Macnaught BOP20HV 5 Gallon Battery Powered Universal Oil Pump Kit - PN# BP20S-UNU**

For 5 Gallon Pails  
Up to 140W / ISO680, ATF & Coolants  
Delivery Rate; Up to 1.5+ GPM @ 68F  
Hose: 5 ft of 3/4" Hose  
Charger: 45 min fast charge  
Battery: 18V Li-Ion Smart Battery  
2.0Ah up to 40 GAL/Charge  
Warranty 2 years

**Macnaught BOP20HV 5 Gallon Universal Oil Stem Kit PN# BP20X-UNA**

For 5 Gallon Pails  
Up to 140W / ISO680,  
ATF & Coolants  
Delivery Rate; Up to  
1.5+ GPM @ 68F  
Hose: 5 ft of 3/4" Hose  
Warranty 2 years



**Macnaught BOP Universal Meter Gun Retrofit Kit PN# BP-UMGRK**

1.5 GPM / 5.7 LPM  
Accuracy: .5% of Reading  
1/2" Inlet Connector Supplied  
Outlet Connection: 1/2" BSP (F)  
140W / ISO680 oils, Coolant & ATF  
1 x Cr2450 3V Lithium Coin Battery  
Warranty 2 years

**Macnaught BOP Universal Meter Gun Retrofit Kit PN# BP-UMGRK**

1.5 GPM / 5.7 LPM  
Accuracy: .5% of Reading  
Outlet Connection: 1/2" BSP (F)  
140W / ISO680 oils, Coolant & ATF  
Premium Clear PVC Spiral Wound  
Hose 3/4" ID x 5 ft long  
1 x Cr2450 3V Lithium Coin Battery  
Warranty 2 years



**Macnaught's innovative BOP product line has changed how Oils, Coolants, and ATF are dispensed. The patented system utilizes our 18V Battery to quickly and safely dispense ATF, coolants, hydraulic, and all engine oils up to 140W / ISO6800.**



WE'VE ENHANCED THE FLEXIBILITY OF OUR BOP PUMP STEM

ONE STEM TYPE SUITABLE FOR MULTIPLE FLUID TYPES



No Air, No Hand Pumps, No Spillage, No Kidding!

macnaught

# **Oil Equipment Parts & Accessories**

## **Macnaught M3 ST27 Suction Tube PN# ST27**



Fits HVOP3 & HVOP5 Oil Pumps  
27 inches long. When added to  
HVOP Pump fits 55 Gallon Drum  
( total length 37 inches )  
1 3/4" OD  
Carbon Steel with  
Bottom Filter Attached

## **Macnaught M3 ST37 Suction Tube PN# ST37**



Fits HVOP3 & HVOP5 Oil Pumps  
37 inches long. When added to  
HVOP Pump fits 275 Gallon Tote  
( total length 47 inches )  
1 3/4" OD  
Carbon Steel with  
Bottom Filter Attached

## **Macnaught Suction Tube Assembly for T312, T512, R300 & R500 Pumps - PN#TB23S**



Telescopic Range: 24-12" to 40" Max  
Works with all T and R Series Pumps  
1" NPT Connection  
Warranty: 10 Year

## **Macnaught Drum Trolley For 5 - 16 Gallon Drum PN# M3TR5**



Works with 5 gallon pails  
and 16 gallon kegs of Oil  
35# and 120# Grease Containers  
Heavy Duty Construction  
Safety Drum bracket  
( holds drum onto Trolley )  
Quick & easy assembly  
2 year warranty

## **Macnaught Drum Trolley For 48 - 58 Gallon Drum PN# M3TR205**



Works with 55 Gallon Drums  
( 48-58 gallon sizes )  
400lb to 484lb containers  
Heavy Duty Construction  
Safety Drum bracket  
( holds drum onto Trolley )  
Quick & easy assembly  
2 year warranty



**Great Investment**

**Macnaught 3:1 Air Operated Oil Pump - PN# T312-02**

**Ross C.**  
Jersey City, NJ

Best ever. Those without macnaught pale in significance. If you have macnaught, your shop credit will become tenfold. Kidding aside. Solid product at great price. There is a difference in product, and Macnaught is the best I've used.

# BOP20HV

BATTERY OPERATED PUMP

Designed for 5 Gallon Buckets



## BOP 5 Gallon Battery Operated Oil Pumps

# BOP60/205

BATTERY OPERATED OIL PUMP

Designed for 16 Gallon or 55 Gallon Drums



## BOP 16 - 55 Gallon Battery Operated Oil Pumps

# BOP Battery Operated Oil Pumps - 16 - 55 Gallon



**Macnaught BOP60HV - 16-55 Gallon Battery Powered Universal Oil Pump Kit**  
**PN# BP205S-UNU**  
For 16 - 55 Gal containers  
Up to 140W / ISO680, ATF & Coolants  
Delivery Rate: Up to 1.5+ GPM @ 68F  
Hose: 5 ft of 3/4" Hose  
Charger: 45 min fast charge  
Battery: 18V Li-Ion Smart Battery  
2.0Ah up to 40 GAL/Charge  
Warranty 2 years

**Macnaught BOP60HV 16, 55 Gallon Universal Oil Stem Kit**  
**PN# BP205X-UNA**  
For 16 - 55 Gal containers  
Up to 140W / ISO680  
ATF & Coolants  
Up to 1.5+ GPM @ 68F  
Hose: 5 ft of 3/4" Hose  
Warranty 2 years



**Macnaught BOP Universal Meter Gun Retrofit Kit**  
**PN# BP-UMGRK**  
1.5 GPM / 5.7 LPM  
Accuracy: .5% of Reading  
1/2" Inlet Connector Supplied  
Outlet Connection: 1/2" BSP (F)  
140W / ISO680 Oils, Coolant & ATF  
1 x Cr2450 3V Lithium Coin Battery  
Warranty 2 years

**Macnaught BOP Universal Meter Gun Retrofit Kit**  
**PN# BP-UMGRK**

1.5 GPM / 5.7 LPM  
Accuracy: .5% of Reading  
Outlet Connection: 1/2" BSP (F)  
140W / ISO680 Oils, Coolant & ATF  
Premium Clear PVC Spiral Wound Hose 3/4" ID x 5 ft long  
1 x Cr2450 3V Lithium Coin Battery  
Warranty 2 years



Macnaught's innovative BOP product line has changed how Oils, Coolants, and ATF are dispensed. The patented system utilizes our 18V Battery to quickly and safely dispense ATF, coolants, hydraulic, and all engine oils up to 140W / ISO6800.

## BOP Battery Operated Oil Pumps - 16 - 55 Gallon

- BOP205S - For 16 Kegs and 55 Gallon Drums
- The only Industrial Duty 18V Oil Dispensing System
- Dispense Hydraulic and Engine Oils up to 140W / ISO680
- Delivers up to 40 Gallons on Full Charge





Built to last since 1948

## BOP Dispensing Guns & Accessories

# BOP Dispensing Guns & Accessories



## Macnaught BOP20/BOP60 Power Head - PN# BP20-PH

Macnaught's Innovative BOP system is powered by the Removable Powerhead. Simply click on the stem, and click off to place on a differing stem. Fits all BOP Stems. Warranty 2 years

## Macnaught BOP20/60 18V Battery - PN# BPB-20AH

18V 2.0 AMP LI-ION Battery with smart technology  
Full Charge in 45 minutes  
Delivers up to 40 Gallons on a Single Charge  
Works with all BOP products  
Warranty 2 years



## Macnaught BOP20/60 18V Battery Charger - PN# BPC-U

Macnaught Class 2 Battery Charger  
100-120VAC 50-60Hz, 65W, 1.0A90VA.  
Works with all BOP products.  
Full Charge in 45 minutes.  
Warranty 2 years

## Macnaught BOP Universal Meter Gun Retrofit Kit PN# BP-UMGRK

1.5 GPM / 5.7 LPM  
Accuracy: .5% of Reading  
1/2" Inlet Connector Supplied  
Outlet Connection: 1/2" BSP (F)  
140W / ISO680 oils, Coolant & ATF  
1 x Cr2450 3V Lithium Coin Battery  
Warranty 2 years



## Macnaught BOP Universal Meter Gun Retrofit Kit PN# BP-UMGRK

1.5 GPM / 5.7 LPM  
Accuracy: .5% of Reading  
1/2" Inlet Connector Supplied  
Outlet Connection: 1/2" BSP (F)  
140W / ISO680 oils, Coolant & ATF  
1 x Cr2450 3V Lithium Coin Battery  
Warranty 2 years

## Macnaught BOPHV Oil Dispensing Gun with 5ft Hose & Nozzle - PN# BP-HG

5FT of 3/4" HOSE with ON Demand Nozzle – up to 1.5+ GPM.  
Use with 5 gallon ( BOP20HV ) or 16 and 55 Gallon ( BOP60HV )  
Warranty 2 years



## Macnaught BOPHV Oil Dispensing Gun with 10ft Hose & Nozzle - PN# BP-HV10FT

10FT of 3/4" HOSE with ON Demand Nozzle – up to 1.5+ GPM.  
Use with 5 gallon ( BOP20HV ) or 16 and 55 Gallon ( BOP60HV )  
Warranty 2 years

## Macnaught Bung Adapter for BOP60 PN# BP60-AK

Bung Adapter for BOP60  
Made for BOP60 Stem



# BOP Dispensing Guns & Accessories



## Macnaught Bung Adapter Set for BOP20 - PN# BP20-AK

Two different adapter variations to fit different style containers.

## Macnaught BOP Universal Impeller and Seal Kit PN# BP-1K

The BP-1K Universal Impeller and Seal Kit fits all BOP stems including HV, Standard, Coolant & ATF



## Macnaught Drum Trolley For 48 - 58 Gallon Drum PN# M3TR205

Works with 55 Gallon Drums ( 48-58 gallon sizes )  
400lb to 484lb containers  
Heavy Duty Construction  
2 year warranty  
Safety Drum bracket ( holds drum onto Trolley )  
Quick & easy assembly

## Macnaught Drum Trolley For 5 - 16 Gallon Drum PN# M3TR5

Works with 5 gallon pails and 16 gallon kegs of Oil  
35# and 120# Grease Containers  
Heavy Duty Construction  
2 year warranty  
Safety Drum bracket ( holds drum onto Trolley )  
Quick & easy assembly



**Macnaught's innovative BOP product line has changed how Oils, Coolants, and ATF are dispensed. The patented system utilizes our 18V Battery to quickly and safely dispense ATF, coolants, hydraulic, and all engine oils up to 140W / ISO6800.**





  
**macnaught**  
Built to last since 1948

**3**  
YEARS  
MACNAUGHT  
WARRANTY\*

**10**  
YEARS  
MACNAUGHT  
WARRANTY\*

**Macnaught Air Operated Grease Pumps  
3 and 10 Year Warranty Products**

# Macnaught Air Operated Grease Pumps



**Macnaught M3 50:1 Grease Pump for 5 Gallon Pails**  
PN# M3GP5

CFM: 3.6 @ 150 PSI  
Flow: 1.76 Pounds Per Minute  
Operating PSI: 70 - 150  
Max Pressure: 7500 PSI  
13' Hose, w Z Swivel & Grease Gun  
Pump Tube Length: 19"  
Warranty: 3 Year

**Macnaught M3 50:1 Grease Pump for 16 Gallon Drums**  
PN# M3GP16

CFM: 3.6 @ 150 PSI  
Flow: 1.76 Pounds Per Minute  
Operating PSI: 70 - 150  
Max Pressure: 7500 PSI  
13' Hose, w Z Swivel & Grease Gun  
Pump Tube Length: 29 1/8"  
Warranty: 3 Year



**Macnaught M3 50:1 Grease Pump for 55 Gallon Drums**  
PN# M3GP55

CFM: 3.6 @ 150 PSI  
Flow: 1.76 Pounds Per Minute  
Operating PSI: 70 - 150  
Max Pressure: 7500 PSI  
13' Hose, w Z Swivel & Grease Gun  
Pump Tube Length: 37"  
Warranty: 3 Year

**Macnaught M3 Heavy Duty 50:1 Grease Pump for 16 Gallon Drums**  
PN# M3GPHD16

CFM: 8.1 @ 115 PSI  
Flow: 4 Pounds Per Minute  
Operating PSI: 70 - 145  
Max Pressure: 8700 PSI  
13' Hose, w Z Swivel & Grease Gun  
Pump Tube Length: 29 1/8"  
Warranty: 3 Year



**Macnaught M3 Heavy Duty 50:1 Grease Pump for 55 Gallon Drums**  
PN# M3GPHD55

CFM: 3  
Grease Flow: 4 Pounds Per Minute  
Operating PSI: 70 - 145  
Max Pressure: 8700 PSI  
13' Hose, w Z Swivel & Grease Gun  
Pump Tube Length: 37"  
Warranty: 10 Year

**Macnaught Air Operated Grease Pump for 35 lb./5 Gal. Containers - PN# P3-TR**

CFM: 3  
Grease Flow: 1 Pound Per Minute  
Operating PSI: 60 - 150  
Max Pressure: 10000 PSI  
13' Hose, w Z Swivel & Grease Gun  
Pump Tube Length: 19"  
Trolley Included  
Warranty: 10 Year



**Macnaught Air Operated Grease Pump for 120lb./16 Gal. Containers - PN# P6-TR**

CFM: 3  
Grease Flow: 1 Pound Per Minute  
Operating PSI: 60 - 150  
Max Pressure: 10000 PSI  
13' Hose, w Z Swivel & Grease Gun  
Tube Length: 29 1/8"  
Trolley Included  
Warranty: 10 Year

**Macnaught 50:1 Air-Operated Grease Pump for 400 lb./55 Gal. Containers - PN# P8-11**

CFM: 3  
Grease Flow: 1 Pound Per Minute  
Operating PSI: 60 - 150  
Max Pressure: 10000 PSI  
Air Inlet: 1/4" FNPT  
Outlet Port: 1/4" FNPT  
8' Hose, w Z Swivel & Grease Gun  
Tube Length: 37"  
Warranty: 10 Year



# Macnaught Air Operated Grease Pumps



## Macnaught 58:1 High Volume Heavy Duty Air Operated Grease Pump w/ Booster Gun & Follower - PN# P58PGLF-01

SCFM: 23.5 @ 120 PSI & 20°C  
Grease Flow: 13 Pounds Per Minute  
Operating PSI: 60 - 150  
Max Pressure: 8700 PSI  
8'8" Hose, w Z Swivel & Grease Gun  
Tube Length: 37"  
Warranty: 10 Year



## Macnaught 58:1 High Volume Heavy Duty Air Operated Grease Pump - Bare Pump - PN# P58-01

SCFM: 23.5 @ 120 PSI & 20°C  
Flow: 13 Pounds Per Minute  
Operating PSI: 60 - 150  
Max Pressure: 8700 PSI  
Air Inlet: 1/4" NPT  
Outlet Port: 3/8" NPT  
Tube Length: 37"  
Warranty: 10 Year



## Macnaught Air Operated Bare Grease Pump for 35 lb./5 Gal. Containers - PN# P3003

CFM: 3  
Grease Flow: 1 Pound Per Minute  
Operating PSI: 60 - 150  
Max Pressure: 7500 PSI  
Air Inlet: 1/4" FNPT  
Outlet Port: 1/4" FNPT  
Pump Tube Length: 19"  
Warranty: 10 Year

## Macnaught Air Operated Bare Grease Pump for 120lb./16 Gal. Containers - PN# P6003

CFM: 3  
Grease Flow: 1 Pound Per Minute  
Operating PSI: 60 - 150  
Max Pressure: 7500 PSI  
Air Inlet: 1/4" FNPT  
Outlet Port: 1/4" FNPT  
Tube Length: 29 1/8"  
Warranty: 10 Year



## Macnaught M3 50:1 Bare Grease Pump for 55 Gallon Drums - 1.76 PPM Grease Delivery - PN# GP40050-1-001

CFM: 3.6 @ 150 PSI  
Flow: 1.76 Pounds Per Minute  
Operating PSI: 70-150  
Max Pressure: 7250 PSI  
Air Inlet: 1/4" FNPT  
Outlet Port: 1/4" MNPT  
Tube Length: 37"  
Warranty: 3 Year



## Macnaught M3 50:1 Bare Grease Pump for 16 Gallon Kegs - 1.76 PPM Grease Delivery - PN# GP12050-1-001

CFM: 3.6 @ 150 PSI  
Grease Flow: 1.76 Pounds Per min  
Operating PSI: 70-150  
Max Pressure: 7250 PSI  
Air Inlet: 1/4" FNPT  
Outlet Port: 1/4" MNPT  
Tube Length: 29 1/8""  
Warranty: 3 Year



## Macnaught M3 50:1 Bare Grease Pump for 5 Gallon Pails 1.76 PPM Grease Delivery PN# GP3050-1-001

CFM: 3.6 @ 150 PSI  
Grease Flow: 1.76 Pounds Per min  
Operating PSI: 70-150  
Max Pressure: 7250 PSI  
Air Inlet: 1/4" FNPT  
Outlet Port: 1/4" MNPT  
Tube Length: 14 1/2"  
Warranty: 3 Year



## Macnaught M3 75:1 Bare Grease Pump for 5 to 6.5 Gallon Pails - 3.5 PPM Grease Delivery - PN# GP6075-1-001

CFM: 11.7 @ 115 PSI  
Grease Flow: 3.5 Pounds Per min  
Operating PSI: 70-150  
Max Pressure: 13000 PSI  
Air Inlet: 1/4" FNPT  
Outlet Port: 3/8" FNPT  
Tube Length: 19"  
Warranty: 3 Year



5 Gallon



16 Gallon



55 Gallon



Built to last since 1948



**M3 Portable Grease Dispensing Kits**  
**3 Year Warranty Products**

# Macnaught M3 Portable Grease Dispensing Kits



## Macnaught M3 Portable 50:1 Grease Dispensing Kit for 5 Gallon Pails -1.76 PPM Grease Delivery - PN# M3GPK5-KIT1

CFM: 3.6 @ 150 PSI  
Flow: 1.76 Pounds Per Minute  
Operating PSI: 30 - 150  
Max Pressure: 7250 PSI  
13' Hose, w Z Swivel & Grease Gun  
Pump Tube Length: 19"  
Trolley Included  
Warranty: 3 Year

## Macnaught M3 Portable 50:1 Grease Dispensing Kit for 16 Gallon Drums -1.76 PPM Grease Delivery - PN# M3GPK16-KIT

CFM: 3.6 @ 150 PSI  
Flow: 1.76 Pounds Per Minute  
Operating PSI: 30 - 150  
Max Pressure: 7250 PSI  
13' Hose, w Z Swivel & Grease Gun  
Pump Tube Length: 29 1/8"  
Trolley Included  
Warranty: 3 Year



## Macnaught M3 Portable 50:1 Grease Dispensing Kit for 55 Gallon Drums -1.76 PPM Grease Delivery - PN# M3GPK55-KIT

CFM: 3.6 @ 150 PSI  
Flow: 1.76 Pounds Per Minute  
Operating PSI: 30 - 150  
Max Pressure: 7250 PSI  
13' Hose, w Z Swivel & Grease Gun  
Pump Tube Length: 37"  
Trolley Included  
Warranty: 3 Year

**Heavy Duty Industrial Grade. Suitable for all greases up to NLGI #2. Quick and easy assembly, allows full mobility while safely moving grease pump stations with ease. Safety Trolley Included. 3 Year Warranty!**



### Grease Dispensing Kit

Macnaught M3 Portable 50:1 Grease Dispensing Kit for 55 Gallon Drums - 1.76 PPM Grease Delivery - PN# M3GPK55-KIT

The pneumatic grease dispenser is as advertised. Quality built product for our industrial applications!



  
**macnaught**  
Built to last since 1948

**1**  
YEAR  
MACNAUGHT  
WARRANTY\*

**10**  
YEARS  
MACNAUGHT  
WARRANTY\*

**Macnaught Heavy Duty Grease Guns  
1 and 10 Year Warranty Products**

# Macnaught Heavy Duty Grease Guns



## Macnaught Manual Heavy Duty Grease Gun - PN# K32-02

1/8" NPT Flex Connection 12" long  
Output Volume : 0.68g per shot  
Output Pressure : 5000 - 10000 PSI  
Warranty: 10 Year

## Macnaught Manual Heavy Duty Grease Gun – Flexigun & KY+ Safety Grease Coupler Combo Package - PN# K32/KYP NPT

1/8" NPT Flex Connection 12" long  
Output Volume : 0.68g per shot  
Output Pressure : 5000 - 10000 PSI  
Warranty: 10 Year



## Macnaught Heavy Duty Manual Lever Grease Gun - PN# K40-01

6" Rigid / 12" Flexible Extensions  
Output Volume : 1.5g per shot Output Pressure : 7000 - 12000 PSI  
Warranty: 10 Year

## Macnaught Heavy Duty Manual Grease Gun – Levergun & KY+ Safety Grease Coupler Combo Package - PN# K40/KYP-01

6" Rigid / 12" Flexible Extensions  
Output Volume : 1.5g per shot Output Pressure : 7000 - 12000 PSI  
Warranty: 10 Year



## Macnaught M3 Grease Pump Control Gun with Flow Meter PN#GCVD-001

+/- 2% Meter Accuracy  
1/4" FNPT  
Units: Ounces, Milliliters, Grams  
Totals: Pounds, Liters, KG  
Output Pressure : 8700 PSI  
Warranty: 1 Year

## Macnaught Heavy Duty Air Operated Grease Gun PN# K58-02

30" Flexible NPTExtensions  
Output Volume : 0.03oz - 0.9g  
Output Pressure : up to 6000 PSI  
Continuous Delivery  
Up to 14.1oz/m - 400g/m  
Warranty: 2 Year



**Macnaught's legendary Grease Guns are the global gold standard for manual greasing applications and have been for decades. Highly engineered with a robust design and tested in the toughest Australian mining environments.**



**macnaught**

Built to last since 1948

**2**  
YEARS  
MACNAUGHT  
WARRANTY\*

**10**  
YEARS  
MACNAUGHT  
WARRANTY\*

**Macnaught Manual Grease Pumps  
2 and 10 Year Warranty Products**

# Macnaught Manual Grease Pumps



## Macnaught High Pressure Foot-Operated Grease Pump 22-LB. Capacity - PN# K8-01

Max Pump Output: 8700 PSI  
Hose: 6.5' x 1/4" ID  
Output at Gun: 2g per Stroke  
Includes 22lb container  
Warranty: 2 Year

## Macnaught Manual Grease Pump for 35lb / 5 Gallon Pails PN# K4-01

High Volume Setting: 5000 PSI  
@ 1.25g / shot  
High Pressure Setting: 10000 PSI  
@ .45g / shot  
10' hose  
Warranty: 2 Year



## Macnaught Grease Transfer / Bulk Filler Pump - PN# J3-01

Output Volume: 54g / Stroke  
Rigid Extension  
J65 Bulk Fill Nozzle  
Warranty: 10 Year

## Macnaught Portable Foot Operated Grease Pump – MINILUBE + 5LB container PN# K7-24

High Volume Setting: 5000 PSI  
@ 1.25g / shot  
High Pressure Setting: 10000 PSI  
@ .45g / shot  
5' hose  
Includes 5 lb container  
Warranty: 10 Year



## Macnaught Portable Foot Operated Grease Pump – MINILUBE + 10LB container PN# K7-67

High Volume Setting: 5000 PSI  
@ 1.25g / shot  
High Pressure Setting: 10000 PSI  
@ .45g / shot  
5' hose  
Includes 5 lb container  
Warranty: 10 Year

## Macnaught Portable 1 Gallon Foot Operated Grease Pump PN# K7

High Volume Setting: 5000 PSI  
@ 1.25g / shot  
High Pressure Setting: 10000 PSI  
@ .45g / shot  
5' hose  
Warranty: 10 Year



**Our robust designs on both foot and hand lever grease pumps are the industry's choice for portable grease pumping. Designed for applications where compressed air is not available, or in limited compressed air shops.**



**macnaught**  
Built to last since 1948

**Macnaught Grease Couplers**

# Macnaught Grease Couplers



**Macnaught KYPLUS Safety Locking Grease Coupler**  
**PN# KYPLUS-02**

Inlet Size: 1/8" FNPT  
Barrel OD: .578"  
Max Pressure: 10000 PSI  
Length: 1.3"  
Warranty: 2 Year

**Macnaught KYPLUSXL Safety Locking Grease Coupler**  
**PN# KYPLUS-XL-02**

CFM: 3  
Inlet Size: 1/8" FNPT  
Barrel OD: .578"  
Max Pressure: 10000 PSI  
Length: 2.5"  
Warranty: 2 Year



**Macnaught KY SUPERGRIP Grease Coupler - PN# KY-N**

Inlet Size: 1/8" FNPT  
Max Pressure: 12000 PSI  
Jaw Design ensures maximum grip  
Warranty: 1 Year

**Macnaught Giant Button Head Grease Coupler - PN# KGR**

7/8" easy connect/disconnect  
Push on for larger button head type fittings  
Warranty: 1 Year



**Macnaught Standard Button Head Grease Coupler**  
**PN# KSR**

5/8" easy connect/disconnect  
Push on for smaller button head type fittings  
Warranty: 1 Year

**Macnaught Hypodermic Needlepoint Grease Coupler**  
**PN# KZHY**

5.125" push on hypodermic  
Used with bearings with rubber dust cover  
Warranty: 1 Year



**Macnaught 90° Short Right Angle Grease Coupler - 3 in**  
**PN# KZSNR**

4.25" push on straight extension  
90° angle at end  
Warranty: 1 Year

**Macnaught 45° Needlepoint Grease Coupler - 12 in.**  
**PN# KZLN45**

12" push on straight extension  
45° angle at end  
Warranty: 1 Year



# Macnaught Grease Couplers



**Macnaught 90° Needlepoint Grease Coupler - 12 in PN# KZLNR**

12" push on straight extension  
90° angle at end  
Warranty: 1 Year

**Macnaught Needlepoint Grease Coupler - PN# KZD**

3 3/4" Length  
For recessed nipples & standard couplers meeting interference from surrounding components  
Warranty: 1 Year



**Macnaught Right Angle Grease Coupler - PN# KDR**

Push on right angle coupler  
For tight angles where access for standard coupler isn't possible  
Warranty: 1 Year

**Macnaught Grease Injector Needle - PN# KIN**

Push on grease injector needle  
To dispense grease into sealed bearings and steering components  
Warranty: 1 Year



**Macnaught Right Angle Needlepoint Grease Coupler PN# KDN**

Push on right angle needlepoint extension to grease in difficult applications  
Warranty: 1 Year

**Macnaught Straight Needlepoint Coupler - PN# KZDXL**

Length: 4 3/4"  
For 4 wheel drive bearings  
Warranty: 1 Year



**Macnaught Straight Needle-point Grease Coupler - 12 in PN# KZLNS**

Length: 12"  
Push on straight needlepoint grease extension  
Warranty: 1 Year

**Macnaught "J" Needlepoint Grease Coupler - 12 in PN# KZLNJ**

Length: 12"  
Push grease extension  
J bend at end  
Warranty: 1 Year





Built to last since 1948

## Grease Equipment Parts & Accessories

# Grease Equipment Parts & Accessories



## Macnaught Aviation Lube Kit PN# ACK-2

The ACK2 grease kit is a comprehensive range of greasing couplers required for the maintenance of aircraft and associated equipment.

ACK2 is the complete coupler kit. Includes a blow molded carry case.

## Macnaught Drum Trolley For 5 - 16 Gallon Drum - PN# M3TR5

Works with 18.9L to 60L pails & kegs  
Drum Diameter: 15.16"  
Safety Drum Bracket  
Quick and Easy Assembly  
Warranty: 2 Year



## Macnaught Drum Trolley For 48 - 58 Gallon Drum PN# M3TR205

Works with 180L to 220L drums  
Drum Diameter: 24"  
Safety Drum Bracket  
Quick and Easy Assembly  
Warranty: 2 Year

## Macnaught Grease Pump Drum Cover for P3 & K4 - PN# PK85S

Macnaught Grease Pump  
Drum Lid/T'Screw Set  
Use only with Grease pumps  
K4-01 & P3-TR



## Macnaught Grease Pump Drum Cover - 55 Gallon PN# M3GPC55

Use with M3 Grease Pump - PN# GP40050-1-001  
Covers 205L and 208.2L drums  
Warranty: 1 Year

## Macnaught Grease Pump Drum Cover - 16 Gallon PN# M3GPC16

Use with M3 Grease Pump  
PN# GP12050-1-001  
Covers 60L kegs  
Warranty: 1 Year



## Macnaught Grease Pump Drum Cover - 5 Gallon - PN# M3GPC5

Use with M3 Grease Pump  
PN# GP 3050-1-001  
Covers 18.9L & 20L pails  
Warranty: 1 Year

## Macnaught Grease Pump Follower Plate - 16 Gallon PN# M3GPF16

For 60L kegs  
Warranty: 1 Year



# Grease Equipment Parts & Accessories



**Macnaught Grease Pump Follower Plate - 55 Gallon  
PN# M3GPF55**

For 205L & 208.2L Drums  
Warranty: 1 Year

**Macnaught Grease Pump Follower Plate - 5 Gallon  
PN# M3GPF5**

For 18.9L & 20L Pails  
Warranty: 1 Year



**Macnaught Grease Pump Follower Assembly Plate  
PN# KM78S**

For K7-67 Grease Pumps  
Warranty: 1 Year

**Macnaught Grease Pump Follower Assembly Plate  
PN# PK109S**

For P6-TR Grease Pumps  
Warranty: 1 Year



**Macnaught M3 High Pressure Grease Booster Gun & Swivel Assembly PN# M3B3-01**

For 1/4" Hose Grease Pumps  
Connection: 1/4" Female  
360° Swivel  
Pressure Range: 8700 PSI  
Warranty: 2 Year

**Macnaught Grease Pump Follower Assembly Plate  
PN# PK86S**

For P3TR & P3-01C Grease Pumps  
Warranty: 1 Year



**Macnaught Pressurite Grease Control Gun - PN# KR**

High Pressure/High Volume Control Gun  
K Series Pumps: K4-01, K7-24 & K7-67  
Warranty: 1 Year

**Macnaught High Pressure Booster Gun & Swivel Assembly  
PN# B2-01**

For Grease Pumps: P3TR, P6TR, P8-11 & P58PGLF-01  
Connection: 1/4" FNPT Z Swivel  
Warranty: 1 Year



# Grease Equipment Parts & Accessories



## Macnaught Heavy Duty Grease Container

2 Sizes:  
5lb for K6024 or K7-24  
10lb for K6067 or K7-67  
Warranty: 1 Year



## Macnaught Heavy Duty Trolley

2 Sizes:  
PN# TR5 for 18.9L & 20L Pails  
PN# TR6 for 60L Kegs  
Warranty: 1 Year



## Macnaught M3 Filter Regulator with Gauge PN# ARF-25

Pressure Gauge Range: 0 - 150 PSI  
Inlet/Outlet: 1/4" NPT  
Operating Temp: 5°C to 60°C  
Filter Element: 40 Micron  
Warranty: 1 Year

## Macnaught Filter, Regulator & Gauge Kit - PN# TA-7K

Regulates Air Pressure  
0-200 PSI  
Removes Dust, Dirt & Moisture  
Ideal with P3 Powerlube  
P6 Minilube & P8 Maxilube  
Warranty: 1 Year



## Macnaught M3 Filter Regulator and Gauge with Lubricator PN# ARL-25

Inlet & Outlet: 1/4"  
Pressure Gauge Range: 0-150 PSI  
Operating Temp: 5°C to 60°C  
Filter Element: 40 Micron Lube  
Type: ISO VG 32 Comp Oil  
Warranty: 1 Year

## M3 Air regulator nipple to M3 Oil or Grease Pump 1/4" NPS x 1/4" NPT - PN# M3ARF

1/4" NPS x 1/4" FNPT 1 3/4" Length  
Warranty: 1 Year



## Macnaught J3-01 Grease Transfer Pump Outlet Hose PN# KH42S

5' x 1/2" ID  
1/4" BSP Male End  
For J3-01 Grease Transfer Pump  
Low Pressure for transfer only  
Warranty: 1 Year

## Macnaught High Pressure Grease Hose 13Ft PN# M3GH13MXF

13' x 1/4"  
1/4" Male x 1/4" Female  
1/4" BSP Male End  
Rated to 5800 PSI  
For all M3 Pneumatic Grease Pumps  
High Pressure Grease Delivery  
Warranty: 1 Year



# Grease Equipment Parts & Accessories



## Macnaught High Pressure Grease Hose 13Ft - PN# PF6

13' x 1/4"  
1/4" Male x 1/4" Male  
1/4" BSP Male End  
Rated to 5800 PSI  
High Pressure Grease Delivery  
Warranty: 1 Year

## Macnaught Flexible Grease Extension (12 in.) - PN# KF9

12" Long  
1/8" Male NPT x 1/8" Male NPT  
Rated to 5800 PSI  
Warranty: 1 Year



## Macnaught High Pressure Flexible Grease Extension (17 in.) - PN# PF17

17" Long  
1/8" Male NPT x 1/8" Male NPT  
Rated to 5800 PSI  
Warranty: 1 Year

## Macnaught Rigid/Flexible Extension (13 in.) - PN# KFR

13" Long  
Flexible & Rigid Options  
Warranty: 1 Year



## Macnaught Rigid Grease Extension (8 in.) - PN# KDE8

8" Long  
Push on Rigid Extension  
Warranty: 1 Year

## Macnaught Flexible Grease Gun Hose Whip (24 in) PN# M3GW24

24" Long  
1/8" NPT  
Warranty: 1 Year



## Macnaught High Pressure Flexible Extension (12 in.) PN# PF9

12" Long  
Up to 5,800 PSI  
For High Pressure Air Operated Pneumatic Grease Guns  
Warranty: 1 Year

## Macnaught Flexible Grease Extension (17 in.) - PN# KF17

17" Long  
1/8" BSP Male on both ends  
For Both Hand or Powered Greasing Equipment  
Warranty: 1 Year



# Grease Equipment Parts & Accessories



## Macnaught Flexible Grease Extension (21 in.) - PN# KDF21

21" Long  
Push-On Flexible Grease Extension  
Warranty: 1 Year

## Macnaught Flexible Grease Gun Hose Whip (36 in) PN# M3GW36

36" Long  
1/8" NPT Fittings  
Warranty: 1 Year



## Macnaught Flexible Greasing Extension (30 in.) PN# KF30-02

30" Long  
1/8" MNPT Fittings  
5800 PSI  
Warranty: 1 Year

## Macnaught 360° Grease Swivel Assembly - PN# ZSB

Z Type high pressure 360° swivel  
1/8" MNPT x 1/4" FNPT  
Warranty: 1 Year



## Macnaught M3 360° Grease Swivel - PN# M3ZSB

Z Type high pressure 360° swivel  
1/4" MNPT x 1/4" FNPT  
8700 PSI  
Warranty: 1 Year

## Macnaught Grease Bulk Fill Nozzle Assembly - PN# J65

For J3-01 Grease Transfer Pump  
To refill Cartridge guns from bulk pails  
Warranty: 1 Year



## Macnaught Grease Pump O Ring Kit - PN# P3-3K

O Ring Kit for:  
P3TR, P6TR & P8-11 Grease Pumps  
Warranty: 1 Year

## Macnaught Valve Body Assembly - PN# PA30S

Complete Valve Body Assembly for:  
P3-TR, P6-TR, P8-11 Grease Pumps  
& T312-02, T512-02 Oil Pumps  
Warranty: 1 Year



# Grease Equipment Parts & Accessories



## Macnaught K40 Grease Gun service Kit - PN# K45-1K

Complete service kit for:  
K40-01 Grease Gun  
Warranty: 1 Year

## Macnaught Grease Pump Lower Pump service Kit PN# P3-5K

Pump Service kit for:  
P3TR, P6TR & P8-11  
Warranty: 1 Year



## Macnaught K32 Grease Gun service Kit - PN# K29-1K

Complete service kit for:  
K32-01 Grease Gun  
Warranty: 1 Year

## Macnaught Grease Pump Air Motor service Kit - PN# P3-1K

Complete service kit for:  
P3TR, P6TR & P8-11 Grease Pumps  
Warranty: 1 Year



## Macnaught teal kit for Minilube Grease Pumps - PN# K7-3K

Seal Kit for Minilube Grease Pumps:  
K7-24 & K7-67  
Warranty: 1 Year

## Macnaught Grease Pump Rod Assembly Kit - PN# K7-2K

Pump Rod assembly kit for:  
K7-24 & K7-67 Grease Pumps  
Warranty: 1 Year



## Repair Kit for B2 Booster Gun PN# B2-1K

Service Kit for B2 Booster Grease Guns  
Warranty: 1 Year

## Macnaught Grease Gun Follower and seal Washer Kit PN# KF14A-2K

Follower & Seal Washer Kit for:  
K32 & K40 Grease Guns  
Warranty: 1 Year





1  
YEAR  
MACNAUGHT  
WARRANTY\*

2  
YEARS  
MACNAUGHT  
WARRANTY\*

# Macnaught M3 High Flow Fuel Equipment

# Macnaught M3 High Flow Fuel Transfer Equipment



## Macnaught M3 120 Volt 15 GPM 3/4"High Flow Fuel Transfer Pump - PN# EXDFP120-001

Premium Grade Auto Shut-Off Nozzle  
Suitable for: Gas, Diesel, Kerosene, Mineral Spirits  
Nozzle Holder with Locking Option  
14' x 3/4" Fuel Rated Anti Static Hose  
2" Adapter w expandable 27" to 36" Pipe - 180W / 3.5A Motor  
Warranty: 2 Years

## Macnaught M3 12 Volt 20 GPM 1"High Flow Fuel Transfer Pump – PN# EXDFP12-001

Premium Grade Auto Shut-Off Nozzle  
Suitable for: Gas, Diesel, Kerosene, Mineral Spirits  
Nozzle Holder with Locking Option  
14' x 1" Fuel Rated Anti Static Hose  
2" Adapter w expandable 27" to 36" Pipe - 220W / 28A Motor  
Warranty: 2 Years



## Macnaught M3 12 Volt 15 GPM 3/4"High Flow Fuel Transfer Pump – PN# FTP12-001

Premium Grade Auto Shut-Off Nozzle  
Suitable for: Gas, Diesel, Kerosene, Mineral Spirits  
Nozzle Holder with Locking Option  
14' x 3/4" Fuel Rated Anti Static Hose  
2" Adapter w expandable 27" to 36" Pipe - 180W / 22A Motor  
Warranty: 2 Years

## Macnaught M3 120 Volt 20 GPM 1"High Flow Fuel Transfer Pump – PN# FTP120-001

Premium Grade Auto Shut-Off Nozzle  
Suitable for: Gas, Diesel, Kerosene, Mineral Spirits  
Nozzle Holder with Locking Option  
14' x 1" Fuel Rated Anti Static Hose  
2" Adapter w expandable 27" to 36" Pipe - 200W / 4.5A Motor  
Warranty: 2 Years



**Macnaught M3 High Volume Diesel Pump with Auto Nozzle, 32 GPM – PN# FTWM120-001A**  
121 L/Minute Diesel Fuel Pump  
Continuous Duty Rated  
Fuel Flow Meter  
1" x 6.5' Flex Suction Hose  
1" x 13' discharge hose w Auto Nozzle  
120V w 3 prong plug, 70" long  
Warranty: 2 Years

**\*NOT AVAILABLE IN CANADA**

## Macnaught M3 12V 10 GPM 3/4" Portable Diesel Fuel Transfer Pump Kit PN# FP12-001

Inlet / Outlet: 3/4"  
Motor: 12VDC  
Operating Temps: -20°C to 60°C  
Fluid Rating: Diesel Only  
13' Diesel Rated hose  
Suction Max: 6.5'  
Cable Length: 16'  
Warranty: 2 Years



## Macnaught M3 Series 5-32 GPM, 1" Aluminum Mechanical Fuel Flow Meter PN# FPM-MECH

Flow range: 19-121 L/Minute  
Inlet / Outlet : 1" FNPT  
Operating Pressure: 50 PSI  
Accuracy: ±1%  
For kerosene, diesel, oil, water or other low viscosity fluids  
Warranty: 2 Years

## Macnaught M3 Series Diesel 1" Automatic Fuel Nozzle PN# FNHV1A

1" NPT Threads  
Flow Rate: 53L/Minute / 14 GPM  
Spout Diameter: 1"  
Compatible With: Diesel  
Warranty: 1 Year



# Macnaught M3 High Flow Fuel Transfer Equipment



## Macnaught M3 Series Diesel 3/4" Automatic Fuel Nozzle PN# FN34A

3/4" NPT Threads  
Flow Rate: 61L/Minute  
Flow Rate: 16 GPM  
Spout Diameter: 3/4"  
Compatible With: Diesel  
Warranty: 1 Year

## Macnaught M3 Filter Head 3/4" PN# FCARTH-3/4

For Fuel Filters w 3/4" discharge ports  
For higher dirt holding capacity  
For Diesel, Gas,  
Kerosene & Light Oils  
Warranty: 1 Year



## Macnaught M3 13FT Anti Static 3/4" Fuel Hose PN# FHOSE-3/4

For Use with all petroleum based fuels  
6" strain relieving spring on hose ends  
Anti Static Wire Included  
Hose Length: 13'  
Hose ID: 3/4"  
End: 3/4" MNPT both ends  
Warranty: 1 Year

## Macnaught M3 Filter Head 1" PN# FCARTH-1

For Fuel Filters w 1" discharge ports  
For higher dirt holding capacity  
For Diesel, Gas,  
Kerosene & Light Oils  
Warranty: 1 Year



## Macnaught Suction Hose for Fuel Pump - 1" x 6.5ft PN# FUSU1X65

Suction Hose for Fuel Pump 1" x 6.5'  
For M3 Fuel Pumps  
Warranty: 1 Year

## Macnaught 13FT M3 Anti Static 1" Fuel Hose – PN# FHOSE-1

For Use with all petroleum based fuels  
6" strain relieving spring on hose ends  
Anti Static Wire Included  
Hose Length: 13'  
Hose ID: 1"  
End: 1" MNPT both ends  
Warranty: 1 Year



## Macnaught M3 Fuel Filter PN# FCART30

30 Micron Rating  
Thread UNF 1"-12  
For Diesel, Gasoline, Kerosene  
& Light Oils  
57L/Minute Max Flow  
50 PSI Max  
Warranty: 1 Year



## Macnaught DEF Equipment

# Macnaught DEF Equipment



## Macnaught M3 120V DEF Tote System 9.25 GPM with Auto Nozzle and Meter PN# DEFPT120-001

120V/ 60Hz /300W Continuous Motor  
Self Priming Diaphragm Pump  
with by-pass valve  
38 LPM Flow Rate / 10 GPM  
5' x 3/4" Suction Hose  
20' x 3/4" Discharge Hose w auto Nozzle  
Flow Meter  
Warranty: 2 Years

## Macnaught M3 12V DEF Pump Kit 6.6 GPM with Auto Nozzle and Meter PN# DEF12VKIT

12V Continuous Duty Motor  
Self Priming Diaphragm Pump w  
by-pass valve  
25 LPM Flow Rate / 7 GPM  
5' x 3/4" Suction Hose  
20' x 3/4" Discharge Hose  
Auto Nozzle  
Flow Meter  
Warranty: 2 Years



## Macnaught DEF Tote and Drum Coupling - PN# DEFSEC

2.5" x 5" Buttress Thread  
1" x 3/4" Hose Barb  
Eliminates Spills when Disconnecting  
Warranty: 1 Year

## DEF Coupler PDC Connector PN# F1891000A

Weight centering inlet base includes  
pressure relief & easy strainer access  
Field replaceable switch and vanes  
Tank Adapter included Thermally  
protected motor  
Bypass Pressure: 22 psi  
Bung: 2" NPT  
Warranty: 1 Year



## Macnaught M3 Slow Retraction UREA/DEF Safety Hose Reel 3/4" x 30 ft - PN# M3D-DEF-7530

Hose Id: 3/4"  
Hose Length: 30'  
Working Pressure: 150PSI  
EPDM Hose  
Max Temp: -40°C to 100°C  
Reel Inlet: 3/4" FNPT SS  
Hose Outlet: 3/4" FNPT SS  
Warranty: 3 Years

## Macnaught DEF Plastic Elbow Fitting - PN# DEFHOSETAIL

1" FNPT  
Warranty: 1 Year



## Macnaught DEF Delivery Hose 3/4" x 20ft - PN# DEFHOSE

DEF Delivery Hose 3/4" x 20'  
Warranty: 1 Year

## Macnaught Polypro Suction Tube for DEF - PN# DEFTUBE

3 x 13.5" extensions  
Use with PN# DEFSEC  
Warranty: 1 Year





**WATER • AIR • OIL • GREASE**



Built to last since 1948



**Macnaught M3 Industrial  
Metal Hose Reels**

# Macnaught M3 Industrial Metal Hose Reels



**Macnaught M3 Industrial Grade Air / Water Hose Reel  
Shop and Truck Mount Duty  
PN# M3D-AW-37550**

Hose Id: 3/8" - Hose Length: 50'  
Working Pressure: 300PSI  
NBR Rubber Hose  
with Brass 1/2" MNPT  
Blue Alloy Steel Case  
Max Temp: -40°C to 108°C  
Reel Inlet: 3/8" MNPT  
Hose Outlet: 3/8" MNPT  
Warranty: 3 Years

**Macnaught M3 Industrial Grade Air / Water Hose Reel  
Shop and Truck Mount Duty  
PN# M3D-AW-5050**

Hose Id: 1/2" - Hose Length: 50'  
Working Pressure: 300PSI  
NBR Rubber Hose  
with Brass 1/2" MNPT  
Blue Alloy Steel Case  
Max Temp: -40°C to 108°C  
Reel Inlet: 1/2" MNPT  
Hose Outlet: 1/2" MNPT  
Warranty: 3 Years



**Macnaught M3 Industrial Grade Oil Hose Reel  
Shop and Truck Mount Duty  
PN# M3D-O-5050**

Hose Id: 1/2"  
Hose Length: 50'  
Working Pressure: 2320PSI  
Material Wire Braid Hose w SS 1/2"  
MNPT Blue Alloy Steel Case  
Max Temp: -40°C to 100°C  
Reel Inlet: 1/2" MNPT  
Hose Outlet: 1/2" MNPT  
Warranty: 3 Years

**Macnaught M3 Industrial Grade Grease Hose Reel  
Shop and Truck Mount Duty  
PN# M3D-G-7550**

Hose Id: 1/4"  
Hose Length: 50'  
Working Pressure: 5800 PSI  
Material Wire Braid Hose  
Blue Alloy Steel Case  
Max Temp: -40°C to 100°C  
Reel Inlet: 1/4" MNPT  
Hose Outlet: 1/4" MNPT  
Warranty: 3 Years



**Macnaught's M3 Retractable Hose Reels are designed for high pull repair facilities and carry a 3 Year Warranty. M3 Hose Reels are twin pedestal design and rated for mobile truck mount and all stationary shop applications.**





**WATER • AIR • OIL • GREASE • DEF**



**M3 Slow Retraction Industrial Metal  
Safety Hose Reels**

# M3 Slow Retraction Industrial Metal Safety Hose Reels



## Macnaught M3 Slow Retraction Air /Water Safety Hose Reel PN# M3D-SSAW-5050

Hose Id: 1/2"  
Hose Length: 50'  
Working Pressure: 300 PSI  
NBR Rubber Hose w Brass 1/2" MNPT  
Blue Alloy Steel Case  
Max Temp: -40°C to 108°C  
Reel Inlet: 1/2" MNPT  
Hose Outlet: 1/2" MNPT  
Warranty: 3 Years

## Macnaught M3 Slow Retraction Oil Safety Hose Reel PN# M3D-SSCO-5050

Hose Id: 1/2"  
Hose Length: 50'  
Working Pressure: 2320 PSI  
Material Wire Braid Hose  
Blue Alloy Steel Case  
Max Temp: -40°C to 100°C  
Reel Inlet: 1/2" MNPT  
Hose Outlet: 1/2" MNPT  
Warranty: 3 Years



## Macnaught M3 Slow Retraction UREA/DEF Safety Hose Reel PN# M3D-DEF-7530

Hose Id: 3/4"  
Hose Length: 50' Working Pressure:  
150 PSI EPDM Hose  
Blue Alloy Steel Case  
Max Temp: -40°C to 100°C  
Reel Inlet: 3/4" FNPT SS  
Hose Outlet: 3/4" FNPT SS  
Warranty: 3 Years

## Macnaught M3 Slow Retraction Air /Water Safety Hose Reel PN# M3D-SSAW3850

Hose Id: 3/8"  
Hose Length: 50'  
Working Pressure: 300 PSI  
NBR Rubber Hose w Brass 3/8" MNPT  
Blue Alloy Steel Case  
Max Temp: -40°C to 108°C  
Reel Inlet: 3/8" MNPT  
Hose Outlet: 3/8" MNPT  
Warranty: 3 Years



## Macnaught M3 Slow Retraction Grease Safety Hose Reel PN# M3D-SSG-7550

Hose Id: 1/4"  
Hose Length: 50'  
Working Pressure: 5800 PSI  
SAE R2 Hose  
Blue Alloy Steel Case  
Max Temp: -40°C to 100°C  
Reel Inlet: 1/4" MNPT  
Hose Outlet: 1/4" MNPT  
Warranty: 3 Years

## Macnaught M3 Slow Retraction Air /Water Safety Hose Reel PN# M3D-SSAW3850-H

Hose Id: 3/8"  
Hose Length: 50'  
Working Pressure: 300 PSI  
Hybrid Polymer Hose  
with Brass 3/8" MNPT  
Blue Alloy Steel Case  
Max Temp: -40°C to 108°C  
Reel Inlet: 3/8" MNPT  
Hose Outlet: 3/8" MNPT  
Warranty: 3 Years



## Macnaught M3 Slow Retraction Air /Water Safety Hose Reel PN# M3D-SSAW5050-H

Hose Id: 1/2"  
Hose Length: 50'  
Working Pressure: 300 PSI  
Hybrid Polymer Hose  
with Brass 1/2" MNPT  
Blue Alloy Steel Case  
Max Temp: -40°C to 108°C  
Reel Inlet: 1/2" MNPT  
Hose Outlet: 1/2" MNPT  
Warranty: 3 Years



Built to last since 1948

**Macnaught R3 Retracta Engineered  
Thermoplastic Retractable Hose Reel**

# Macnaught R3 Retracta Engineered Thermoplastic Hose Reel



## Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service PN# RO365B-02

Hose Id: 3/8"  
Hose Length: 65'  
Working Pressure: 300 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Reel Inlet: 3/8" FNPT  
Hose Outlet: 1/4" MNPT  
Warranty: 10 Years



## Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service PN# RO465B-02

Hose Id: 1/2"  
Hose Length: 65'  
Working Pressure: 300 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Reel Inlet: 3/8" FNPT  
Hose Outlet: 3/8" MNPT  
Warranty: 10 Years



## Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service PN# RO365K-02

Hose Id: 3/8"  
Hose Length: 65'  
Working Pressure: 300 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Reel Inlet: 3/8" FNPT  
Hose Outlet: 1/4" MNPT  
Warranty: 10 Years



## Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service PN# RO465K-02

Hose Id: 1/2"  
Hose Length: 65'  
Working Pressure: 300 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Reel Inlet: 3/8" FNPT  
Hose Outlet: 3/8" MNPT  
Warranty: 10 Years



## Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service PN# AW365B-02

Hose Id: 3/8"  
Hose Length: 65'  
Working Pressure: 300 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Reel Inlet: 3/8" FNPT  
Hose Outlet: 1/4" MNPT  
Warranty: 10 Years



## Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service PN# AW465B-02

Hose Id: 1/2"  
Hose Length: 65'  
Working Pressure: 300 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Reel Inlet: 3/8" FNPT  
Hose Outlet: 3/8" MNPT  
Warranty: 10 Years



## Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Hot Wash RACR Adjustable Control PN# HWC465R-02

Hose Id: 1/2"  
Hose Length: 65'  
Working Pressure: 150 PSI  
HT Chem Resistant PVC Hose  
Max Temp: 85°C  
Reel Inlet: 1/2" FNPT  
Hose Outlet: 1/2" MNPT  
Warranty: 10 Years



## Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel for Grease RACR Adjustable Speed PN# GRC250K-02

Hose Id: 1/4"  
Hose Length: 50'  
Hose Id: 1/4"  
Hose Length: 50' Working Pressure:  
5000 PSI SAE100R2 Hose  
Max Temp: 60°C  
Reel Inlet: 1/4" FNPT Hose Outlet: 1/4"  
MNPT Warranty: 10 Years

# Macnaught R3 Retracta Engineered Thermoplastic Hose Reel



Macnaught R3 Engineered Thermoplastic Heavy Duty Retractable Hose Reel for Oil - RACR Adjustable Speed Control - PN# OMPC450K-02

Hose Id: 1/2"  
Hose Length: 50'  
Working Pressure: 800 PSI SA 100R6 Hose  
Max Temp: 60°C  
Reel Inlet: 1/2" FNPT  
Hose Outlet: 1/2" MNPT  
Warranty: 10 Years

Macnaught Retracta BB200 Floor /Bench Mount Bracket PN# BB200

Floor / Bench / Truck / Mount bracket  
Easy install for all R3 Retracta Reels  
Warranty: 1 Year



**RETRACTA®**  
by macnaught

## RetractaFLEX

INNOVATION BY DESIGN  
THE ALL NEW RETRACTAFLEX  
HYBRID POLYMER HOSE





Built to last since 1948



## Macnaught Retractable Garden Hose Reel Industrial Design

# Macnaught Retractable Garden Hose Reel Industrial Design



## Retractable Garden Hose Reel 60 Ft - PN# DR460G-05

Hose Id: 1/2"  
Hose Length: 60'  
Feeder Hose: 1/2" x 6.5'  
Working Pressure: 150 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Inlet: 3/4" Garden Hose Fitting Hose  
Outlet: 3/4" Garden Hose Fitting  
Warranty: 10 Years

## Retractable Garden Hose Reel 82 Ft - PN# DR482G-05

Hose Id: 1/2"  
Hose Length: 82'  
Feeder Hose: 1/2" x 6.5'  
Working Pressure: 150 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Inlet: 3/4" Garden Hose Fitting Hose  
Outlet: 3/4" Garden Hose Fitting  
Warranty: 10 Years



## Retractable Garden Hose Reel 60 Ft - PN# DR460P-05

Hose Id: 1/2"  
Hose Length: 60'  
Feeder Hose: 1/2" x 6.5'  
Working Pressure: 150 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Inlet: 3/4" Garden Hose Fitting Hose  
Outlet: 3/4" Garden Hose Fitting  
Warranty: 10 Years

## Retractable Garden Hose Reel 82 Ft - PN# DR482P-05

Hose Id: 1/2"  
Hose Length: 82'  
Feeder Hose: 1/2" x 6.5'  
Working Pressure: 150 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Inlet: 3/4" Garden Hose Fitting Hose  
Outlet: 3/4" Garden Hose Fitting  
Warranty: 10 Years



## Retractable Garden Hose Reel 60 Ft - PN# DR460D-05

Hose Id: 1/2"  
Hose Length: 60'  
Feeder Hose: 1/2" x 6.5'  
Working Pressure: 150 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Inlet: 3/4" Garden Hose Fitting Hose  
Outlet: 3/4" Garden Hose Fitting  
Warranty: 10 Years

## Retractable Garden Hose Reel 82 Ft - PN# DR482D-05

Hose Id: 1/2"  
Hose Length: 82'  
Feeder Hose: 1/2" x 6.5'  
Working Pressure: 150 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Inlet: 3/4" Garden Hose Fitting Hose  
Outlet: 3/4" Garden Hose Fitting  
Warranty: 10 Years



# BIG NEWS

FOR SMALL SPACES

Introducing the  
New C1 Series.

For all your small workspaces.



RETRACTA<sup>®</sup>  
by Macnaught



Built to last since 1948



## Macnaught Retracta C1 Series Compact Retractable Reels

# Macnaught Retracta C1 Series Compact Retractable Reels



**Macnaught C1 Retracta Heavy Duty 82ft Barrier Reel  
PN# C1BYB5025Y**

Tape Width: 2"  
Tape Length: 82'  
180° Powder coated steel swivel bracket  
Warranty: 2 Years

**Macnaught C1 Retracta 65ft Heavy Duty Electric Cable Reel  
PN# C1EC15A65D-US**

Cable Length: 65'  
Feed Cable Length: 5'  
Plug: US Type B  
Socket: 3 x US Type B  
Max Voltage: 125V  
Max Amp: 15A  
Max Wattage: 1875W  
Cord Rating: SJTOW  
180° Powder coated steel swivel bracket  
Warranty: 2 Years



**Macnaught C1 Retracta Heavy Duty Garden Hose Reel  
PN# C1DR440D-07FD**

Hose Id: 1/2"  
Hose Length: 40'  
Feeder Hose: 1/2" x 5'  
Working Pressure: 150 PSI  
Flex Hybrid Polymer Hose  
Max Temp: 60°C  
Reel Inlet: 1/2" FNPT  
Hose Outlet: 1/2" Quick Connect F  
Warranty: 2 Years

**Macnaught C1 Retracta Heavy Duty Hose Reel for Air Water Service  
PN# C1AW440B-02CC**

Hose Id: 1/2"  
Hose Length: 40'  
Feeder Hose: 1/2" x 5' Working Pressure: 250 PSI Flex Hybrid Polymer Hose Max Temp: 60°C Inlet: 3/8" FNPT Hose Outlet: 3/8" MNPT  
Warranty: 2 Years



**Macnaught C1 Retracta Heavy Duty Hose Reel for Air Water Service  
PN# C1AW350B-02CB**

Hose Id: 3/8"  
Hose Length: 50'  
Feeder Hose: 1/2" x 5' Working Pressure: 250 PSI Flex Hybrid Polymer Hose Max Temp: 60°C Inlet: 3/8" FNPT Hose Outlet: 1/4" MNPT  
Warranty: 2 Years

**Macnaught C1 Retracta Heavy Duty Hose Reel Hot / Cold Water Service  
PN# C1HC440R-06FD-SG**

Hose Id: 1/2"  
Hose Length: 40'  
Feeder Hose: 1/2" x 5'  
Working Pressure: 300 PSI  
Flex High Temperature Hose Max Temp: 80°C  
Reel Inlet: 1/2" FNPT  
Hose Outlet: 1/2" MNPT  
Warranty: 2 Years



## NEW C1 SERIES

A Retracta for smaller spaces.



Our Retracta C1 Series Hose Reels, Barrier Reels, and Electrical Cable Reels are here to prove that good things DO come in small packages!

**RETRACTA**  
by macnaught



Built to last since 1948

## Retractable Hose Reel Parts & Accessories

# Retractable Hose Reel Parts & Accessories



**Macnaught Retracta Flex Green Garden Hose Replacement  
PN# RH189S**

Hose Id: 1/2"  
Hose Length: 60'  
Hose Outlet: 3/4" Garden Hose Fitting  
Used w Garden Hose Reels:  
PN# DR460G-05  
PN# DR460P-05  
PN# DR460D-05  
Warranty: 1 Year

**Macnaught Retracta Flex Green Garden Hose Replacement  
PN# RH206S**

Hose Id: 1/2"  
Hose Length: 82'  
Hose Outlet: 3/4" Garden Hose Fitting  
Used w Garden Hose Reels:  
PN# DR482G-05  
PN# DR482P-05  
PN# DR482D-05  
Warranty: 1 Year



**Macnaught Retracta Flex Garden Reel Green Feeder Hose 1/2"x6.5', NPT  
PN# RH190S**

Hose Id: 1/2"  
Hose Length: 6.5"  
Used with Garden Hose Reels  
Warranty: 1 Year

**Macnaught Retracta Flex Orange 1/2" x 65' PN# RH183S**

Hose Id: 1/2"  
Hose Length: 6.5"  
For 1/2" R3 Air/Water Service Reels  
PN# RO465B-02  
Warranty: 1 Year



**Macnaught Retracta BB200 Floor /Bench Mount Bracket  
PN# BB200**

Floor / Bench / Truck / Mount bracket  
Easy install for all R3 Retracta Reels  
Warranty: 1 Year

**Macnaught Retracta BU200 Wall Mount Bracket  
PN# BU200**

Wall or Ceiling Mount bracket Easy  
install for all R3 Retracta Reels  
Warranty: 1 Year



**Macnaught Retracta Rubber 6 Ft Feeder Hose for Air / Water Service - PN# R3FH-6FT**

Hose Id: 3/8"  
Hose Length: 6'  
Working Pressure: 300PSI  
3/8" MNPT Crimped Brass Fitting  
Warranty: 1 Year

**Macnaught Retracta Rubber 3 Ft Feeder Hose for Air / Water Service - PN# R3FH-3FT**

Hose Id: 3/8"  
Hose Length: 3'  
Working Pressure: 300PSI  
3/8" MNPT Crimped Brass Fitting  
Warranty: 1 Year



# Retractable Hose Reel Parts & Accessories



## Macnaught Retracta Hot Wash Feeder Hose - PN# HWtH6tT

Hose Id: 1/2"  
Hose Length: 6'  
Working Pressure: 300PSI  
1/2" MNPT  
Temp Range: up to 88 °C  
Warranty: 1 Year

## Macnaught Retracta Oil Reel Feeder Hose - PN# OMP-36

Hose Id: 1/2"  
Hose Length: 3'  
Working Pressure: 3000PSI  
1/2" MNPT x 1/2" MNPT  
Warranty: 1 Year



## Macnaught Retracta Oil Reel 1/2" 90 Degree Swivel PN# 3270-051

1/2" MNPT x 1/2" FNPT  
For OMP-36 Retracta Oil Reel Feeder  
Hose 90° Inlet Option  
Warranty: 1 Year

## Macnaught Retracta 90 Degree Swivel 3/8" MNPT x 3/8" FNPT - Air Water / Reels only PN# 3270-050

3/8" MNPT x 3/8" FNPT  
For Retracta RACR & R3-S  
Air & Water Reels Only  
90° Inlet Option  
Warranty: 1 Year



## Macnaught Retracta O Ring Seal Kit - PN# BS115VS

O Ring Seal Kit for hose reels  
Not for Hot Water Reel  
Warranty: 1 Year

## Macnaught Retracta O Ring Seal Kit for Hot Water PN# BS115ES

O Ring Seal Kit for Hot Water  
HW465R-02 & HWC465R-02  
Warranty: 1 Year



★★★★★

Buy once, cry once

Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service 1/2 inch x 65 ft - PN# RO465B-02

I purchased two garden hose and one air hose reels. The customer service I received from the beginning was quick and helpful in making a decision. The items came fast and packaged well with zero damage to the contents. Once I open the packages, it was evident that I had purchased a quality product. I look forward to many years of useful service and with a true 10 year warranty. Besides the quality, the fact the reels are serviceable by me in the future was the main selling point for purchasing. This is a case of you definitely get what you pay for; very satisfied customer.

KH

Kevin H.  
Livonia, MI





# Macnaught In-Line Commercial Grade Flow Meters

# Macnaught In-Line Commercial Grade Flow Meters



## Macnaught Heavy Duty Diesel Flow Meter - PN# DM100-02

Max Pressure: 50 PSI  
Connections: 1" FNPT  
Register: Gallons  
Flow Range: .8 – 21 GPM (3 – 80 LPM)  
Accuracy: 1%  
Diesel, Kerosene, Fuel & Oils up to 1000cps  
Warranty: 10 Years

## Macnaught In-line Fluid Flow Meter PN# IM012M-02 / Quarts

Max Pressure: 1000 PSI  
Connections: 1/2" FNPT  
Register: Quarts  
Flow Range: .26 – 8 GPM (1-30 LPM)  
Accuracy: 1%  
Water, Oils (up to 140W), ATF, Coolant, Diesel, Kerosene  
Warranty: 2 Years



## Macnaught In-line Fluid Flow Meter - PN# IM012M-02G / Gallons

Max Pressure: 1000 PSI  
Connections: 1/2" FNPT  
Register: Gallons  
Flow Range: .26 – 8 GPM (1-30 LPM)  
Accuracy: 1%  
Water, Oils (up to 140W), ATF, Coolant, Diesel, Kerosene  
Warranty: 2 Years

## Macnaught In-line Oil Flow Meter - PN# IM012P-02

Max Pressure: 1000 PSI  
Connections: 1/2" FNPT  
Flow Range: .26 – 8 GPM (1-30 LPM)  
Accuracy: 0.5%  
Oils (up to 140W), ATF, Coolant, Diesel, Kerosene  
Warranty: 2 Years



## Macnaught In-line Oil Flow Meter - PN# IM012E-02

Max Pressure: 1000 PSI  
Connections: 1/2" FNPT  
Flow Range: .26 – 8 GPM (1-30 LPM)  
Digital Display  
Accuracy: 0.5%  
Oils (up to 140W), ATF, Coolant, Diesel, Kerosene  
Warranty: 2 Years

## Macnaught In-line Oil Flow Meter - PN# IM019E-02

Max Pressure: 1000 PSI  
Connections: 3/4" FNPT  
Flow Range: .8 – 21 GPM (3-80 LPM)  
Digital Display  
Accuracy: 0.5%  
Oils (up to 140W), ATF, Coolant, Diesel, Kerosene  
Warranty: 2 Years



## Macnaught In-line Oil Flow Meter - PN# IM019P-02

Max Pressure: 1000 PSI  
Connections: 3/4" FNPT  
Flow Range: .8 – 21 GPM (3-80 LPM)  
Accuracy: 0.5%  
Oils (up to 140W), ATF, Coolant, Diesel, Kerosene  
Warranty: 2 Years



# Macnaught Industrial Flow Meters

# Macnaught Industrial Flow Meters



## Macnaught MX Positive Displacement Oval Gear Flow Meters

1/4" thru 4" in sizing with .13 GPH to 320+ GPM in Flow Ranges

Designed for Precise Volumetric Clean Process Fluid Measurement

No Flow Conditioning – put the meter where you need it

## Macnaught Turbine Flow Meters

In Stock Sizes 1/2" thru 4" .75 GPM to 1,200 GPM

Designed for Precise Volumetric Clean Process Fluid Measurement

Larger Sizes Available up to 10"

Flow Conditioning is Required – typically 20D upstream x 5D downstream



## Macnaught MX Hazard Zone Meters

Macnaught MX ExD, Intrinsically Safe, and Simple Safe Flow Meters were designed, certified and approved for most fluid Hazard Zone Atmospheres.

## Macnaught FCM (fuel consumption) High Accuracy Diesel Fuel Flow Meters

Macnaught FCM Flow Meters are special-purpose flow devices designed to provide .1% Accuracy in Fuel Consumption Meter Applications.



## Macnaught FCM-MX Full Flow Range Diesel Fuel Consumption Flow Meters

Macnaught FCM-MX Flow Meters offer our full volumetric flow range in sizes 1/4" thru 4" and flow ranges from .13 GPH to over 320 GPM with temperature compensation. Designed specifically for high accuracy Diesel Fuel Consumption Measurement applications.

## Macnaught M-Series Mechanical Register Flow Meters

Macnaught M Series Mechanical Register Flow Meters are Non-Powered Industrial Grade Mechanical Display totalizing flow devices. Well suited for registering totals in most fluid applications. Designed for clean process fluid, this meter is not for measuring air or liquids laden with solids.



Macnaught manufactures highly accurate, robust industrial grade Flow Meters for clean process fluid applications. Macnaught is the largest global provider of Positive Displacement Oval Gear Flow Meters and has been since 1964.

**Receive an Immediate Flow Meter Proposal**

**Call our Meter Hotline**

**USA - (813) 896-2710 • Canada (647) 427-8771**



**USA**

614 South Ware Blvd.  
Tampa, Florida 33619

**Phone:**  
+1(813) 628-5506

**Email:**  
[info@macnaughtusa.com](mailto:info@macnaughtusa.com)  
[macnaughtusa.com](http://macnaughtusa.com)

**CANADA**

2810 Argentia Road Unit 4  
Mississauga, ON L5N 8L2

**Phone:**  
+1(888) 383-5015

**Email:**  
[info@macnaught.ca](mailto:info@macnaught.ca)  
[macnaught.ca](http://macnaught.ca)

