


SAYLOR-BEALL

AIR COMPRESSORS



PRESSURE LUBRICATED AIR COMPRESSORS




saylor-beall.com / 800.248.9001

WHY PRESSURE LUBRICATED?


The design of Saylor-Beall's pressure lubricated air compressors is especially well suited for industrial environments where extreme operating conditions demand excellence in air compressor design and quality. High temperature environments, high duty-cycle service, and applications where other forms of lubrication are unacceptable indicate the need for pressure lubricated systems.


*Optional pressure lubrication available on all Saylor-Beall 700 series, 4500, and 9000 models.



HOW IT WORKS

A gear type rotary oil pump mounted at the end of the crank-shaft, coupled with rifle drilled crankshaft and connecting rods provide pressurized oil flow to the parts of the compressor that most need lubrication - the crankshaft, connecting rods, and piston pins. This system dramatically increases the service life of the compressor.





100% machined, assembled, and tested for quality in our plant in St. Johns, Michigan. We take pride in manufacturing an American made product.

VERTICAL TANK MOUNTED AIR COMPRESSORS

| HP | Tank Gal | Model Number | Pump Model | RPM | CFM Delivered at 175 PSI | Weight Lbs. |
|-----|----------|----------------------|------------|-----|--------------------------|-------------|
| 1.5 | 60 | VT-PL-715-60 | PL-703 | 400 | 5.8 | 508 |
| 2 | 60 | VT-PL-720-60 | PL-703 | 510 | 7.5 | 529 |
| 3 | 80 | VT-PL-730-80 | PL-705 | 540 | 11.1 | 596 |
| 5 | 80 | VT-PL-735-80 | PL-705 | 845 | 17.3 | 612 |
| 5 | 120 | VT-PL-737-80 | PL-707 | 455 | 18.5 | 835 |
| 7.5 | 120 | VT-PL-745-120 | PL-707 | 650 | 26.2 | 837 |
| 10 | 120 | VT-PL-755-120 | PL-707 | 845 | 34.4 | 851 |

* Other Tank Sizes Available • 1.5 - 7.5 hp 60 gallon-200 gallon available • 10 hp 120 gallon



HORIZONTAL TANK MOUNTED AIR COMPRESSORS

| HP | Tank Gal | Model Number | Pump Model | RPM | CFM Delivered at 175 PSI | Weight Lbs. |
|-----|----------|-------------------|------------|-----|--------------------------|-------------|
| 1.5 | 30 | PL-715-30 | PL-703 | 400 | 5.8 | 508 |
| 2 | 60 | PL-720-60 | PL-703 | 510 | 7.5 | 529 |
| 3 | 60 | PL-730-60 | PL-705 | 540 | 11.1 | 551 |
| 5 | 80 | PL-735-80 | PL-705 | 845 | 17.3 | 612 |
| 5 | 80 | PL-737-80 | PL-707 | 455 | 18.5 | 704 |
| 7.5 | 120 | PL-745-120 | PL-707 | 650 | 26.2 | 837 |
| 10 | 120 | PL-755-120 | PL-707 | 845 | 34.4 | 851 |
| 10 | 120 | PL-451012 | PL-4500 | 605 | 38 | 1151 |
| 15 | 120 | PL-451512 | PL-4500 | 830 | 51 | 1185 |
| 15 | 120 | PL-91512 | PL-9000 | 480 | 61.2 | 1350 |
| 20 | 200 | PL-92020 | PL-9000 | 605 | 76.1 | 1634 |
| 25 | 200 | PL-92520 | PL-9000 | 710 | 89.6 | 1648 |
| 30 | 240 | PL-93024 | PL-9000 | 830 | 101.1 | 1884 |

* Other Tank Sizes Available • 1.5 - 10 hp 30 gallon-200 gallon available • 15-30 hp 120 gallon -240 gallon available

Since 1915, Saylor-Beall has specialized in manufacturing industrial-grade, two-stage air compressors known for their durability and performance.

We stand out with our high-quality designs, custom applications, and a commitment to fast, reliable order fulfillment. Whether you need a standard solution or a custom-engineered design, Saylor-Beall is your go-to source for air compressors built to handle even the most rugged environments.

SAYLOR-BEALL

· AIR COMPRESSORS ·

SAYLOR-BEALL

· AIR COMPRESSORS ·



Saylor-Beall Manufacturing Co. / 400 N. Kibbee St. / St. Johns, MI 48879

800.248.9001 / www.saylor-beall.com

SAYLOR-BEALL Manufacturing Company warrants its compressors and parts when properly installed, lubricated and maintained as recommended and in accordance with good industry practice to be free from defects in material and workmanship under normal use and service. The responsibility of the Company under this warranty is limited to repair or replacement at the Company's factory, any compressor or part thereof, which shall, within one year after date of shipment to the original purchaser, be returned to the Company and which, upon examination, shall be found defective to the satisfaction of the Company. This warranty shall not apply to compressors or parts which have been subjected to misapplication, misuse, negligence or accident, to compressors or parts which have been repaired or tampered with outside the Company's factory when in the judgment of the Company, it appears that the reliability or stability of the compressor or part has been effected. Ordinary maintenance, such as adjustment and cleaning of equipment or components is the responsibility of the owner. All transportation and shipping charges shall be paid by purchaser. This warranty does not apply to electric motors or gasoline engines. These are covered by the Original Manufacturer's Warranty and should be returned by the purchaser to their authorized station for service. This warranty is expressly in lieu of all other warranties (except of title) expressed or implied and of any other obligations or liability on the part of the Company. There are no warranties of merchantability or of fitness for a particular purpose.