

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Number of Samples: 40
Report Version: Final

COMMENTS:

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm
	Sample preparation performed by MS Analytical Terrace

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
FAS-121	Au, Fire Assay, 50g fusion, AAS, Trace Level
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-131	Multi-Element, 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	FAS-121 Au ppm	ICF-6Ag Ag ppm	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-131 Ag ppm	IMS-131 Al %	IMS-131 As ppm	IMS-131 Au ppm
		0.01	LOR	0.005	1	0.001	0.01	0.01	0.01	0.01	0.1	0.0005
Granite Blank	QC-P-BK	--							0.05	0.73	2.5	0.0012
Granite Blank	QC-P-BK	--							0.03	0.76	2.8	0.0007
VI 1	Rock	0.15							0.67	4.74	61.8	0.1403
VI 2	Rock	1.02						5.14	2.68	3.08	209.1	0.0754
VI 3	Rock	0.79						6.68	3.03	2.95	208.8	0.0937
VI 4	Rock	0.36							0.63	6.27	122.5	0.0786
VI 5	Rock	0.12							0.54	8.57	97.8	0.0605
VI 6	Rock	0.13							0.28	6.32	40.3	0.0268
VI 7	Rock	0.37				0.992		5.45	4.58	2.29	225.4	0.1525
VI 8	Rock	0.50		1.524		12.146			58.89	0.21	24.5	1.2051
VI 9	Rock	1.28							0.79	6.65	114.3	0.0893
VI 9PD	QC-PD	--							0.68	6.57	119.2	0.0822
VI 10	Rock	0.82							0.49	2.81	48.3	0.0467
VI 11	Rock	0.15							0.37	6.70	136.7	0.0570
VI 12	Rock	0.67				10.803			35.16	0.16	232.8	0.0342
VI 13	Rock	0.30							2.51	0.95	19.0	0.0193
VI 14	Rock	0.27							0.11	3.86	2.0	0.0012
VI 15	Rock	0.11							1.37	2.19	47.6	0.0175
VI 16	Rock	0.13				1.265			13.48	2.17	10.9	0.0206
VI 17	Rock	0.12				1.046			11.51	0.34	19.8	0.5079
VI 18	Rock	0.56				1.403			12.82	2.28	35.4	0.6897
VI 19	Rock	0.97							1.37	0.44	342.0	0.4686
VI 20	Rock	0.86							17.78	0.25	22.9	0.4983
VI 21	Rock	0.20							6.36	1.38	49.1	0.3861
VI 22	Rock	0.43							0.52	0.20	43.7	0.1197

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	FAS-121 Au ppm 0.005	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-131 Ag ppm 0.01	IMS-131 Al % 0.01	IMS-131 As ppm 0.1	IMS-131 Au ppm 0.0005
VI 23	Rock	0.19							0.94	4.00	61.7	0.0198
VI 24	Rock	0.26			178				>100	1.71	1232.2	0.2296
VI 25	Rock	0.78			154				>100	1.10	1209.2	0.1066
VI 26	Rock	0.32							12.39	1.14	70.6	0.1578
VI 27	Rock	0.52		1.676	282		12.74	26.23	>100	0.35	881.1	1.5654
VI 28	Rock	0.19		2.482	205		14.34	30.53	>100	0.30	1333.3	2.3320
VI 29	Rock	0.22		3.611					2.05	2.64	23.9	3.7800
VI 30	Rock	0.50							28.81	0.06	368.9	0.2068
VI 31	Rock	0.35							0.46	1.72	20.1	0.0669
VI 32	Rock	0.75						2.75	4.11	2.50	161.9	0.0779
VI 33	Rock	0.50					2.78	18.99	22.51	0.70	21.5	0.2083
VI 34	Rock	0.26					1.68	21.05	27.44	0.21	6.2	0.6758
VI 35	Rock	0.64					3.99	14.12	32.24	2.39	77.6	0.3624
VI 36	Rock	0.19							0.32	0.82	19.0	0.0027
VI 37	Rock	0.43							2.31	0.87	54.1	0.0076
VI 38	Rock	0.24							0.23	2.12	2.4	0.0024
VI 39	Rock	0.87							0.26	1.91	2.8	0.0018
VI 40	Rock	0.16						7.84	8.88	1.45	138.3	0.1054

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	FAS-121 Au ppm 0.005	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-131 Ag ppm 0.01	IMS-131 Al % 0.01	IMS-131 As ppm 0.1	IMS-131 Au ppm 0.0005
DUP VI 15									1.37	2.21	48.6	0.0169
STD BLANK				<0.005	<1	<0.001	<0.01	<0.01	<0.01	<0.01	<0.1	<0.0005
STD BLANK												
STD OREAS 601b									51.23	0.58	280.8	0.7975
STD OxG140				1.023								
STD MP-1b					48	3.096	2.10	16.60				
STD CDN-ME-1407					246							



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

	IMS-131 B ppm 10	IMS-131 Ba ppm 10	IMS-131 Be ppm 0.05	IMS-131 Bi ppm 0.01	IMS-131 Ca % 0.01	IMS-131 Cd ppm 0.01	IMS-131 Ce ppm 0.02	IMS-131 Co ppm 0.1	IMS-131 Cr ppm 1	IMS-131 Cs ppm 0.05	IMS-131 Cu ppm 0.2	IMS-131 Fe % 0.01
Sample ID												
Granite Blank	<10	63	0.19	0.03	0.58	0.04	13.32	3.1	25	0.17	3.5	1.73
Granite Blank	<10	65	0.18	0.02	0.65	0.05	13.72	3.2	26	0.17	3.3	1.75
VI 1	16	30	0.08	0.97	0.07	0.17	2.47	19.9	47	0.15	149.0	10.71
VI 2	29	<10	<0.05	1.99	0.22	216.21	2.36	21.0	120	<0.05	5118.6	23.32
VI 3	27	<10	<0.05	2.07	0.19	287.00	1.81	20.7	115	<0.05	4740.1	23.42
VI 4	23	10	0.09	0.72	0.86	29.70	3.07	32.6	201	<0.05	1071.4	15.59
VI 5	21	29	0.16	0.57	0.23	9.81	3.90	54.1	167	0.09	793.2	15.15
VI 6	16	274	0.14	0.20	0.03	0.91	7.31	3.6	71	0.16	306.9	9.60
VI 7	29	16	<0.05	2.36	2.08	226.19	3.94	95.3	68	<0.05	>10000	22.87
VI 8	29	11	<0.05	36.47	0.01	39.14	1.79	94.3	26	<0.05	>10000	25.67
VI 9	30	<10	0.07	3.82	0.19	0.73	2.04	56.6	22	<0.05	2028.1	25.66
VI 9PD	30	<10	0.07	3.67	0.19	0.74	1.90	57.6	20	<0.05	1996.6	25.94
VI 10	12	66	0.06	2.17	0.13	0.48	1.33	37.2	23	0.13	817.7	12.30
VI 11	34	12	0.08	2.95	0.25	0.64	1.86	56.6	28	<0.05	1589.1	27.53
VI 12	39	22	0.97	9.39	2.25	13.42	0.51	500.5	14	0.38	>10000	31.32
VI 13	25	11	0.71	2.08	0.02	0.09	0.55	70.2	21	<0.05	1618.3	23.97
VI 14	<10	79	0.19	0.07	0.41	0.11	6.95	17.5	13	0.36	357.3	6.47
VI 15	49	13	<0.05	1.61	<0.01	0.04	1.64	429.3	14	0.07	2711.6	43.42
VI 16	13	35	<0.05	1.99	0.03	0.44	4.07	67.8	51	<0.05	>10000	10.87
VI 17	20	<10	<0.05	8.64	0.01	0.49	8.52	196.9	58	<0.05	>10000	13.97
VI 18	21	13	<0.05	5.98	0.01	0.42	6.08	114.6	31	<0.05	>10000	16.74
VI 19	20	31	<0.05	27.44	0.02	0.03	3.00	1.1	24	0.06	721.4	14.34
VI 20	27	<10	<0.05	15.69	<0.01	0.16	0.66	114.0	23	0.05	8883.7	21.47
VI 21	36	<10	<0.05	56.78	<0.01	0.06	0.87	96.9	20	<0.05	2435.5	33.52
VI 22	24	<10	<0.05	6.97	<0.01	0.10	6.00	67.5	29	<0.05	155.3	18.84

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

	IMS-131 B ppm 10	IMS-131 Ba ppm 10	IMS-131 Be ppm 0.05	IMS-131 Bi ppm 0.01	IMS-131 Ca % 0.01	IMS-131 Cd ppm 0.01	IMS-131 Ce ppm 0.02	IMS-131 Co ppm 0.1	IMS-131 Cr ppm 1	IMS-131 Cs ppm 0.05	IMS-131 Cu ppm 0.2	IMS-131 Fe % 0.01
Sample ID												
VI 23	34	33	0.31	0.50	0.60	0.26	8.15	261.3	15	0.32	2495.4	20.29
VI 24	30	12	0.08	727.89	1.39	2.61	5.68	74.3	22	<0.05	4591.7	24.46
VI 25	31	<10	0.06	592.38	2.15	2.40	5.32	64.4	20	<0.05	4363.0	24.07
VI 26	22	25	0.22	54.10	8.54	5.66	15.49	7.1	20	0.25	1050.4	14.99
VI 27	14	17	0.06	3.10	0.11	>1000	2.73	2.2	15	0.14	4817.7	7.71
VI 28	18	<10	0.05	0.96	0.06	>1000	2.03	1.7	15	0.07	5799.1	10.97
VI 29	11	69	0.30	0.60	1.21	3.78	6.27	24.3	25	0.93	5316.2	3.54
VI 30	12	<10	<0.05	5.47	0.02	4.53	0.36	0.9	36	<0.05	116.6	5.48
VI 31	12	97	0.30	1.89	0.09	1.30	7.62	5.6	34	0.55	262.2	4.93
VI 32	30	72	0.22	0.47	7.68	216.98	13.47	11.0	16	0.14	93.4	8.46
VI 33	14	29	0.09	6.46	15.60	>1000	10.56	34.6	5	<0.05	693.0	2.58
VI 34	24	48	0.10	11.78	15.90	>1000	11.39	42.8	5	<0.05	1346.2	2.83
VI 35	15	27	0.22	7.49	1.35	>1000	7.14	37.5	18	0.12	907.9	6.58
VI 36	<10	100	0.40	0.38	1.61	4.33	18.21	19.6	32	0.39	29.2	2.81
VI 37	17	12	0.21	0.18	0.25	2.48	10.74	10.3	24	0.25	36.2	13.46
VI 38	14	34	0.39	0.20	0.87	0.31	22.20	13.0	15	0.26	65.3	5.61
VI 39	14	23	0.37	0.32	0.65	0.63	16.51	21.7	24	0.15	81.3	8.50
VI 40	22	17	0.25	0.58	11.29	579.80	17.87	27.6	16	0.26	283.5	6.16

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

	IMS-131 B ppm	IMS-131 Ba ppm	IMS-131 Be ppm	IMS-131 Bi ppm	IMS-131 Ca %	IMS-131 Cd ppm	IMS-131 Ce ppm	IMS-131 Co ppm	IMS-131 Cr ppm	IMS-131 Cs ppm	IMS-131 Cu ppm	IMS-131 Fe %
Sample ID	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2	0.01
DUP VI 15	48	15	<0.05	1.60	<0.01	0.04	1.64	424.4	14	0.08	2683.6	43.15
STD BLANK	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2	<0.01
STD BLANK												
STD BLANK												
STD OREAS 601b	<10	208	0.46	18.51	0.55	2.18	39.52	2.6	25	1.18	1010.5	1.91
STD OxG140												
STD MP-1b												
STD CDN-ME-1407												



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

Sample ID	IMS-131 Ga ppm 0.05	IMS-131 Ge ppm 0.05	IMS-131 Hf ppm 0.02	IMS-131 Hg ppm 0.005	IMS-131 In ppm 0.005	IMS-131 K % 0.01	IMS-131 La ppm 0.2	IMS-131 Li ppm 0.1	IMS-131 Mg % 0.01	IMS-131 Mn ppm 5	IMS-131 Mo ppm 0.05	IMS-131 Na % 0.01
Granite Blank	3.84	0.16	0.16	<0.005	0.009	0.08	6.4	1.6	0.40	416	4.84	0.08
Granite Blank	4.05	0.17	0.18	<0.005	0.009	0.09	6.6	1.7	0.41	425	5.08	0.09
VI 1	11.29	0.14	0.08	0.357	0.020	0.16	1.3	17.4	5.89	1960	6.07	<0.01
VI 2	10.33	0.28	0.16	10.390	2.473	<0.01	1.3	8.6	3.93	1305	6.43	<0.01
VI 3	10.22	0.30	0.12	14.649	3.092	<0.01	1.0	7.6	3.75	1238	6.22	<0.01
VI 4	17.07	0.23	0.18	8.889	1.641	<0.01	1.5	23.7	8.16	2619	7.61	<0.01
VI 5	20.29	0.17	0.11	3.010	0.534	0.04	2.2	35.4	10.93	3306	7.42	<0.01
VI 6	11.64	0.09	<0.02	0.272	0.268	0.18	3.3	28.7	7.25	2103	1.27	0.02
VI 7	8.38	0.25	0.12	15.240	7.014	0.04	1.4	6.8	2.62	942	5.01	<0.01
VI 8	4.28	0.47	<0.02	8.554	1.570	0.05	1.0	0.4	0.07	69	7.84	<0.01
VI 9	23.21	0.27	0.06	0.196	0.218	<0.01	0.7	14.3	7.03	3460	14.80	<0.01
VI 9PD	23.41	0.28	0.03	0.181	0.211	<0.01	0.6	13.7	6.94	3412	14.02	<0.01
VI 10	5.29	0.09	<0.02	0.094	0.286	0.24	0.5	7.1	2.48	1708	5.04	0.01
VI 11	20.73	0.25	0.03	0.147	0.208	<0.01	0.6	16.2	6.86	3485	14.29	<0.01
VI 12	2.08	1.49	<0.02	4.129	0.911	0.03	0.4	0.1	0.19	1676	3.66	<0.01
VI 13	11.19	0.48	0.02	0.110	0.136	<0.01	0.3	0.8	0.16	177	30.87	<0.01
VI 14	10.73	0.12	0.03	0.022	0.011	0.10	3.7	14.4	2.05	1166	3.09	0.07
VI 15	26.42	0.66	0.14	0.750	0.617	0.01	1.2	0.1	0.13	68	18.74	<0.01
VI 16	13.56	0.34	0.04	0.295	1.097	0.02	2.4	1.2	0.78	389	19.12	<0.01
VI 17	3.61	0.24	0.03	0.295	1.909	<0.01	4.6	<0.1	0.14	82	16.37	<0.01
VI 18	14.60	0.43	0.10	0.326	1.667	<0.01	3.7	0.8	0.86	340	24.19	<0.01
VI 19	1.97	0.16	0.07	0.700	0.036	0.07	1.7	1.0	0.02	26	13.22	<0.01
VI 20	0.83	0.22	0.09	0.313	0.189	0.18	0.3	<0.1	0.02	15	11.38	<0.01
VI 21	4.37	0.49	0.03	0.867	0.740	0.01	0.7	2.3	0.89	173	19.66	<0.01
VI 22	0.48	0.17	0.05	0.156	0.008	0.11	3.2	0.2	0.04	25	14.19	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

Sample ID	IMS-131 Ga ppm 0.05	IMS-131 Ge ppm 0.05	IMS-131 Hf ppm 0.02	IMS-131 Hg ppm 0.005	IMS-131 In ppm 0.005	IMS-131 K % 0.01	IMS-131 La ppm 0.2	IMS-131 Li ppm 0.1	IMS-131 Mg % 0.01	IMS-131 Mn ppm 5	IMS-131 Mo ppm 0.05	IMS-131 Na % 0.01
VI 23	10.40	0.21	0.27	0.114	0.075	0.14	3.3	16.1	1.09	754	32.06	0.01
VI 24	4.57	0.27	0.04	0.030	0.848	0.04	3.1	3.4	0.64	2441	7.71	<0.01
VI 25	3.22	0.26	0.03	0.036	1.014	0.02	3.0	2.3	0.42	2662	6.42	<0.01
VI 26	4.22	0.10	0.05	0.575	1.452	0.15	6.8	3.3	1.21	2536	5.32	<0.01
VI 27	5.43	0.06	<0.02	3.624	0.540	0.11	1.4	0.5	0.08	1378	2.90	<0.01
VI 28	5.52	0.08	<0.02	3.232	1.817	0.07	1.1	0.2	0.07	817	2.85	<0.01
VI 29	7.88	0.11	0.05	0.011	0.030	0.18	3.1	6.6	2.10	633	88.97	0.15
VI 30	0.54	<0.05	<0.02	0.105	0.063	<0.01	<0.2	0.2	0.05	410	5.98	<0.01
VI 31	4.90	0.06	<0.02	0.027	0.040	0.29	3.6	4.3	1.13	319	10.04	0.04
VI 32	7.70	0.25	<0.02	0.799	0.196	0.06	6.3	3.1	1.04	24371	4.17	<0.01
VI 33	3.29	0.20	<0.02	5.056	5.992	0.02	5.9	0.9	0.37	12991	2.26	<0.01
VI 34	2.33	0.32	<0.02	5.724	4.863	<0.01	5.8	0.3	0.13	18734	1.93	<0.01
VI 35	7.51	0.21	<0.02	4.179	3.569	0.07	3.8	3.7	1.22	7866	4.92	<0.01
VI 36	2.08	<0.05	0.06	0.048	0.030	0.25	8.5	1.2	0.25	634	8.32	0.04
VI 37	2.58	0.07	0.21	0.030	0.024	0.22	5.1	1.3	0.29	321	12.48	0.03
VI 38	7.78	0.12	0.29	0.052	0.007	0.21	9.9	4.0	1.47	335	4.27	0.07
VI 39	8.48	0.19	0.37	0.032	0.013	0.11	6.7	3.9	1.53	421	6.82	0.04
VI 40	4.99	0.09	0.02	2.453	1.479	0.12	8.7	2.3	0.62	14094	4.70	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

Sample ID	IMS-131 Ga ppm 0.05	IMS-131 Ge ppm 0.05	IMS-131 Hf ppm 0.02	IMS-131 Hg ppm 0.005	IMS-131 In ppm 0.005	IMS-131 K % 0.01	IMS-131 La ppm 0.2	IMS-131 Li ppm 0.1	IMS-131 Mg % 0.01	IMS-131 Mn ppm 5	IMS-131 Mo ppm 0.05	IMS-131 Na % 0.01
DUP VI 15	26.23	0.67	0.17	0.754	0.612	0.01	1.2	0.2	0.13	67	18.60	<0.01
STD BLANK	<0.05	<0.05	<0.02	<0.005	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01
STD BLANK												
STD BLANK												
STD OREAS 601b	4.09	0.17	1.14	0.206	0.435	0.24	19.5	7.3	0.04	186	4.94	0.07
STD OXG140												
STD MP-1b												
STD CDN-ME-1407												



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

	IMS-131 Nb ppm 0.05	IMS-131 Ni ppm 0.2	IMS-131 P ppm 10	IMS-131 Pb ppm 0.2	IMS-131 Rb ppm 0.1	IMS-131 Re ppm 0.001	IMS-131 S % 0.01	IMS-131 Sb ppm 0.05	IMS-131 Sc ppm 0.1	IMS-131 Se ppm 0.2	IMS-131 Sn ppm 0.2	IMS-131 Sr ppm 0.2
Sample ID												
Granite Blank	0.46	1.7	395	3.0	2.9	0.001	0.02	0.14	2.7	<0.2	0.4	24.0
Granite Blank	0.49	1.9	396	3.3	2.8	<0.001	0.02	0.20	2.9	<0.2	0.4	25.6
VI 1	0.12	34.5	21	21.8	2.3	0.007	8.42	0.69	10.5	2.4	0.3	1.3
VI 2	0.18	70.7	1225	36.5	<0.1	0.008	>10	2.54	8.2	45.0	0.5	2.0
VI 3	0.13	69.2	1069	35.6	<0.1	0.006	>10	2.97	7.8	50.9	0.4	1.7
VI 4	<0.05	81.7	5194	26.6	<0.1	0.016	>10	1.77	24.1	16.8	0.3	7.5
VI 5	<0.05	78.1	1715	20.2	0.5	0.013	9.84	0.70	30.8	6.5	<0.2	2.9
VI 6	<0.05	29.7	1031	12.9	2.2	0.001	0.34	0.50	8.8	2.1	<0.2	5.5
VI 7	0.09	71.5	>10000	48.6	0.6	0.006	>10	4.56	10.6	60.3	1.0	17.8
VI 8	<0.05	6.3	35	21.7	0.8	0.002	>10	1.31	0.5	202.4	1.7	0.5
VI 9	<0.05	13.8	929	16.6	<0.1	0.004	>10	0.35	25.5	14.7	0.2	1.6
VI 9PD	<0.05	13.7	925	16.2	<0.1	0.004	>10	0.32	25.8	13.7	0.2	1.5
VI 10	<0.05	9.9	794	6.4	2.6	0.002	>10	0.44	3.4	4.8	<0.2	2.1
VI 11	<0.05	16.6	849	12.7	0.2	0.003	>10	0.17	22.3	12.5	<0.2	1.8
VI 12	<0.05	11.6	154	27.3	1.5	0.001	>10	3.00	0.9	171.1	0.3	7.5
VI 13	0.08	1.4	<10	2.5	0.1	0.010	4.58	0.22	1.1	6.9	0.2	0.5
VI 14	0.10	1.2	1014	1.7	3.5	<0.001	0.09	0.10	3.6	0.4	<0.2	26.7
VI 15	0.29	0.9	328	9.4	0.3	0.007	>10	0.31	1.9	51.3	<0.2	0.3
VI 16	<0.05	2.9	38	2.8	0.2	0.003	2.47	0.12	1.9	16.4	2.1	2.0
VI 17	0.06	2.9	<10	3.2	<0.1	0.006	>10	0.12	0.8	30.9	1.3	0.5
VI 18	<0.05	2.3	27	4.5	<0.1	0.015	>10	0.20	2.1	31.4	1.4	0.3
VI 19	0.05	1.3	248	3.3	0.9	0.001	0.12	3.05	0.8	45.4	<0.2	1.3
VI 20	<0.05	3.3	15	4.5	2.4	0.003	>10	0.26	0.3	76.1	0.8	0.4
VI 21	<0.05	2.9	148	20.3	<0.1	0.002	>10	0.70	1.1	97.5	0.6	<0.2
VI 22	<0.05	1.3	<10	15.5	1.5	0.006	>10	0.27	0.3	51.5	<0.2	0.5

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

Sample ID	IMS-131 Nb ppm 0.05	IMS-131 Ni ppm 0.2	IMS-131 P ppm 10	IMS-131 Pb ppm 0.2	IMS-131 Rb ppm 0.1	IMS-131 Re ppm 0.001	IMS-131 S % 0.01	IMS-131 Sb ppm 0.05	IMS-131 Sc ppm 0.1	IMS-131 Se ppm 0.2	IMS-131 Sn ppm 0.2	IMS-131 Sr ppm 0.2
VI 23	0.12	10.1	1173	5.8	2.4	0.003	9.99	0.21	13.1	39.3	4.6	15.9
VI 24	<0.05	26.1	205	2238.0	1.4	0.003	>10	8.77	4.3	36.6	0.3	19.6
VI 25	<0.05	27.7	123	2118.4	0.6	0.004	>10	7.64	3.1	26.9	0.3	33.4
VI 26	0.21	6.4	366	139.1	5.4	0.007	>10	3.75	2.8	10.5	7.5	107.8
VI 27	<0.05	2.4	256	>10000	4.8	0.005	>10	41.72	0.9	2.6	2.3	1.3
VI 28	<0.05	1.8	113	>10000	3.1	0.003	>10	58.23	0.8	3.6	2.9	1.4
VI 29	0.27	8.3	1221	385.9	8.0	0.420	0.93	0.91	6.1	1.0	0.8	58.4
VI 30	<0.05	1.5	19	3198.3	0.1	0.002	2.40	3.60	0.3	1.4	0.4	1.3
VI 31	<0.05	7.8	1073	174.0	12.0	0.070	0.43	0.20	2.6	2.1	0.3	6.2
VI 32	0.13	3.7	257	5184.1	2.0	0.005	4.00	3.38	2.9	0.8	0.3	58.6
VI 33	<0.05	1.4	69	>10000	0.6	0.004	>10	8.99	0.6	0.7	0.4	164.8
VI 34	<0.05	1.2	20	>10000	0.1	0.002	>10	9.87	0.4	0.2	0.3	110.2
VI 35	0.06	4.2	351	>10000	1.9	0.008	9.07	3.13	2.0	4.9	0.4	9.4
VI 36	<0.05	13.8	776	182.9	8.1	0.002	1.85	0.33	2.3	0.6	<0.2	46.1
VI 37	0.81	9.5	715	107.2	7.1	0.002	>10	1.56	2.3	0.3	0.3	6.8
VI 38	0.29	4.2	3743	16.8	5.9	0.002	2.75	0.09	14.9	0.9	0.5	16.9
VI 39	0.40	6.3	2318	25.1	3.7	0.002	5.23	0.14	11.6	2.0	0.7	34.3
VI 40	<0.05	4.0	503	8584.9	4.0	0.008	7.12	3.87	2.2	0.6	0.3	69.7



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

	IMS-131 Nb ppm 0.05	IMS-131 Ni ppm 0.2	IMS-131 P ppm 10	IMS-131 Pb ppm 0.2	IMS-131 Rb ppm 0.1	IMS-131 Re ppm 0.001	IMS-131 S % 0.01	IMS-131 Sb ppm 0.05	IMS-131 Sc ppm 0.1	IMS-131 Se ppm 0.2	IMS-131 Sn ppm 0.2	IMS-131 Sr ppm 0.2
Sample ID												
DUP VI 15	0.29	0.9	323	9.3	0.3	0.006	>10	0.32	1.9	49.7	0.2	0.3
STD BLANK	<0.05	<0.2	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2
STD BLANK												
STD BLANK												
STD OREAS 601b	1.05	6.7	174	237.4	12.1	0.001	0.80	19.39	1.1	10.8	1.2	31.4
STD OXG140												
STD MP-1b												
STD CDN-ME-1407												



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

Sample ID	IMS-131 Ta ppm 0.01	IMS-131 Te ppm 0.01	IMS-131 Th ppm 0.2	IMS-131 Ti % 0.005	IMS-131 Tl ppm 0.02	IMS-131 U ppm 0.05	IMS-131 V ppm 1	IMS-131 W ppm 0.05	IMS-131 Y ppm 0.05	IMS-131 Zn ppm 1	IMS-131 Zr ppm 0.5
Granite Blank	<0.01	<0.01	2.5	0.084	<0.02	0.49	23	0.13	9.15	29	4.0
Granite Blank	<0.01	<0.01	2.5	0.091	<0.02	0.48	23	0.13	9.33	33	4.2
VI 1	<0.01	6.91	<0.2	0.226	0.41	0.14	154	0.21	4.32	212	1.7
VI 2	<0.01	23.67	1.5	0.017	0.15	0.69	282	0.07	4.50	>10000	5.7
VI 3	<0.01	25.80	1.4	0.012	0.15	0.57	265	0.06	3.59	>10000	4.6
VI 4	<0.01	6.38	1.5	0.009	0.22	1.08	486	0.19	5.58	6500	6.3
VI 5	<0.01	3.66	0.8	0.009	0.24	0.52	492	0.07	2.68	2271	4.0
VI 6	<0.01	1.04	0.2	<0.005	0.04	<0.05	118	<0.05	0.73	302	<0.5
VI 7	<0.01	26.40	0.8	0.009	0.26	0.98	98	0.31	8.97	>10000	5.0
VI 8	<0.01	43.22	0.3	<0.005	0.04	<0.05	5	0.07	0.74	3311	<0.5
VI 9	<0.01	3.26	<0.2	0.077	<0.02	0.10	302	0.12	3.21	358	0.6
VI 9PD	<0.01	3.24	<0.2	0.070	<0.02	0.09	298	0.11	2.85	351	0.8
VI 10	<0.01	1.24	<0.2	0.008	0.03	<0.05	75	0.05	2.61	186	<0.5
VI 11	<0.01	2.21	<0.2	0.116	<0.02	0.13	311	0.16	3.65	367	0.9
VI 12	<0.01	6.82	<0.2	<0.005	0.10	0.55	5	7.54	1.61	2943	<0.5
VI 13	<0.01	2.54	0.2	0.009	<0.02	0.20	18	0.10	0.48	33	0.9
VI 14	<0.01	<0.01	0.2	0.102	<0.02	0.19	82	0.08	7.36	111	0.8
VI 15	<0.01	4.78	4.3	0.021	<0.02	0.51	66	0.13	1.62	15	5.5
VI 16	<0.01	2.57	0.4	0.007	<0.02	0.23	15	0.09	0.75	200	1.4
VI 17	<0.01	8.54	<0.2	<0.005	<0.02	0.40	5	0.15	0.32	66	0.9
VI 18	<0.01	9.07	0.6	0.007	<0.02	0.38	20	0.11	0.49	116	3.5
VI 19	<0.01	21.65	0.4	<0.005	<0.02	0.19	9	0.06	0.97	9	2.9
VI 20	<0.01	14.99	<0.2	<0.005	<0.02	0.11	2	0.06	0.28	7	2.8
VI 21	<0.01	62.12	0.5	0.005	<0.02	0.07	12	<0.05	0.51	29	1.3
VI 22	<0.01	7.68	0.2	<0.005	<0.02	0.10	2	0.06	0.40	6	1.6

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

Sample ID	IMS-131 Ta ppm 0.01	IMS-131 Te ppm 0.01	IMS-131 Th ppm 0.2	IMS-131 Ti % 0.005	IMS-131 Tl ppm 0.02	IMS-131 U ppm 0.05	IMS-131 V ppm 1	IMS-131 W ppm 0.05	IMS-131 Y ppm 0.05	IMS-131 Zn ppm 1	IMS-131 Zr ppm 0.5
VI 23	<0.01	0.91	0.3	0.147	0.04	0.64	122	0.10	9.80	63	7.4
VI 24	<0.01	8.07	0.4	0.010	0.11	0.60	31	110.65	2.70	94	0.8
VI 25	<0.01	4.03	0.2	0.007	0.10	0.39	21	133.53	3.02	80	0.5
VI 26	<0.01	11.20	1.8	0.024	0.10	0.96	24	1.02	10.23	506	0.9
VI 27	<0.01	2.20	0.3	<0.005	0.31	0.08	9	0.46	0.80	>10000	<0.5
VI 28	<0.01	3.35	<0.2	<0.005	0.27	0.06	7	0.17	1.01	>10000	<0.5
VI 29	<0.01	0.08	2.2	0.192	0.12	0.37	74	0.17	3.83	589	1.1
VI 30	<0.01	2.22	<0.2	<0.005	<0.02	<0.05	5	0.38	0.18	731	<0.5
VI 31	<0.01	0.30	3.8	<0.005	0.21	0.42	28	0.09	3.74	242	<0.5
VI 32	<0.01	0.35	0.5	0.041	0.04	0.33	21	0.70	12.82	>10000	<0.5
VI 33	<0.01	0.18	<0.2	<0.005	0.08	0.73	8	0.33	6.79	>10000	<0.5
VI 34	<0.01	0.04	<0.2	<0.005	0.04	0.56	3	1.20	9.77	>10000	<0.5
VI 35	<0.01	0.22	0.7	0.014	0.08	0.28	28	0.07	3.14	>10000	<0.5
VI 36	<0.01	0.15	1.1	0.006	0.21	0.24	18	<0.05	7.37	379	2.0
VI 37	<0.01	0.06	0.9	0.091	0.68	0.25	23	0.15	3.66	234	5.9
VI 38	<0.01	0.47	2.0	0.419	0.05	0.46	168	0.60	19.88	47	8.7
VI 39	<0.01	0.68	1.3	0.351	0.04	0.41	114	0.45	13.49	95	8.2
VI 40	<0.01	0.17	0.6	<0.005	0.09	0.37	18	0.34	11.15	>10000	<0.5

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Decade Resources Ltd.**
416 King Street
Terrace, BC V0T 1W0
Canada

TEST REPORT: YXT2110106

Project Name:
Job Received Date: 09-Feb-2021
Job Report Date: 19-Mar-2021
Report Version: Final

Sample ID	IMS-131 Ta ppm 0.01	IMS-131 Te ppm 0.01	IMS-131 Th ppm 0.2	IMS-131 Ti % 0.005	IMS-131 Tl ppm 0.02	IMS-131 U ppm 0.05	IMS-131 V ppm 1	IMS-131 W ppm 0.05	IMS-131 Y ppm 0.05	IMS-131 Zn ppm 1	IMS-131 Zr ppm 0.5
DUP VI 15	<0.01	5.09	4.4	0.021	<0.02	0.55	66	0.14	1.64	15	5.8
STD BLANK	<0.01	<0.01	<0.2	<0.005	<0.02	<0.05	<1	<0.05	<0.05	<1	<0.5
STD BLANK											
STD BLANK											
STD OREAS 601b	<0.01	13.25	7.0	0.021	1.15	2.32	4	1.81	5.26	283	37.2
STD OXG140											
STD MP-1b											
STD CDN-ME-1407											