

# **OPS PC Module**

# For Interactive Flat Panels & Signage Panels



Empower your display with Solitaire OPS, seamlessly integrating powerful computing capabilities into your setup for enhanced efficiency and performance

Solitaire OPS comes with advanced "Digital Canvas" Interactive Whiteboard Software Suite for FREE



Digital Canvas Preloaded



**Digital Canvas** is an advanced interactive whiteboard software suite for education and corporate training. This software supports whiteboard functions such as writing, erasing, annotating, drawing, geometrical tools, auto shape recognition, handwriting recognition and gesture support on IWB/IFP. Furthermore, the flat panel's interactive multimedia functions, such as subject-specific tools and multimedia playback, enable enhanced interactive teaching and demonstration experiences.

Disclaimer: Due to product configuration and manufacturing process, actual body size/body weight may vary, please refer to the actual product. The product images in this specification are for illustrative purposes only, may be adjusted and revised in order to match the actual product performance and specifications. In the event that such changes and adjustments are necessary, no special notice will be given. The actual product effect (including but not limited to appearance, colour and size) may vary slightly. Please refer to the actual product. In order to provide accurate specifications as for as possible, the text expressions and pictures in this specification may be adjusted and revised in real time.





## **Solitaire OPSPC**

## Intel Core i5 8th Generation OPS Computer Module



Front elevation



#### **Seamless Integration**

All-in-one design ensures quick and easy setup



#### **Versatile Deployment**

Ideal for conference rooms, classrooms etc.



#### **Reliable Performance**

Delivers powerful computing capabilities





# SPECIFICATION SHEET

# **Solitaire OPSPC**

## Intel Core i5 8th Generation OPS Computer Module

	CPU	Intel® core i5 8400 Series Processor, TDP 65W
	Chipset	HM37X
Processor System	BIOS	AMI 64Mbit, Support Write Protect, diskless booting, Wake on LAN, Auto-On, Timing startup, Watchdog, intelligent device identification and other functions
Memory	Туре	SO-DIMM DDR4, MAX 64G
Storage	Туре	M.2 2280 (NGFF/NVME) /SATA
Display	Chipset	CPU Integrated HD Graphics
		HDMI/DP /TYPE-C,Two Displays at the same time (Synchronous/ Asynchronous Display)
		I ×DP (Max Resolution: 4096x2304@60Hz)
	Output	I ×HDMI (Max Resolution: 4096x2304@60Hz)
Network IO Interface	Lan IC	I × RTL8111H 10/100/1000M (RJ45)
	WIFI	I x WIFI(NGFF) (support 802. I Iac/a/b/g/n; Bluetooth Version4.2)
		6× USB3.0
		I×TYPE-C (DP,USB3. 0)
	Front Panel	I × power button, I × OneKey button
		I x MIC IN, I x Line out
	Rear Panel	I × JAE 80pin
Power	Power input	DC 19V/4.74A (12~19V DC IN)
Size		195mm (±0.5%)L × 180mm (±0.5%)W × 30mm (±0.5%)H
Environment	Operating Temp	0°C ~50°C
	Storage Temp	-20~70°C
	Operating Humidity	5%~90% relative humidity, no condensation

Disclaimer: Due to product configuration and manufacturing process, actual body size/body weight may vary, please refer to the actual product. The product images in this specification are for illustrative purposes only, may be adjusted and revised in order to match the actual product performance and specifications. In the event that such changes and adjustments are necessary, no special notice will be given. The actual product effect (including but not limited to appearance, colour and size) may vary slightly. Please refer to the actual product. In order to provide accurate specifications as far as possible, the text expressions and pictures in this specification may be adjusted and revised in real time.