

SOLITAIRE VIDEO BAR

**PTK 8000 AI-Enabled Gesture Controlled
Collaboration Camera (4K Video Bar) for
Modern Meeting Rooms & Huddle Spaces**

**4K ePTZ Auto Frame
Conference Camera**



solitaire[®]



PTK 8000 4K Video Bar

Indulge in advanced pleasure with our Solitaire 4K Video Bar, where elegance meets stunning visual immersion. This masterpiece combines crystal-clear 4K resolution and exquisite design, enhancing your collaborative experience with AI-Gesture Control.



GESTURE CONTROLLED ALL-IN-ONE 4K VIDEO BAR WITH HDMI



PTK 8000



Auto Tracking



4K 30fps



Begin tracking



Zoom out &
Zoom in



Stop tracking



HDMI



Bluetooth
Remote Control



Electrical
Motor



4 Mic Array



116° viewing
angle



Built-in 5W
speaker




Pan: ±15°
Tilt: ±15°



PTK 8000 4K Video Bar

Key Features

- ✓ 4K/30fps, 8.51MP, Fixed Focus 1/2.8" CMOS sensor
- ✓ AI interaction, multi-gesture control, Auto framing
- ✓ Digital 4-microphone array, 8m voice pickup
- ✓ All-in-one device, with built-in 5W speaker
- ✓ AEC (Acoustic Echo Cancellation), ANS (Active Noise Suppression) & AGC (Automatic Gain Control) technology
- ✓ 116° wide angle lens
- ✓ With HDMI,USB2.0, Line out & Line in interface
- ✓ Touch-operated rotating with electrical Motor (+/-15° vertically and +/-15° horizontally)
- ✓ Colorful ring led light effect instructs different working status
- ✓ ePTZ 5X digital zoom
- ✓ With Bluetooth remote control



AUTO FRAME

PTK 8000 intelligently combines facial tracking and motion when people enter or leave the judgment area and then automatically frame and zoom in and out to assure the speaker or participants remain in focus.



1 participant



Multiple participants



3 participants

MICROPHONE ARRAY

4 digital microphones array



Far-filed 5-8 Meters*
Voice pickup



AUDIO 3A ALGORHYTHM

AEC (Acoustic Echo Cancellation), ANS (Active Noise Suppression) & AGC (Automatic Gain Control) technology




3A algorithms provide a seamless and professional audio experience for users.

Benefits of 3A Algorithms in Video Conferencing:

- ✓ **Improved audio quality:** Clearer, more natural-sounding conversations, even in noisy environments.
- ✓ **Reduced distractions:** Less echo and background noise lead to better focus and engagement in meetings.
- ✓ **Enhanced user experience:** More comfortable and productive video calls for all participants.
- ✓ **Wide range of usable environment:** Makes video conferencing possible even if the acoustic conditions are not favorable.
- ✓ **Adaptability:** Effective across various devices and platforms, ensuring consistent quality.


Crystal Clear HiFi Speaker

Full-range of high-fidelity speaker, professional acoustic design, reduced sound interference & extraordinary sound effects.



ULTRA WIDE VIEW+ MPT + ePTZ

116° (DFOV), 107° (HFOV)
Ultra-wide view with little distortion
Built-in MPT and EPT for +/-15°



MULTI-WAY OF PLACEMENT



Put on Desktop

Clip on screen



Wall/Ceiling mount



PTK 8000 4K Video Bar

COMPATIBLE WITH ALL PLATFORM



COMPATIBLE SYSTEMS



IOS/Mac



Android



Windows



Linux



CAMERA STATUS LED INDICATORS

Effortlessly adjust sound volume, picture brightness, and zoom during conferences by reading the camera's LED status. Enjoy seamless control for a personalized meeting experience..



RAINBOW marquee running 3 seconds slowly, camera is powered on



Full circled BLUE light signifies camera & remote control are paired



Full circled RED light turns on/turns off signifies MIC mute is turned on/turn off



Full circled WHITE light turns on/turns off signifies camera is opened/closed



Full circled GREEN light signifies that an external mic is connected



Full circled ORANGE light flashed / disappear, long press menu button on remote to enter into setting mode, press OK button, the flash light will disappear

Amazing User Experience, Easy & simple to operate

APPLICATION SCENARIOS



Online training



Huddle space



Classroom camera




Business video conference




PTK 8000 4K Video Bar

PACKAGING CONTENTS:



4K Camera x 1




Adaptor x1

(adaptor type is subjected to real product)



HDMI Cabel x 1
(Optional)





Type-C Cabel x 1



Bluetooth
Remote Controller x1



User Manual x 1



Product Specification: PTK 8000 4K Video Bar

Camera Parameters	Image sensor	4K 1/2.8 CMOS sensor
	Effective pixels	8.51 megapixels (16:9)
	video output	USB 2.0
	Lens	Fixed focus lens, support digital scaling f+2.1mm
	Horizontal view angle	116°
	Tilt	Horizontal : ±15 Vertical: ±15
	Digital Noise Cancellation	3D Digital Noise Cancellation
	Backlight Compensation	Support
	Color Enhancement	Support
	Edge Enhancement	Support
	Image Flip	Support
	Image Mirror	Support
	White Balance	Auto/Indoor/Outdoor/One Push/ ATW/Manual
	Auto Frame	Support
	Ant- Flicker	50HZ/60HZ
USB Feature	Video Adjustment	Brightness, Saturability, Contrast, Acutance, Gamma
	S/N ratio	>55dB
	Remote Control	BT Control
	Operation system	Windows XP, Windows Vista, Windows 7, Windows 8, Windows 10, Linux
	Video compression	YUV2 / H.264 / H.265 / MJPEG
	Video output	3840*2160P30/P25, 1920×1080P30/P25, 1280×720P30/P25, 640x480P60/P50
	Audio Pickup	With 4 microphones, sound pickup distance up to 8 meters
Video Output	Audio out	5W
	USB protocol	UVC 1.1
	UVC PTZ control	Support
Power Consumptio	Interfaces	HDMI, Type-C
	MIC	Built-in 4 Mics
Power Consumptio	Audio expansion	LINE-IN: Support 3.5mm expansion wired microphone (Optional) & LINE-OUT
	Input Voltage	DC12V / DC5V (Optional)
Power Consumptio	Input current	Maximum 2A

Disclaimer: Due to product configuration and manufacturing process, actual body size/body weight may vary, please refer to the actual product. The product images in this specification are for illustrative purposes only, may be adjusted and revised in order to match the actual product performance and specifications. In the event that such changes and adjustments are necessary, no special notice will be given. The actual product effect (including but not limited to appearance, color and size) may vary slightly. Please refer to the actual product. In order to provide accurate specifications as far as possible, the text expressions and pictures in this specification may be adjusted and revised in real time. The product specification



Contact us:

SUPERTRON ELECTRONICS PRIVATE LIMITED

2, Cooper Lane, Mission Row Extension, Kolkata 700001

Phone No.: +91-33-40371000, +91-120-4291882

WhatsApp: +91-9818778982, +91 78275 46802

Email: Solitaire.IFPD@supertronindia.com

Website: www.supertronindia.com

