



Interface Testing and Certification Acceptance Document

INFOR[™]
SoftBrands[™]




A handwritten signature in blue ink, consisting of stylized, flowing letters.

End-to-End testing

In order to complete this testing the following need to be verified:

- PMS database is updated
- Liaison server configuration is verified
- Test property is configured correctly in the vendor system
- Verify property code -
- Setup Liaison translation – Not Required

Test Performed	Pass	Failed	Notes
COMMUNICATION			
LS Message Received	✓		
LS Response Sent	✓		
LD Message Received	✓		
LR Messages Received	✓		
LA Message Received	✓		
LA Response Sent	✓		
DR Message Received			Not applicable
Softbrands Sync Completed			Not applicable
DS Message Sent			Not applicable
GI / GO Messages sent			Not applicable
DE Message Sent			Not applicable
PMS CHANGES			
Check Guest In	✓		
Check Guest Out	✓		
Move In House Guest	✓		
POSTINGS			
PS Message Received			Not applicable
PA Message Sent			Not applicable
Posting Processed Correctly			Not applicable



Comments

Liaison build 4A.06.31 will have to be used for the interface. Not applicable for the old builds.

OVERALL INTERFACE TESTING NOTES

Check in

KR|K#1|KC1|KTN|RN2008|WSFO|DA141015|\$2|DT12:00|GA141015|GD141016|KO|TI172304|
KA|KC1|WSFO|DA141015|TI172304|ASOK|

Check out

KD|KC1|RN2008|WS1|DA141015|TI184350|
KA|KC1|WS1|DA141015|TI184350|ASOK|

Room Move (first room is sent and key was cut)

KR|K#1|KC1|KTN|RN3205|WSFO|DA141015|\$2|DT12:00|GA141015|GD141016|KO|TI184255|
KA|KC1|WSFO|DA141015|TI184255|ASOK|

Room move from 3205-2008

KR|K#1|KC1|KTN|RN2008|WSFO|DA141015|\$2|DT12:00|GA141015|GD141016|KO|TI184325|
KA|KC1|WSFO|DA141015|TI184325|ASOK|

Room key delete for old room 3205

KD|KC1|RN3205|WS1|DA141015|TI184334|
KA|KC1|WS1|DA141015|TI184334|ASOK|

Check in with 2 report

KR|K#2|KC1|KTN|RN2008|WSFO|DA141015|\$2|DT12:00|GA141015|GD141016|KO|TI184428|
KA|KC1|WSFO|DA141015|TI184428|ASOK|

Testing was conduct on Epitome for Windows 3.03

The interface will not support Copy key function. It will send a new key for the copy key option.

Vendor Name : Be-Tech Lock Management System

Product Name : Master Control MC-P-14


- Name of the interface - Master Control MC-P-14
- Device level integration type - KSS
- Interface type -Liaison 4.06.31

PMS that this interface will be available under:

Epitome for Windows 3.04.17

Epitime.net M7.33

HMS 3.6.5



Testing Performed By;

Infor
Name: Sumanta Kundu

Date: 10/11/2014

Vendor Master Control
Name: Date:

Acceptance

The specifications has been discussed, reviewed, and accepted by both parties

Infor Global Solutions	Vendor
Name (Signature): <i>Sumanta Kundu</i>	<i>Master Controls Co., Ltd.</i> Name (Signature) <i>Engineering Manager</i> <i>Zhuang Chao</i>
Name (printed letters): Sumanta Kundu	Name (printed letters): <i>Marketing Manager.</i> <i>Napant - Napant Promilaimongkol</i>
Role: ICS Senior Consultant	Role:
Date: 06/11/2014	Date: <i>12/11/14.</i>

