


MERROW®





Trust

For over 180 years, the Merrow Sewing Machine Company has produced industry-leading industrial machines. Customers trust Merrow to provide durable machines able to sew the most difficult fabrics, and services for any stitching, textile, or emblem application. Merrow's pride in customer assistance is seen through the innovation, passion, and diligence in solving any seam application.

Engineering

Merrow produces reliable machines proven to withstand long-term use, harsh environments, and unrelenting wear. Innovations such as the ActiveSeam® 3 machine and a new line of Helmsman tables let customers deliver better products. Every day, a commitment to quality and integrity define what it means to call a machine—or a stitch—a Merrow.

3



Satisfaction

With over 300,000 machines in operation worldwide, customers use Merrow to produce everything from baby bibs to military uniforms. A network of authorized agents worldwide are available to help customers get the most out of their machines. A prominent piece in production lines everywhere, Merrow recognizes the importance of reliability and durability to customers' livelihoods.

MERROW®

Manufacturing Industrial Sewing Machines Since 1838

Since 1838, the Merrow Sewing Machine Company has set standards in engineering and quality. Charlie and Owen Merrow carry on the tradition today, modernizing and expanding the eight-generation company. Over the past 15 years, the brothers' advancements have increased global reach and garnered multiple awards, including the 2018 Massachusetts Manufacturer of the Year and the 2017 Constellation SuperNova Award for Technology Optimization. Merrow's generations of innovation and service have built a reputation for excellence that continues to shine almost two hundred years after its founding.

Thank
You
for
Choosing
MERROW®



181 Years
of Service

Merrow Stitch Lab™

Looking for the Perfect Overlock Stitch?

From MicroPurl™ to ActiveSeam® to industrial End-to-End solutions-- The Merrow Stitch Lab™ is the only service of its kind, that will build custom Merrow machines specific to your application and deliver machines to your factory of choice. Send us your fabric and project requirements, and we'll sew and return a proof-of-concept.

For knits, wovens, and non-wovens, make your sewn products best-in-class with Merrow because *the stitch matters™*

Call +01 508-689-4095 Email stitchlab@merrow.com

FREE shipping available in the U.S.



Turnkey Design & Development

Concept to Production-Ready Soft Goods

Apparel, Industrial, and Medical Garments

At Merrow's 300,000 square foot, six-acre campus in Fall River, MA, you get a full-service, concept-to-production experience. Over two hundred technical stitchers and a team of expert soft good designers develop and build apparel, medical, and industrial products. Comprehensive project management assures quality, expediency, and predictability in your production process. Choose full package domestic production or à-la-carte design and development services.

Call +01 508-689-4095 Email design@merrow.com

Features

- Full-package design, development, and production based in the USA
- Strong, Berry-compliant supply chain

Location

- 3 hours from New York, NY
- 1 hour from Boston, MA
- 20 minutes from Providence, RI

Applications Include (but are not limited to)

- Medical compression
- Lingerie
- ActiveSeam®-certified prototyping and production

Supports Technical Production Including

- Merrow ActiveSeam®
- Flatlock
- Coverstitching
- Bar tacking
- Automated Mitsubishi sewing
- Automated Lectra® cutting and more.

Over 1,500 sewing machines available


- Plate carriers
- Soft and hard-shell jackets
- Bras
- Next-to-skin Products (Base layer, shapewear, yoga apparel)



Table of Contents

Find the Right Product by Application or Machine Class



Applications

	Military	PG 6		Lingerie	PG 8
	Patches, Emblems, Labels	PG 6		Home Decor	PG 8
	Athletic ActiveSeam®	PG 7		Blanket Stitching	PG 9
	Baby Garments	PG 7		Medical	PG 9
	Netting, Mesh	PG 7		End-to-End Seaming	PG 10-11
	Women's Garments	PG 8			



Products & Service

	ActiveSeam® 3	PG 12-14		Railways	PG 29
	MG Class	PG 17-21		NEW Marine Layer Coating	PG 30
	Crochet 18 Class	PG 22		Genuine Parts	PG 31-32
	Textile Finishing 70 Class	PG 23-24		Factory Service	PG 33
	Textile Finishing 71 Class	PG 25-26		Helmsman Tables	PG 34
	Textile Finishing 72 Class	PG 27-28			





Suggested Merrow Machine by Application

 Military	Spandex 	 APCU ActiveSeam®  Flame Resistant  Hem  Overedge	ActiveSeam® 3 MB-4DFO 3 Series MG-3DW-2 MG-3DR MG-3DW-7	PG 14 PG 18 PG 18 PG 18			
	Dri-FIT 						
	Fleece 						
	PolarTec® Power Shield® 						
	Nomex® 						
	Heavy Synthetics 						
	Blanket 						
	Patches 				Hook & Loop Emblem Edge 	MG-3UV	PG 19
	Large Patches 				Wide Emblem Edge 	MG-3UW	PG 19
	Patches 				Standard Emblem Edge 	MG-3U	PG 19
Small Patches 	Narrow Emblem Edge 	MG-3UN	PG 19				
Hook & Loop Patches 	Flat Emblem Edge 	MG-2U	PG 19				
	Hook & Loop Emblem Edge 	MG-3UV	PG 19				

Want more out of your stitch?
Contact our Stitch Lab™ to make it work for you. More on page 3


 <p>Athletic ActiveSeam®</p>	<p>135g Merino Wool </p> <p>Schoeller® Soft Shell </p> <p>Polyester </p> <p>Circular Knit </p> <p>195g Merino Wool </p> <p>Polartec® </p>	<p>ActiveSeam® 3 Series </p>   	<p>ActiveSeam® 3 MB-4DFO 3 Series</p>	<p>PG 14</p>
 <p>Baby Garments</p>	<p>Cotton, Polyester </p> <p>Terry Cloth </p> <p>Knits </p> <p>Fleece-lined Denim </p> <p>Fleece </p>	<p>ActiveSeam® 3 Series </p> <p>Medium Weight Overlock </p> <p>Shell </p> <p>Crochet </p>	<p>ActiveSeam® 3 MB-4DFO 3 Series</p> <p>MG-3DW-2</p> <p>MG-4Q-60</p> <p>18-E</p>	<p>PG 14 PG 18 PG 16 PG 21</p>
 <p>Netting, Mesh</p>	<p>Large Netting </p> <p>Small Mesh </p>	<p>Rolled Overlock </p> <p>Flat Overlock </p>	<p>MG-3DRGE-7</p> <p>MG-3DGE-7</p>	<p>Contact Merrow</p> <p>PG 20</p>

Energize your design with Merrow's expertise!
Contact our FREE Stitch Lab™ to start building your project today.

 <p>Women's Garments</p>	<p>Chiffon </p> <p>Cotton </p> <p>Socks </p>	<p>MicroPurl™ </p> <p>Purl Stitch </p> <p>Shell </p>	<p>MG-2DNR-1 Micro</p> <p>MG-2DNR-1</p> <p>MG-3Q-3</p>	<p>PG 16 PG 16 PG 16</p>
 <p>Lingerie</p>	<p>Gossamer </p> <p>Silk </p> <p>Crepe </p> <p>Satin </p>	<p>MicroPurl™ </p> <p>Rolled Hem </p> <p>Purl Stitch </p> <p>Rolled Hem </p> <p>Lightweight Overlock </p>	<p>MG-2DNR-1 Micro</p> <p>MG-2DNR1</p> <p>MG-2DNR-1</p> <p>MG-3DRWL</p> <p>MG-3DW-2</p>	<p>PG 16 Contact Merrow PG 16 PG 18 PG 18</p>
 <p>Home Decor</p>	<p>Chiffon </p> <p>Sheer </p> <p>Linen, Cotton </p> <p>Microfiber </p> <p>Terry Cloth </p>	<p>2-Needle Structural </p> <p>Lightweight Curtain Hem </p> <p>Purl Stitch </p> <p>Medium Weight Overlock </p> <p>Overedge </p>	<p>MG-4D-60</p> <p>MG-2DR</p> <p>MG-2DNR-1</p> <p>MG-3DW-2</p> <p>MG-3DR</p>	<p>Contact Merrow PG 18 PG 16 PG 18 PG 18</p>

Are you against the clock?
Get answers today with our Stitch Lab™! (page 3)

 Medical	Micro Fabrics 	Overedge 	MG-2DN-RM	PG 16
	Polyester 	ActiveSeam® 3 	ActiveSeam® 3 MB-4DFO 3 Series	PG 14
	Stretch Material 	Overedge 	MG-3DE	PG 20
		Overedge 	MG-3DE-7	PG 20

 Blanket Stitching	Wool, Heavy Fleece 	Flat 	1/2 in. Crochet 	18-E	PG 21
	Woven 	Rolled 	1/4 in. Overedge 	MG-3DE-7	PG 20
		Flat 			
















Merrow Stitch Lab™

In a competitive industry, speed to market is critical. Don't let a design problem slow you down. Take advantage of Merrow's decades of experience in product development.

Contact the Stitch Lab™ today to accelerate your production process.


[Read more on page 3](#)



 End-to-End Seaming	 Knits	Mattresses 	Butted Seam 	MG-1DM	Contact Merrow
		Jersey 	Butted Seam 	71-1D-7	PG 26
		Tubular Knits 	Butted Seam 	71-1D-2	PG 26
		Fleece 	Butted Seam 	72-D3B-2	PG 28
		Stretch Nylon 	Butted Seam 		
		Tricot 			
		Loose Knit 	Rolled Seam 	72-D3B-2 R	Contact Merrow
 Wovens	Denim 	Butted Seam 	70-D3B-2 Marine Layer Coating	PG 24	
	Treated / Laminated 	Butted Seam 	70-D3B-2 Marine Layer Coating	PG 24	
	Linen 	Butted Seam 	70-Y3B-2	PG 24	
	Cotton Duck / Canvas 	Butted Seam 	70-D3B-2	PG 24	
	Geotextile 	Butted Seam, Locked 	70-D3B-2 LS	PG 24	
	Fiberglass 				
	Gabardine Wool 	Rolled Seam 	72-D3B-2 R	Contact Merrow	
	Loose Woven 				




End-to-End Seaming



Non-Wovens

Rubber



Geotextile




High-Pile



Filter/Foam



Vinyl Leather



Butted Seam, Gapped



Rolled Stitch



Butted Seam



Butted Seam, Gapped, Automated



70-D3B-2 G

PG 24

72-D3B-2 HP

PG 28

70-D3B-2 HP

Contact Merrow

70-D3B-2 RAIL

PG 24

Fiberglass



Butted Seam, Locked



Rolled Stitch



70-D3B-2 LS

PG 24

72-D3B-2 R

PG 28

Ripstop Stretch Nylon



Butted Seam



72-D3B-2

PG 28

Carpet



Butted Seam, Gapped



72-D3B-2 HP

PG 28

ACTIVeseam[®] 3

A Revolutionary New Stitch

The first branded stitch, ActiveSeam[®] is a series of technically-superior seams. Proven 30% stronger than flatlock, ActiveSeam[®] features a unique stitch configuration that stretches the full length and width of fabric. ActiveSeam[®] 3 represents the newest development in production solutions.



What's New

- High-lift and differential feed easily handles thick, multi-layer, and difficult fabrics
- Improved feed system joins different-textured fabrics including non-wovens and neoprene
- New stitch width and needle options for medium- to heavy-weight materials
- Fully production-ready solution



Optimize End-to-End Seaming with a Continuous Process
Customize a Railway System for your 70, 71, or 72 Class Machine - see page 29

The Stitch Matters™
Merrow's Stitch Lab™ will make sure the stitch is right - see page 3



30% Stronger
than Flatlock

ActiveSeam® 3



ActiveSeam® 3

Technical Specifications

Seam Type	521
Seam Width	3/32" - 5/16" 2.5 mm - 8 mm
Operating Speed	5500 rpm
Stitch Eccentric	10-40 spi
Threads	2-3
Installation	Non-submerged Submerged
	pricing upon request

MB-4DFO-3 Production Series

One machine with three unique stitch configurations and over twelve design options

Two- or three-thread, double row differential machine with cutters for seaming light- to heavy-weight material

2.5 mm minimum stitch width— ActiveSeam® 3 features a lower-profile aesthetic compared to a flatlock stitch

A double row of feed dogs allow for increased material handling and more consistent feed of material

Built-in differential SPI (stitches per inch) settings keep seams consistently flat and reduce letting


High-lift cams create increased clearance between presser foot and needle plate, allowing easier processing of thick, multi-layer material and cross seams

Want to know how ActiveSeam® 3 can work for your product?

Contact our Stitch Lab™ for help. See page 3

Ask about full production set-ups

- Chain cutter
- Automatic presser foot lifter
- Pneumatic waste
- Needle positioner
- Direct Drive and more!




Applications

- Medical Braces
- Safety Gloves
- Insulating Sleeves
- Shapewear
- Maternity Wear
- Athletic Uniforms
- Yoga Apparel
- Wetsuits
- Base Layer
- Hunting Gear



High-lift cams and differential feed system allow for better handling of thick, multi-layer, and difficult materials.



1 Machine,
3 Unique stitch configurations,
12+ Design options



Thread and stitch differentiation allow for optimal customization

Decorative Class

Decorative Design. Unmatched Precision.

Direct Drive Available



MG-2DNR-1

For the Most Delicate Stitch

Merrow's decorative edging machines offer the smallest, tightest edging available. The MG-Class NR and Q series handle mid-weight to fine fabrics with precision, delicacy, and sophistication. The elegance of the Purl, MicoPurl™ and Shell stitches create a refined edging effect on any delicate material. Meeting at the intersection of engineering and art, no other sewing machines can match the delicacy of these specialty stitches.



MG-2DNR-1 Micro



MG-3Q-3

Narrow Rolled Overedge



NR SERIES

Technical Specifications

Seam Type	502
Seam Width	1/32" - 3/32"
Operating Speed	5500 rpm
Stitch Eccentric	14-30 spi
Threads	2

Production Setup Options (priced individually) :

- Non-submerged or submerged table
- Auto presser foot lifter
- Pneumatic waste system
- Needle positioner
- Metering device
- Chain cutter
- Puller

MG-2DNR-1 MICRO

Narrow Rolled Hem [1/32"]

Two-thread differential feed machine producing a very narrow, micro-rolled overedge
[MicroPurl™ Stitch]

Applications

Lingerie, table linens, bridal, handkerchiefs, medical



MicroPurl™ [MG-2DNR-1 Micro]



Purl [MG-2DNR-1]



Narrow Flat Hem [MG-2DN-RM]

MG-2DNR-1

Narrow Rolled Hem [1/16"]

Two-thread differential feed machine producing a very narrow rolled overedge
[Purl Stitch]

Applications

Lingerie, sleepwear, blouses, curtains,

MG-2DN-RM

Narrow Flat Hem [1/32"]

Two-thread differential feed machine with guide in lieu of cutters producing a very narrow and delicate edge

Applications

Medical, intimate garment tags

Shell Stitching



Q SERIES

Technical Specifications

Seam Type	505
Seam Width	3/16" - 1/4"
Operating Speed	5500 rpm
Stitch Eccentric	3-6 shells/inch
Threads	3

Production Setup Options (priced individually) :

- Non-submerged or submerged table
- Auto presser foot lifter
- Pneumatic waste system
- Needle positioner
- Metering device
- Chain cutter
- Puller


MG-3Q-3

High-Speed Shell Stitching

Three-thread machine with special gear-driven feed mechanism producing tight a 3/16" six prong shell stitch

Applications

Baby blankets, children's wear, shawl collars, women's hosiery, bibs, and burp cloths



MG-4Q-60

Two-Needle Shell Stitching

Similar to the MG-3Q-3, but sews with two needles, allowing for the use of two different colored needle threads and a 1/4" shell

Applications

Baby blankets, children's wear, shawl collars, women's hosiery, bibs, and burp cloths



Merrow MG-Class

Advanced Design. Premium Build Quality.

Direct Drive Available



MG-3DGE-7

Because The Stitch Matters™

Nothing sews like a Merrow. Fitted with our proprietary barrel cams, the MG-Class features a precise needle throw and small tolerances, so stitches are tight, uniform, and beautiful. From production of heavy outerwear to detailed seaming of netting and mesh, the MG-class delivers the world's most versatile overlock stitch.



MG-Class Cams

Standard Overlock



W SERIES

Technical Specifications

Seam Type	504
Seam Width	1/16" - 3/16"
Operating Speed	5500 rpm
Stitch Eccentric	4-40 spi
Threads	3

Production Setup Options (priced individually):

- Non-submerged or submerged table
- Auto presser foot lifter
- Pneumatic waste system
- Needle positioner
- Metering device
- Chain cutter
- Puller

MG-3DW-2

Light- to Medium-weight Overlock

Similar to the MG-3DW, arranged with extra wide cutters and coarse feeds for thicker fabrics

Application

Seaming or edging **LIGHT to MEDIUM** woven and knit fabrics



Light



Medium

MG-3DW-7

Medium- to Heavy-weight Overlock


Seams/edges heavy material with increased looper extension

Application

Seaming or edging **MEDIUM to HEAVY** woven and knit fabrics



Medium



Heavy

Rolled Overedge



R SERIES

Technical Specifications

Seam Type	503, 505
Seam Width	3/32" - 5/32"
Operating Speed	5500 rpm
Stitch Eccentric	4-40 spi
Threads	2-3

Production Setup Options (priced individually):

- Non-submerged or submerged table
- Auto presser foot lifter
- Pneumatic waste system
- Needle positioner
- Metering device
- Chain cutter
- Puller

MG-3DR

Rolled Overedge [5/32"]

Three-thread, single row differential feed machine producing a rolled edge on bath and table linens

Applications

Towels, dishcloths, napkins, washcloths, blankets



Washcloth [MG-3DR]



Nightgown [MG-3DRWL]



Dishcloth [MG-2DR]

MG-3DRWL

Rolled Down Edge [3/32"]

Three-thread rolled-down edging machine with special presser foot finger and parts for sewing lightweight fabrics

Applications

Women's sleepwear, lingerie, blouses, sheer curtains

MG-2DR

Folded Down Edge [3/32"]

Two-thread machine with special needle plate and presser foot finger for folding edges down on light material

Application

Folded edge on lightweight curtain material

Emblem Edging

MG-3U (STANDARD)

Standard Emblem Edge [3/16"]

Three-thread, special foot and feed for exceptionally tight and uniform emblem overedge

Applications

Emblems, badges, patches, and insignia



Narrow



Wide



Hook & Loop



Flat

MG-3UN

Narrow Emblem Edge [1/16"]

Similar to the MG-3U with a smaller stitch tongue for narrower stitch formation on smaller patches

MG-3UW

Wide Emblem Edge [5/16"]

Sews a wider 5/16" emblem edge on larger patches

MG-3UV

Hook & Loop Emblem Edge [3/16"]

Three-thread machine with specially adapted feed system to prevent take-up of hook-and-loop-backed patches

MG-2U FLAT

Flat Emblem Edge [5/32"]

Two-thread machine, sews a flat finished edge on patches



U SERIES

Technical Specifications

Seam Type	505
Seam Width	1/16" - 5/16"
Operating Speed	5500 rpm
Stitch Eccentric	4-40 spi
Threads	2-6

Production Setup Options


- (priced individually) :
- Needle positioner
 - Non-submerged or submerged table
 - Chain cutter
 - Auto presser foot lifter
 - Pneumatic waste system

MG-3U T

NEW thread tension release system



Automatic Emblem Edging




Fully-Automatic Emblem Edging

The emblem edging machine turns patch production into a fully automated process. With its hands-free operation, this machine automatically feeds, trims, and counts emblems. Update your production today!

Applications

Emblems, badges, patches, and insignia



Automated

Technical Heavy Edging

MG-3DE [3/16"]

Heavy Overedge Machine

Three-thread machine without cutters for overedge finish on elastic knit fabric. Can be arranged to fold elastic inserts within the stitch

Applications

Surgical hose, glove cuffs, medical support garments



Elbow Pad



Girdle

MG-4D-G500 [3/16"]

Glove Cuff Edging

Two-needle, four-thread machine for cuffing heavy gloves. Fourth thread strengthens seam and reduces pucker.

MG-3DE-7 [1/4"]

Heavy Overedge Machine

Similar to the MG-3DE, but with a high lift setup for handling heavy material

Applications

Bandages, knee pads, elbow guards, medical support garments



Glove Cuff



Knee Brace



Glove Cuff



E SERIES

Technical Specifications

Seam Type	505
Seam Width	3/16"-1/4"
Operating Speed	5500 rpm
Stitch Eccentric	4-40 spi
Threads	3

Production Setup Options (priced individually) :

- Non-submerged or submerged table
- Auto presser foot lifter
- Pneumatic waste system
- Needle positioner
- Metering device
- Chain cutter
- Puller

Netting


MG-3DGE-7

Seaming of Netting & Mesh

Single needle, three-thread, single row differential feed machine for side-seaming mesh bags. MG-3DRGE-7 available for rolled stitch.

Applications

Laundry bags, athletic equipment, netting, mesh



FLAT MG-3DGE-7



ROLLED MG-3DRGE-7




G SERIES

Technical Specifications

Seam Type	514
Seam Width	5/32"
Operating Speed	5500 rpm
Stitch Eccentric	4-40 spi
Threads	2

Can be fitted with either a wheel foot or presser foot for various mesh densities



MG-3DGE-7 WF Wheel Foot

MG-3DGE-7 FF Fixed Presser Foot


Production Setup Options (priced individually) :

- Non-submerged or submerged table
- Auto presser foot lifter
- Pneumatic waste system
- Needle positioner
- Metering device
- Chain cutter
- Puller

Merrow 18-Class

Premium Crochet Stitching

Direct Drive Available



18CLASS

Technical Specifications

Seam Type **Crochet**
 Seam Width **3/8" - 1/2"**
 Operating Speed **1000 - 1400 rpm**
 Stitch Eccentric **4-10 spi**
 Threads **1**
 Installation **Table Top**



Fleece/Knit Outerwear Fleece/Knit Blankets Bathing Suits

Models



18-E

1/2" Flat Crochet

Produces a 3/8" - 1/2" wide flat crochet stitch adjustable from 3 to 8 stitches per inch

Applications

Fleece blankets, wool blankets, knit outerwear




18-G

Flat Crochet on Light Material

Similar to style 18-E, but fitted with special parts that allow the 18-G to apply a crochet edge to light bathing suit material

Applications

Lightweight blankets and outerwear




18-A

1/2" Rolled Crochet

Equipped with a folding device that turns the material within the stitch formation

Applications

Fleece blankets, wool blankets, knit outerwear, felt boot tops



18-S

1/2" Mirrored Crochet

Similar to style 18-E, but fitted with special parts that create a crochet stitch that is identical on both sides of the garment

Applications

Fleece blankets, wool blankets, knit outerwear

Merrow Training

FREE Factory Training Sessions in Fall River

Become a Merrow machine expert at our Fall River facility with one-on-one sessions taught by our master technicians, as well as regularly scheduled group trainings. Learn machine maintenance, threading, and stitching techniques for a variety of materials.

Coming soon - training calendar on merrow.com/training



Merrow Marketing

Tee shirts, stitch books, additional catalogs, select banners, graphic assets

Available upon request

Contact sales@merrow.com




Merrow 70-Class

The Most Versatile Platform of Industrial Machines for End-to-End Joining of **WOVEN** and **NON-WOVEN MATERIAL**



70-D3B-2 LS



5/8" Flat Butted Seam on Denim

Wovens & Non-Wovens

The Merrow line of 70-Class machines are the simplest, most dependable, and most durable means of joining material in a continuous process. Over its near 40-year existence, the 70-Class has been the platform that textile finishing facilities rely on when butt seaming material end-to-end.

70-Class cams
Merrow's 70-Class cams have been designed to operate continuously between 2200 and 5500 rpm, with tight tolerances to resist heat and wear while running.



70-CLASS

Technical Specifications

Seam Type	501
Seam Width	5/8"
Operating Speed	2250 rpm
Stitch Range	4-12 spi
Threads	1

Production Setup Options (priced individually):

- Helmsman table
- Automated railway or semi-auto. railway
- Needle positioner
- Auto presser foot lifter
- Pneumatic waste system

70-Class Variations



70-D3B-2

Stitch Multiplier

Strength at the Selvages

Non-differential feed machine fitted with manually operated lever for doubling the stitch count instantly

Applications

For added strength at material selvages



70-Y3B-2



Locked Seam

Permanent Butted Seam

Two-Thread, differential feed machine that sews a permanent locked seam

Applications

Napping processes, geotextiles, fiberglass



70-D3B-2 LS



Gapped Seam

5/8" Flat Gap Stitch

Differential feed machine configured to sew a 1/8" space between ends of joined fabric

Applications

Thicker and non-overlapping material, seam detection, drainage



70-D3B-2 G



70-D3B-2

The Standard for End-to-End Seaming

- Sews a wide (5/8") and flat, butted seam
- Simple to implement, operate, and service
- Seams in any environment

NEW



70-D3B-2 ML

Marine Layer (ML) Coating

Wet Environment Seaming

New Coating with Twice the Protection!

Added protection for end-to-end machines in extreme environments. Coating helps defend against rust and corrosion caused by caustic substances used in manufacturing.

All Merrow equipment is now available with ML coating to further defend against rust, corrosion, and wear.

Available for all 70, 71, 72 class machines

Applications

Bleached, mercenized, laminated, and treated fabric

[See more on page 30.](#)

Protects Against

Salt
Biodegradable dye
Hydrogen peroxide
Caustic soda
Acetic acid

Merrow 71-Class

HIGH SPEED Joining of **KNIT FABRIC**

71-Class Models

TEXTILE FINISHING

TEXTILE FINISHING



71-Class cams have specially-milled grooves to seam at 4000 rpm on knit fabric.




71-1D-7




Lightweight Knit




Medium-Weight Knit



70-D3B-2



71-1D-2



71-1D-7

The needle plates of the 71-Class machines have significantly smaller stitch tongues to prevent the rolling of material and create an effective narrow seam ideal for circular knits.



NEW

71-1D-2

Dry High-Speed Seaming

Single-needle, one-thread, double-row feed machine with cutters to join light- to medium-weight dry knit material. ML Coating option available for wet environments.



71-1D-7

Dry, High-Speed, High-Lift Seaming

Single-needle, one-thread, double row feed machine with cutters to join medium- to heavy-weight dry knit material. ML coating option available for wet environments.



Knits

The Merrow 71-Class is built for joining knit fabric at high speed. Using specially designed cams, the 71-1D-2 and 71-1D-7 will seam a 3/8" stitch at 4000 rpm. Durable and reliable in factory settings, 71-Class machines are the best choice for wet and dry high-speed circular knit end-to-end joining.

71-CLASS

Technical Specifications

Seam Type	501
Seam Width	3/8"
Operating Speed	4000 rpm
Stitch Range	4-20 spi
Threads	1

Production Setup Options (priced individually):

- Helmsman table
- Automated railway or semi-auto railway
- Needle positioner
- Auto presser foot lifter
- Pneumatic waste system

Marine Layer (ML) Coating


Wet Environment Seaming

New Coating with Twice the Protection!

Added protection for 70, 71, 72-class machines to defend against wear caused by moisture and caustic substances. See page 30.

Merrow 72-Class

For Joining Difficult Materials



Designed with an extended feed system

Additional feed dog helps material pass across the work surface

72-D3B-2

Ideal For

- Stretch nylon
- Polyester fleece
- Tricot
- Jersey knit
- Loose knit & wovens
- Carpet

Superior Material Handling

72-CLASS

Technical Specifications

Seam Type	501
Seam Width	5/8"
Operating Speed	2250 rpm
Stitch Range	4-20 spi
Threads	1

Production Setup Options (priced individually):

- Helmsman table
- Automated railway or semi-auto. railway
- Needle positioner
- Auto presser foot lifter
- Pneumatic waste system

The 72-Class takes the reliability and toughness of the 70-Class and adds a more robust feed system to handle hard-to-join materials. With forward mounted cutters (72-D3B-2) and a specialized device to create rolled seams (72-D3B-2 R), the 72-Class solves the most difficult joining challenges.



72-Class Models



72-D3B-2

Joining Difficult Fabrics

Designed with an extended cutting system and three rows of feed dogs, the Merrow 72-D3B-2 is ideal for joining difficult knit and woven piece goods. Available with Marine Layer Coating for improved wear and rust resistance. See page 30.



The 72-D3B-2 has a larger needle plate and additional feed dogs.

The presser foot of the 72-D3B-2 is 50% larger than the 70-Class.

NEW



Marine Layer Coating is available for Merrow 72-Class machines to protect against caustic substances. Read more on page 30!



72-D3B-2 HP

Joining Extreme High-Pile Wovens and Non-Wovens

Two-thread differential feed machine configured with high-clearance feed and looper throw to handle extremely thick material like faux fur, roller nap, and plush knits. ML Coating option available for increased durability against caustic chemicals. See page 30.



The 72-D3B-2 HP has a larger needle plate and 6 rows of feed dogs.

The presser foot of the 72-D3B-2 HP is larger to handle thick materials.

TEXTILE FINISHING


TEXTILE FINISHING

Railways

Large-Format Material Handling for End-to-End Seaming

Use With

- 70 class
- 71 class
- 72 class
- Wovens
- Non-wovens
- Knits
- Automated
- Accomodates up to 30 ft/9 m width



A railway system completely automates production, providing straighter and faster end-to-end seaming. The belts, pulleys, clutches, rack gear, and carriage wheels of older machines have been eliminated for simplified maintenance, saving time, material, and money.

Features

- Positive Carriage and Head Drive to maintain feed rate
- AC Variable Speed Drive to change stitch or stitch multiplier easily
- Choice of selvage clamps or pins
- Swing-out for looper adjustments

Add-Ons

- Automatic stitch multiplier control
- Fully-Enclosed, Fan-Cooled Motor
- Automatic Air Clamp
- Tek-Matic Waste Remover
- Foot-Operated Truck Locks

Merrow Marine Layer (ML) Coating

Protection for Merrow Equipment



Marine Layer Coating protects Merrow machines from hazardous chemicals, further extending their lifespan. This revolutionary coating for industrial machines adds a second layer of protection that prevents caustic chemicals from penetrating interior layers. Engineered with the same technology used in industrial boat manufacturing, this coating is designed for extreme environments.

Protects Against

- Caustic soda
- Biodegradable dye
- Salt
- Hydrogen peroxide
- Acetic acid

Ideal For

- Dyehouses
- Finishing plants
- Textile processors

Use With

- 70 class
- 71 class
- 72 class

Above: 70-D3B-2 with ML Coating, Helmsman Table with ML Coating, Pneumatic Air Motor

This ensemble runs smoothly, quietly, and requires no electricity. All three products are approved for wet environments, resisting wear and rust for years.

Genuine Merrow Spare Parts

The ONLY Way to Ensure Flawless, Lasting Operation

Needle Plates

- 105 Variations available
- Hand-polished stitch tongues
- .003 tolerance between plate and machine



Needle Carriers

- Deliver 92 machine strokes per second without bearings
- Designed in tandem with Needle Carrier Links and Merrow Needles for flawless stitching

Loopers

- Manufactured and tempered for bending
- Merrow machines require looper bending
- Hand-filed
- Designed in sets for high precision between upper and lower pairs



Looper Carriers

- Allow perfect timing between intersection of loopers and needles
- .016 margin between carrier and cams
- Machined from high-chromium steel

Feed Dogs

- Over 200 types available
- Coarse, fine, rubber
- Single or double row
- Accommodate various fabric weights and characteristics



Cutters

- 65 Different styles available
- Wide, narrow, carbide, serrated
- Machined with heat-treated, high-carbon steel
- Longer-lasting, more precise cutting

Eccentrics

- Forged from high-chromium bar stock
- Durable enough to operate at 5500 rpm without error
- Allow adjustment from 2-100 spi

Each and every part on a Merrow machine is replaceable. We have over 2,000,000 parts in stock to ensure that your Merrow machine lasts a lifetime.

Merrow Warranty

All new Merrow machines carry a 10-year warranty, though they are expected to run for decades with routine care.

- 1-Year standard limited warranty for all sewing machines for manufacturing, assembly defects
- 10-Year limited warranty on sewing machine frames and internal cams


Merrow Needles

Premier Needles for Overlock Machines


Merrow Size	8	7	6	5	4	3	2	1	0	00	000
Millimeters	150	130	120	110	100	90	80	70	65	60	55
Titanium Coating Available	■	■	■	■	■	■	■	■	■	■	■
KOOLTORR® Coating Available				■		■					
Variations in Point, Blade, and Eye Available				■	■	■	■	■	■	■	■

High-Grade Material

High-grade, tempered carbon steel and chrome plating maximize warp resistance and reduce breakage.



Exacting Fabrication



All Merrow needles are engineered to within one one-thousandth of an inch, and strict quality control measures during manufacture ensure that each needle is made to the same exacting standard.

Specialized Coatings



TITANIUM plating reduces friction, making it resistant to intergranular corrosion from high temperatures.



KOOLTORR® coating resists high thermal gradients and oxidation, preventing embrittlement and fracturing.

Merrow Factory Service


The Best Way to Maintain Your Merrow

How it Works

- 1 Contact Merrow to Request Service**
Email service@merrow.com or call +01 508-689-4095.
- 2 Ship Your Machine to the Merrow Factory**
We provide certified-safe packaging and you send your machine with the included prepaid shipping label.
- 3 We Inspect Your Machine Thoroughly**
Your machine is disassembled, cleaned, and evaluated by our technicians. Any damaged parts are tagged for replacement.
- 4 We Repair and Test-Run Your Machine**
Your machine is reassembled with brand-new loopers, cutters, needles, and any other necessary parts.
- 5 We Promptly Return Your Machine**
After ensuring your machine works perfectly, we repackage and send it back, ready for production.


What You Receive

- **FREE Shipping in the US**
- **COST INCLUDES New loopers, cutters, needles**
- **EXPERT Diagnosis and repair by Merrow technicians**



Helmsman Tables

Compact Sewing Tables for Your Merrow Machine



The Merrow Helmsman Table is designed to be the world's most efficient, reliable, and portable table for all sewing applications. It is the narrowest table on the market and can be used with an air, clutch, or servo motor. Its design is ergonomically friendly, highly transportable, and is customizable to any environment.

Easy to Customize

- Table Top - standard, regular, and submerged options
- Legs - 7 colors available, adjustable Z legs
- Wheels - 4 locking swivel casters, 2.5" or 4" options
- Works with any Merrow machine
- Features Treadle Belt Guard
- **Special ML Coating available for wet environments. See page 30**




MERROW[®] CAMPUS IN FALL RIVER

The Merrow campus is a local and international technology hub for design, production, and education in sewn goods. Building on 180+ years of industry knowledge and innovation in textiles, Merrow continues to set the industry standard in sewn products.

Sprawling 6 acres and 300,000 square feet, the Merrow campus is one of the largest sewing facilities in the United States. Home to Merrow Sewing, Merrow Manufacturing, Merrow Business Incubator, Merrow Workforce Training Center, and Merrow Retail. With all that we have to offer it really is better to see it for yourself. We welcome you to visit our campus anytime!


VISIT THE MERROW CAMPUS AND DEVELOP WITH US!



TECHNOLOGY



COMMUNITY



SEWING



MANUFACTURING



BUSINESS

Merrow Sewing Machine Co.
502 Bedford Street
Fall River, MA USA 02720

PHONE +01 508-689-4095
FAX +01 508-689-4098
EMAIL sales@merrow.com

Thank You for Choosing
MERROW[®]
Manufacturing Industrial Sewing Machines Since 1838