

COMMUNICATIONS

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Comms	Available	SHPR Cradle Point 1 2023	Cradle Point IBR1100 110 volt and 12 volt 2 - WIFI Access Points for expandable footprint Verizon and Firstnet active	3	Other	Airtime charges 110 volt electrical connection			
Comms	Available	STARLINK Satellite Internet 2023	Starlink portable satellite internet system. High-speed connectivity, depending on access to the open sky. Deploys with 4 traffic cones and 4 cone bars to mark off area around deployed antenna	3	Resupply of Materials, Electrical Package	Requires one 15 amp 110 volt outlet	100	45 pounds	Monthly cost of operation is \$150 subscription per unit or prorated charge if reactivated less than a month, must be activated for the remainder of the monthly service period
Comms	Available	SHPR VIPER VMN Deskset APX 2023	APX Single Band VIPER Desktop Radio system with VMN and Pelican case	1					
Comms	Available	SHPR VIPER Portable Radio Cache 2023	10 APX 6000 Series Single Band Portable Radios with VMN Template with Pelican Case 12 XTS Series Single Band Portable Radios with VMN Template 12 APX 7500 Series Tri-Band Portable Radios with VMN Template ASSIGNED TO AST200 - #10936	32					
Comms	Available	SHPR VIPER VMN Deskset XTL 2023	APX Single Band VIPER Desktop Radio system with VMN and Pelican case	1					
Comms	Available	SHPR ACU-M Radio Gateway 1000 2023	The JPS ACU-M Interoperability Gateway interconnects HF, VHF, UHF, P25, 800MHz, iDEN & VoIP channels.	1					

GENERATORS AND LIGHT TOWERS

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Generator	Out of Service	272 - Magnum Light Tower/Generator/water Buffalo 2023	Mobile 25 kW generator with water buffalo and light tower. 4000 watt lights with 30 foot tower for lighting coverage between 5-7 acres. 500 gallon non potable water tank capacity with 3.0 gpm water pump. 229 gallons fuel tank with 127 hours maximum generator run time, dependent on electrical load 25 kW Generator with cam lock connections	1	Water,Fuel,Driver,Tow Vehicle	Prime Mover (1 ton or greater) 2 5/16" hitch Preventative maintenance and fluid levels checks required.	279 SF	8540 lbs. 18' x 7.75	
Generator	Out of Service	273 -Tradewinds Generator - 56kW 2023	Portable Generator - 4/0 3-phase cam lock for distribution of power 250 gallon diesel fuel tank - 2 day runtime Requires 2 Logistics personnel to set up. 4 - 20A/120V duplex receptacles 2 - 30A/250V Twist lock receptacles 1 - 30A/125V Twist lock receptacles 1 - 30A/125V/250V twist lock receptacles 4 - 50A/125V/250V twist lock receptacles	1	Fuel,Driver,Tow Vehicle	Prime Mover (1 ton or greater) with 2 5/16' hitch. Preventative maintenance and fluid levels checks required.	143 SF	3860lbs. - 11' x 6.5'	
Generator	Available	274 - Baldor 100 kW Generator 2023	100 kW mounted generator 4 - 50A/120V/250V twist loc receptacle 4 - 20A/120V Duplex GFI receptacle 8 - Cam loc 4/0 tails for distribution of power 260 gallon fuel tank 2 5/16" ball hitch	1	Fuel,Driver,Tow Vehicle		143 SF	3860 lbs. 11' x 6.5'	
Light Towers	Available	271/272 - Genie Light Tower #2 2023	Mobile light tower 30 gallon fuel tank capacity with 6 kW generator. 60 hour run time with fuel load. 28 foot tower height. 4000 watts - Four (4) 1,000 watt HID metal halide lamps with individual circuit breaker switch for each lamp.	2	Fuel,Driver,Tow Vehicle	Prime Mover (3/4 ton or greater) with Pintle Hitch. Preventative maintenance and fluid levels checks required. Diesel fuel only.	168 sf	14' x 6'	

AIR HANDLING

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
HVAC	Available	Western Shelter HVAC Unit 2023	<p>Portable self-contained HVAC unit to provide heating and cooling for Western Shelter tents.</p> <p>3.5 tons/42,000 Btu per hour of cooling and 40,000 Btu per hour for heating</p> <p>Can be used independently for climate control package to support a brick and mortar facility</p> <p>Remote thermostat control with 50' power cord to allow for proper installation within the shelter</p> <p>Rated for 208/240 Volts, 30-Amp - Single-Phase, 60 Hertz</p> <p>3.5 ton Heat pump units</p> <p>MISSION/CAPABILITY:</p> <p>42,000 BTU/hr cooling capacity</p> <p>42,000 BTU/hr heating capacity</p> <p>Cubic Feet Per Minute 1,400</p> <p>230v, 1 phase</p> <p>26amp draw</p> <p>30amp twist-lock plug</p>	7	Resupply of Materials, Transportation, Generator, Fuel, Driver, Tow Vehicle	<p>Generator Power</p> <p>Prime mover to transport</p> <p>Flat and level surface for stability</p> <p>Requires 2 logistics personnel to set up</p> <p>Filter replacement - \$15</p>	40	526 lbs - 56"x35"x42"	
HVAC	Available	SHPR In-Room Air Conditioners	<p>6,000 BTU portable in-room air conditioner for 250 sq. ft room</p> <p>15 amp plug</p> <p>Requires:</p> <ul style="list-style-type: none"> - A dropdown ceiling or window that can open to vent exhaust air 	22					
HVAC	Available	SHPR In-Room Air Conditioners	<p>12,000 BTU portable in-room air conditioner for 500 sq. ft room</p> <p>15 amp plug</p> <p>Requires:</p> <ul style="list-style-type: none"> - A dropdown ceiling or window that can open to vent exhaust air 	5					
Air Scrubber	Available	SHPR Air Scrubber - 1200 CFM 2023	<p>HEPA Filtration</p> <p>Safely daisy-chain several units on one 15 amp circuit</p> <p>INCLUDES: Collapsible EXHAUST duct, HEPA filter</p>	6		replacement of consumables			
Air Scrubber	Available	SHPR Air Scrubber - 750 CFM 2023	<p>HEPA Filtration</p> <p>Safely daisy-chain up to five units on one 15 amp circuit</p> <p>INCLUDES: Collapsible EXHAUST duct, HEPA filter</p>	4	Resupply of Materials	replacement of consumables	5	35# - 25.5 x 19.5 x 20.5	

FATALITY MANAGEMENT

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Fatality Management	Available	253RS - 48 Body Morgue/Re-Supply Trailer 2023	53' Refrigerated trailer used for resupply of a Special Medical Needs Shelter as well as provide disaster fatality management morgue support for disaster fatality management. Morgue capacity for 48 adults Lift Gate for loading from ground level Racking system with body pans Cooling unit can be run on 50-amp, twist lock 3 phase shore power or onboard diesel engine. Has temperature monitoring system for notifications of out of parameter temperatures.	1	Fuel,Tow Vehicle,Electrical Package	Diesel fuel Prime Mover (Tractor) - CDL Required Diesel fuel only 50-Amp, 250 volt three-phase Shoreline Power	1275 sf - with trailer, 935 sf	75' x 8.5' with tractor, 55'x8.5 without tractor	Cost of fuel for onboard generator, or supplemental power source WIFI access for monitoring system 20 KW generator minimum for primary power if shoreline is unavailable
Fatality Management	Available	214 - 16 Body Morgue Trailer 2023	Morgue capacity for 16 remains 14' trailer, with: - racking, pans, fabric stretchers for 16 remains - rolling lift table to place remains in pans on rack system - 7 kW gas generator powered - 30 amp twist lock connector - one provided, 50' length - DOES NOT have standby capability when plugged into shore power	1	Fuel,Tow Vehicle,Electrical Package	Requires: - gas - 120 volt, 30-amp, three prong twist lock shore power	374 sf	38' x 8.5'	Fuel for onboard generator, or supplemental power source WIFI access for monitoring system 10 KW generator minimum for primary power if shoreline is unavailable
Fatality Management	Deployed	217 - 16 Body Morgue Trailer - 2023	Morgue capacity for 16 remains 17' trailer, with: - racking, pans, fabric stretchers for 16 remains - rolling lift table to place remains in pans on rack system - 7 kW diesel generator powered - 50 amp twist lock connector - one provided, 50' length - has standby capability when plugged into shore power	1	Fuel,Tow Vehicle,Electrical Package	Requires: - diesel - 240 volt, 50 amp, three prong twist lock shore power	400 sf	43' x 8.5'	Fuel for onboard generator, or supplemental power source WIFI access for monitoring system 10 KW generator minimum for primary power if shoreline is unavailable
Fatality Management	Available	Body Bags	Standard Vinyl / PVC body bag Palletized	700					Pallet jack or fork lift for large quantities
Fatality Management	Available	Body Bags	PVC, 650# Capacity, Cases of 5 each	1200					Pallet jack or fork lift for large quantities
Fatality Management	Available	Body Bags - Bioseal	Bioseal Material, one roll will handle 25 adult bodies, comes with sealer	9					

DURABLE MEDICAL EQUIPMENT

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Patient Suction	Available	Suction Units 2023	portable suction units with canisters - charger - Yankeur suction with tubing	19	Resupply of Materials	replacement of consumables			
Cardiac Monitor	Available	Cardiac Monitors - 2023	Zoll X Series Critical Care Cardiac Monitor - NIBP - Pulse Ox - 12-Lead - Pacing - End Tidal CO2	5	Resupply of Consumables				
Telemetry	Available	Patient Telemetry System 2023	Philips Portable patient telemetry system, rack mounted 11 patient monitoring capacity: - ECG, 5-lead - End-Tidal-CO2 - NIBP - SpO2 - IV Pole mount - Each monitor requires 110V AC plug - Monitoring station requires a desktop and two 110v outlets	11			5	35# - 25.5 x 19.5 x 20.5	
Ventilators	Available	LTV 1200 Ventilator	LTV 1299 Transport Ventilator with initial supplies INCLUDED: Case, Stand, Battery Pack, Charger	14				10#	Consumables used by facility
Ventilators	Deployed	LTV 1200 Ventilator	LTV 1299 Transport Ventilator with initial supplies NHRMC INCLUDED: Case, Stand, Battery Pack, Charger	1				10#	Consumables used by facility
Isolation Pod	Available	SHPR ISOPOD 2023	A negative-pressure individual patient isolation and transportation system that keeps contamination and disease inside the unit, protecting first responders while simultaneously allowing for life-saving medical procedures.	1					Cost of consumables: Approximately \$400.00
Privacy Screens	Available	SHPR Privacy Screens	MOBILE THREE PANEL PRIVACY SCREEN Overall dimensions (fully opened) 81" L x 69" H Product Weight: 30 lbs	35					
Oxygen Cache	Available	SHPR Oxygen Tank Cache	Oxygen Cylinders with Oxygen palletized D size tank 107 oxygen tank regulators	405	Material Handling Equip				
Oxygen Cache	Deployed	SHPR Oxygen Tank Cache	Oxygen Cylinders with Oxygen palletized D size tank 107 oxygen tank regulators	330	Material Handling Equip				
Oxygen Concentrator	Available	SHPR Oxygen Concentrators	Oxygen Concentrators 15 amp each Three pallets, 7 per pallet.	21					

SHOWER TRAILERS

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Shower Trailers	Available	230 - Shower Trailer 2023	<p>NON - ADA compliant portable short term shower and laundry facilities that provides staff, or disaster shelter populations the ability to maintain personal hygiene at a hospital or healthcare facility following a disaster.</p> <p>Six (6) Shower Stalls Two (2) Laundry stalls with washer/dryer Climate controlled individual stalls On demand water heater</p> <p>Has onboard tank for clean water, that is filled with automatic shutoff by a water hose Grey water is direct to external holding tank OR sewer per local guidelines.</p>	1	Water,Fuel, Driver,Tow Vehicle, Electrical Package,Other	Prime Mover w/ 2 5/16" hitch 50-AMP Shoreline Power 3/4" garden hose connection 300 gallons of water per hour if using all shower stalls simultaneously	600	30' x 8.5'	Has two 100# LP tanks for hot water heaters. can be plumbed to a larger tank supplied by user. LP fuel source needed for long duration deployment
Shower Trailers	Available	222 - Handicap Accessible Shower Trailer 2023	<p>ADA compliant portable short term shower and laundry facilities that provides staff, or disaster shelter populations the ability to maintain personal hygiene at a hospital or healthcare facility following a disaster.</p> <p>Two (2) Shower Stalls Climate controlled individual stalls On demand water heater</p> <p>Has onboard tank for clean water, that is filled with automatic shutoff by a water hose Grey water is direct to external holding tank OR sewer per local guidelines.</p>	1	Water,Fuel, Driver,Tow Vehicle, Electrical Package,Other	Prime Mover w/ 2 5/16" hitch 50-AMP Shoreline Power 3/4" garden hose connection 300 gallons of water per hour if using all shower stalls simultaneously	450	22' x 8.5'	Has two 100# LP tanks for hot water heaters. can be plumbed to a larger tank supplied by user. LP fuel source needed for long duration deployment

TRAILERS

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Trailers	Available	226 - Mobile Medical Unit 2023	Basic medical support (first aid) and responder rehabilitation during extended mass gathering and emergency events FEATURES Four (4) patient treatment areas IV Pumps, Vital Sign Monitors, Oxygen, Suction Units Basic Medical Supplies, to include IV therapy Can be deployed fully stocked or empty for agency to stock as they need.	1	Resupply of Materials, Transportation, Generator, Pharmaceuticals, Water, Fuel, Driver, Tow Vehicle, Electrical Package	15 Kw Generator minimum required one 50 amp connection			DOES NOT COME WITH PATIENT TREATMENT STAFF cost of consumables is the responsibility of agency requesting Can be supplied fully stocked or empty for agency to stock with their supplies
Trailers	Available	232 - Shelter Support Trailer 2023	Provides shelter supplies for non medical shelter support. Cots, Blankets, pillows	1	Security, Driver, Tow Vehicle	Requires 30-amp 110V shore line power.	765 SF	13660 lbs 45' x 8.5'	
Trailers	Available	240 - SMSS Shelter Support Trailer 2023	Medical equipment and supplies to support a special medical support shelter for approximately two (2) days Eighty (80) shelter cots rated for 300 pound capacity Supplies for up to two (2) days of nursing care for shelter patients in fixed structure The trailer is capable of being a four (4) bed treatment area 15 kw portable generator Mobile work stations	1	Fuel, Driver, Tow Vehicle, Electrical Package	50-AMP Shoreline Power	816 SF	16040lbs. 48' x 8.5'	
Trailers	Available	240SU - Medical Support Trailer 2023	Mobile resupply station capable of supplying medical operations for up to 72 hours Deploys with all SMAT deployments to provide medical resupply for response missions One (1) 19'x35' western shelter tent with hand washing station One (1) 1,800 gal/day water purification unit Prism light with generator for night operations Rear access ramp	1	Resupply of Materials, Transportation, Security, Fuel, Driver, Tow Vehicle	requires 50-AMP shore line power	816 sf	16,040 lbs - 48' x 8.5'	
Trailers	Available	219 - Flatbed Trailer 2023	19 ' Flatbed trailer used for transportation of equipment such as generators, vehicles or pallets. - Vehicle loading ramps	1	Driver, Tow Vehicle	Bumper Hitch, drop deck - Prime Mover required GVRW 26,000#		22' x 8.5'	

TRAILERS

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Trailers	Available	240FB - Flatbed Trailer 2023	40 ' Flatbed trailer used for transportation of equipment such as generators, vehicles or pallets.	1	Driver,Tow Vehicle	Gooseneck - Forklift is required to load/unload if palletized load Prime Mover required	892 sf	41' x 8.5'	
Trailers	Available	248 - Specialty Care / Dialysis Trailer 2023	Primary: Basic medical support (first aid) and responder rehabilitation during extended mass gathering and emergency events Secondary: Support dialysis and critical care operations FEATURES Four (4) patient treatment areas that each have hospital style dialysis chairs/beds Telemetry, suction, O2 and remote vital sign monitoring Water purification system—17,000 gal/day Four (4) dialysis machines Two (2) reverse osmosis filtration units Blanket warmer for 50 blankets IV Fluid warmer & Individual Hotline IV warmer	1	Generator,Driver ,Tow Vehicle,Electrical Package	REQUIRED SUPPORT Prime Mover - CDL Required 3 x 50-AMP Shoreline Power Requires 3 logistics/team members to set up	986 sf	15940 lbs. - 58' x 8.5'	
Trailers	Available	M8 - Mobile Field Station 2023	Mobile disaster hospital that provides emergency medical relief in disaster-stricken areas where the medical infrastructure is damaged, overwhelmed, or nonexistent Seven (7) Gatekeeper 1935 Western Shelters each with HVAC units to manage medical care for Forty (40) patients, with additional onboard medical storage 80kw onboard generator with 200 gallons of fuel Versatile climate controlled incident command center / communications suite with VIPER/VHF/UHF/Satellite phone capabilities One (1) hygiene station with showers and toilet Three (3) hot water heaters Sleeps up to 22 personnel in trailer Water purification system - 1800 gal/day	1	Driver,Tow Vehicle,Electrical Package	Hard surface for trailer Roadway capable for resupply access Requires 400 amp electrical service with cam lock connections if redundant/alternate power is used	1088 sf	70,000 lbs 64' x 8.5'	

TENTS

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Tents	Available	DLX ASAP 18' x 15' Shelter 2023	Small, portable shelter that can be set up quickly in order to fulfill a variety of roles Quick set-up: Base shelter can be deployed within 5 minutes with 2-4 people Dust and waterproof hard case for transport 18' x 15' / 270 sq ft Insulated liner Standard HVAC ducting Case lid can convert to a table Portable lighting with generator	3	Generator, Driver, Tow Vehicle	Requires 2 logistics staff to set up Prime mover to transport 2 5/16" hitch Flat and level surface for tent stability	270 SF	18'x15'	
Tents	Available	Western Shelter Gatekeeper 1935 2023	Large shelter that can be utilized as a stand-alone unit or combined with additional Western Shelter tents for large-scale operations Sets up in approximately 45 minutes with 1 trained professional and 3 volunteers Includes 1 HVAC unit for climate control (see separate specifications for Western Shelter HVAC unit) Includes 7 fluorescent lights, electrical wiring harness, distribution box, 50-amp power cable, high wind tie downs, and vestibule kit for connecting with WS Gatekeeper 1935	7	Generator, Driver, Tow Vehicle	Prime mover to transport Flat and level surface for tent stability Requires 6 logistics personnel to set up	1000	19' x 35'	
Tents	Available	Pop-up	Heavy Duty, assorted sizes, 5' x 5', 10' x 10', 10' x 15', 10' x 20'	15					

VEHICLES

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Vehicles	Available	291 - F550 Prime Mover 2023	F550 dually crew cab, diesel engine with a flatbed. - 4 x 4 - 20,000# tow capacity - Gooseneck - 3 inch receiver hitch - Pintle Hitch - 1 7/8", 2" or 2 5/16" balls	1	Fuel,Driver	Diesel			
Vehicles	Available	293 - F350 Prime Mover 2023	F350 dually crew cab, 6.7L diesel engine with an open bed with retractable cover. - 4 x 4 - 13,000# tow capacity - Gooseneck - 3 inch receiver hitch - Pintle Hitch - 1 7/8", 2" or 2 5/16" balls	1	Fuel,Driver	Diesel Fuel			
Vehicles	Available	292 - F-250 Prime Mover 2023	F250 dually crew cab, 6.7L diesel engine with an open bed with retractable cover. - 4 x 4 - 12,900# tow capacity - Gooseneck - 3 inch receiver hitch - Pintle Hitch - 1 7/8", 2" or 2 5/16" balls	1	Fuel,Driver	Diesel fuel			
Vehicles	Available	294 - Volvo Road Tractor Prime Mover 2023	Volvo road tractor with sleeper cab.	1	Fuel,Driver	Diesel			
Vehicles	Available	295 - Box Truck Prime Mover 2023	Box truck with lift 24' Cargo Space Rear lift gate for loading supplies from ground level	1	Fuel,Driver	Diesel	37' x 8.5'		

WATER HANDLING

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Water Handling	Available	Hand washing station 2023	Four sink, free standing hand washing station with soap and paper towels. Foot pump operated, no power needed.	1	Water	Fresh water source		70lbs. 28"x17"x49"	Requires service to drain grey water
Water Handling	Available	Hand washing station 2023	One sink, free standing hand washing station with soap and paper towels. Foot pump operated, no power needed.	2	Water	Fresh water source			Requires service to drain grey water
Water Handling	Available	Water Purification System 1,800 Gallon	Water purification system with ability to provide up to 1800 gallons/day Located in Trailer - 240-SU	2	Water				
Water Handling	Available	Water Purification System 17,000 Gallon 2023	Water Purification system capable of purifying 17,000 gal/day Located in trailer - 248	1	Water				
Water Handling	Available	Water Desalinator 2023	Saltwater desalinator and water purifier - desalinates / filters 25-37 gallons/hour - 600 - 888 gallons/day asset tag 200-3703 and 200-3705	1	Housing, Resupply of Materials, Generator	Minimum 2 kW generator replacement filters			

LOGISTICAL SUPPORT

Asset Category	Operational Status	Asset Name	Asset Description	Asset Quantity	Wrap Around Services Required	Wrap Around Details	Square Feet Required for Set-Up	Weight and Size of Equipment Cache	Additional Information
Forklift	Available	FORKLIFT 2023	LPG powered forklift HARD SURFACE ONLY 15 foot reach 4750 LB / 2150 KG maximum Trailer available to move resource With one spare LPG tank	1	Fuel,Driver,Tow Vehicle	Trailer available to move resource, tow vehicle needed to move 2 5/16" Trailer hitch ball		8,720 lb	
Fencing	Available	SHPR Mobile Fencing 2023	Palletized fencing, may be connected to additional units to increase area of coverage. Built from high-grade, 1 1/8" (32mm 1 1/4") diameter x 19-gauge tubular steel frames and 8-gauge, 2" x 4" wire mesh 28 panels each, 6'H x 7.5'W welded wire panels One pallet contains 28 panels, total of 210 linear feet Square feet protected using: 1 pallet - 2,756 sq ft. 2 pallets - 11,025 sq. ft. 3 pallets - 24,806 sq. ft.	3	Other	Four staff minimum to set up. NOT SUPPLIED can use socket set, but cordless driver and a wrench work best		1,800 #	
Traffic Cones	Available	SHPR Traffic Post Delineator Cache	46 inch Lime Green post with base, non - reflective shipped on 2 pallets	100	Driver,Other	Pallet jack oR forklift			
Cots	Available	SHPR Cots 2023	Patient Care Cots 10 Tall Acute Care Cots 278 In-Patient Cots	288					
Cots	Available	SHPR Bariatric Cots 2023	Patient Care Cots 6 bariatric cots 700 # capacity	11					
Cots	Available	SHPR Pediatric Cots 2023	Patient Care Cots 3 Pediatric cots	3					
Training	Available	MCI Training Manikins 2023	Twenty (20) adult and ten (10) pediatric inflatable manikins for use in mass casualty training	30					
Training	Available	Disaster in Seconds MCI Kit	Pediatric Trauma MCI Kit - 38 patient, 12 scenarios, 300 injury cards	1					https://pediatrics.com/disasters-in-seconds/