

Ambulance Strike Team Support Trailer

AST-200



TASK & PURPOSE

- Provides support, equipment and supplies for the Ambulance Strike Team (AST) for up to 7 days
- The AST consists of 5 Ambulances, 1 Supervisor, and 1 Logistics staff member

AVAILABILITY

- Available to deploy within 1 to 3 hours after request

FEATURES

- Standardized supplies and equipment for all ambulances on an AST mission
- Communication support with satellite phone and VIPER/VHF/UHF radios

REQUIRED SUPPORT

- Requires 50-AMP shore line power
- Area for billeting for 12 staff



SPECIFICATIONS

Trailer Length	30' x 8.5'
Dimensions with gate open	39' x 8.5'
Gross Vehicle Weight	9,780 pounds
Clearance from Ground	12"

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667- 4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request.

Decontamination Trailer

220—Decon



TASK & PURPOSE

- Ability to provide mass casualty decontamination operations with an estimated throughput of 100-200 ambulatory & non ambulatory patients per hour

AVAILABILITY

- Available to deploy within 1 to 3 hours after request

FEATURES

- Reeves Three (3) lane decontamination shelter
- Large cache of Level C Decon PPE
- 12 Chemical PAPRs with Chemical PPE kits
- BLS medical supplies & stretchers
- 12.5–17kw gas powered portable generator
- Portable flood lights
- Hot water heater



REQUIRED SUPPORT

- Requires 30-amp shore line power
- Clean water supply - 60-100 PSI
- May require support of one fire engine for sustained water pressure



SPECIFICATIONS

Trailer Length w/ Tongue	24'
Dimensions with rear door open	30' x 8.75'
Gross Vehicle Weight	8,540 lbs.
Hitch Size	2 5/16"
Clearance from Ground	8"

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	<p>Planned Usage: Contact SHPR directly (910) 667-4877</p> <p>Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request.</p>

Medical Support Trailer

232—Support



TASK & PURPOSE

- Mobile warehouse resupply station capable of supplying medical operations for up to 72 hours
- Deploys with all SMAT deployments to provide medical resupply for response missions

AVAILABILITY

- Available to deploy within 1 to 3 hours after request

FEATURES

- One (1) 19'x35' western shelter tent with hand washing station
- Two (2) 1,800 gal/day water purification units
- Prism light with generator for night operations
- Rear access ramp

REQUIRED SUPPORT

- Requires 50-AMP shore line power



SPECIFICATIONS

Trailer Length w/ Tongue	37.25'
Dimensions with gate open	45' x 8.5'
Gross Vehicle Weight	13,660 lbs.
Hitch Size	2 5/16"
Clearance from Ground	10"

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667-4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request.

SMSS Shelter Support Trailer

240—Shelter Support



TASK & PURPOSE

- Medical equipment and supplies to support a special medical support shelter for approximately two (2) days

AVAILABILITY

- Available to deploy within 1 - 3 hours after request

FEATURES

- Eighty (80) shelter cots rated for 300 pound capacity
- Supplies for up to two (2) days of nursing care for shelter patients in fixed structure
- Capable of being a four (4) bed treatment area
- 15 kw portable generator
- Mobile work stations

REQUIRED SUPPORT

- 50-AMP Shoreline Power



SPECIFICATIONS

Trailer Length	40'
Dimensions with gate open	48' x 8.25'
Gross Vehicle Weight	16,040 lbs.
Hitch Size	Gooseneck
Clearance from Ground	12"

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667-4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request

Flatbed Trailer

240FB



TASK & PURPOSE

- Flatbed trailer used for transportation of small equipment such as generators or pallets

AVAILABILITY

- Available to deploy within three (3) hours after request

FEATURES

- Kraftsman model HG 12 ton gooseneck flatbed trailer
- Vehicle load ramps

REQUIRED SUPPORT

- Forklift is required to unload at destination if transporting a palletized load



SPECIFICATIONS

Trailer Length (flatbed)	40'
Trailer Dimensions with ramp	50.75' x 8.75'
Load Capacity	Dependent
Gross Vehicle Weight	19860 pounds
Hitch Size	Gooseneck or King Pin
Clearance from Ground	12"

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667-4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request

Specialty Care / Dialysis Trailer

248—Specialty Care



TASK & PURPOSE

- **Primary:** Basic medical support (first aid) and responder rehabilitation during extended mass gathering and emergency events
- **Secondary:** Support dialysis and critical care operations

AVAILABILITY

- Available to deploy within 1 - 3 hours after request

FEATURES

- Configured with four (4) patient treatment areas that each have hospital style dialysis chairs/beds
- Telemetry, suction, oxygen and electronic vital sign monitoring
- Water purification system—17,000 gal/day
- Four (4) dialysis machines
- Two (2) reverse osmosis filtration units
- Blanket warmer for 50 blankets
- Bear Hugger—individual blanket warmer
- IV Fluid warmer & Individual Hotline IV warmer



REQUIRED SUPPORT

- 3 x 50-AMP Shoreline Power

SPECIFICATIONS



Trailer Length	50'
Dimensions with gate open	58.25' x 8.75'
Gross Vehicle Weight	15,940 lbs.
Hitch Size	Gooseneck hitch
Clearance from Ground	9.5"

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	<p>Planned Usage: Contact SHPR directly (910) 667-4877</p> <p>Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request</p>

M8 Mobile Field Hospital

253—M8



TASK & PURPOSE

- Mobile disaster hospital that provides emergency medical relief in disaster-stricken areas where the medical infrastructure is damaged, overwhelmed, or nonexistent

AVAILABILITY

- Available to deploy within 1 - 3 hours after request

FEATURES

- Six (6) Gatekeeper 1935 Western Shelters each with HVAC units to manage medical care for Fifty (50) patients, with additional onboard medical storage
- 80kw onboard generator with 200 gallons of fuel
- Versatile climate controlled incident command center / communications suite with VIPER/VHF/UHF/Satellite phone capabilities
- One (1) hygiene station with showers and toilet
- Three (3) hot water heaters
- Sleeps up to 22 personnel in trailer
- Water purification system



REQUIRED SUPPORT

- Hard surface for trailer
- Roadway capable for resupply access
- Requires 400 amp electrical service with cam lock connections if redundant/alternate power is used



SPECIFICATIONS

Trailer Length	53 feet
Dimensions when open	64' x 13.5' x 8.5'
Gross Vehicle Weight	70,000 lbs.
Clearance from Ground	12"

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	<p>Planned Usage: Contact SHPR directly (910) 667-4877</p> <p>Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request</p>

Resupply Trailer (Refrigerated)

253RS—Resupply



TASK & PURPOSE

- Refrigerated trailer used for resupply of a Special Medical Needs Shelter as well as provide disaster fatality management morgue support for disaster fatality management

AVAILABILITY

- Available to deploy within 1 - 3 hours after request

FEATURES

- Refrigerated trailer
- Morgue capacity for 60 adults
- Lift Gate for loading from ground level

REQUIRED SUPPORT

- Diesel fuel
- 30-Amp Shoreline Power



SPECIFICATIONS

Trailer Length	55'
Gross Vehicle Weight	70,000 lbs.
Hitch Size	King Pin
Clearance from Ground	21"

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667-4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request

Box Truck Prime Mover

295—Box Truck



TASK & PURPOSE

- Prime Mover used to transport equipment

AVAILABILITY

- Available to deploy within 1-3 hours after request

FEATURES

- 24' Cargo Space
- Rear lift gate

REQUIRED SUPPORT

- Requires 20 AMP Shoreline Power
- Diesel Fuel



SPECIFICATIONS

Trailer Length	37' x 8.5'
Inside Cargo Space	24' (204 square feet)
Clearance from Ground	12"

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667- 4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request

Genie Light Tower—TML 4000N (2)

270 / 271



TASK & PURPOSE

- Portable light towers

AVAILABILITY

- Available to deploy within 30 minutes to 1 hour after request

FEATURES

- 30 gallon fuel tank capacity
- 60 hour run time with fuel load
- 28 foot tower height
- 6 kW generator
- 4000 watts - Four (4) 1,000 watt HID metal halide lamps with individual circuit breaker switch for each lamp

REQUIRED SUPPORT

- Diesel fuel only
- Pintle Hitch



SPECIFICATIONS

Trailer Dimensions (stowed)	14' 7" (L) x 4' 7"(W) x 5' 10" (H)
Weight	Dry - 1821 lbs. / Fuel take full - 2028 lbs.
Hitch Size	Pintle Hitch

Resource Request

Quantity	Location	How to Request
2	SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667-4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request.

Generator/Water Buffalo/Light Tower

272 - Magnum MTT25



TASK & PURPOSE

- Mobile generator with water buffalo and light tower.

AVAILABILITY

- Available to deploy within 30 minutes to 1 hour after request

FEATURES

- Metal Halide lighting - 440,000 lumens with 30 foot tower
- Lighting coverage - 5-7 acres
- 500 gallon non potable water tank capacity with 3.0 gpm water pump
- 229 gallons of usable fuel
- 127 hours maximum generator run time

REQUIRED SUPPORT

- Diesel fuel
- Pintle Hitch



SPECIFICATIONS

Trailer Dimensions	17.5' (L) x 6.9' (H) x 7.2' (D)
Weight	Dry - 5220 lbs. Operating (full) - 10,960 lbs
Gross Vehicle Weight	8,540 lbs.
Hitch Size	Pintle Hitch

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667- 4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request

400-AMP Tradewinds Generator

273—Tradewinds



TASK & PURPOSE

Portable Generator

AVAILABILITY

Available to deploy within 30 minutes to 1 hour after request

REQUIRED SUPPORT

- Diesel Fuel Only
- Pintle Hitch



SPECIFICATIONS

Trailer Dimensions	11' (L) x 6.5' (W)
Gross Vehicle Weight	3,860 lbs.
Hitch Size	Pintle Hitch

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667-4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request

Deployed Logix ASAP 18' x 15' Shelter



TASK & PURPOSE

- Small, portable shelter that can be set up quickly in order to fulfil a variety of roles

AVAILABILITY

- Available to deploy within 1-3 hours after request

FEATURES

- Quick set-up: Base shelter can be deployed within 5 minutes with 2-4 people
- 18' x 15' / 270 sq ft
- Insulated liner
- Standard HVAC ducting
- Dust and waterproof hard case for transport
- Case lid can convert to a table
- Portable lighting with generator



REQUIRED SUPPORT

- Requires 2-4 people to set up

SPECIFICATIONS

Size	18' x 15'
Square Footage	270 sq ft

Resource Request

<i>Quantity</i>	<i>Location</i>	<i>How to Request</i>
2	SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667-4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request

Western Shelter Gatekeeper 20 (20' x 20' tent)



TASK & PURPOSE

- Small shelter that can be utilized as a stand-alone unit or combined with the Western Shelter Gatekeeper 1935

AVAILABILITY

- Available to deploy within 1 - 3 hours after request

FEATURES

- Sets up in under approximately 30 minutes with 1 trained professional and 3 volunteers
- Provides sheltering options for up to 10 individuals
- Includes 1 HVAC unit for climate control (*see separate specifications for Western Shelter HVAC unit*)
- Includes 7 fluorescent lights, electrical wiring harness, distribution box, 50-AMP power cable, high wind tie downs , and vestibule kit for connecting with WS Gatekeeper 1935



REQUIRED SUPPORT

- Flat and level surface for tent stability
- 3-4 people to setup

SPECIFICATIONS

Size—Deployed footprint	20' diameter octagon
Inside Height	Sidewall: 6', Peak: 10' 10"
Usable Square Footage / Area	286 sq ft / 18' 7" x 18' 7"
Weight	344 lbs
Container size	
Operational Environment	-40° to 120° F

Resource Request

Quantity	Location	How to Request
1	SHPR Warehouse	<p>Planned Usage: Contact SHPR directly (910) 667-4877</p> <p>Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request</p>

Western Shelter Gatekeeper 1935 (19' x 35' tent)



TASK & PURPOSE


- Large shelter that can be utilized as a stand-alone unit or combined with additional Western Shelter tents for large-scale operations

AVAILABILITY

- Available to deploy within 1 - 3 hours after request

FEATURES

- Sets up in approximately 45 minutes with 1 trained professional and 3 volunteers
- Includes 1 HVAC unit for climate control (*see separate specifications for Western Shelter HVAC unit*)
- Includes 7 fluorescent lights, electrical wiring harness, distribution box, 50-amp power cable, high wind tie downs, and vestibule kit for connecting with WS Gatekeeper 1935



REQUIRED SUPPORT

- Flat surface for tent stability
- 3-4 people to setup

SPECIFICATIONS

Size—Deployed footprint	18' 17" x 33' 11"
Inside Height	Sidewall: 6', Peak: 10' 10"
Usable Square Footage	570 sq ft
Weight	596 lbs
Container size	
Operational Environment	-40° to 120° F

Resource Request

Quantity	Location	How to Request
6	SHPR Warehouse	<p>Planned Usage: Contact SHPR directly (910) 667-4877</p> <p>Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request</p>

Mobile Western Shelter HVAC Unit (XE 1200)



TASK & PURPOSE

- Portable self-contained HVAC unit capable of providing heating and cooling for Western Shelter tents

AVAILABILITY

- Available to deploy within 1 - 3 hours after request

FEATURES

- 3.5 tons/42,000 Btu per hour of cooling and 40,000 Btu per hour for heating
- Can be used independently for climate control package to support a brick and mortar facility
- Remote thermostat control with 50' power cord to allow for proper installation within the shelter
- Includes a condensation runoff system
- Replaceable 16"x25"x1" filter
- Built-in filter housing



REQUIRED SUPPORT

- Generator Power
- Requires a minimum of 2 people to set up

SPECIFICATIONS

Dimensions	56" x 35" x 41.5"
Rated	208/240 Volts, 30-Amp - Single-Phase, 60 Hertz
Ducting	Supply Boot: 12" Return Boot: 14"
Weight	526 lbs

Resource Request

Quantity	Location	How to Request
10	SHPR Warehouse	<p>Planned Usage: Contact SHPR directly (910) 667-4877</p> <p>Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request</p>

Additional Caches of Equipment



FATALITY MANAGEMENT

- Supplies and bags for 600 bodies

COMMUNICATIONS

- Twenty Six (26) - 800 MHz VIPER Portable Radios
- Fifteen (15) - NCMCN Suitcase Radios
- Two (2) Satellite Radios/Phones

ALTERNATE CARE FACILITIES SUPPORT

- ACF trailer pre-deployed in each SHPR County
- Cache of equipment and supplies for fifty (50) patients

TELEMETRY SYSTEM

- Portable six (6) patient telemetry system

MCI TRAINING MANIKINS

- Twenty (20) adult and ten (10) pediatric inflatable manikins for use in mass casualty training

CLIMATE CONTROL

- Equipment to provide climate control in a fixed facility

Resource Request: Available to deploy within 1 - 3 hours after request	
<i>Location</i>	<i>How to Request</i>
SHPR Warehouse	Planned Usage: Contact SHPR directly (910) 667- 4877 Unplanned/Emergent Usage: Contact County Emergency Management to place a resource request