



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

QA Testing

1 of 1

TOKYO THC 1g Preroll THCA

Sample ID: 2510AFL1868.7196
Strain: TOKYO THC 1g Preroll THCA
Matrix: Plant
Type: Ground Flower
Unit Weight: 1 g

Internal Lab ID: ATL-32802
Received: 10/23/2025
Completed: 10/28/2025
Batch#: TK1GP102525

Client
TOKYO THC
Lic. #
2030 Stirling rd apt 102
Hollywood, FL 33020

Client Notes
THCP Preroll



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/24/2025	Complete
Water Activity	10/23/2025	Pass

Basic Potency

Complete

20.247%
Total THC

0.051%
Total CBD

32.895%
Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.001	0.004	ND	ND	CBN	0.001	0.004	ND	ND
CBDV	0.001	0.004	ND	ND	Δ9-THC	0.001	0.004	0.145	1.45
CBDa	0.001	0.004	0.058	0.58	Δ8-THC	0.001	0.004	ND	ND
CBGa	0.001	0.004	8.681	86.81	(6aR,9S)-d10-THC	0.002	0.005	ND	ND
CBG	0.001	0.004	0.692	6.92	(6aR,9R)-d10-THC	0.002	0.005	ND	ND
CBD	0.001	0.004	ND	ND	CBC	0.001	0.004	0.196	1.96
THCV	0.001	0.004	ND	ND	CBCa	0.001	0.004	0.202	2.02
Δ8-THCV	0.002	0.005	ND	ND	THCa	0.001	0.004	22.921	229.21
THCVa	0.001	0.004	ND	ND	Total	0.001	0.004	32.895	328.95

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 10/24/2025
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA)
ISO/IEC 17025:2017 Accreditation No. 118038

NT
Not Tested
Document ID:
Moisture Content

0.54 aw
Pass
Document ID: CoA-9 Water Activity Rev. 1, Test Method: TM-5
Water Activity

Not Tested
Document ID:
Foreign Matter



Accreditation #118038

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Paulo Gonzalez
Laboratory Director

10/28/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

