TOTO_®

CC

TOILET & LAVATORY
BROCHURE

PROMENADE® II ONE-PIECE TOILET; MS814224CUFG#01




тото NEOREST





The ceramic features a special photocatalytic glaze that is especially durable and hydrophilic. Water easily washes away and eliminates the waste.

The interplay of the special glaze and UV light releases activated oxygen, which breaks down waste without attacking the surface - a process that is completely safe for the environment.



ULTRAVIOLET LIGHT

Once the toilet lid is closed, the integrated UV light turns on for an hour.

SELF-CLEANING TOILET

The Actilight function makes the toilet completely self-cleaning. If the toilet is not in use for eight hours, it automatically sprays the bowl with eWater+. After 10 hours, the UV light in the lid switches on.



NEOREST 750H

The **NEOREST 750H** is truly a revolutionary innovation at the





NEOREST.

750H MS993CUMFX







Remote (Top View)

- Actilight[™] UV light cleaning system built in lid
- Tornado Flush™ system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CeFiONtect™ ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+® Electrolyzed water that sanitizes toilet bowl and wand
- Universal Height
- ADA compliant
- Meets WaterSense® efficiency and performance standards



NEOREST

700H MS992CUMFG





Remote (Top View)

- Tornado Flush system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CeFiONtect ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+ Electrolyzed water that sanitizes toilet bowl and wand
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards





NEW

NEOREST

CWT996CEMFX







Remote (Top View)

NEW

NEOREST

CWT994CEMFG







Remote (Top View)

- Actilight™ UV light cleaning system built in lid
- 3D Tornado Flush™ system, ultra-high efficiency (1.28 GPF/4.8 LPF and 0.9 GPF/3.4 LPF)
- CeFiONtect™ ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+® Electrolyzed water that sanitizes toilet bowl and wand
- Universal Height
- ADA compliant
- Meets WaterSense® efficiency and performance standards

AVAILABLE COLORS



- 3D Tornado Flush system, ultra-high efficiency (1.28 GPF/4.8 LPF and 0.9 GPF/3.4 LPF)
- CeFiONtect ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+ Electrolyzed water that sanitizes toilet bowl and wand
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards



NEOREST

550H MS982CUMG







Remote (Top View)

- **NEOREST.**
- 500H MS952CUMG







Remote (Top View)

- Tornado Flush™ system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CeFiONtect™ ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- · Auto open/close lid, auto flush
- eWater+® Electrolyzed water that sanitizes toilet bowl and wand
- Meets WaterSense® efficiency and performance standards



- Tornado Flush system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- · CeFiONtect ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- · Auto open/close lid, auto flush
- eWater+ Electrolyzed water that sanitizes toilet bowl and wand
- Meets WaterSense efficiency and performance standards



NEOREST.		NEW					
		NEOREST AC NEOREST EW		750H 700H		550Н 500Н	
		CWT996CEMFX	CWT994CEMFG	MS993CUMFX	MS992CUMFG	MS982CUMG	MS952CUMG
CUMP	ARISON CHART	0	0			1	
	COLOR:	#01	#01	#O1	#01	#01, #12	#01, #12
	REAR CLEANSE	•	•	•	•	•	•
	SOFT REAR CLEANSE	•	•	•	•	•	•
	FRONT CLEANSE	•	•	•	•	•	•
	WIDE FRONT CLEANSE	•	•	•	•	•	•
	OSCILLATING CLEANSE	•	•	•	•	•	•
CLEANSE	PULSATING CLEANSE	•	•	•	•	•	•
	INSTANTANEOUS WATER HEATING	•	•	•	•	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•	•	•	•
	AIR PURIFIER (DEODORIZER)	•	•	•	•	•	•
AIR	AIR DRYER	•	•	•	•	•	•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
SEAT	HEATED SEAT	•	•	•	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	SOFTCLOSE® SEAT AND LID	•	•	•	•	•	•
SENSOR	SEAT SENSOR	•	•	•	•	•	•
	AUTOMATIC OPEN AND CLOSE LID	•	•	•	•	•	•
	AUTOMATIC FLUSH	•	•	•	•	•	•
	NIGHT LIGHT	•	•	•	•	•	•
	REMOTE CONTROL	•	•	•	•	•	•
REMOTE CONTROL	REMOTE CONTROLLED SEAT	•	•	•	•	•	•
	REMOTE CONTROLLED FLUSH	•	•	•	•	•	•
	ACTILIGHT	•	-	•	-	-	-
	CeFiONtect	•	•	•	•	•	•
HYGIENE	C-ewater+.	•	•	•	•	•	•
	PREMIST	•	•	•	•	•	•
	BOWL CLEANING MODE	•	•	•	•	•	•
	WAND CLEANING MODE	•	•	•	•	•	•
	SELF-CLEANING WAND	•	•	•	•	•	•
FLUSHING SYSTEM	FLUSHING TYPE	3D TORNADO	3D TORNADO	1G TORNADO	1G TORNADO	1G TORNADO	1G TORNADO
	GALLONS PER FLUSH	1.28 & 0.9	1.28 & 0.9	1.0	1.0	1.0	1.0
	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS
ENERGY SAVING	AUTO ENERGY SAVER	•	•	•	•	•	•
	ON / OFF BUTTON	•	•	•	•	•	•
	INSTALLATION	WALL-HUNG	WALL-HUNG	FLOOR MOUNT	FLOOR MOUNT	FLOOR MOUNT	FLOOR MOUNT
USABILITY	& ADA	•	•	•	•	-	-
	UNIVERSAL HEIGHT	•	•	•	•	-	-



NEW

NEOREST. REMOTE CONTROL STAND YS990





- Versatile design with removable remote control plate for a stand alone toilet paper holder
- · Solid brass construction weighing 22 lbs.
- Designed to hold two rolls of toilet paper and one remote control
- · Remote control not included



REMOTE CONTROL HOW IT WORKS

Easy and Convenient to Use.






from the wand

water pressure

TOTO: Washlet.

WASHLET brings a new, refreshing lifestyle to America. Cleansing with warm water after using the toilet provides an exceptionally clean feeling. The self-cleaning wand is fully adjustable, allowing users to set the precise temperature and spray type for comfortable intimate cleansing.

CLEANSING FUNCTIONS



RFAR



The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.

REAR SOFT



It has a larger radius to cover more space. Low water pressure makes for a soft, comfortable spray.

FRONT



The front wash consists of large, soft drops for comfortable intimate cleansing - for a clean, fresh feeling.

WIDE FRONT



It has a larger radius to cover more space. Low water pressure makes for a soft, comfortable spray. *On WASHLET S350e & S300e only

COMFORT



DEODORIZER

The deodorizer effectively cleans the air around the toilet using powerful filters. Air is drawn in, passing through an ionized carbon filter to eliminate unpleasant odors.



HEATED SEAT

The specially designed, contoured seat is heated to provide maximum comfort. An integrated sensor maintains the desired setting between 82°F and 97°F.



SOFTCLOSE® LID

The SoftClose lid closes gently to eliminate seat slamming. The S350e model lids are activated by sensors for automatic opening and closing.



DRYER

Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.

HYGIENE FUNCTIONS



SELF-CLEANING WAND

The self-cleaning function cleans the entire wand before and after each use.



PREMIST



Using the incoming water supply, a pre-mist wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.



EWATER+®



Electrolyzed water is a proven disinfectant used in food preparation and cleaning. After each use, TOTO's eWater+ mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.

*On WASHLET S350e & S300e only



HOW IT WORKS



^{*} eWater+ is available for WASHLET S300e & S350e only

WASHLET®

G400 WITH INTEGRATED TOILET MS920CEMFG (elongated)





- · 3D Tornado Flush™ system
- Dual-Max
- CeFiONtect[™] ceramic glaze
- · Sleek, full skirted one-piece
- Elongated front bowl
- · 12" rough-in
- Mounting and connection hardware included
- Universal height
- ADA compliant
- Premist of bowl before each use
- WASHLET cleansing with 5 water pressure settings
- · Front and rear cleanse
- · Adjustable water and seat temperatures
- Oscillating spray option
- · Warm-air dryer
- · Built-in air deodorizing system
- Auto open/close lid
- · Hands-free automatic flush
- Meets WaterSense efficiency and performance standards









ewater+®

Electrolyzed water is a proven disinfectant used in food preparation and cleaning. After each use, TOTO's eWater+ mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals. *On WASHLET S350e & S300e only

Chlorine Ion







Tap Water

Electrolyzed Electrolysis Water (eWater+)



eWater+ spray

WASHLET®

S350E SW584 (elongated) SW583 (round)





- WASHLET cleansing with 5 water pressure settings
- eWater+® technology
- Premist of bowl before each use
- Front and rear cleanse
- SoftClose® seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature
- Auto open/close lid
- Night light

WASHLET S300E SW574 (elongated) SW573 (round)





- WASHLET cleansing with 5 water pressure settings
- eWater+ technology
- Premist of bowl before each use
- Front and rear cleanse
- SoftClose seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature

WASHLET®

SW2044 (elongated) SW2043 (round)





- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- · Premist of bowl before each use
- Front and rear cleanse
- SoftClose® seat
- · Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Convenient slim wireless remote, with illuminated touch pad
- 2 user settings
- Adjustable seat temperature

WASHLET

SW2024 (elongated)





- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Convenient slim wireless remote
- Adjustable seat temperature
- 2 user settings
- Available only in #01 Cotton

WASHLET

SW2034 (elongated) SW2033 (round)





- · Gentle aerated, warm water, dual action spray with oscillating feature
- Premist of bowl before each use
- Front and rear cleanse
- SoftClose seat
- · Adjustable water temperature and pressure
- · Warm air drying with three variable temperature settings
- · Built-in air deodorizer
- Arm control panel
- · Adjustable seat temperature

WASHLET

SW2014 (elongated)





- · Gentle aerated, warm water, dual action spray with oscillating feature
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- · Arm control panel
- Adjustable seat temperature
- · Available only in #01 Cotton







R Si Si Si Si Si Si Si		MS920CEMFG (elongated) #01, #12 • • • • • 5 SETTINGS	SW584 (elongated) SW583 (round) #01, #12	\$W574 (elongated) \$W573 (round) #01, #12	#01, #12	#01, #12	#01	#01
CLEANSE CLEANSE	CEAR CLEANSE OFT REAR CLEANSE RONT CLEANSE VIDE FRONT CLEANSE DISCILLATING CLEANSE ULSATING CLEANSE NSTANTANEOUS WATER HEATING VATER PRESSURE CONTROL VATER TEMPERATURE	•	•	•	•	•	•	•
R Si Si Si Si Si Si Si	CEAR CLEANSE OFT REAR CLEANSE RONT CLEANSE VIDE FRONT CLEANSE DISCILLATING CLEANSE ULSATING CLEANSE NSTANTANEOUS WATER HEATING VATER PRESSURE CONTROL VATER TEMPERATURE	•	•	•	•	•	•	•
CLEANSE PI	OFT REAR CLEANSE RONT CLEANSE VIDE FRONT CLEANSE SCILLATING CLEANSE ULSATING CLEANSE STANTANEOUS WATER SEATING VATER PRESSURE CONTROL VATER TEMPERATURE	•	•	•	•	•	•	•
CLEANSE PI	RONT CLEANSE VIDE FRONT CLEANSE DISCILLATING CLEANSE ULSATING CLEANSE NSTANTANEOUS WATER HEATING VATER PRESSURE CONTROL VATER TEMPERATURE	•	•	•	-	-	-	
CLEANSE PI	VIDE FRONT CLEANSE DSCILLATING CLEANSE ULSATING CLEANSE NSTANTANEOUS WATER IEATING VATER PRESSURE CONTROL VATER TEMPERATURE	- • •	•	•	-	-	-	-
CLEANSE PI	ULSATING CLEANSE ULSATING CLEANSE NSTANTANEOUS WATER HEATING VATER PRESSURE CONTROL VATER TEMPERATURE	•	•	•	-	-	-	-
CLEANSE PI	ULSATING CLEANSE NSTANTANEOUS WATER LEATING VATER PRESSURE CONTROL VATER TEMPERATURE	•	•		•	•		
Pi IN H	NSTANTANEOUS WATER NEATING VATER PRESSURE CONTROL VATER TEMPERATURE	-					•	•
Н	VATER PRESSURE CONTROL VATER TEMPERATURE	- 5 SETTINGS	•	•	•	-	•	-
	VATER PRESSURE CONTROL VATER TEMPERATURE	5 SETTINGS	I .	•	-	-	-	-
			5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
		5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS
W	VAND POSITION DJUSTMENT	•	•	•	•	•	•	•
А	IR PURIFIER (DEODORIZER)	•	•	•	•	•	-	-
AIR A	IR DRYER	•	•	•	•	•	-	-
А	IR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	-	-
Н	IEATED SEAT	•	•	•	•	•	•	•
	EATED SEAT EMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS
S	OFTCLOSE® SEAT AND LID	•	•	•	•	•	•	•
	EAT SENSOR	•	•	•	•	•	•	•
	AUTOMATIC OPEN AND CLOSE LID	•	•	-	-	-	-	-
SENSOR	AUTOMATIC FLUSH	•	-	-	-	-	-	-
N	IIGHT LIGHT	-	•	-	-	-	-	-
R	EMOTE CONTROL	•	•	•	•	SIDE PANEL	•	SIDE PANEL
REMOTE CONTROL	EMOTE CONTROLLED SEAT	•	•	-	-	-	-	-
	EMOTE CONTROLLED LUSH	•	-	-	-	-	-	-
R	EMOVABLE LID	•	•	•	•	•	•	•
	CEFIONTECT™	•	-	-	-	-	-	-
HYGIENE	• ewater+	-	•	•	-	-	-	-
	PREMIST	•	•	•	•	•	-	-
W	VAND CLEANING MODE	•	•	•	•	•	•	•
SI	ELF-CLEANING WAND	•	•	•	•	•	•	•
	NERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	-	-	-	-
ENERGY SAVING	UTO ENERGY SAVER	•	•	•	•	•	•	•
0	N / OFF BUTTON	•	•	•	-	-	-	-

^{*} Connect+ is a WASHLET and toilet system specially designed to conceal the supply connections. Please refer to page 25 for more details.

TOTO: washlet.


HOW REMOTE CONTROL WORKS

Easy and Convenient to Use.

FRONT VIEW



BACK VIEW TOP VIEW



Interface of the remote control is subject to change. Bracket available for wall-mounting.



CONNECT+™ SYSTEM CHART

CONNECT+ TOILETS

ULTRAMAX® II 1G® 10 8 8 8 0

CAL Green

ULTRAMAX II 8880

CAL Green CARLYLE® II 1G®

○ CAL Green CARLYLE II 8860

CAL Green SUPREME® II 9860

CAL Green CAROLINA® II 8800

CA CAL Green DRAKE® II 1G® 08880

⚠ CAL Green

CAL Green

VESPIN® II 1G® 10 8 8 B U S

CAL Green

CAL Green

MH™ CONNECT+ C200 88800

CAL Green

VESPIN II 8000

DRAKE II 8860

TWO-PIECE

WALL

MATCHING TANK ST453U

MATCHING TANK ST454E

MATCHING TANK ST453U

MATCHING TANK ST454E

DUOFIT IN-WALL TANK WT154M

ONE-PIECE

		cotousa.com 25			
		NEW			
	ELONGATED				D-SHAPE
	\$350E	S300E ♠ & ◎	C200	C100	C200
	SW584T20#01	SW574T20#01	SW2044T20#01	SW2034T20#01	SW2047T20#01
	0	0	10	0	
MODEL NUMBERS					
CST604CUFGT20#01	MW604584CUFG#01	MW604574CUFG#01	MW6042044CUFG#01	MW6042034CUFG#01	-
CST604CEFGT20#01	MW604584CEFG#01	MW604574CEFG#01	MW6042044CEFG#01	MW6042034CEFG#01	-
CST614CUFGT20#01	MW614584CUFG#01	MW614574CUFG#01	MW6142044CUFG#01	MW6142034CUFG#01	-
CST614CEFGT20#01	MW614584CEFG#01	MW614574CEFG#01	MW6142044CEFG#01	MW6142034CEFG#01	-
CST634CEFGT20#01	MW634584CEFG#01	MW634574CEFG#01	MW6342044CEFG#01	MW6342034CEFG#01	-
CST644CEFGT20#01	MW644584CEFG#01	MW644574CEFG#01	MW6442044CEFG#01	MW6442034CEFG#01	-
C454CUFGT20#01	MW454584CUFG#01	MW454574CUFG#01	MW4542044CUFG#01	MW4542034CUFG#01	-
153U					
C454CUFGT20#01	MW454584CEFG#01	MW454574CEFG#01	MW4542044CEFG#01	MW4542034CEFG#01	-
154E					
CT474CUFGT20#01	MW474584CUFG#01	MW474574CUFG#01	MW4742044CUFG#01	MW4742034CUFG#01	-
153U					
CT474CUFGT20#01	MW474584CEFG#01	MW474574CEFG#01	MW4742044CEFG#01	MW4742034CEFG#01	-
154E					
CT437FGT20#01	-	-	-	-	CWT4372047MFG#01
TANK WT154M					





1 GALLON TECHNOLOGY (1.0 GPF)

TOTO's 1G toilets offer substantial water savings without wavering on our renowned performance. Using our powerful — yet surprisingly quiet — gravity-fed Tornado Flush™ technology, 1G fully evacuates the bowl with an ultra-efficient one gallon of water.







Regular Flush

Tornado Flush



REDUCES WATER USE BY 35% OR MORE ON AVERAGE OVER A STANDARD 1.6 GPF TOILET

TOTO 1G TOILETS



5,840 GALLONS Used in Flushing

\$175 Operation Cost

PER YEAR



STANDARD 1.6 GPF TOILETS



9,344 GALLONS Used in Flushing

\$280 Operation Cost

PER YEAR

ONE-PIECE TOILETS

NEW

PROMENADE® II - 1.0 GPF MS814224CUFG (Elongated)







ULTRAMAX® II - 1.0 GPF MS604114CUFG (Elongated)









TWO-PIECE TOILETS

NEW

PROMENADE II - 1.0 GPF CST404CUF(G) (Elongated)



VESPIN® II - 1.0 GPF CST474CUF(R)(G) (Elongated)







DRAKE II - 1.0 GPF *CST453CUF(R)(G) (Round)

























FLUSH TOWER TECHNOLOGY

Innovation Highlights





1G® TORNADO **FLUSHING SYSTEM (1.0 GPF)**

The 1G Tornado Flush™ valve features advanced technology that harnesses the power of gravity to create a cyclonic force of water for an efficient one-gallon flush.



NO SHIFTING

- · Less side to side movement
- Thicker seal gasket
- · Stays secure during flush
- More overhang of seal gasket on base
- · Prevents leaking

RIGID BASE GASKET


• Ensures a tight seal even if the hole deteriorates after time

TORNADO FLUSH™ TOILETS





TOTO's industry-leading Tornado Flush system features a state of the art hole-free rim design that creates a powerful whirlpool of water. Combined with the extraordinarily smooth CeFiONtect glaze that prevents particulates from adhering to porous, ceramic surfaces every inch of your bowl stays cleaner, longer. CeFiONtect's ion barrier keeps everything clean which leads to fewer chemicals in the environment and less water used for cleaning.





MS614114CEF(G)

NEW

PROMENADE® II - 1.28 GPF MS814224CEF(G) (Elongated) SS114 seat included





ECO GUINEVERE® - 1.28 GPF MS974224CEF(G) (Elongated) SS224 seat included





ECO SOIRÉE® - 1.28 GPF MS964214CEF(G) (Elongated) SS214 seat included



CARLYLE® II - 1.28 GPF MS614114CEF(R)(G) (Elongated) SS114 seat included





ULTRAMAX® II - 1.28 GPF

SS114 seat included

MS604114CEF(R)(G) (Elongated)

CAROLINA® II - 1.28 GPF MS644114CEF(G) (Elongated) SS114 seat included



SUPREME® II - 1.28 GPF MS634114CEF(G) (Elongated) SS114 seat included







MS624214CEF(G) (Elongated)



AIMES® - 1.28 GPF MS626214CEF(G) (Elongated) SS214 seat included



SS214 seat included CALGreen

LEGATO® - 1.28 GPF

















ECO LLOYD® - 1.28 GPF MS934214EF (Elongated) SS214 seat included





AQUIA® - 1.6 GPF/0.9 GPF MS654114MF (Elongated) SS114 seat included





ECO SUPREME® - 1.28 GPF

MS864114E (Elongated) MS863113E (Round)

SS114 seat included (MS864114E) SS113 seat included (MS863113E)

ECO ULTRAMAX® - 1.28 GPF

*MS854114E(L)(G) (Elongated)

*MS853113E (Round)

SS114 seat included (MS854114E(L)(G)) SS113 seat included (MS853113E) ADA height available (MS854114EL(G)) CeFiONtect available (MS854114EL(G)) Standard glazed model available

ULTIMATE® - 1.6 GPF

MS854114 (Elongated)

MS853113 (Round)

SS114 seat included (MS854114) SS113 seat included (MS853113) 1.6 GPF only



























NEW

PROMENADE® II - 1.28 GPF CST404CEF(G) (Elongated)





VESPIN® II - 1.28 GPF CST474CEF(R)(G) (Elongated)



DRAKE® II - 1.28 GPF CST454CEF(R)(G) (Elongated)



DRAKE II ROUND FRONT - 1.28 GPF *CST453CEF(R)(G) (Round)



MARIS® - 1.28 GPF/0.9 GPF CST484CEMF(G) (Elongated)







CONNELLY® - 1.28 GPF/0.9 GPF

CST494CEMF(G) (Elongated)





















ECO DRAKE® TRANSITIONAL 1.28 GPF

**CST744EN(G) (Elongated) CST743EN (Round)





ECO DRAKE - 1.28 GPF

* **CST744E(R)(G) (Elongated) *CST743E(R) (Round)

ADA height available (CST744ELG) Bolt-down tank lid available Standard glazed model available





ECO CLAYTON® - 1.28 GPF

*CST784EF (Elongated)





WHITNEY® - 1.28 GPF CST754EFN (Elongated)



ECO DARTMOUTH® - 1.28 GPF

CST754EF (Elongated)





ECO PROMENADE® - 1.28 GPF

*CST423EF(G) (Round) ADA compliance applies only to elongated Standard glazed model available





AQUIA® - 1.6 GPF/0.9 GPF

**CST412MF (Elongated) CST416M (Elongated) Regular height available (CST416M)





ECO NEXUS® - 1.28 GPF

CST794EF(R) (Elongated)



















MARIS® WALL-HUNG TOILET; CT486FG

NEW

MH™ CONNECT+ C200 WALL-HUNG TOILET 1.28/0.9 GPF

CWT4372047MFG

CAL Green

with Push Plate YT820#CP YT820#SS & YT830#WH available Can be mounted at ADA height Requires WT153M/W154M



PUSH PLATE

YT800#WH











CT437FG (D-shape)

Requires WT153M/W154M

MH WALL-HUNG TOILET

Can be mounted at ADA height

1.28/0.9 GPF

SS117 seat required





PUSH PLATE YT820#CP Polished chrome A hidden mounting screw



AQUIA® WALL-HUNG TOILET 1.6/0.9 GPF

CT418FG (Elongated)


Can be mounted at ADA height Requires WT151M/W152M Requires Elongated seat or WASHLET Standard glazed model available





PUSH PLATE YT820#SS Brushed stainless steel A hidden mounting screw





CT486FG (Elongated)

Can be mounted at ADA height Requires WT151M/W152M Requires Elongated seat or WASHLET sold separately





PUSH PLATE YT830#WH





DUOFIT™ IN-WALL TANK SYSTEM - 1.28/0.9 GPF

WT153M (PEX supply line) WT154M (Copper supply line)

2" x 6" installation 2" x 4" outlet kit available Push plates sold separately





DUOFIT IN-WALL TANK SYSTEM - 1.6/0.9 GPF

WT151M (PEX supply line) WT152M (Copper supply line)

2" x 6" installation 2" x 4" outlet kit available Push plates sold separately





WALL-HUNG CHART

WALL-HUNG	SKU#		
TOILETS	BOWL	TANK	
MH CONNECT+ C200	CWT4372047MFG	WT153M WT154M	
МН	CT437FG	WT153M WT154M	
AQUIA	CT418FG	WT151M WT152M	
AQUIA	CT418F	WT151M WT152M	
MARIS	CT486FG	WT151M WT152M	









VESSEL LAVATORIES



NEOREST® II LLT993

Basin W 29-1/2" x D 17-11/16"

LUMINIST® RECTANGLE LLT151

W 19-11/16" x D 12-5/8" x H 3-9/16" Basin W 17-7/8" x D 10-13/16"

LUMINIST ROUND

LLT150

ø15-3/4" Dia. H 3-9/16" Basin ø14-7/8" Dia.

LUMINIST LIGHTED ROUND

LLT152#63-BL (Shown)

ø15-5/8" Dia. H 2-3/8" Basin ø14" Dia.

LLT152#63-WH

ø15-5/8" Dia. H 2-3/8" Basin ø14" Dia.









NEW

(A) (b)

KIWAMI® RECTANGLE

LT476G (Shown)

W 23-5/8" x D 15" x H 2-13/16" Basin W 23-5/16" x D 14-11/16" x H 3-9/16"

LT475G

W 19-11/16" x D 15" x H 2-13/16" Basin W 19-3/8" x D 14-11/16" x H 3-9/16"



LT994G (Shown)

W 29-3/8" x D 17-5/8" Basin W 28-7/16" x D 16-15/16"

LT995G

(A) (b.)

W 23-7/16" x D 15-5/8" Basin W 22-1/2" x D 15



KIWAMI RENESSE I **LT172G

W 18-1/8" x D 18-1/8" x H 2-1/8" Basin W 16-1/8" x D 12-1/2"













NEW

ARVINA™ RECTANGLE - OUTSET

LT426G (Shown)

W 23-5/8" x D 13-13/16" x H 2-13/16" Basin W 23" x D 14-5/16" x H 4-3/4"

LT425G

W 19-11/16" x D 13-13/16" x H 2-13/16" Basin W 19-1/16 x D 14-5/16" x H 4-3/4"



ARVINA RECTANGLE - INSET

**LT416G (Shown)

23-5/8" x D 17-3/4" x H 2-13/16" Basin W 22-7/8" x D 13-1/8" x H 4-3/4"

*LT415G

W 19-11/16" x D 17-3/4" x H 2-13/16" Basin W 19-1/16" x D 13-1/8" x H 4-3/4"



LT574

W 16-9/16" x D 16-9/16" x H 4-15/16 Basin W 16-1/16" x D 16-1/16"

ARVINA ROUND

LT572 (Shown)

ø15-3/4" Dia. H 4-15/16" Basin ø15-1/4" Dia.

LT573

ø16-9/16" Dia. H 4-15/16" Basin ø16-1/8" Dia.





Available Q3 2017



Available Q3 2017





CURVA® LT185

W ø18" Dia. x H 3-13/16" Basin W ø13" Dia.







NEXUS® *LT791

W 24" x D 17-3/8" x H 6-3/8" Basin W 15-3/4" x D 11"



WAZA® NOIR® FLT141

W ø18-1/8" Dia. x H 3-9/16" Basin W ø15-9/16" Dia.



*Available in single-hole, 4", or 8" centers **Available in single-hole or 8" centers For more information on dimensions please refer to product spec sheet.





CLAYTON® *LPT780 W 27" x D 19-5/8" x H 34"

DARTMOUTH® *LPT642 W 24-1/4" × D 18-1/4" × H 34"

GUINEVERE® **LPT970/LPT972 W 27-1/8" x D 19-7/8" x H 34" (LPT970) W 24-3/8" x D 19-7/8" x H 34" (LPT972)

NEXUS® *LPT790 W 24" x D 17-3/8" x H 34"









PACIFICA® *LPT908N W 25-5/8" × D 19-1/2" × H 34"

PROMENADE® *LPT530N/LPT532N W 27-1/2' x D 22-1/4" x H 34-3/8" (LPT530N) W 26" x D 21-1/2" x H 34-1/2" W 24" x D 19-1/4" x H 34-3/8" (LPT532N)

PROMINENCE® *LPT242(G)

SOIRÉE® **LPT960/LPT962 W 29-1/2" x D 19-5/8" x H 34" (LPT960) W 25-1/8" x D 18-7/8" X H 34" (LPT962)











SUPREME® *LPT241(G) W 22-7/8" × D 19-5/8" × H 34-1/2"

WHITNEY® *LPT754 W 25" × D 19" × H 34"





WALL-MOUNT LAVATORIES



SUPREME® WALL-MOUNT LAVATORY; LHT24
SII AS® WIDESPREAD FAUCET: TI 210DD

PROMINENCE® *LHT242(G)

W 26" x D 21-1/2"

SUPREME®

*LHT241(G) W 22-7/8" x D 19-5/8"









LT650G

W 29-1/2" × D 11-13/16"







AIMES* LT626(G) W 17" x D 15"















PROMENADE® LT533 W 18-1/2" x D 14-1/2"







ATHERTON"

LT221

W 17" x D 13"





CONNELLY®

LT491(G)

W 14" x D 14"

3





VERNICA® LT156 W 19-1/2" x D 12-3/4"

Ġ



WAZA SULTANA® LT624#01-NB W 17" x D 15"

Ġ.















Pattern detail

LT540G W 21-1/4" x D 14-3/8"

LT542G W 19" x D 12-3/8"

SOIRÉE® LT967 W 24-3/4" x D 14-1/8"













ATHERTON LT231 W 17" x D 14"

ATHERTON LT233 W 19" x D 15"

Ġ.

CURVA® LT181 W 17" x D 14"

Ġ.

CURVA LT183 W ø14" Dia.

Ġ.











DANTESCA® LT597(G) W 19" x D 15"



DARTMOUTH® LT641 W 19-9/16" x D 14-3/8"



Ġ.

DARTMOUTH

LT577 W 15" x D 12"

Ġ.











RENDEZVOUS® LT579(G) W 17-1/2" x D 14-1/4"





LT193(G) W ø15-3/8" Dia.





LT546(G) W 19-11/16" x D 13-3/4"





LT548(G) W 21-5/8" x D 14-5/8"





WAZA BARROCCO® LT641#01-NA W 19-9/16" x D 14-3/8"

% &

MARIS* LT483(G) W 17-5/8" x D 14-9/16"















Pattern detail



NEOREST® COMBINATION LAVATORY FAUCET LFC991GQ W 29-1/2" x D 19-5/8"

VERNICA® DESIGN II *LT155 Basin W 20" x H 18"

WAZA® NOIR™ FLT132 W 24" x D 15"

WAZA NOIR FLT142 W 25-9/16" x D 17-1/16"

















PROMENADE® *LT531 W 22-1/2" x D 18-3/4"

CLAYTON®

W 25" x D 18-1/4"

*LT781

SOIRÉE® **LT963 W 27-1/2" x D 18-7/8"

GUINEVERE® *LT971 W 28-1/8" x D 19-5/8"

















CURVA® LT182 (w/ faucet hole) LT180 (w/o faucet hole) W 22" x D 19"

ULTIMATE® *LT512(G) W 19" x D 19"

3 6.

SUPREME® *LT511(G) W 20" x D 17"

% &













LINEAR CERAM

ICON GUIDE

TOTO is globally recognized as the leader in research and development for the bathroom. But we are not innovating just for innovation's sake - our technologies are developed to create bathroom products that not only perform reliably, but conserve water and improve the quality of people's everyday life too.

1G	1.0 GPF	1G toilets use the power of gravity to provide the most efficient flush in the industry.
0000	TORNADO FLUSH™	Previously known as Double Cyclone Flushing Technology. Tornado Flush features a state-of-the-art, hole-free rim design that offers dual-nozzle bowl cleansing, creating a centrifugal rinsing action that cleans the bowl more efficiently.
J D00	3D TORNADO FLUSH™	Previously known as Dual Max Cyclone. 3D Tornado features three powerful nozzles that create a powerful centrifugal rinsing action and combines it with the conservation of 0.9 or 1.28 GPF.
D+	DUAL-MAX®	Dual-Max indicates a dual flushing system that optimizes conservation by allowing you to select either 0.9 or 1.28 GPF and 0.9 or 1.6 GPF.
E	E-MAX°	E-Max indicates high performance, high-efficiency flushing technology using only 1.28 GPF. It features a 3" wide flush valve, large trapway, and extra-large siphon jet.
G+	G-MAX®	G-Max indicates a reliable flushing technology with 3" wide flush valve, large trapway, and extra-large siphon jet.
	CeFiONtect™	Previously known as Sanagloss. CeFiONtect glaze prevents visible and invisible waste from sticking to ceramic surfaces, leading to the use of less chemicals and water to clean.
Ġ	ADA	Product complies with Americans with Disabilities Act accessibility guidelines.
U	UNIVERSAL HEIGHT	Universal Height indicates toilets that allow for a more comfortable position across a wide range of users.
SD	SKIRTED DESIGN	The trapway is concealed by smooth porcelain, making the toilet easier to clean.

lavatories.

Extremely smooth and thin, yet durable material used for



Luminist is a remarkable custom material that combines the translucence of glass with exceptional impact- and heat-resistance.



An individually adjustable wand system with self-cleaning function.



UV light combined with a special glaze breaks down dirt and grime in the toilet bowl.



A WASHLET and toilet system that is specially designed for a seamless installation.



After each flush, TOTO's eWater+® mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.



PREMIST

Using the incoming water supply, a Premist wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.



AUTO FUNCTIONS

Indicates a product featuring an integrated, automatic, sensor activated function. Products like the NEOREST, select WASHLET models, EcoPower Faucets and Flush Valves, Soap Dispensers and Hand Dryers.



WATERSENSE

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less, faucets are 1.5 GPM, and showers are 2.0 GPM.



Meets California Energy Commission Requirements -Effective 2016.



Meets CalGreen Water Regulations for new construction and permitted remodel.

TOTO NOTES			

TOTO NOTES	

TOTO USA, INC.

1155 SOUTHERN ROAD MORROW, GA 30260 800-350-8686

www.totousa.com www.washlet.com

#KO-042017-TLB Printed in the U.S.A. 04/17