














Effective Date January, 2019

Supersedes all Previous Price Lists

Ventilation Fans, Systems, Controls, Switches and Accessories



Style	Model Number	UPC	Features	Suggested List Price
 WhisperGreen® Select™ - ECM Motor with Pick-A-Flow™ and Pre-Installed Multi-Speed				
	FV-0511VKS2	8 85170 33730 5	WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM fan with ECM Motor, pre-installed multi-speed 0, 30~110 CFM, <0.3 sone, Select up to 2 Plug 'N Play™ modules. Single-hinged Flex-Z Fast™ installation bracket , Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box.	\$307.00
 WhisperGreen® Select™ - ECM Motor with Pick-A-Flow™				
	FV-0511VK2	8 85170 33728 2	WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM fan with ECM Motor, <0.3 sone, Select up to 3 Plug 'N Play™ modules. Single-hinged Flex-Z Fast™ installation bracket , Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box.	\$275.00
	FV-1115VK2	8 85170 33732 9	WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 110, 130 or 150 CFM fan with ECM Motor, <0.3 sone, Select up to 3 Plug 'N Play™ modules. Single-hinged Flex-Z Fast™ installation bracket , 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box.	\$345.00
 WhisperGreen® Select™ - ECM Motor with Pick-A-Flow™ (LED lamps included)				
	FV-0511VKS2L	885170337312	WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM fan with ECM Motor, pre-installed multi-speed 0, 30~110 CFM, <0.3, <0.3, 0.4 sone, 10W LED Chip Panel, <1W LED night light , Select up to 2 Plug 'N Play™ modules. Single-hinged Flex-Z Fast™ installation bracket , Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box.	\$452.00
	FV-0511VKL2	8 85170 33729 9	WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM fan with ECM Motor, <0.3, <0.3, 0.4 sone, 10W LED Chip Panel, <1W LED night light , Single-hinged Flex-Z Fast™ installation bracket , Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box.	\$420.00

Style	Model Number	UPC	Features	Suggested List Price
 WhisperGreen® Select™ - ECM Motor with Pick-A-Flow™ (LED lamps included) (cont'd)				
	FV-1115VKL2	8 85170 33733 6	WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 110, 130 or 150 CFM fan with ECM Motor, <0.3, <0.3, 0.6 sone, 10W LED Chip Panel, <1W LED night light, Single-hinged Flex-Z Fast™ installation bracket , Integrated 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box.	\$515.00
WhisperGreen® Select™ Plug 'N Play™ Modules*				
	FV-VS15VK1 8 Units/Master Pack	8 85170 18005 5	Multi-Speed Module with High/Low Delay Timer: 0, 30~110 or 0, 50~150 CFM settings to satisfy ASHRAE 62.2 continuous ventilation requirements.	\$192.00 (\$24.00 per unit)
	FV-MSVK1 8 Units/Master Pack	8 85170 18006 2	SmartAction® Motion Sensor Module: automatically activates the fan when someone enters the room.	\$224.00 (\$28.00 per unit)
	FV-CSVK1 8 Units/Master Pack	8 85170 18007 9	Condensation Sensor Module: controls bathroom condensation by anticipating dew point. When used in conjunction with multi-speed functionality, fan kicks up to high speed when moisture is detected in the room.	\$576.00 (\$72.00 per unit)
Broken Pack Service Charge*	VF-BPSC	N/A	Broken Pack Service Charge-Modules/Controls/Switches/Adapters/Filters.	\$3.25
SelectCycler™ Whole House Ventilation System - Lowest Cost Per HERS Point Solution				
	SACG2K-06	8 57702 00114 5	SelectCycler™ Kit, 6" Duct Whole house ventilation system designed to work with WhisperGreen® Select™ to operate in Hybrid or Balanced mode to meet ASHRAE 62.2. Kit includes a programmable wall mount controller, motorized supply damper with 6" duct and a FanConnect™ bathroom fan/light wall switch, White, Wall plate Not included. WhisperGreen® Select™ exhaust fan or fan/light sold separately.	 \$472.50
	SACG2K-04	8 57702 00115 2	SelectCycler™ Kit, 4" Duct Whole house ventilation system designed to work with WhisperGreen® Select™ to operate in Hybrid or Balanced mode to meet ASHRAE 62.2. Kit includes a programmable wall mount controller, motorized supply damper with 4" duct and a FanConnect bathroom fan/light wall switch, White, Wall plate Not included. WhisperGreen® Select™ exhaust fan or fan/light sold separately.	 \$497.50
	SACG2K-08	8 57702 00116 9	SelectCycler™ Kit, 8" Duct Whole house ventilation system designed to work with WhisperGreen® Select™ to operate in Hybrid or Balanced mode to meet ASHRAE 62.2. Kit includes a programmable wall mount controller, motorized supply damper with 8" duct and a FanConnect bathroom fan/light wall switch, White, Wall plate Not included. WhisperGreen® Select™ exhaust fan or fan/light sold separately.	 \$518.75
	SACG2K-10	8 57702 00117 6	SelectCycler™ Kit, 10" Duct Whole house ventilation system designed to work with WhisperGreen® Select™ to operate in Hybrid or Balanced mode to meet ASHRAE 62.2. Kit includes a programmable wall mount controller, motorized supply damper with 10" duct and a FanConnect bathroom fan/light wall switch, White, Wall plate Not included. WhisperGreen® Select™ exhaust fan or fan/light sold separately.	 \$543.75

* \$3.25 Broken Pack Service Charge will be applied to any WhisperGreen® Select™ Plug 'N Play™ module that's ordered in less than standard Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.

All prices, units, weights and specifications are subject to change without notice.

Style	Model Number	UPC	Features	Suggested List Price
SelectCycler™ Whole House Ventilation System - Lowest Cost Per HERS Point Solution (con't)				
	SACRR	8 57702 00126 8	Range Hood Pressure Sensor Range Hood Pressure Sensor solves depressurization issues when using the SelectCycler™ System by opening the damper and allowing make up air to enter as soon as the range hood is turned on.	New Price \$101.25
	SACTG-C02	8 57702 00124 4	COLD Temperature Sensor Provides SelectCycler™ System control in extreme Cold temperatures. OFF Temperature: 35°F +/- 5°, ON Temperature: 4°F higher, Operation: 2A @ 24VAC.	New Price \$25.00
	SACTG-H01	8 57702 00125 1	HOT Temperature Sensor Provides SelectCycler™ System control in extreme Hot temperatures. OFF Temperature: 95°F +/- 5°, ON Temperature: 4°F lower, Operation: 2A @ 24VAC.	New Price \$25.00
 WhisperCeiling® DC™ - ECM Motor with Pick-A-Flow™				
	FV-0511VQ1	8 85170 32493 0	WhisperCeiling® DC™ fan, Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM with ECM Motor, <0.3, <0.3, <0.3 sone, Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Replaced FV-05VQ5, FV-08VQ5 and FV-11VQ5.	\$226.00
	FV-1115VQ1	8 85170 32494 7	WhisperCeiling® DC™ fan, Pick-A-Flow™ Airflow Selector 110, 130, 150 CFM with ECM Motor, <0.3, <0.3, <0.3 sone, Flex-Z Fast™ installation bracket, 6" duct adapter, 7-3/8" housing depth. Replaced FV-15VQ5.	\$296.00
 WhisperCeiling®				
	FV-20VQ3	0 92281 13449 9	WhisperCeiling® fan, 190 CFM, 1.3 sone, 9-3/32" housing depth.	\$340.00
	FV-30VQ3	0 92281 13450 5	WhisperCeiling® fan, 290 CFM, 2.0 sone, 9-3/32" housing depth.	\$356.00
	FV-40VQ4*	0 92281 13451 2	WhisperCeiling® fan, 390 CFM, 3.0 sone, 9-3/32" housing depth.	\$540.00
 WhisperCeiling® DC™ - ECM Motor with Pick-A-Flow™ (LED Chip Panel Included)				
	FV-0511VQL1	8 85170 32495 4	WhisperCeiling® DC™ fan with LED light, Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM with ECM Motor, <0.3, <0.3, 0.4 sone, 10W LED Chip Panel, <1W LED night light, Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Replaced FV-08VQL6 and FV-11VQL6.	\$347.00
	FV-1115VQL1	8 85170 32496 1	WhisperCeiling® DC™ fan with LED light, Pick-A-Flow™ Airflow Selector 110, 130, 150 CFM with ECM Motor, <0.3, <0.3, 0.5 sone, 10W LED Chip Panel, <1W LED night light, Flex-Z Fast™ installation bracket, 6" duct adapter, 7-3/8" housing depth. Replaced FV-15VQL6.	\$417.00

* FV-40VQ4 does not comply with the ENERGY STAR® 4.0 requirement for increased efficiency (CFM/Watt).

Style	Model Number	UPC	Features	Suggested List Price
 WhisperSense® DC™ - ECM Motor with Pick-A-Flow™ and Dual Sensors				
	FV-0511VQC1	8 85170 32497 8	WhisperSense® DC™ fan with dual sensor capability, motion sensor, humidity sensor, adjustable delay timer, Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM with ECM Motor, <0.3, <0.3, <0.3 sone, Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Replaced FV-08VQC5 and FV-11VQC5.	\$306.00
 WhisperSense® DC™ - ECM Motor with Pick-A-Flow™ and Dual Sensors (LED Chip Panel Included)				
	FV-0511VQCL1	8 85170 32639 2	WhisperSense® DC™ fan with LED light with dual sensor capability, motion sensor, humidity sensor, adjustable delay timer, Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM with ECM Motor, <0.3, 0.3, 0.4 sone, 10W LED Chip Panel, <1W LED night light, Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Replaced FV-08VQCL6 and FV-11VQCL6.	\$427.00
 WhisperRecessed® LED™ - (LED Lamp Included)				
	FV-08VRE2	8 85170 30273 0	WhisperRecessed® LED™, fan-LED light, 80 CFM, 1.0 sone, (1) 11W GU24 base, ENERGY STAR® 2.0 certified LED lamp, integrated dual 4" or 6" duct adapter, 7-1/2" housing depth.	\$240.00
WhisperWarm®				
	FV-11VH2	0 37988 87065 3	WhisperWarm® fan-heater, 110 CFM, 0.6 sone, 7-3/4" housing depth.	 \$478.00
	FV-11VHL2	0 37988 87066 0	WhisperWarm® fan-heater-light, 110 CFM, 0.7 sone, (2)13W self ballasted GU24 base CFL lamps, 4W night light, 7-3/4" housing depth.	 \$619.00
 WhisperFit® EZ™ - Pick-A-Flow™				
	FV-08-11VF5	85170 24655 3	WhisperFit® EZ™ fan, Pick-A-Flow™ Airflow Selector 80 or 110 CFM, 0.3 or 0.8 sone, Flex-Z Fast™ installation bracket, detachable installation adapter and detachable 4" to 3" duct adapter included, 5-5/8" housing depth.	\$196.00
	FV-08-11VFM5	8 85170 24657 7	WhisperFit® EZ™ fan, Pick-A-Flow™ Airflow Selector 80 or 110 CFM, 0.3 or 0.8 sone, built-in Motion Sensor, Flex-Z Fast™ installation bracket, detachable installation adapter and detachable 4" to 3" duct adapter included, 5-5/8" housing depth.	\$259.00

Style	Model Number	UPC	Features	Suggested List Price
 WhisperFit® EZ™ - Pick-A-Flow™ (CFL Lamps Included)				
 (4" to 3" Duct Adapter Shown)	FV-08-11VFL5	8 85170 24656 0	WhisperFit® EZ™ fan-light, Pick-A-Flow™ Airflow Selector 80 or 110 CFM, 0.4 or 1.0 sone, (2)13W self ballasted GU24 base CFL lamps, 4W night light, Flex-Z Fast™ installation bracket, detachable installation adapter and detachable 4" to 3" duct adapter included, 5-5/8" housing depth.	\$291.00
 WhisperValue® DC™ - ECM Motor with Pick-A-Flow™, Ceiling or Wall Mount				
	FV-0510VS1	8 85170 30629 5	WhisperValue® DC™ fan, Pick-A-Flow™ Airflow Selector 50, 80 or 100 CFM with ECM Motor, <0.3, 0.4, 0.9 sone, 3-3/8" housing depth, L-shaped mounting bracket. Replaced FV-05VS3, FV-08VS3 and FV-10VS3E.	\$136.00
	FV-0810VSS1	8 85170 31784 0	WhisperValue® DC™ fan, Pick-A-Flow™ Airflow Selector 80 or 100 CFM with ECM Motor, Multi-Speed for ASHRAE 62.2 , 3-3/8" housing depth, L-shaped mounting bracket.	\$167.00
	FV-0510VSC1	8 85170 31786 4	WhisperValue® DC™ fan, Pick-A-Flow™ Airflow Selector 50, 80 or 100 CFM with ECM Motor, Condensation Sensor , 3-3/8" housing depth, L-shaped mounting bracket.	\$203.00
 WhisperValue® DC™ - Contractor Pack (FV-0510VS1 Complete Fan Unit)				
	FV-0510VSA1 4 Units/Master Pack	8 85170 30631 8	WhisperValue® DC™, Housing Can, Contractor Pack. Replaced FV-05-10VSA3.	\$156.00 (\$39.00 per unit)
	FV-0510VSB1 4 Units/Master Pack	8 85170 30633 2	WhisperValue® DC™, ECM Motor/Grille Assembly, Contractor Pack. Replaced FV-05VSB3, FV-08VSB3 and FV-10VSB3E.	\$388.00 (\$97.00 per unit)
 WhisperValue® DC™ - ECM Motor with Pick-A-Flow™, Ceiling or Wall Mount (LED Chip Panel Included)				
	FV-0510VSL1	8 85170 31782 6	WhisperValue® DC™ Fan/LED Light, Pick-A-Flow™ Airflow Selector 50, 80 or 100 CFM with ECM Motor, 10W LED Chip Panel, <1W LED night light, 3-3/8" housing depth, L-shaped mounting bracket. Replaced FV-08VSL3 and FV-10VSL3E.	\$231.00
	FV-0810VSSL1	8 85170 31788 8	WhisperValue® DC™ Fan/LED Light, Pick-A-Flow™ Airflow Selector 80 or 100 CFM with ECM Motor, Multi-Speed for ASHRAE 62.2 , 10W LED Chip Panel, <1W LED night light, 3-3/8" housing depth, L-shaped mounting bracket.	\$262.00
	FV-0510VSC1	8 85170 31790 1	WhisperValue® DC™ Fan/LED Light, Pick-A-Flow™ Airflow Selector 50, 80 or 100 CFM with ECM Motor, Condensation Sensor , 10W LED Chip Panel, <1W LED night light, 3-3/8" housing depth, L-shaped mounting bracket.	\$298.00

* WhisperValue® DC™ Contractor Packs for FV-0510VS1 only: Must order in quantities of 4, shipment will contain 1 box with 4 units.

Style	Model Number	UPC	Features	Suggested List Price
Intelli-Balance 100™ - Energy Recovery Ventilator (ERV) For Any Climate Zone				
	FV-10VEC1* 	8 85170 30738 4	Intelli-Balance 100™ - Cold Climate ERV , Pick-A-Flow™ Airflow Selectors on supply and exhaust 50, 60, 70, 80, 90, or 100 CFM with 2 ECM motors, ASHRAE 62.2 Timing Function, 8-7/8" housing depth.	\$1,583.00
	FV-10VE1	8 85170 30740 7	Intelli-Balance 100™ - Temperate Climate ERV , Pick-A-Flow™ Airflow Selectors on supply and exhaust 50, 60, 70, 80, 90, or 100 CFM with 2 ECM motors, ASHRAE 62.2 Timing Function, 8-7/8" housing depth.	\$1,502.00
	FV-FL0810VE1** (4 Units/Master Pack)	8 85170 30742 1	Intelli-Balance 100™ optional MERV 8 Supply Air Replacement Filter.	\$168.00 (\$42.00 per unit)
	FV-FL1310VE1** (4 Units/Master Pack)	8 85170 30744 5	Intelli-Balance 100™ optional MERV 13 Supply Air Replacement Filter.	\$200.00 (\$50.00 per unit)
Broken Pack Service Charge*	VF-BPSC	N/A	Broken Pack Service Charge-Modules/ Controls/Switches/Adapters/Filters.	\$3.25
WhisperComfort® - Spot Energy Recovery Ventilator (ERV)				
	FV-04VE1	0 37988 87044 8	WhisperComfort®, ERV, 40/20, 20/10 CFM, 0.8 sone, 7-7/8" housing depth.	\$683.00
 EcoVent® with Veri-Boost™ - U-Can Contractor Pack***				
	FV-07VBA1 4 Units/Master Pack	8 85170 18634 7	EcoVent® fan: Universal Housing Can, Duct Adapter & Junction Box, Contractor Pack, 4-6/8" housing depth.	\$130.00 (\$32.50 per unit)
	FV-07VBB1 4 Units/Master Pack	8 85170 18635 4	EcoVent® fan: Motor/Grille Assembly, 70 CFM fan, built-in Veri-Boost™ switch, Ventilation Verification Assurance via a 20 CFM boost, 0.4 sone , small grille design, Contractor Pack.	\$233.20 (\$58.30 per unit)
 WhisperFresh Select™ - Fresh Air Supply Fan, ECM Motor with Pick-A-Flow™				
	FV-15NLFS1	8 85170 33083 2	Customizable fresh air supply fan featuring Pick-A-Flow™ technology – one fan, you choose the CFM (50-150 CFM). Intelligent ECM motor with Smart-Flow technology provides optimum CFM output for precision whole-house supply ventilation.	\$860.00
	FV-FL0815NL1 4 Units/Master Pack	8 85170 33727 5	WhisperFresh Select™ optional MERV 8 Supply Air Replacement Filter	\$216.00 (\$54.00 per unit)
	FV-FL1315NL1 4 Units/Master Pack	8 85170 33726 8	WhisperFresh Select™ optional MERV 13 Supply Air Replacement Filter	\$232.00 (\$58.00 per unit)
Broken Pack Service Charge	VF-BPSC	N/A	Broken Pack Service Charge-Modules/Controls/ Switches/Adapters/Filters	\$3.25

* FV-10VEC1 meets strict energy efficiency guidelines set by Natural Resources Canada and is ENERGY STAR® certified for the Canadian market only.

** \$3.25 Broken Pack Service Charge will be applied to any Intelli-Balance™ 100 Filter that's ordered in less than standard Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.









*** EcoVent® U-Can Contractor Packs: Must order in quantities of 4, shipment will contain 1 box with 4 units.

All prices, units, weights and specifications are subject to change without notice.

Style	Model Number	UPC	Features	Suggested List Price
WhisperSupply Wall™				
	FV-01WS2	8 85170 18000 0	WhisperSupply Wall™, 10 CFM/On/OFF Switch, <0.3 sone.	\$218.00
	FV-04WS2	8 85170 18001 7	WhisperSupply Wall™, 20 CFM/40 CFM/OFF Switch, <0.3 sone/1.2 sone.	\$275.00
WhisperWall®				
	FV-08WQ1	0 92281 13767 4	WhisperWall® fan, 70 CFM, 1.1 sone.	\$371.00
WhisperLine™				
	FV-10NLF1E	8 85170 26619 3	WhisperLine™ fan, 120 CFM, 1.0 sone, enhanced CFM/Watt for ESTAR 4.0 compliance. Replaced FV-10NLF1.	\$271.00
	FV-20NLF1	0 92281 13445 1	WhisperLine™ fan, 240 CFM, 1.4 sone.	\$291.00
	FV-30NLF1*	0 92281 13446 8	WhisperLine™ fan, 340 CFM, 1.7 sone.	\$361.00
	FV-40NLF1*	0 92281 13447 5	WhisperLine™ fan, 440 CFM, 2.1 sone.	\$396.00
Recessed Inlet™ - Exhaust or Supply Inlet for Remote Mount In-Line Fans and H/ERVs				
	FV-NLF46RES	8 85170 30275 4	Recessed Inlet™, Multi-Purpose Exhaust or Supply Inlet for use with remote mount in-line fans and H/ERVs, or as a light-only option with WhisperRecessed® LED™ fans, (1) 11W GU24 base, ENERGY STAR® 2.0 certified LED lamp, integrated dual 4" or 6" duct adapter, 7-1/2" housing depth.	\$183.00
WhisperControl™ - Condensation Sensor Plus**				
	FV-WCCS1-W 6 Units/Master Pack	8 85170 05028 0	Condensation Sensor Plus, Humidity and Condensation control and countdown timer, manual On/Off, Moisture Sensitivity Selector, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, White, Wall Plate Included.	\$359.40 (\$59.90 per unit)
	FV-WCCS1-A 6 Units/Master Pack	8 85170 05029 7	Condensation Sensor Plus, Humidity and Condensation control and countdown timer, manual On/Off, Moisture Sensitivity Selector, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, Light Almond, Wall Plate Included.	\$359.40 (\$59.90 per unit)


* FV-30NLF1 and FV-40NLF1 do not comply with the ENERGY STAR® 4.0 requirement for increased efficiency (CFM/Watt).

** \$3.25 Broken Pack Service Charge will be applied to any WhisperControl™ that's ordered in less than standard Master Pack quantities.
Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.

Style	Model Number	UPC	Features	Suggested List Price
WhisperControl™ - Condensation Sensor Plus* (cont'd)				
	FV-WCCS2-W 6 Units/Master Pack	8 85170 05030 3	Condensation Sensor Plus, Humidity and Condensation control and countdown timer, manual On/Off/Light, Moisture Sensitivity Selector, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, White, Wall Plate Included.	\$400.80 (\$66.80 per unit)
	FV-WCCS2-A 6 Units/Master Pack	8 85170 05031 0	Condensation Sensor Plus, Humidity and Condensation control and countdown timer, manual On/Off/Light, Moisture Sensitivity Selector, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, Light Almond, Wall Plate Included.	\$400.80 (\$66.80 per unit)
Broken Pack Service Charge*	VF-BPSC	N/A	Broken Pack Service Charge-Modules/Controls/Switches/Adapters/Filters.	\$3.25
WhisperControl™ - Preset Countdown and Hourly Timers*				
	FV-WCD01-W 6 Units/Master Pack	8 85170 05529 2	Preset Countdown and Hourly Timer, 5-60 minutes, manual On/Off, adjustable Minutes Per Hour (MPH) fan timer for compliance with with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, White, Wall Plate Included.	\$333.00 (\$55.50 per unit)
	FV-WCD01-A 6 Units/Master Pack	8 85170 05530 8	Preset Countdown and Hourly Timer, 5-60 minutes, manual On/Off, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, Light Almond, Wall Plate Included.	\$333.00 (\$55.50 per unit)
	FV-WCD02-W 6 Units/Master Pack	8 85170 20752 3	Preset Countdown and Hourly Timer, 5-60 minutes, manual On/Off/Light, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, White, Wall Plate Included.	\$373.80 (\$62.30 per unit)
	FV-WCD02-A 6 Units/Master Pack	8 85170 20753 0	Preset Countdown and Hourly Timer, 5-60 minutes, manual On/Off/Light, adjustable, Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, Light Almond, Wall Plate Included.	\$373.80 (\$62.30 per unit)
Broken Pack Service Charge*	VF-BPSC	N/A	Broken Pack Service Charge-Modules/Controls/Switches/Adapters/Filters.	\$3.25
WhisperControl™ - Other **				
	FV-WCPT1-W 6 Units/Master Pack	8 851700 4859 1	SmartExhaust Ventilation Control Switch - fan/light switch, delay timer, ventilation wall control that can help comply with ASHRAE 62.2, White, Wall Plate NOT Included.	 \$609.06 (\$101.51 per unit)

* \$3.25 Broken Pack Service Charge will be applied to any WhisperControl™ that's ordered in less than standard Master Pack quantities.
Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.

** Broken Master Packs are not available for the SmartExhaust Ventilation Control

Style	Model Number	UPC	Features	Suggested List Price
EcoSwitch™*				
	FV-WCSW11-W 6 Units/Master Pack	8 85170 05032 7	1 function On/Off, Fan, Commercial Grade, 15 Amp, White, Wall Plate Included.	\$43.62 (\$7.27 per unit)
	FV-WCSW11-A 6 Units/Master Pack	8 85170 05033 4	1 function On/Off, Fan, Commercial Grade, 15 Amp, Light Almond, Wall Plate Included.	\$43.62 (\$7.27 per unit)
	FV-WCSW21-W 6 Units/Master Pack	8 85170 05034 1	2 function On/Off, Fan/Light, Commercial Grade, 15 Amp, White, Wall Plate Included.	\$76.80 (\$12.80 per unit)
	FV-WCSW21-A 6 Units/Master Pack	8 85170 05035 8	2 function On/Off, Fan/Light, Commercial Grade, 15 Amp, Light Almond, Wall Plate Included.	\$76.80 (\$12.80 per unit)
	FV-WCSW31-W 6 Units/Master Pack	8 85170 05036 5	3 function On/Off, Fan/Light/Night-light, Commercial Grade, 15 Amp, White, Wall Plate Included.	\$93.53 (\$15.59 per unit)
	FV-WCSW31-A 6 Units/Master Pack	8 85170 05037 2	3 function On/Off, Fan/Light/Night-light, Commercial Grade, 15 Amp, Light Almond, Wall Plate Included.	\$93.53 (\$15.59 per unit)
	FV-WCSW41-W 6 Units/Master Pack	8 85170 05038 9	4 function On/Off, For model FV-11VHL2 (heat/vent/light/night-light), Commercial Grade, 20 Amp, White, Wall Plate Included.	\$378.00 (\$63.00 per unit)
Broken Pack Service Charge*	VF-BPSC	N/A	Broken Pack Service Charge-Modules/Controls/Switches/Adapters/Filters.	\$3.25
EZ Soffit Vent™ - High Performance, Versatile Soffit Termination System				
	EZSV14	8 66704 00030 8	EZ Soffit Vent™ - High Performance, Versatile Soffit Termination System, designed for fans up to 110 CFM using 4" duct work, designed for pre-soffit installation.	\$34.50
Ceiling Radiation Damper				
	PC-RD05C5 6 Units/Master Pack	8 66083 00020 3	Ceiling Radiation Damper - UL Approved for use with: FV-05-11VK1, FV-05-11VKL1, FV-05-11VKS1, FV-05-11VKSL1, FV-11-15VK1, FV-11-15VKL1, FV-05VQ5, FV-08VQ5, FV-08VQL5, FV-11VQC5, FV-08VQL6, FV-11VQ5, FV-11VQL5, FV-11VQL6, FV-15VQ5, FV-15VQL5, FV-15VQL6, FV-08VQC5, FV-08VQCL5, FV-08VQCL6, FV-11VQC5, FV-11VQCL5, FV-11VQCL6, FV-05VF2, FV-05VFL4, FV-05VM2, FV-08-11VF5, FV-08-11VFL5, FV-08-11VM5, FV-08VF2, FV-08VFL4, FV-08VFM2, FV-11VF2, FV-11VFL4, FV-0510VS1, FV-05VS1, FV-05VS3, FV-08VS3, FV-08VSL3, FV-10VS1, FV-10VS3, FV-10VSL3, FV-10VS3E, FV-10VSL3E, FV-0510VS1, FV-0810VSS1, FV-0510VSC1, FV-0510VSL1, FV-0810VSSL1, FV-0510VSL1, FV-0511VQ1, FV-1115VQ1, FV-0511VQL1, FV-1115VQL1, FV-0511VQC1, FV-0511VQCL1, FV-0511VKS2, FV-0511VK2, FV-1115VK2, FV-0511VKSL2, FV-0511VKL2, FV-1115VKL2.	\$538.20 (\$89.70 per unit)

* \$3.25 Broken Pack Service Charge will be applied to any EcoSwitch™ that's ordered in less than standard Master Pack quantities.
Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.

Style	Model Number	UPC	Features	Suggested List Price
Passive Inlet				
	FV-GKF32S1	0 92281 13443 7	Passive Inlet, Wall Mounted, 3 Setting Positions: Closed, 12 and 18 CFM.	\$98.00
Optional Designer Grilles				
	FV-GL3TDA	0 37988 87057 8	Optional Designer Grilles, Grille Size: 13" Fits: FV-0511VQ1, FV-1115VQ1, FV-08-11VF5.	\$35.00
	FV-GL3TDB	0 37988 87058 5	Optional Designer Grilles, Grille Size: 13" Fits: FV-0511VQ1, FV-1115VQ1, FV-08-11VF5.	\$35.00
WhisperComfort® Wall Cap				
	FV-WC04VE1	0 37988 87070 7	WhisperComfort® Wall Cap, Double chambers for exhaust and supply air.	\$116.00
WhisperComfort® Elbow				
	FV-EB04VE1	8 85170 08990 7	WhisperComfort® Elbow, includes double chambers for exhaust and supply air.	\$35.50
WhisperValue® DC™ 4" Oval to 3" Round Duct Adapter*				
	FV-VS43R 8 Units/Master Pack	8 85170 13654 0	WhisperValue® DC™ 24 Gauge, fire code rated, 4" oval to 3" round duct adapter, designed specifically for use with WhisperValue® DC™ Fans and Fan/Lights.	 \$50.40 (\$6.30 per unit)
Transfer Register Box (TRB)*				
	FV-JD 4 Units/Master Pack	8 85170 20165 1	Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with standard size HVAC registers.	\$80 (\$20.00 per unit)
Broken Pack Service Charge*				
Broken Pack Service Charge*	VF-BPSC	N/A	Broken Pack Service Charge-Modules/ Controls/Switches/Adapters/Filters.	\$3.25
* \$3.25 Broken Pack Service Charge will be applied to the WhisperValue® DC™ Duct Adapter and/or Transfer Register Box if ordered in less than standard Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.				

* \$3.25 Broken Pack Service Charge will be applied to any WhisperValue® DC™ Duct Adapter and/or Transfer Register Box if ordered in less than standard Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.

WhisperLine™ Accessories						
Model Number	Type	Inlet Grille	Y-Adapter	Backdraft Damper	Zip Ties	Suggested List Price
Accessory Kits						
FV-NLF04G	4" Duct Inlet Grille	1 (4")	-----	-----	-----	\$43.00
FV-NLF06G	6" Duct Inlet Grille	1 (6")	-----	-----	-----	\$43.00
PC-NLF04S	4" Single Pick Up	1 (4")	-----	1 (4")	6	\$105.00
PC-NLF06S	6" Single Pick Up	1 (6")	-----	1 (6")	6	\$115.00
PC-NLF04D	4" Double Pick Up	2 (4")	1 (4" - 4"x2)	2 (4")	12	\$210.00
PC-NLF06D	6" Double Pick Up	2 (6")	1 (6" - 6"x2)	2 (6")	12	\$231.00
PC-NLF64D	6" - 4" Double Pick Up	2 (4")	1 (6" - 4"x2)	2 (4")	12	\$210.00
Y-Adapter						
PC-NLF86Y	Y-Adapter	-----	1 (8" - 6"x2)	-----	-----	\$31.00

CFL Lamps contain mercury. Dispose according to local, state and federal laws.

FREIGHT POLICY: All ventilation fan orders must exceed \$1,500 net in order to qualify for free freight.

LIMITED WARRANTY: ALL Parts: For period of 3 years (36 months) from the date of the original purchase.

SelectCycler™ System: For period of 6 years (72 months) from the date of the original purchase, when used with a WhisperGreen® Select™ fan or fan/light.

ECM Motor: For period of 6 years (72 months) from the date of the original purchase.

LED: For Period of 5 years (60 months) from the date of the original purchase.

Compact Fluorescent Lamp (CFL): For period of 3 years (36 months) from the date of the original purchase.
Night Light Lamp: No warranty.

EFFECTIVE: January 2019

Supersedes All Previous Price Lists

ORDER PLACEMENT: Phone: (866) 292-7299; Fax: (888) 553-0723

**Panasonic Eco Solutions North America
Eco Products Division**

Two Riverfront Plaza
Newark, NJ 07102
(201) 348-7000

For additional resources, visit:
us.panasonic.com/ventfans



Printed with soy ink on 10% post-consumer recycled paper.

Panasonic



Printed in U.S.A.

VF181125SS - 2019

All prices, units, weights and specifications are subject to change without notice.

The Panasonic logo is centered on the page. It consists of the word "Panasonic" in a bold, black, sans-serif font. The background features several overlapping, curved, light blue bands that create a sense of motion and depth.