

Ventilation IAQ Solutions Price List

Effective Date March, 2024

Supersedes all Previous Price Lists



Order Placement, Email to: PESNA-IAQ@us.panasonic.com

Order Support : (866) 292-7299, Follow prompts for Region

| Model Number | Product Family | Product Family / Description | Country of Origin | UPC | Unit of Measure | Pallet Qty. / Notes | List | MAP |
|---------------|--|--|-------------------|-----------------|-----------------|--|----------|----------|
| FV-0511VK3 | WhisperGreen® Select | WhisperGreen®Select Single Speed Fan, high speed 50/80/110 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient - qualified, 2x8 construction | MX | 8 8517041842 4 | 1 | 42 | \$289.00 | \$192.99 |
| FV-0511VKL3 | WhisperGreen® Select | WhisperGreen®Select Single Speed Fan/Dimmable LED Light & Night-light, high speed 50/80/110 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient - qualified, 2x8 construction, New! | MX | 8 8517041846 2 | 1 | 42 | \$428.00 | \$270.99 |
| FV-1115VK3 | WhisperGreen® Select | WhisperGreen®Select Single Speed Fan, high speed 110/130/150 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient - qualified, 2x8 construction New! | MX | 8 8517041844 8 | 1 | 42 | \$363.00 | \$240.99 |
| FV-1115VKL3 | WhisperGreen® Select | WhisperGreen®Select Single Speed Fan/Dimmable LED Light & Night-light, high speed 110/130/150 CFM, <0.3/<0.3/<0.4 sone, ENERGY STAR® Most Efficient - qualified, 2x8 construction, New! | MX | 8 8517041848 6 | 1 | 42 | \$541.00 | \$331.99 |
| FV-0511VKS3 | WhisperGreen® Select | WhisperGreen®Select Dual Speed Fan, high speed 50/80/110 CFM, low speed 30-100 CFM for continuous operation, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient-qualified, 2x8 construction, | MX | 8 8517041843 1 | 1 | 42 | \$323.00 | \$213.99 |
| FV-0511VKSL3 | WhisperGreen® Select | WhisperGreen®Select Dual Speed Fan/Dimmable LED Light & Night-light , high speed 50/80/110 CFM, low speed 30-100 CFM for continuous operation, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient-qualified, 2x8 construction, New! | MX | 8 8517041847 9 | 1 | 42 | \$462.00 | \$281.99 |
| FV-0511VKS3S | WhisperGreen® Select | WhisperGreen®Select Dual Speed Fan/Architectural Grille, high speed 50/80/110 CFM, low speed 30-100 CFM for continuous operation, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient-qualified, 2x8 construction, New! | MX | 8 8517041845 5 | 1 | 42 | \$350.00 | \$232.99 |
| FV-0511VKSL3K | WhisperGreen® Select | WhisperGreen®Select Dual Speed Fan/Architectural Grille with 5 CCT LED Light and Night Light , high speed 50/80/110 CFM, low speed 30-100 CFM for continuous operation, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient, 2x8 construction New! | MX | 8 8517041878 3 | 1 | 42 | \$590.00 | \$392.99 |
| FV-CMVK3 | WhisperGreen® Select Motion/Condensation Sensor Module | Smart Action® Combined Motion Sensor + Condensation Sensor, New! | MX | 8 8517041966 7 | 1 | Single Piece Price/ Case Quantity of 8 | \$120.00 | \$101.99 |
| FV-15NLF51H | WhisperFresh™ Select | WhisperFresh®Select Customizable Fresh Air Supply Fan, adjustable for 50/60/70/80/90/100/110/130/150 CFM, adjustable relative humidity level setting from 30% to 80% (RH), 6" duct, MERV 13 filter included, | MX | 8 8517043013 6 | 1 | 28 | \$792.00 | \$472.99 |
| FV-0511VK2 | WhisperGreen® Select | WhisperGreen®Select Single Speed Fan, high speed 50/80/110 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 8517033734 3 | 1 | 42 | \$289.00 | \$192.99 |
| FV-0511VKL2 | WhisperGreen® Select | WhisperGreen®Select Single Speed Fan/Dimmable LED Light & Night-light, high speed 50/80/110 CFM, <0.3/<0.3/<0.4 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 8517033735 0 | 1 | 42 | \$441.00 | \$278.99 |
| FV-1115VK2 | WhisperGreen® Select | WhisperGreen®Select Single Speed Fan, high speed 110/130/150 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 8517033738 1 | 1 | 42 | \$363.00 | \$240.99 |
| FV-1115VKL2 | WhisperGreen® Select | WhisperGreen®Select Single Speed Fan/Dimmable LED Light & Night-light, high speed 110/130/150 CFM, <0.3/<0.3/<0.4 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 8517033739 8 | 1 | 42 | \$541.00 | \$331.99 |
| FV-0511VKS2 | WhisperGreen® Select | WhisperGreen®Select Dual Speed Fan, high speed 50/80/110 CFM, low speed down to 30 CFM for continuous operation, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 8517033736 7 | 1 | 42 | \$323.00 | \$213.99 |
| FV-0511VKSL2 | WhisperGreen® Select | WhisperGreen®Select Dual Speed Fan/Dimmable LED Light & Night-light, high speed 50/80/110 CFM, low speed down to 30 CFM for continuous operation, <0.3/<0.3/<0.4 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 8517033737 4 | 1 | 42 | \$475.00 | \$288.99 |
| FV-V515VK1 | WhisperGreen® Select | WhisperGreen®Select Variable Speed Module | MX | 8 85170 18005 5 | 8* | Single Piece Price/ Case Quantity of 8 | \$26.00 | \$21.99 |
| FV-MSVK1 | WhisperGreen® Select | WhisperGreen®Select Motion Sensor Module | MX | 8 85170 18006 2 | 8* | Single Piece Price/ Case Quantity of 8 | \$30.00 | \$26.99 |
| FV-CSVK1 | WhisperGreen® Select | WhisperGreen®Select Condensation Sensor Module | MX | 8 85170 18007 9 | 8* | Single Piece Price/ Case Quantity of 8 | \$76.00 | \$64.99 |
| FV-0511VQ1 | WhisperCeiling® DC | WhisperCeiling®DC Fan, 50/80/110 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 85170 32493 0 | 1 | 42 | \$238.00 | \$160.99 |
| FV-0511VQL1 | WhisperCeiling® DC | WhisperCeiling®DC Fan/Dimmable LED Light & Night-light, 50/80/110 CFM, <0.3/<0.3/<0.4 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 85170 32495 4 | 1 | 42 | \$365.00 | \$246.99 |
| FV-1115VQ1 | WhisperCeiling® DC | WhisperCeiling®DC Fan, 110/130/150 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 85170 32494 7 | 1 | 42 | \$311.00 | \$235.99 |
| FV-1115VQL1 | WhisperCeiling® DC | WhisperCeiling®DC Fan/Dimmable LED Light & Night-light, 110/130/150 CFM, <0.3/<0.3/<0.4 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 85170 32496 1 | 1 | 42 | \$438.00 | \$288.99 |
| FV-0511VQC1 | WhisperSense® DC | WhisperCeiling®DC Fan/Motion & Condensation Sensor, 50/80/110 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 85170 32497 8 | 1 | 42 | \$322.00 | \$213.99 |

All prices, units, weights, and specifications are subject to change without notice.

*Subject to Broken Pack Service Charge if MOQ not met (VF-BPSC)

**Must be ordered in its minimum quantities; can not be ordered with broken pack charge

Ventilation IAQ Solutions Price List

| Model Number | Product Family | Product Family / Description | Country of Origin | UPC | Unit of Measure | Pallet Qty. / Notes | List | MAP |
|--------------|------------------------|--|-------------------|-----------------|-----------------|---|------------|------------|
| FV-0511VQCL1 | WhisperSense® DC | WhisperCeiling®DC Fan/Dimmable LED Light & Night-light/Motion & Condensation Sensor, 50/80/110 CFM, <0.3/<0.3/0.4 sone, ENERGY STAR®-qualified, 2x8 construction | MX | 8 85170 32639 2 | 1 | 42 | \$449.00 | \$310.99 |
| FV-20VQ3 | WhisperCeiling® | WhisperCeiling® Fan, 190 CFM, 0.8 sone, 6" duct, ENERGY STAR®-qualified | CN | 0 92281 13449 9 | 1 | 36 | \$357.00 | \$213.99 |
| FV-30VQ3 | WhisperCeiling® | WhisperCeiling® Fan, 290 CFM, 2.0 sones, 6" duct, ENERGY STAR®-qualified | CN | 0 92281 13450 5 | 1 | 36 | \$374.00 | \$235.99 |
| FV-40VQ4 | WhisperCeiling® | WhisperCeiling® Fan, 390 CFM, 3.0 sones, 6" duct. | CN | 8 85170 10876 9 | 1 | 24 | \$567.00 | \$342.99 |
| FV-0511VF1 | WhisperFit® DC | WhisperFit®DC Fan, 50/80/110 CFM, <0.3/<0.3/0.8 sone, ENERGY STAR®-qualified, 2x6 construction, repair & remodeling | MX | 8 85170 37546 8 | 1 | 48 | \$217.00 | \$129.99 |
| FV-0511VFL1 | WhisperFit® DC | WhisperFit®DC Fan/Dimmable LED Light, 50/80/110 CFM, <0.3/<0.3/0.4 sone, ENERGY STAR®-qualified, 2x6 construction, repair & remodeling | MX | 8 85170 37547 5 | 1 | 48 | \$315.00 | \$188.99 |
| FV-0511VFC1 | WhisperFit® DC | WhisperFit®DC Fan/Condensation Sensor, 50/80/110 CFM, <0.3/0.3/0.8 sone, ENERGY STAR®-qualified, 2x6 construction, repair & remodeling | MX | 8 85170 37548 2 | 1 | 48 | \$283.00 | \$169.99 |
| FV-0510VS1 | WhisperValue® DC | WhisperValue®DC Single Speed Fan, high speed 50/80/100 CFM, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, ceiling or wall mount, multi-family | MX | 8 85170 30629 5 | 1 | 66 | \$143.00 | \$94.99 |
| FV-0510VSA1 | WhisperValue® DC | WhisperValue®DC Fan Contractor Pack/4 Housings only. Use with FV-0510VSB1 Motor/Grille Assembly Contractor Pack | MX | 8 85170 30631 8 | 4* | 120 -Single Piece Price/ Case Quantity of 4 | \$41.00 | \$26.99 |
| FV-0510VSB1 | WhisperValue® DC | WhisperValue®DC Fan Contractor Pack/4 Motor/Grille Assembly. Use with FV-0510VSA1 Housing Contractor Pack | MX | 8 85170 30633 2 | 4* | 120 -Single Piece Price/ Case Quantity of 4 | \$102.00 | \$64.99 |
| FV-0510VSL1 | WhisperValue® DC | WhisperValue®DC Fan/Dimmable LED Light & Night-light, 50/80/100 CFM, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, multi-family | MX | 8 85170 31782 6 | 1 | 66 | \$243.00 | \$165.99 |
| FV-0810VSS1 | WhisperValue® DC | WhisperValue®DC Dual Speed Fan, high speed 50/80/100 CFM, low speed down to 30 CFM for continuous operation, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, ceiling or wall mount, multi-family | MX | 8 85170 31784 0 | 1 | 66 | \$176.00 | \$106.99 |
| FV-0810VSSL1 | WhisperValue® DC | WhisperValue®DC Dual Speed Fan/Dimmable LED Light & Night-light, high speed 50/80/100 CFM, low speed down to 30 CFM for continuous operation, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, multi-family | MX | 8 85170 31788 8 | 1 | 66 | \$276.00 | \$181.99 |
| FV-0510VSC1 | WhisperValue® DC | WhisperValue®DC Single Speed Fan/Condensation Sensor, high speed 50/80/100 CFM, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, ceiling or wall mount, multi-family | MX | 8 85170 31786 4 | 1 | 66 | \$214.00 | \$128.99 |
| FV-0510VSL1 | WhisperValue® DC | WhisperValue®DC Fan/Dimmable LED Light & Night-light/Condensation Sensor, 50/80/100 CFM, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, multi-family | MX | 8 85170 31790 1 | 1 | 66 | \$313.00 | \$213.99 |
| FV-VS43R | WhisperValue Accessory | WhisperValue®DC 4" Oval to 3" Round Duct Adapter, 24 gauge, fire code rated | CA | 8 85170 13654 0 | 8* | 640 -Single Piece Price/ Case Quantity of 8 | \$9.70 | \$5.99 |
| FV-JD | WhisperValue Accessory | WhisperValue®DC Transfer Register Box for room-to-room powered ventilation, wall mount, 2x4 construction | US | 8 85170 20165 1 | 4* | 256 - Single Piece Price/ Case Quantity of 4 | \$33.50 | \$23.99 |
| FV-0709VB1 | EcoVent® | EcoVent® Fan, 70/90 CFM, 0.7/1.5 sone, ENERGY STAR®-qualified, 2x6 construction, production builders/ manufactured housing | MX | 8 85170 41524 9 | 1 | 132 | \$110.00 | \$97.99 |
| FV-07VBA1A | EcoVent® | EcoVent® Fan Contractor Pack/4 Housings only with pre-attached junction box and duct adapter. Use with FV-07VBB1 Motor/Grille Assembly Contractor | MX | 8 851703 7020 3 | 4** | 288 - Single Piece Price/ Case Quantity of 4 | \$48.00 | \$28.99 |
| FV-07VBB1 | EcoVent® | EcoVent® Fan Contractor Pack/4 Motor/Grille Assembly. Use with FV-07VBA1A Housing Contractor Pack | MX | 8 85170 18635 4 | 4** | 192 -Single Piece Price/ Case Quantity of 4 | \$62.00 | \$36.99 |
| PC-RD05C5 | FlexDamper™ | FlexDamper™ Ceiling Radiation Damper for Combustible and Non-Combustible Assemblies; for WhisperGreen® Select, WhisperCeiling®DC, WhisperSense®DC, WhisperFit®DC, WhisperValue®DC | US | 8 66083 00020 3 | 6** | Single Piece Price/ Must be ordered in multiples of 6 | \$93.80 | \$75.99 |
| FV-08VRE2 | WhisperRecessed® LED | WhisperRecessed®LED Fan/Dimmable LED Light, 80 CFM, ENERGY STAR®-qualified, 1.0 sone. | CN | 8 85170 30273 0 | 1 | 56 | \$252.00 | \$160.99 |
| FV-0511VH1 | WhisperWarm® DC | WhisperWarm®DC Fan/1600W Heater, 50/80/110 CFM, <0.3/<0.3/0.7 sone | MX | 8 85170 37417 1 | 1 | 30 | \$504.00 | \$301.99 |
| FV-0511VHL1 | WhisperWarm® DC | WhisperWarm®DC Fan/Dimmable LED Light & Night-light/1600W Heater, 50/80/110 CFM, <0.3/<0.3/0.7 sone, 20 amp service required | MX | 8 85170 37418 8 | 1 | 30 | \$651.00 | \$389.99 |
| FV-06VE1 | WhisperComfort® 60 | WhisperComfort®60 Spot Energy Recovery Ventilator (ERV), 50/40/30/20 CFM on supply and exhaust with 60 CFM boost, MERV 13 filter included, 4" or 5" duct, ceiling and wall mount, for spaces <1,000 sq. ft. | MX | 8 85170 41768 7 | 1 | 18 | \$860.00 | \$608.99 |
| FV-FL1306VE1 | WhisperComfort® 60 | WhisperComfort® 60 MERV 13 Supply Air Replacement Filter | CN | 8 8517043432 5 | 1* | Single Piece Price/ Case Quantity of 4 | \$22.50 | \$18.99 |
| FV-10VEC2R | Intelli-Balance® 100 | Intelli-Balance®100 Mirrored and Corded Any Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; for residential, single-family installations with mirrored floor plans; MERV 8 filter included, ASHRAE 62.2 timing function. | MX | 8 85170 40450 2 | 1 | 8 | \$1,736.00 | \$1,036.99 |
| FV-10VEC2RH | Intelli-Balance® 100 | Intelli-Balance®100 Mirrored and Hardwired Any Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; for residential, single-family installations with mirrored floor plans; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct | MX | 8 85170 41648 2 | 1 | 8 | \$1,736.00 | \$1,036.99 |

All prices, units, weights, and specifications are subject to change without notice.

*Subject to Broken Pack Service Charge if MOQ not met (VF-BPSC)

**Must be ordered in its minimum quantities; can not be ordered with broken pack charge

Ventilation IAQ Solutions Price List

| Model Number | Product Family | Product Family / Description | Country of Origin | UPC | Unit of Measure | Pallet Qty. / Notes | List | MAP |
|--------------|------------------------|---|-------------------|-----------------|-----------------|--|------------|------------|
| FV-10VEC2 | Intelli-Balance® 100 | Intelli-Balance®100 Corded Any Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct | CN | 8 85170 37402 7 | 1 | 8 | \$1,736.00 | \$1,036.99 |
| FV-10VEC2H | Intelli-Balance® 100 | Intelli-Balance®100 Hardwired Any Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct | MX | 8 85170 41646 8 | 1 | 8 | \$1,736.00 | \$1,036.99 |
| FV-10VE2 | Intelli-Balance® 100 | Intelli-Balance®100 Corded Temperate Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct | CN | 8 85170 37401 0 | 1 | 8 | \$1,651.00 | \$985.99 |
| FV-10VE2H | Intelli-Balance® 100 | Intelli-Balance®100 Hardwired Temperate Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct | MX | 8 85170 41647 5 | 1 | 8 | \$1,651.00 | \$985.99 |
| FV-WC10VE1 | WhisperVent™ Wall Cap | Wall Cap, Double chambers for 100 CFM exhaust and 100 CFM supply air; for WhisperComfort®60, Intelli-Balance® 100, Intelli-Balance®200 | MX | 8 85170 41525 6 | 1 | TBD | \$190.00 | \$134.99 |
| FV-FL0810VE1 | Intelli-Balance® 100 | Intelli-Balance® 100 MERV 8 Supply Air Replacement Filter. | CN | 8 85170 30742 1 | 4* | 360 - Single Piece Price/ Case Quantity of 4 | \$45.00 | \$37.99 |
| FV-FL1310VE1 | Intelli-Balance® 100 | Intelli-Balance® 100 MERV 13 Supply Air Replacement Filter | CN | 8 85170 30744 5 | 4* | 360 - Single Piece Price/ Case Quantity of 4 | \$53.00 | \$42.99 |
| FV-20VEC1 | Intelli-Balance® 200 | Intelli-Balance®200 Corded Any Climate Energy Recovery Ventilator (ERV), 60/80/100/120/140/160/180/200 CFM for exhaust and supply, occupant-controlled boost function; MERV 13 filter included, ASHRAE 62.2 timing function, 6" duct; floor, ceiling, or wall mount | CN | 8 85170 38039 4 | 1 | 2 | \$3,780.00 | \$2,725.99 |
| FV-SW20VEC1 | Intelli-Balance® 200 | Intelli-Balance® 200 LCD Wall Control for occupant-controllable power on/off, air volume for supply and exhaust, ASHRAE intermittent timer and air volume, boost mode control, reset filter maintenance reminder | CN | 8 85170 38040 0 | 1 | 2 | \$294.00 | \$282.99 |
| FV-FL0820VE1 | Intelli-Balance® 200 | Intelli-Balance®200 MERV 8 Supply Air Replacement Filter | CN | 8 85170 38041 7 | 4* | 384 - Single Piece Price/ Case Quantity of 4 | \$121.00 | \$116.99 |
| FV-FL1320VE1 | Intelli-Balance® 200 | Intelli-Balance®200 MERV 13 Supply Air Replacement Filter | CN | 8 85170 38042 4 | 4* | 384 - Single Piece Price/ Case Quantity of 4 | \$130.00 | \$124.99 |
| FV-FLHP20VE1 | Intelli-Balance® 200 | Intelli-Balance®200 HEPA Supply Air Replacement Filter | CN | 8 85170 38043 1 | 4* | 384 - Single Piece Price/ Case Quantity of 4 | \$141.00 | \$135.99 |
| FV-NLF46RES | Recessed Inlet® | Recessed Inlet® Exhaust or Supply Inlet Dimmable LED Light for remote mount in-line fans or Energy Recovery Ventilators (ERV's). Includes (1) replaceable 11W, ENERGY STAR® 2.0 certified, GU24 base LED | CN | 8 85170 30275 4 | 1 | 64 | \$193.00 | \$128.99 |
| FV-01VCN1 | WhisperAir Repair® | WhisperAir Repair® Spot Air Purifier, for spaces up to 200 sq. ft., maintenance-free with no ductwork or filter changes needed, ceiling mount | MX | 8 8517038076 9 | 1 | 144 | \$300.00 | \$212.99 |
| FV-NLF04G | Atmosphere Inline Fans | Atmosphere In-line Fans Accessory 4" duct, ABS inlet grille and metal plate | CN | 0 92281 13452 9 | 1 | 160 | \$46.00 | \$32.99 |
| FV-NLF06G | Atmosphere Inline Fans | Atmosphere In-line Fans Accessory 6" duct, ABS inlet grille and metal plate | CN | 0 92281 13453 6 | 1 | 160 | \$46.00 | \$32.99 |
| PC-NLF04S | Atmosphere Inline Fans | Atmosphere In-line Fans Accessory 4" Single Inlet Kit, includes (1) ABS Inlet Grille, (1) Backdraft Damper: (6) Clamps | US | 0 92281 13454 3 | 1 | 64 | \$111.00 | \$69.99 |
| PC-NLF06S | Atmosphere Inline Fans | Atmosphere In-line Fans Accessory 6" Single Inlet Kit, includes (1) ABS Inlet Grille, (1) Backdraft Damper: (6) Clamps | US | 0 92281 13455 0 | 1 | 64 | \$121.00 | \$74.99 |
| PC-NLF04D | Atmosphere Inline Fans | Atmosphere In-line Fan Accessory 4" Double Pick-up Kit, includes (2) ABS Inlet Grilles: (2) Backdraft Dampers, (12) Clamps, (1) Y-Adapter (4" - 4" x 2) | US | 0 92281 13456 7 | 1 | 64 | \$221.00 | \$139.99 |
| PC-NLF06D | Atmosphere Inline Fans | Atmosphere In-line Fan Accessory 6" Double Pick-up Kit, includes (2) ABS Inlet Grilles: (2) Backdraft Dampers, (12) Clamps, (1) Y-Adapter (6" - 6" x 2) | US | 0 92281 13457 4 | 1 | 64 | \$243.00 | \$149.99 |
| PC-NLF64D | Atmosphere Inline Fans | Atmosphere In-line Fan Accessory 6" Double Pick-up Kit, includes (2) 6" - 4" Double ABS Inlet Grilles: (2) Backdraft Dampers, (12) Clamps, (1) Y-Adaptor (6" - 4" x 2) | US | 0 92281 13458 1 | 1 | 64 | \$221.00 | \$149.99 |
| FV-15NLF51 | WhisperFresh® Select | WhisperFresh® Select Customizable Fresh Air Supply Fan, adjustable for 50/60/70/80/90/100/110/130/150 CFM, adjustable relative humidity level setting from 30% to 80% (RH), 6" duct, MERV 13 filter included, | CN | 8 85170 33083 2 | 1 | 28 | \$792.00 | \$472.99 |
| FV-FL0815NL1 | WhisperFresh® Select | WhisperFresh® Select MERV 8 Supply Air Replacement Filter | CN | 8 85170 33727 5 | 4* | 1024 -Single Piece Price/ Case Quantity of 4 | \$57.00 | \$48.99 |
| FV-FL1315NL1 | WhisperFresh™ Select | WhisperFresh® Select MERV 13 Supply Air Replacement Filter | CN | 8 85170 33726 8 | 4* | 1024 -Single Piece Price/ Case Quantity of 4 | \$61.00 | \$51.99 |
| DBF-DEDPV | Atmosphere Inline Fans | Atmosphere Clothes Dryer Exhaust Duct Power Ventilator (DEDPV), all-in-one with integrated pressure switch, monitor, lint trap; UL705-certified | CA | 6 28507 10205 0 | 1 | TBD | \$866.67 | \$499.99 |
| VTX-DEDPV | Atmosphere Inline Fans | Atmosphere Clothes Dryer Exhaust Duct Power Ventilator (DEDPV), UL705-certified, with integrated pressure switch | CA | 6 28507 10206 7 | 1 | TBD | \$693.33 | \$399.99 |

All prices, units, weights, and specifications are subject to change without notice.

*Subject to Broken Pack Service Charge if MOQ not met (VF-BPSC)

**Must be ordered in its minimum quantities; can not be ordered with broken pack charge

Ventilation IAQ Solutions Price List

| Model Number | Product Family | Product Family / Description | Country of Origin | UPC | Unit of Measure | Pallet Qty. / Notes | List | MAP |
|--------------|------------------------|---|-------------------|-----------------|-----------------|---------------------|----------|----------|
| LT4 | Atmosphere Inline Fans | 4" Lint Trap for Atmosphere VTX-DEDPV Clothes Dryer Exhaust Duct Power Ventilator | CN | 6 28507 70006 5 | 1 | TBD | \$56.00 | \$32.99 |
| LT4S | Atmosphere Inline Fans | 4" Lint Trap for 2x4 wall installations of Atmosphere VTX-DEDPV Clothes Dryer Exhaust Duct Power Ventilator | CN | 6 28507 70008 9 | 1 | TBD | \$58.67 | \$33.99 |
| SLT | Atmosphere Inline Fans | Slim Lint Trap for stackable dryer installation of Atmosphere VTX-DEDPV Clothes Dryer Exhaust Duct Power Ventilator, 41 sq. in. filtering area increases dryer efficiency, 4" duct adapter | CN | 6 28507 70010 2 | 1 | TBD | \$112.00 | \$64.99 |
| APS | Atmosphere Inline Fans | Pressure Sensing Switch with Timer Board for Atmosphere VTX-DEDPV Clothes Dryer Exhaust Duct Power Ventilator, integral delay timer with 10 minutes on, 15 seconds off cycle | CN | 6 28507 70003 4 | 1 | TBD | \$92.00 | \$70.99 |
| ACS-5 | Atmosphere Inline Fans | Solid State Current Sensor for Atmosphere VTX-DEDPV Clothes Dryer Exhaust Duct Power Ventilator to control high current line-voltage AC loads, factory-set 5 minute turn-off time | CN | 6 28507 70004 1 | 1 | TBD | \$44.00 | \$33.99 |
| VTX400 | Atmosphere Inline Fans | Atmosphere Corded In-line Fan, 175 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 4" duct, backdraft damper not included; speed controller available separately | CA | 6 28507 10002 5 | 1 | 48 | \$325.33 | \$187.99 |
| VTX400C | Atmosphere Inline Fans | Atmosphere Corded In-line Fan with Integrated Current Sensor, 175 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 4" duct, backdraft damper not included, speed controller available separately | CA | 6 28507 60027 3 | 1 | 48 | \$381.33 | \$220.99 |
| VTX400P | Atmosphere Inline Fans | Atmosphere Corded Centrifugal In-line Fan with Integrated Pressure Switch, 175 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 4" duct, backdraft damper not included, speed controller available separately | CA | 6 28507 10201 2 | 1 | 18 | \$466.67 | \$269.99 |
| VTX600L | Atmosphere Inline Fans | Atmosphere Corded Centrifugal In-line Fan, 244 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 6" duct, backdraft damper not included, speed controller available separately | CA | 6 28507 10003 2 | 1 | 48 | \$360.00 | \$207.99 |
| VTX600 | Atmosphere Inline Fans | Atmosphere Corded Centrifugal In-line Fan, 465 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 6" duct, backdraft damper not included, speed controller available separately | CA | 6 28507 10004 9 | 1 | 18 | \$458.67 | \$264.99 |
| VTX800L | Atmosphere Inline Fans | Atmosphere Corded Centrifugal In-line Fan, 602 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 8" duct, backdraft damper not included, speed controller available separately | CA | 6 28507 10005 6 | 1 | 18 | \$485.33 | \$280.99 |
| VTX800 | Atmosphere Inline Fans | Atmosphere Corded Centrifugal In-line Fan, 681 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 8" duct, backdraft damper not included, speed controller available separately | CA | 6 28507 10006 3 | 1 | 18 | \$546.67 | \$315.99 |
| VTX1000 | Atmosphere Inline Fans | Atmosphere Corded Centrifugal In-line Fan, 723 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 10" duct, backdraft damper not included, speed controller available separately | CA | 6 28507 10007 0 | 1 | 18 | \$605.33 | \$349.99 |
| VTX1200L | Atmosphere Inline Fans | Atmosphere Corded centrifugal In-line Fan, 846 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 12" duct, backdraft damper not included, speed controller available separately | CA | 6 28507 10010 0 | 1 | 12 | \$698.67 | \$403.99 |
| VTX1200 | Atmosphere Inline Fans | Atmosphere Corded Centrifugal In-line Fan, 1067 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 12" duct, backdraft damper not included, speed controller available separately | CA | 6 28507 10009 4 | 1 | 12 | \$826.67 | \$476.99 |
| S-600 | Atmosphere Inline Fans | Atmosphere Corded Mixed-Flow In-line Fan, 312 CFM at 0.2 s.p., 6" duct, sealed casing, compact design, backdraft damper included, speed controller available separately | CN | 6 28507 10501 3 | 1 | 12 | \$466.67 | \$269.99 |
| S-800 | Atmosphere Inline Fans | Atmosphere Corded Mixed-flow In-line Fan, 688 CFM at 0.2 s.p., 8" duct, sealed casing, compact design, backdraft damper included, speed controller available separately | CN | 6 28507 10502 0 | 1 | 12 | \$546.67 | \$315.99 |
| S-1000 | Atmosphere Inline Fans | Atmosphere Corded Mixed-Flow In-line Fan, 1032 CFM at 0.2 s.p., 10" duct, sealed casing, compact design, backdraft damper included, speed controller available separately | CN | 6 28507 10503 7 | 1 | 12 | \$733.33 | \$423.99 |
| D-65 Black | Atmosphere Inline Fans | Vortex Destratification Fan, 1082 CFM for facilities with 15'-75' high ceilings to create uniform air temperatures and energy savings; speed controller available separately; black | CN | 6 28507 10504 4 | 1 | 18 | \$973.33 | \$561.99 |
| D-65 White | Atmosphere Inline Fans | Vortex Destratification Fan, 1082 CFM for facilities with 15'-75' high ceilings to create uniform air temperatures and energy savings; speed controller available separately; white | CN | 6 28507 10505 1 | 1 | 18 | \$973.33 | \$561.99 |
| AVR-5 | Atmosphere Inline Fans | Atmosphere Solid State Variable Speed AC Motor Speed Controller, rotary-style, fits in 2" x 4" electrical wall box, white | CN | 6 28507 40004 0 | 1 | N/A | \$41.00 | \$31.99 |
| ADAT-2.5 | Atmosphere Inline Fans | Atmosphere Dial-a-Temp Solid State Variable Speed Control, plug-in design, on-off switch, high to low variable, black | HK | 6 28507 40001 9 | 1 | N/A | \$58.00 | \$44.99 |
| MBK95 | Atmosphere Inline Fans | Replacement mounting brackets for VTX400, VTX400P, VTX500, or VTX600L | CN | 6 28507 10301 9 | 1 | TBD | \$12.00 | \$923.99 |
| MBK13 | Atmosphere Inline Fans | Replacement mounting brackets for VTX1200, VTX1200L | CN | 6 28507 10302 6 | 1 | TBD | \$14.00 | \$10.99 |
| MBK16 | Atmosphere Inline Fans | Replacement mounting brackets for VTX600, VTX800L, VTX800, and VTX1000 | CN | 6 28507 10303 3 | 1 | TBD | \$16.50 | \$12.99 |
| ADC4 | Atmosphere Inline Fans | Adjustable Duct Clamp for 4" diameter product | CN | 6 28507 20007 7 | 1 | TBD | \$18.00 | \$13.99 |
| ADC6 | Atmosphere Inline Fans | Adjustable Duct Clamp for 6" diameter product | CN | 6 28507 20009 1 | 1 | TBD | \$22.00 | \$16.99 |
| ADC8 | Atmosphere Inline Fans | Adjustable Duct Clamp for 8" diameter product | CN | 628507 20010 7 | 1 | TBD | \$26.00 | \$20.99 |

All prices, units, weights, and specifications are subject to change without notice.

*Subject to Broken Pack Service Charge if MOQ not met (VF-BPSC)

**Must be ordered in its minimum quantities; can not be ordered with broken pack charge

Ventilation IAQ Solutions Price List

| Model Number | Product Family | Product Family / Description | Country of Origin | UPC | Unit of Measure | Pallet Qty. / Notes | List | MAP |
|--------------|------------------------|--|-------------------|-----------------|-----------------|--|----------|----------|
| ADC10 | Atmosphere Inline Fans | Adjustable Duct Clamp for 4" diameter product | CN | 6 28507 20011 4 | 1 | TBD | \$30.00 | \$23.99 |
| ADC12 | Atmosphere Inline Fans | Adjustable Duct Clamp for 4" diameter product | CN | 6 28507 20012 1 | 1 | TBD | \$36.00 | \$27.99 |
| ADC14 | Atmosphere Inline Fans | Adjustable Duct Clamp for 4" diameter product | CN | 6 28507 20013 8 | 1 | TBD | \$41.00 | \$31.99 |
| ADC16 | Atmosphere Inline Fans | Adjustable Duct Clamp for 4" diameter product | CN | 6 28507 20014 5 | 1 | TBD | \$44.00 | \$33.99 |
| FV-WCCS1-W | WhisperControl® | WhisperControl® Condensation Sensor Plus Wall Switch, manual on/off, condensation sensor automatically activates exhaust fan to control humidity and turns off after desired combination of humidity and temperature is attained, 30-minute countdown timer, white, wall plate included | CN | 8 85170 05028 0 | 6* | Single Piece Price/ Case Quantity of 6 | \$63.10 | \$53.99 |
| FV-WCCS2-W | WhisperControl™ | WhisperControl® Condensation Sensor Plus Wall Switch, manual on/off/light, condensation sensor automatically activates exhaust fan to control humidity and turns off after desired combination of humidity and temperature is attained, 30-minute countdown timer, white, wall plate included | CN | 8 85170 05030 3 | 6* | Single Piece Price/ Case Quantity of 6 | \$70.20 | \$58.99 |
| FV-WCD01-W | WhisperControl™ | WhisperControl® Preset Countdown and Hourly Timer, manual on/off, pre-set countdown timer from 5-60 minutes to operate fan for the selected period of time per hour, white, wall plate included | CN | 8 85170 05529 2 | 6* | Single Piece Price/ Case Quantity of 6 | \$58.00 | \$48.99 |
| FV-WCD02-W | WhisperControl™ | WhisperControl® Preset Countdown and Hourly Timer, manual on/off/light, pre-set countdown timer from 5-60 minutes to operate fan for the selected period of time per hour, white, wall plate included | CN | 8 85170 20752 3 | 6* | Single Piece Price/ Case Quantity of 6 | \$65.60 | \$53.99 |
| FV-WCSW21-W | EcoSwitch™ | EcoSwitch™ 2 Function On/Off Fan/Light Rocker Switch, white, wall plate included | CN | 8 85170 05034 1 | 6* | Single Piece Price/ Case Quantity of 6 | \$13.40 | \$12.99 |
| FV-WCSW31-W | EcoSwitch™ | EcoSwitch™ 3 Function On/Off Fan/Light/Night-light Rocker Switch, white, wall plate included | CN | 8 85170 05036 5 | 6* | Single Piece Price/ Case Quantity of 6 | \$14.88 | \$13.99 |
| FV-WCSW41-W | EcoSwitch™ | EcoSwitch™ 4 Function On/Off Fan/Light/Night-light/Heater Rocker Switch, white, wall plate included, for FV-0511VHL1 WhisperWarm®DC Fan /Heater/LED Light | MX | 8 85170 05038 9 | 6* | Single Piece Price/ Case Quantity of 6 | \$66.00 | \$53.99 |
| FV-WCPT1-W | WhisperControl™ | SmartExhaust™ Fan/LED Light Wall Control Delay Timer Switch. Programmable ventilation setting to set the number of minutes per hour the fan should run. Programmable delay setting to set the number of minutes the fan should run after the bathroom light has been turned off. White; wall plate not included. Broken pack option not available for this | CN | 8 851700 4859 1 | 6* | Single Piece Price/ Case Quantity of 6 | \$115.14 | \$92.99 |
| EZSV14 | EZ Soffit Vent™ | EZSoffitVent™ Soffit Termination System, for ventfans up to 110 CFM using 4" ducting | US | 8 66704 00030 8 | 1 | 140 | \$36.30 | \$32.99 |
| EZSV14 | EZ Soffit Vent™ | EZSoffitVent™ Soffit Termination System, for ventfans up to 110 CFM using 4" ducting | US | 8 66704 00030 8 | +50 | Single Piece Price/ Must order qty 50 or more | \$36.30 | \$32.99 |
| FV-GL3TDA | Designer Grille | Designer Replacement Grille, 13", fits WhisperCeiling®DC FV-0511VQ1, FV-1115VQ1 | CN | 0 37988 87057 8 | 1 | 60 | \$37.00 | \$32.99 |
| FV-GL3TDB | Designer Grille | Designer Replacement Grille, 14-1/5", fits WhisperCeiling®DC FV-0511VQ1, FV-1115VQ1 | CN | 0 37988 87058 5 | 1 | 60 | \$37.00 | \$32.99 |
| SACG2K-04 | SelectCycler™ System | Select Cycler® Whole House Ventilation Kit, includes wall mount controller, motorized supply damper with 4" duct and fan/light wall switch, white; wall plate not included. | CN | 8 57702 00115 2 | 1 | N/A | \$653.36 | \$499.99 |
| SACG2K-06 | SelectCycler™ System | Select Cycler® Whole House Ventilation Kit, includes wall mount controller, motorized supply damper with 6" duct and fan/light wall switch, white; wall plate not included. | CN | 8 57702 00114 5 | 1 | N/A | \$619.02 | \$474.99 |
| SACG2K-08 | SelectCycler™ System | Select Cycler® Whole House Ventilation Kit, includes wall mount controller, motorized supply damper with 8" duct and fan/light wall switch, white; wall plate not included. | CN | 8 57702 00116 9 | 1 | N/A | \$679.34 | \$521.99 |
| VF-BPSC | N/A | Broken Pack Service Charge Modules/Controls/Switches/Adapters/ Filters | N/A | N/A | 1 | N/A to MAP | \$3.50 | \$3.50 |

All prices, units, weights, and specifications are subject to change without notice.

*Subject to Broken Pack Service Charge if MOQ not met (VF-BPSC)

**Must be ordered in its minimum quantities; can not be ordered with broken pack charge