
New York Data Collection - Final

Investigation of data points along the Hudson River, Wappingers Falls, Highland Falls Township, New Windsor Township, Newburgh Township, Harlem River and the Palisades Neighborhood.



January 11, 2023

7/9/2023, 3:52:49 PM UTC



CREATED

- ① 1/11/2023, 1:01:18 PM UTC
- by Monique Rydel

UPDATED

- ① 7/9/2023, 3:52:49 PM UTC
- by Monique Rydel

LOCATION

9 41.311332, -73.985582



| General Rep | ort Information |
|--------------------|-----------------|
|--------------------|-----------------|

| Start Date | January 11, 2023 |
|---------------------|--|
| River/Body of Water | Hudson River, Highland Falls Township, Newburgh Township, New Windsor Township, Wappingers Falls |
| Personnel | Seth Jones, Monique Rydel, Susan Pulliam |
| Start Time | 08:01 |
| Travel Method | Land |

Weather Information

| Air Temperature (c) -3 | 5.3 |
|------------------------|-----|
| Wind Speed (mph) 4.3 | 3 |

Site Locations (27 Items)

Site Locations - 1. Hudson, 1

| Weather | | |
|---------------------|----------|--|
| Air Temperature (c) | -3.3 | |
| Weather Condition | Overcast | |
| Wind Speed (mph) | 4.3 | |
| Humidity (%) | 68 | |
| Precipitation (mm) | 0 | |

| Details for Site | |
|--|----------------------|
| Way Point Prefix | Hudson |
| Way Point Number | 1 |
| Time at Way Point | 08:05 |
| Way Point Description | Stiffening Pole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |
| General Site Notes | Old stiffening pole. |





Site Locations - 2. Hudson, 1.1

| Weather | |
|---------------------|----------|
| Air Temperature (c) | -3.3 |
| Weather Condition | Overcast |
| Wind Speed (mph) | 4.3 |
| Humidity (%) | 68 |
| Precipitation (mm) | 0 |

| Details for Site | |
|--|--------------------|
| Way Point Prefix | Hudson |
| Way Point Number | 1.1 |
| Time at Way Point | 08:13 |
| Way Point Description | Old Telephone Pole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |



| Was there a general site samp | le |
|-------------------------------|----|
| collected? | |

No

General Site Notes

Another old pole with conduit wrapping. There is evidence of newer, 70's telecom line.

Site Photos



Site Locations - 3. Hudson, 1.2

| Weather | |
|---------------------|----------|
| Air Temperature (c) | -3.9 |
| Weather Condition | Overcast |
| Wind Speed (mph) | 4.3 |
| Humidity (%) | 68 |
| Precipitation (mm) | 0 |

| Details for Site | |
|-------------------|--------|
| Way Point Prefix | Hudson |
| Way Point Number | 1.2 |
| Time at Way Point | 08:51 |



| Way Point Description | Old Telephone Pole |
|--|--|
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |
| General Site Notes | See notes on Hudson 1. Old conduit on this side. With newer 70's line. |





Site Locations - 4. Hudson, 1.3

| Weather | |
|---------------------|---------------|
| Air Temperature (c) | -3.3 |
| Weather Condition | Partly cloudy |
| Wind Speed (mph) | 2.2 |
| Humidity (%) | 68 |
| Precipitation (mm) | 0 |

| Details for Site | |
|--|--|
| Way Point Prefix | Hudson |
| Way Point Number | 1.3 |
| Time at Way Point | 09:42 |
| Way Point Description | Old Telephone Pole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |
| General Site Notes | Same as others in Site 1. Old pole with 70's cable coming through. |





Site Locations - 5. Highland Falls, 1

| Weather | | |
|--------------------------|---------------|--|
| Air Temperature (c) | -3.3 | |
| Weather Condition | Partly cloudy | |
| Wind Speed (mph) | 2.2 | |
| Humidity (%) | 68 | |
| Precipitation (mm) | 0 | |

| Details for Site | |
|--|--|
| Way Point Prefix | Highland Falls |
| Way Point Number | 1 |
| Time at Way Point | 09:58 |
| Way Point Description | Overhead, Exposed Leaded Telecom Cable |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | Yes |



| How many cables are visible? | 1 |
|--|-----|
| Is lead visible? | Yes |
| Was there a general site sample collected? | No |

General Site Notes

Appears to still be in use. Approximately 700ft. No sample collected. Area under cable is all sidewalk, near apartments and dental office. Leaded cable appears to run throughout the town and is occasionally covered with a protective layer. Visible bare leaded splice boxes are at nearly every telephone pole. This point contains all photos for the bare leaded portion of cable. We did not continue collecting data for all of the visible splice points. There are lines running in close proximity to schools and playgrounds. Recommend further investigation.





















Site Locations - 6. Highland Falls, 2

| Weather | |
|---------------------|---------------|
| Air Temperature (c) | -3.3 |
| Weather Condition | Partly cloudy |
| Wind Speed (mph) | 2.2 |
| Humidity (%) | 68 |



| Precipitation (mm) | (|
|---------------------|---|
| riecipitation (min) | |

| Details for Site | |
|--|--|
| Way Point Prefix | Highland Falls |
| Way Point Number | 2 |
| Time at Way Point | 10:01 |
| Way Point Description | Overhead, Exposed Leaded Telecom Cable |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | Yes |
| How many cables are visible? | 1 |
| Is lead visible? | Yes |
| Was there a general site sample collected? | No |

| General Site Notes | One cable goes into spice box. Another starts. See notes under Highland Falls 1. |
|--------------------|--|
|--------------------|--|









Site Locations - 7. Highland Falls, 3

| Weather | | |
|---------------------|---------------|--|
| Air Temperature (c) | -3.3 | |
| Weather Condition | Partly cloudy | |
| Wind Speed (mph) | 2.2 | |



| Humidity (%) | 68 |
|--------------------|----|
| Precipitation (mm) | 0 |

| Details for Site | |
|--|--|
| Way Point Prefix | Highland Falls |
| Way Point Number | 3 |
| Time at Way Point | 10:03 |
| Way Point Description | Overhead, Exposed Leaded Telecom Cable |
| Are there visible signs indicating a cable crossing? | N/A |
| Is there visible cable at location? | Yes |
| How many cables are visible? | 1 |
| Is lead visible? | Yes |
| Was there a general site sample collected? | No |

General Site Notes See notes under Highland Falls 1.





Site Locations - 8. Hudson, 2

| Weather | |
|---------------------|---------------|
| Air Temperature (c) | -2.2 |
| Weather Condition | Partly cloudy |
| Wind Speed (mph) | 5.6 |
| Humidity (%) | 63 |
| Precipitation (mm) | 0 |

| Details for Site | |
|--|---|
| Way Point Prefix | Hudson |
| Way Point Number | 2 |
| Time at Way Point | 10:24 |
| Way Point Description | Old Telephone Pole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |
| General Site Notes | Old concrete block with ceramic tile conduit, similar to what we found in NJ. Evidence of old |

telephone pole running between Hudson 2 and Hudson 2.1.

Site Photos





Site Locations - 9. Hudson, 2.1

| Weather | |
|---------------------|---------------|
| Air Temperature (c) | -2.2 |
| Weather Condition | Partly cloudy |
| Wind Speed (mph) | 5.6 |
| Humidity (%) | 63 |
| Precipitation (mm) | 0 |

| Details for Site | |
|--|---------|
| Way Point Prefix | Hudson |
| Way Point Number | 2.1 |
| Time at Way Point | 10:30 |
| Way Point Description | Manhole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |

Bell Systems MHx1.

Site Photos

General Site Notes



Site Locations - 10. Highland Falls, 4

| Weather | |
|---------------------|---------------|
| Air Temperature (c) | -2.2 |
| Weather Condition | Partly cloudy |
| Wind Speed (mph) | 5.6 |



| Humidity (%) | 63 |
|--------------------|----|
| Precipitation (mm) | 0 |

| Details for Site | |
|--|--|
| Way Point Prefix | Highland Falls |
| Way Point Number | 4 |
| Time at Way Point | 10:50 |
| Way Point Description | Overhead, Exposed Leaded Telecom Cable |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | Yes |
| How many cables are visible? | 1 |
| Is lead visible? | Yes |
| Was there a general site sample collected? | No |

General Site Notes

Reference notes in Highland Falls 1. Entire town has sections of bare leaded cables.







Site Locations - 11. New Windsor, 1

| Weather | |
|---------------------|---------------|
| Air Temperature (c) | 0 |
| Weather Condition | Partly cloudy |
| Wind Speed (mph) | 4.3 |
| Humidity (%) | 58 |
| Precipitation (mm) | 0 |

| Details for Site | |
|--|--|
| Way Point Prefix | New Windsor |
| Way Point Number | 1 |
| Time at Way Point | 11:29 |
| Way Point Description | Overhead, Exposed Leaded Telecom Cable |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | Yes |
| How many cables are visible? | 1 |
| Is lead visible? | Yes |
| Was there a general site sample collected? | Yes |

General Sample (GS) Information (2 Items)

General Sample (GS) Information - 1. Sediment Collection, 1

| Type of Sample for GS | Sediment Collection |
|-----------------------------------|--------------------------------|
| Location of Collected Sample - GS | Underneath Damaged splice box. |
| Time of Collection - GS | 11:31 |
| Sample Prefix - GS | New Windsor |
| Sample ID (#) - GS | 1 |
| Additional Notes - GS (if any) | None. |

Photo of GS Sample(s)







General Sample (GS) Information - 2. Lead Scraping, 1

| Type of Sample for GS | Lead Scraping |
|-----------------------------------|---|
| Location of Collected Sample - GS | From leaded cable/splice. |
| Time of Collection - GS | 11:37 |
| Sample Prefix - GS | New Windsor |
| Sample ID (#) - GS | 1 |
| Additional Notes - GS (if any) | Damaged leaded cable going into the ground near intersection. Sample was originally sent to the lab 12 January 2023. It was returned from the lab and resent 25 January 2023. |

Photo of GS Sample(s)



Specific Cable Information

General Site Notes Verizon.









Site Locations - 12. New Windsor, 2

| Weather | |
|---------------------|---------------|
| Air Temperature (c) | 0 |
| Weather Condition | Partly cloudy |
| Wind Speed (mph) | 4.3 |



| Humidity (%) | 58 |
|--------------------|----|
| Precipitation (mm) | 0 |

| Details for Site | |
|--|------------------|
| Way Point Prefix | New Windsor |
| Way Point Number | 2 |
| Time at Way Point | 11:35 |
| Way Point Description | Control Location |
| Are there visible signs indicating a cable crossing? | N/A |
| Is there visible cable at location? | N/A |
| Was there a general site sample collected? | Yes |

General Sample (GS) Information (1 Item)

General Sample (GS) Information - 1. Sediment Collection, 2

| Type of Sample for GS | Sediment Collection |
|-----------------------------------|------------------------------|
| Location of Collected Sample - GS | Within Control Sample Limits |
| Time of Collection - GS | 11:35 |
| Sample Prefix - GS | New Windsor |
| Sample ID (#) - GS | 2 |
| Additional Notes - GS (if any) | Control Location. |

Photo of GS Sample(s)



General Site Notes Control Sediment.



Site Locations - 13. New Windsor, 3

| Weather | |
|---------------------|---------------|
| Air Temperature (c) | 0 |
| Weather Condition | Partly cloudy |
| Wind Speed (mph) | 4.3 |
| Humidity (%) | 58 |
| Precipitation (mm) | 0 |

| Details for Site | |
|--|---|
| Way Point Prefix | New Windsor |
| Way Point Number | 3 |
| Time at Way Point | 12:14 |
| Way Point Description | Old Telephone Pole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |
| General Site Notes | Walked the site. No visible manholes or signage. New Windsor has overhead leaded lines and splice boxes like the other towns before. Spoke with a Verizon worker, who mentioned that lead is a huge problem in the area. Recommend follow up. |





Site Locations - 14. Newburgh, 1

| Weather | | |
|---------------------|-------|--|
| Air Temperature (c) | 0.6 | |
| Weather Condition | Sunny | |
| Wind Speed (mph) | 2.2 | |
| Humidity (%) | 56 | |
| Precipitation (mm) | 0 | |

| Details for Site | |
|--|--|
| Way Point Prefix | Newburgh |
| Way Point Number | 1 |
| Time at Way Point | 12:21 |
| Way Point Description | Overhead, Exposed Leaded Telecom Cable |
| Are there visible signs indicating a cable crossing? | N/A |
| Is there visible cable at location? | Yes |




| How many cables are visible? | 4 |
|--|-----|
| Is lead visible? | Yes |
| Was there a general site sample collected? | No |

General Site Notes

Overhead lines throughout town. Verizon worker said lead is a huge issue in the area. They remove only when necessary repairs are required. There is a plastic umbrella covering many areas, called a squirrel guard to keep them from eating the cables and damaging the lines. Recommend further investigation.







Site Locations - 15. Wappingers Falls, 1

| Weather | | |
|---------------------|-------|--|
| Air Temperature (c) | 1.7 | |
| Weather Condition | Sunny | |
| Wind Speed (mph) | 5.6 | |
| Humidity (%) | 56 | |
| Precipitation (mm) | 0 | |

| Details for Site | |
|--|--|
| Way Point Prefix | Wappingers Falls |
| Way Point Number | 1 |
| Time at Way Point | 14:03 |
| Way Point Description | Old Telephone Pole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |
| General Site Notes | Verizon. Area is generally overgrown. Limited access to the water. Spoke with homeowner at adjacent property, who mentioned there were overhead cables previously. Possible that water cables are still there. |





Site Locations - 16. Wappingers Falls, 1.1

| Weather | | |
|---------------------|-------|--|
| Air Temperature (c) | 2.2 | |
| Weather Condition | Sunny | |
| Wind Speed (mph) | 5.6 | |
| Humidity (%) | 54 | |
| Precipitation (mm) | 0 | |

| Details for Site | |
|--|--------------------|
| Way Point Prefix | Wappingers Falls |
| Way Point Number | 1.1 |
| Time at Way Point | 14:20 |
| Way Point Description | Old Telephone Pole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |



| Was there a general site sample collected? | No |
|--|---|
| General Site Notes | Old cut pole. Trees with newer lines coiled up. |











Site Locations - 17. Wappingers Falls, 1.3

| Weather | |
|---------------------|-------|
| Air Temperature (c) | 2.2 |
| Weather Condition | Sunny |
| Wind Speed (mph) | 5.6 |
| Humidity (%) | 54 |
| Precipitation (mm) | 0 |

| Details for Site | |
|--|--------------------|
| Way Point Prefix | Wappingers Falls |
| Way Point Number | 1.3 |
| Time at Way Point | 14:22 |
| Way Point Description | Old Telephone Pole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | Yes |



| How many cables are visible? | 1 |
|--|-----|
| Is lead visible? | Yes |
| Was there a general site sample collected? | No |

General Site Notes

Old pole with newer lines coiled up.

Site Photos





Site Locations - 18. Wappingers Falls, 2

| Weather | | |
|---------------------|-------|--|
| Air Temperature (c) | 2.2 | |
| Weather Condition | Sunny | |
| Wind Speed (mph) | 5.6 | |
| Humidity (%) | 54 | |
| Precipitation (mm) | 0 | |



| Details for Site | |
|--|--------------------|
| Way Point Prefix | Wappingers Falls |
| Way Point Number | 2 |
| Time at Way Point | 14:43 |
| Way Point Description | Manhole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |
| General Site Notes | Bell Systems MHx1. |

Site Photos



Site Locations - 19. Wappingers Falls, 2.1

| Weather | |
|---------------------|-------|
| Air Temperature (c) | 2.2 |
| Weather Condition | Sunny |
| Wind Speed (mph) | 5.6 |
| Humidity (%) | 54 |
| Precipitation (mm) | 0 |

| Details for Site | | |
|-------------------|------------------|--|
| Way Point Prefix | Wappingers Falls | |
| Way Point Number | 2.1 | |
| Time at Way Point | 14:45 | |



| Way Point Description | Manhole |
|--|--------------------|
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |
| General Site Notes | Bell Systems MHx1. |

Site Photos



Site Locations - 20. Hudson, 3

| Weather | |
|--------------------------|---------------|
| Air Temperature (c) | 2.2 |
| Weather Condition | Partly cloudy |
| Wind Speed (mph) | 2.2 |
| Humidity (%) | 52 |
| Precipitation (mm) | 0 |

| Details for Site | |
|--|-----------------|
| Way Point Prefix | Hudson |
| Way Point Number | 3 |
| Time at Way Point | 15:31 |
| Way Point Description | Sign |
| Are there visible signs indicating a cable crossing? | Yes |
| Identify what the signs say. | Cable Crossing. |
| Is there visible cable at location? | No |



| Was there a general site san | nple |
|------------------------------|------|
| collected? | |

No

General Site Notes

New sign covering old sign.

Site Photos





Site Locations - 21. Hudson, 3.1

| Weather | | |
|--------------------------|---------------|--|
| Air Temperature (c) | 2.2 | |
| Weather Condition | Partly cloudy | |
| Wind Speed (mph) | 2.2 | |
| Humidity (%) | 52 | |
| Precipitation (mm) | 0 | |

| Details for Site | | |
|-------------------|--------|--|
| Way Point Prefix | Hudson | |
| Way Point Number | 3.1 | |
| Time at Way Point | 15:32 | |



| Way Point Description | Sign, Cable Location |
|--|-----------------------------|
| Are there visible signs indicating a cable crossing? | Yes |
| Identify what the signs say. | See photo |
| Is there visible cable at location? | Yes |
| How many cables are visible? | 7 |
| Is lead visible? | Yes |
| Was there a general site sample collected? | See Specific Cable or Water |

Specific Cable Information (1 Item)

Specific Cable Information - 1. 1, 2, 3, 4, 5, 6, 7

| Cable # | 1, 2, 3, 4, 5, 6, 7 |
|--|---------------------|
| Visible Length (ft) | 15 |
| Type of Cable (Power, Telecom, Fiber Optic, Other) | Telecom, Power |
| Is this a leaded cable? | Yes |
| Is the cable(s) Terrestrial, Submarine or Both? | Submarine |
| Was there a sample collected? | Yes |
| How many samples collected? | 1 |

Sample Information - Specific Cable (1 Item)

Sample Information - Specific Cable - 1. Water: Directly on Cable, 3.1

| Type of Sample for Specific Cable | Water: Directly on Cable |
|---|--------------------------|
| If more than one cable, what Cable was Sample collected from? | All |
| Time of Collection - Specific Cable | 16:24 |
| Sample Prefix - Specific Cable | Hudson |
| Sample ID (#) - Specific Cable | 3.1 |
| Additional Notes - Specific Cable Sample (if any) | None. |

Photo of Specific Cable Sample(s)





General Site Notes

Old bell sign framing located at the base of the electric sign. 7 Cables in the same location.















Site Locations - 22. Hudson, 3.2

| Weather | | |
|---------------------|---------------|--|
| Air Temperature (c) | 2.2 | |
| Weather Condition | Partly cloudy | |
| Wind Speed (mph) | 2.2 | |
| Humidity (%) | 52 | |
| Precipitation (mm) | 0 | |

| Details for Site | |
|--|---------|
| Way Point Prefix | Hudson |
| Way Point Number | 3.2 |
| Time at Way Point | 15:44 |
| Way Point Description | Manhole |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |



| Was there a general site sample | No |
|---------------------------------|----|
| collected? | |

General Site Notes Bell Systems MHx1.

Site Photos



Site Locations - 23. Hudson, 3.3

| Weather | |
|---------------------|---------------|
| Air Temperature (c) | 2.2 |
| Weather Condition | Partly cloudy |
| Wind Speed (mph) | 2.2 |
| Humidity (%) | 52 |
| Precipitation (mm) | 0 |

| Details for Site | |
|--|--|
| Way Point Prefix | Hudson |
| Way Point Number | 3.3 |
| Time at Way Point | 15:45 |
| Way Point Description | Manhole, Buried Cable at this location. |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |
| General Site Notes | Bell Systems MHx1. Buried Cable at this location. Possible vault access in sidewalk behind MH. |









Site Locations - 24. Hudson, 3.4

| Weather | | |
|---------------------|----------|--|
| Air Temperature (c) | 1.7 | |
| Weather Condition | Overcast | |
| Wind Speed (mph) | 3.8 | |
| Humidity (%) | 54 | |
| Precipitation (mm) | 0 | |

| Details for Site | |
|--|------------------------------------|
| Way Point Prefix | Hudson |
| Way Point Number | 3.4 |
| Time at Way Point | 16:30 |
| Way Point Description | Cable Location, Old Telephone Pole |
| Are there visible signs indicating a cable crossing? | Yes |
| Identify what the signs say. | Reference Hudson 3.1 |
| Is there visible cable at location? | Yes |
| How many cables are visible? | 3 |
| Is lead visible? | Yes |
| Was there a general site sample collected? | See Specific Cable or Water |

Specific Cable Information (1 Item)



Specific Cable Information - 1. All

| Cable # | All |
|--|----------------|
| Visible Length (ft) | 50 |
| Type of Cable (Power, Telecom, Fiber Optic, Other) | Telecom, Power |
| Is this a leaded cable? | Yes |
| Is the cable(s) Terrestrial, Submarine or Both? | Both |
| Was there a sample collected? | Yes |
| How many samples collected? | 2 |

Sample Information - Specific Cable (2 Items)

Sample Information - Specific Cable - 1. Sediment Collection, 3.4

| Type of Sample for Specific Cable | Sediment Collection |
|---|---------------------|
| If more than one cable, what Cable was Sample collected from? | All |
| Location of Collected Specific Cable Sample | Under the Cable |
| Time of Collection - Specific Cable | 16:31 |
| Sample Prefix - Specific Cable | Hudson |
| Sample ID (#) - Specific Cable | 3.4 |
| Additional Notes - Specific Cable Sample (if any) | None. |

Photo of Specific Cable Sample(s)





Sample Information - Specific Cable - 2. Lead Scraping, 3.4


| Type of Sample for Specific Cable | Lead Scraping |
|---|--|
| If more than one cable, what Cable was Sample collected from? | 1 |
| Time of Collection - Specific Cable | 16:33 |
| Sample Prefix - Specific Cable | Hudson |
| Sample ID (#) - Specific Cable | 3.4 |
| Additional Notes - Specific Cable Sample (if any) | No notes related to the field. The Sample was originally sent to the lab 12 January 2023. It was returned from the lab and resent 25 January 2023. |

Photo of Specific Cable Sample(s)



| General Site Notes | Please reference Hudson 3 through 3.6. |
|--------------------|--|
| | |







Site Locations - 25. Hudson, 4

| Weather | | |
|---------------------|----------|--|
| Air Temperature (c) | 1.7 | |
| Weather Condition | Overcast | |
| Wind Speed (mph) | 3.8 | |
| Humidity (%) | 54 | |
| Precipitation (mm) | 0 | |

| Details for Site | |
|--|--------------|
| Way Point Prefix | Hudson |
| Way Point Number | 4 |
| Time at Way Point | 16:46 |
| Way Point Description | Water Intake |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |



Was there a general site sample collected?

See Specific Cable or Water

Water Control, Intake, or Drinking Fountain Information (1 Item)

Water Control, Intake, or Drinking Fountain Information - 1. Water: Surface

| Type of Sample for Water Control, Intake or Drinking Fountain | Water: Surface |
|---|----------------|
| Was there a Water Control, Intake, or Drinking Fountain sample collected? | Yes |
| How many Water Control, Intake, or Drinking Fountain samples collected? | 1 |


Sample Information - Water Control, Intake, or Drinking Fountain (1 Item)

Sample Information - Water Control, Intake, or Drinking Fountain - 1. Hudson, 4

| Location of Collected Water Control, Intake or Drinking Fountain Sample | Near Intake |
|--|-------------|
| Time of Collection - Water Control, Intake, or Drinking Fountian | 16:47 |
| Sample Prefix - Water Control, Intake, or Drinking Fountain | Hudson |
| Sample ID (#) - Water Control, Intake, or Drinking Fountain | 4 |
| Additional Notes - Water Control, Intake, or Drinking Fountain Sample (if any) | None. |

Photo of Water Control, Intake, or Drinking Fountain Sample(s)







General Site Notes





Site Locations - 26. Hudson, 3.5

| Weather | |
|---------------------|----------|
| Air Temperature (c) | 1.7 |
| Weather Condition | Overcast |
| Wind Speed (mph) | 3.8 |
| Humidity (%) | 54 |
| Precipitation (mm) | 0 |

| Details for Site | |
|--|---|
| Way Point Prefix | Hudson |
| Way Point Number | 3.5 |
| Time at Way Point | 16:58 |
| Way Point Description | Sign, Old Telephone Pole |
| Are there visible signs indicating a cable crossing? | Yes |
| ldentify what the signs say. | Sign is worn and not possible to read, but similar to others in the area. |



| Is there visible cable at location? | No |
|--|----|
| Was there a general site sample collected? | No |

General Site Notes





Site Locations - 27. Hudson, 3.6

| Weather | | |
|---------------------|----------|--|
| Air Temperature (c) | 1.7 | |
| Weather Condition | Overcast | |
| Wind Speed (mph) | 3.8 | |
| Humidity (%) | 54 | |
| Precipitation (mm) | 0 | |

| Details for Site | |
|------------------|--------|
| Way Point Prefix | Hudson |
| Way Point Number | 3.6 |



| Time at Way Point | 17:10 |
|--|---|
| Way Point Description | Possible location for Old Bell insignia. |
| Are there visible signs indicating a cable crossing? | No |
| Is there visible cable at location? | No |
| Was there a general site sample collected? | No |
| General Site Notes | Spoke with a homeowner who lives near the tracks. He showed us an area where an old Bell sign was supposedly secured to a rock. There was a doctor back in the 1900's, who may have had utilities run to his home. There was also a historic hotel on top of the hill that would have had utilities. Further fact checking and investigation recommended. |



